Europäisches Patentamt

European Patent Office

Office européen des brevets



(11) EP 1 225 224 A1

(12)

EUROPEAN PATENT APPLICATION published in accordance with Art. 158(3) EPC

- (43) Date of publication: 24.07.2002 Bulletin 2002/30
- (21) Application number: 00963041.9
- (22) Date of filing: 02.10.2000

- (51) Int CI.7: C12N 15/12, C07K 14/435, C07K 16/18, C12P 21/02, C12Q 1/68, A61K 38/00, A61K 39/395, A61K 48/00, A61P 9/10, G01N 33/50, G01N 33/53
- (86) International application number: PCT/JP00/06840
- (87) International publication number: WO 01/25427 (12.04.2001 Gazette 2001/15)
- (84) Designated Contracting States:

 AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU

 MC NL PT SE

 Designated Extension States:

 AL LT LV MK RO SI
- (30) Priority: 01.10.1999 JP 28097699
- (71) Applicants:
 - KYOWA HAKKO KOGYO CO., LTD. Chlyoda-ku, Tokyo 100-8185 (JP)
 - Nojima, Hiroshi Minoo-shi, Osaka 562-0031 (JP)
- (72) Inventors:
 - NOJIMA, Hiroshi Mino-shi, Osaka 562-0031 (JP)
 - YOSHISUE, Hajime, Kyowa Hakkko Kogyo Co. Ltd. Machida-shi, Tokyo 194-8533 (JP)
 - OBAYASHI, Masaya,
 Kyowa Hakko Kogyo Co. Ltd.
 Machida-shi, Tokyo 194-8533 (JP)

- OTA, Toshio, Kyowa Hakko Kogyo Co. Ltd. Machida-shi, Tokyo 194-8533 (JP)
- KAWABATA, Ayako,
 Kyowa Hakko Kogyo Co. Ltd.
 Machida-shi, Tokyo 194-8533 (JP)
- SAKURADA, Kazuhiro, Kyowa Hakko Kogyo Co. Ltd. Machida-shi, Tokyo 194-8533 (JP)
- KUGA, Tetsuro, Kyowa Hakko Kogyo Co. Ltd. Hohu-shi, Yamaguchi 747-8522 (JP)
- SEKINE, Susumu, Kyowa Hakko Kogyo Co. Ltd. Machida-shi, Tokyo 194-8533 (JP)
- NAKAMURA, Yusuke Yokohama-shi, Kanagawa 225-0011 (JP)
- SUGANO, Sumio Suginami-ku, Tokyo 167-0052 (JP)
- (74) Representative: VOSSIUS & PARTNER Siebertstrasse 4 81675 München (DE)

(54) SHEAR STRESS-RESPONSE DNA

(57) This invention relates to a novel shear stressresponsive DNA, a protein encoded by the DNA, an antibody against the protein, a method for detecting a shear stress-responsive DNA or protein, a therapeutic agent and a diagnostic agent for vascular diseases caused by arteriosclerosis and a method for screening the therapeutic agent and the diagnostic agent.

EP 1 225 224 A1

Description

Field of the Invention

[0001] This invention relates to novel DNAs obtained by employing the subtraction method while paying attention to mRNAs which show a shear stress-dependent increase of expression in vascular endothelial cells; and proteins encoded by these DNAs. Moreover, this invention also relates to antibodies against the proteins; methods for detecting the proteins and the DNAs; and the diagnosis and treatment of various vascular diseases caused by arteriosclerosis, such as cardiac insufficiency, restenosis after PTCA (percutaneous transluminal coronary angioplasty) and hypertension, and methods for screening an agent for such treatment or diagnosis.

Background of the Invention

[0002] Conventionally, vascular endothelial cells covering the inner surfaces of blood vessels in the form of a monolayer have been considered to be a mere lining for separating the vascular tissue from blood flowing through the lumen of the blood vessel. However, as a result of the recent progress of research on the vascular endothelium, it has been found that the endothelium has a great diversity of functions which are very important for the living body. These functions include, for example, regulation of the material permeability between blood and tissue, regulation of the tension of the blood vessel, maintenance of an antithrombogenic activity, control of the proliferation of smooth muscle, repair of tissues, inflammatory reaction, and remodeling of the blood vessel. The physical force applied to the vascular wall by a flow of blood is called a shear stress, which is defined by the flow velocity of blood, the viscosity of blood, and the diameter and morphology of the blood vessel. The shear stress acts on the endothelium covering the inner surface of the vascular wall and distorts vascular endothelial cells in the direction of the blood flow. According to investigations made for the last ten years or so, it has been revealed that, similarly to chemical stimuli such as hormones and cytokines, this physical stimulus is closely associated with the morphology of vascular endothelial cells and regulation of the above-described various functions [Cell Technology (in Japanese), 16, 950(1997)].

[0003] In Industrially advanced countries Including Japan, atherosclerosis is one of the major causes of death of adults. It is known that the malfunction of blood vessels caused by hypercholesteremia, hyperhomocysteinemia, diabetes mellitus and the like is closely related to the development of atherosclerosis and the aggravation of the morbid state [Molecular Cardiovascular Medicine, 49-61 (1995)]. On the other hand, it is also known that arteriosclerotic lesions are not uniformly distributed over all blood vessels, but are localized in specific regions such as the outside of a bend in a branched part of a blood vessel. Since such local development is also observed in experimental animal having a genetically increased blood cholesterol level, it is considered that the incorporation of cholesterol into the vascular endothelium occurs in two stages, i.e., local changes of vascular endothelial cells and the actual incorporation of cholesterol [Arterioscler. Thromb., 14, 133-140(1994)]. The cause of such local development has scarcely been clarified. However, since Inciplent lesions occur frequently in places where the intensity and direction of a shear stress are not steady, i.e., places where a low shear stress is produced and the separation or stagnation of a flow or turbulence (e.g., eddies) tends to occur, hemodynamic stresses such as shear stresses are considered to be closely related to the development of atherosclerosis. At present, the molecular mechanism by which a shear stress induces arteriosclerosis locally is not clearly understood. However, genes whose expression is altered by applying a shear stress mechanically to vascular endothelial cells cultured in vitro have been searched until now. Thus, it has been found that a shear stress activates various transcription factors such as AP(activator protein)-1 and NF(nuclear factor)-κB, and thereby causes a change of expression of genes under the control of these transcription factors. Up to now, it has been reported that the proteins encoded by genes exhibiting an alteration of expression in response to a shear stress stimulus include growth factors such as PDGF (platelet-derived growth factor) and TGF(transforming growth factor)-β; adhesion factors such as VCAM(vascular cell adhesion molecule)-1 and ICAM(intercellular adhesion molecule)-1; tension control factors such as ET(endothelln)-1; thrombolysis factors such as t-PA (tissue-type plasminogen activator); enzymes such as NOS (nitric oxide synthase) 3, COX (cyclooxygenase) 2 and SOD (superoxide dismutase); and the like [Molecular Medicine Today, 5, 40(1999)]. Thus, the genes responding to a shear stress in an in vitro reconstituted system are believed to include two groups of molecules having different characteristics, i.e., arteriosclerosis induction factors consldered to be expressed in at least low shear stress regions of blood vessels in response to a change of shear stress, and molecules suppressing the development of arteriosclerosis in intravascular places where a high shear stress is produced constitutively. However, among the genes presumed to exhibit an alteration of expression in response to a shear stress only some genes have been specifically identified. In order to understand the cause of arteriosclerosis and develop methods for the prevention and treatment thereof, it is necessary to clarify unknown genes responding to a shear stress. In recent years, unknown genes responding to a shear stress have been searched by employing the differential display method or the like, but it involves several problems in that genes whose alteration of expression is of the order of several times cannot be easily obtained and in that the proportion of false positive clones is high [Nucleic

Acids Res., <u>23</u>, 4520-4523(1995)]. Consequently, the number of genes exhibiting an alteration of expression in response to a shear stress and clarified by the differential display method is not great [Proc. Natl. Acad. Sci. USA, <u>93</u>, 10417-10422(1996); Proc. Natl. Acad. Sci. USA, <u>94</u>, 9314-9319(1997); Biochem. Biophys. Res. Comm., <u>255</u>, 347-351 (1996); Biochem. Biophys. Res. Comm., <u>246</u>, 881-887(1998); US Patent 5,834,248 (1998); US Patent 5,882,925 (1999)].

[0004] As described above, it is recognized that changes of the shear stress applied to vascular endothellal cells are involved in the local development of atherosclerosis, but the fact is that its molecular mechanism is scarcely understood. Nevertheless, it has been reported for long that a shear stress reduces the turnover of endothelial cells in vivo, i.e., a shear stress acts so as to suppress the cell death of the endothelium [Atherosclerosis, 17, 401-417(1973); Circ. Res., 69, 1557-1565(1991)]. Moreover, there are many reports showing that, In vitro, the apoptosis of endothelial cells induced by TNF-α stimulation, hydrogen peroxide stimulation, growth factor depletion or the like is markedly suppressed by the application of a shear stress [J. Exp. Med., 185, 601-607(1997); FEBS Lett., 399, 71-74(1997); Arterioscler. Thromb. Vas. Biol., 17, 3588-3592(1997); Biochem. Biophys. Res. Commun., 231, 586-590(1997)]. That is, it is believed that, in branched or curved parts of arteries where a low shear stress is produced, the character of endothelial cells changes so as to induce apoptosis and this is a cause defining the locality of an inclpient arteriosclerotic lesion. At present, however, little is known about genes participating in the molecular mechanism by which the application of a shear stress suppresses the apoptosis of endothelial cells, namely the signal transduction mechanism.

[0005] The understanding of the molecular mechanism by which vascular endothelial cells respond to a shear stress leads us to learn the mechanism of development of various vascular diseases caused by arteriosclerosls, and the target for treatment. In order to elucidate the signal transduction mechanism, it is necessary to obtain a group of genes which exhibit a shear stress stimulus-dependent alteration of expression in vascular endothelial cells.

[0006] Moreover, the understanding of the molecular mechanism by which the apoptosis of vascular endothelial cells is suppressed in response to a shear stress stimulus leads us to elucidate the mechanism of the local formation of an early lesion of arteriosclerosis and thereby discover remedies for various vascular diseases caused by arteriosclerosis. In order to elucidate the molecular mechanism, it is necessary to obtain genes which exhibit a shear stress stimulus-dependent increase of expression in vascular endothelial cells and have an apoptosis-suppressing activity.

Summary of the Invention

35

45

50

55

[0007] The present Inventors made intensive Investigations with a view to solving the above-described problems and have now obtained the following results. Specifically, mRNA derived from cultured vascular endothelial cells having a shear stress applied thereto was used as a template to prepare a cDNA library, and mRNA extracted from endothelial cells having no shear stress applied thereto was subtracted therefrom. Thus, a subtraction library was constructed in which genes exhibiting an increase of expression under shear stress-applied conditions was concentrated. However, since abundance of genes having a low amount of expression are equalized and empty vectors having no inserted fragment are increased in this subtraction library, a reverse subtraction method was newly developed to construct a second-generation subtraction library in which genes exhibiting an alteration of expression in response to a shear stress were concentrated from the subtraction library. Clones present in this second-generation subtraction library were randomly subjected to Northern hybridization, so that a large number of clones exhibiting an increase of expression by the application of a shear stress were obtained. Among these clones, not only the genes already known to exhibit an alteration of expression in response to a shear stress, but also genes presumed to act on the regulation of arteriosclerosis, genes which have not yet been known to be associated with arteriosclerosis, and novel genes were found. Furthermore, peptides encoded by these genes were found. Thus, the present invention has been completed.

[0008] Specifically, the present invention provides the following (1) to (76).

- (1) A DNA having a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO: 143, 145, 147, 149, 151, 153, 155, 157, 168, 170 and 172.
- (2) A shear stress-responsive DNA capable of hybridizing with a DNA having the nucleotide sequence represented by SEQ ID NO:143, 145, 149, 151, 153, 155, 157, 168, 170 or 172 under stringent conditions.
- (3) A shear stress-responsive DNA capable of hybridizing with a DNA having the nucleotide sequence represented by SEQ ID NO:147 under stringent conditions, and having not less than 90% homology with the DNA.
- (4) A DNA having the same sequence as 5 to 60 consecutive bases in a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO:143, 145, 149, 153, 155, 157, 168, 170 and 172, or a DNA having a sequence complementary to the DNA.
- (5) A method for detecting an mRNA for a shear stress-responsive gene using a DNA according to any of (1) to (4).
- (6) A diagnostic agent for vascular diseases caused by arteriosclerosis which contains a DNA according to any of (1) to (4).
- (7) A method for detecting a gene causative of arteriosclerosis using a DNA according to any of (1) to (4).

- (8) A method for screening an agent for regulating the transcription or translation of a shear stress-responsive gene using a DNA according to any of (1) to (4).
- (9) A method for screening a therapeutic agent for vascular diseases caused by arteriosclerosis using a DNA according to any of (1) to (4).
- (10) A therapeutic agent for vascular diseases caused by arteriosclerosis which contains a DNA according to any of (1) to (4).
 - (11) A recombinant virus vector containing a DNA according to any of (1) to (4).

15

20

25

30

35

40

45

50

- (12) A recombinant virus vector containing an RNA comprising a sequence homologous with the sense strand of a DNA according to any of (1) to (4).
- (13) A DNA having a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO: 111, 113, 115, 116, 117, 119, 121, 123, 125, 127, 129, 130, 131, 132, 133, 134, 135, 137, 139 and 141.
 - (14) A shear stress-responsive DNA capable of hybridizing with the DNA according to (13) under stringent conditions.
 - (15) A DNA having the same sequence as 5 to 60 consecutive bases in a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO:111, 113, 115, 116, 117, 119, 121, 123, 125, 127, 129, 130, 131, 132, 133, 134, 135, 137, 139 and 141, or a DNA having a sequence complementary to the DNA.
 - (16) A diagnostic agent for vascular diseases caused by arteriosclerosis which contains a DNA according to any of (13) to (15).
 - (17) A method for detecting a gene causative of arterlosclerosls using a DNA according to any of (13) to (15).
 - (18) A method for screening an agent for regulating the transcription or translation of a shear stress-responsive gene using a DNA according to any of (13) to (15).
 - (19) A method for screening a therapeutic agent for vascular diseases caused by arteriosclerosis using a DNA according to any of (13) to (15).
 - (20) A method for detecting an mRNA for a shear stress-responsive gene using a DNA having a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107 and 109.
 - (21) A method for identifying the apoptosis sensitivity of cells by detecting the endogenous transcription level of a DNA having the nucleotide sequence represented by SEQ ID NO:7 using a DNA having the nucleotide sequence represented by SEQ ID NO:7 or a DNA having the same sequence as 5 to 60 consecutive bases in the nucleotide sequence represented by SEQ ID NO:7.
 - (22) A method for suppressing or promoting the apoptosis of cells by regulating the endogenous transcription or translation of a DNA having the nucleotide sequence represented by SEQ ID NO:7 using a DNA having the nucleotide sequence represented by SEQ ID NO:7 or a DNA having the same sequence as 5 to 60 consecutive bases in the nucleotide sequence represented by SEQ ID NO:7, or an antisense DNA having a nucleotide sequence complementary to the nucleotide sequence of each of these DNAs.
 - (23) A diagnostic agent for vascular diseases caused by arteriosclerosis which contains a DNA having a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107 and 109.
 - (24) An agent for identifying the apoptosis sensitivity of cells which contains a DNA having the nucleotide sequence represented by SEQ ID NO:7, or a DNA having the same sequence as 5 to 60 consecutive bases in the nucleotide sequence represented by SEQ ID NO:7.
 - (25) A method for screening an agent for regulating the transcription or translation of a shear stress-responsive gene using a DNA having a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107 and 109.
 - (26) A method for screening a therapeutic agent for vascular diseases caused by arteriosclerosis using a DNA having a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107 and 109.
 - (27) A method for screening an agent for suppressing or promoting the apoptosis of cells by regulating the endogenous transcription or translation of a DNA having the nucleotide sequence represented by SEQ ID NO:7 using a DNA having the nucleotide sequence represented by SEQ ID NO:7 or a DNA having the same sequence as 5 to 60 consecutive bases in the nucleotide sequence represented by SEQ ID NO:7.
 - (28) A therapeutic agent for vascular diseases caused by arteriosclerosis which contains a DNA having a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81,

83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107 and 109.

5

15

25

- (29) An agent for suppressing or promoting the apoptosis of cells which contains a DNA having the nucleotide sequence represented by SEQ ID NO:7 or a DNA having the same sequence as 5 to 60 consecutive bases in the nucleotide sequence represented by SEQ ID NO:7, or an antisense DNA having a nucleotide sequence complementary to the nucleotide sequence of each of these DNAs.
- (30) A recombinant virus vector containing a DNA having a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107 and 109.
- (31) A recombinant virus vector containing an RNA comprising a sequence homologous with the sense strand of a DNA having a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107 and 109.
 - (32) A therapeutic agent for vascular diseases caused by arteriosclerosis which contains a recombinant virus vector according to (30) or (31).
 - (33) A method for suppressing the apoptosis of cells using a recombinant virus vector containing a DNA having the nucleotide sequence represented by SEQ ID NO:7, or a recombinant virus vector containing an RNA comprising a sequence homologous with the sense strand of a DNA having the nucleotide sequence represented by SEQ ID NO:7.
- (34) A method for screening an agent for suppressing or promoting the apoptosis of cells using a recombinant virus vector containing a DNA having the nucleotide sequence represented by SEQ ID NO:7, or a recombinant virus vector containing an RNA comprising a sequence homologous with the sense strand of a DNA having the nucleotide sequence represented by SEQ ID NO:7.
 - (35) A protein having an amino acid sequence selected from the amino acid sequences represented by SEQ ID NO:144, 146, 148, 150, 152, 154, 156, 158, 169, 171 and 173.
 - (36) A protein comprising an amino acid sequence in which one or more amino acids are deleted, replaced or added as compared with the amino acid sequence possessed by the protein according to (35), and having an activity participating in the formation of an arteriosclerotic lesion.
 - (37) A DNA encoding a protein according to (35) or (36).
- 30 (38) A recombinant DNA obtained by inserting a DNA according to any of (1)-(4) and (37) into a vector.
 - (39) A transformant obtained by introducing the recombinant DNA according to (38) into a host cell.
 - (40) A process for the preparation of a protein which comprises culturing the transformant according to (39) in a culture medium, causing a protein according to (35) or (36) to be produced and accumulated in the culture medium, and harvesting the protein from the resulting culture.
- (41) A method for screening a therapeutic agent for vascular diseases caused by arteriosclerosis which comprises culturing the transformant according to (39) In a culture medium and using the resulting culture for the screening.
 (42) A method for screening a therapeutic agent for vascular diseases caused by arteriosclerosis using a protein according to (35) or (36).
 - (43) A recombinant virus vector capable of producing a protein according to (35) or (36).
- 40 (44) A therapeutic agent for vascular diseases caused by arterioscierosis which contains the recombinant virus vector of (43).
 - (45) An antibody capable of recognizing a protein according to (35) or (36).
 - (46) A method for detecting a protein according to (35) or (36) immunologically using the antibody according to (45).
 - (47) A method for screening a therapeutic agent for vascular diseases caused by arteriosclerosis using the antibody according to (45).
 - (48) A method for screening an agent for regulating the transcription or translation of a shear stress-responsive gene using the antibody according to (45).
 - (49) A diagnostic agent for vascular diseases caused by arteriosclerosis which contains the antibody according to (45).
- 50 (50) A therapeutic agent for vascular diseases caused by arteriosclerosis which contains the antibody according to (45).
 - (51) A drug delivery method which comprises combining the antibody of (45) with a radioactive isotope, a protein or a low-molecular-weight agent, and delivering the resulting conjugated antibody to an arteriosclerotic lesion.
 - (52) An antibody capable of recognizing a protein having an amino acid sequence represented by SEQ ID NO:
- 55 112, 114, 118, 120, 122, 124, 126, 128, 136, 138, 140 and 142.
 (53) A method for screening a therapeutic agent for vascular diseases caused by arteriosclerosis using the antibody according to (52).
 - (54) A method for screening an agent for suppressing the transcription or translation of a shear stress-responsive

gene using the antibody according to (52).

10

15

20

30

45

50

- (55) A diagnostic agent for vascular diseases caused by arteriosclerosis which contains the antibody according to (52).
- (56) A therapeutic agent for vascular diseases caused by arteriosclerosis which contains the antibody according to (52).
- (57) A drug delivery method which comprises combining the antibody of (52) with a radioactive isotope, a protein or a low-molecular-weight agent, and directing the resulting conjugated antibody to an arteriosclerotic lesion.
- (58) A method for screening an agent capable of binding specifically to a protein having the amino acid sequence represented by SEQ.ID NO:8 and effective for suppressing or promoting the apoptosis of cells, using a protein having the amino acid sequence represented by SEQ.ID NO:8.
- (59) A method for screening an agent for suppressing or promoting the apoptosis of cells which comprises inserting a DNA having the nucleotide sequence represented by SEQ ID NO:7 or a DNA encoding a protein having the amino acid sequence represented by SEQ ID NO:8, into a vector, introducing the resulting recombinant DNA into a host cell; culturing the resulting transformant in a culture medium; and using the resulting culture for the screening. (60) A recombinant virus vector capable of producing a protein having an amino acid sequence selected from the amino acid sequences represented by SEQ ID NO:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108 and 110.
- (61) A therapeutic agent for vascular diseases caused by arteriosclerosis which contains the recombinant virus vector of (60).
- (62) A method for suppressing the apoptosis of cells using a recombinant virus vector capable of producing a protein having the amino acid sequence represented by SEQ ID NO:8.
- (63) An agent for suppressing the apoptosis of cells which contains a recombinant virus vector capable of producing a protein having the amino acid sequence represented by SEQ ID NO:8.
- (64) A method for screening a therapeutic agent for vascular diseases caused by arteriosclerosis using an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108 or 110.
 - (65) A method for screening an agent for suppressing or promoting the transcription or translation of a shear stress-responsive gene using an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108 or 110. (66) A method for regulating the apoptosis of cells using an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:8.
- (67) A method for screening an agent for regulating the apoptosis of cells using an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ iD NO:8.
 - (68) A method for identifying the apoptosis sensitivity of cells by detecting the expression level of a protein having the amino acid sequence represented by SEQ ID NO:8 using an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:8.
- 40 (69) A method according to any of (21), (22), (27), (33), (34), (58), (59), (62), (66), (67) and (68) wherein the cells are vascular endothelial cells.
 - (70) A diagnostic agent for vascular diseases caused by arteriosclerosis which contains an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108 or 110.
 - (71) An agent for identifying the apoptosis sensitivity of cells which contains an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:8.
 - (72) A therapeutic agent for vascular diseases caused by arteriosclerosis which contains an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108 or 110.
 - (73) An agent for regulating the apoptosis of cells which comprises an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:8.
 - (74) An agent for suppressing or promoting the apoptosis of cells which is obtained by a method according to any of (27), (34), (58), (59) and (67).
 - (75) An agent according to any of (24), (29), (63), (71), (73) and (74) wherein the cells are vascular endothelial cells. (76) A drug delivery method which comprises combining an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36,

38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108 or 110, with a radioactive isotope, a protein or a low-molecular-weight agent, and directing the resulting conjugated antibody to an arteriosclerotic lesion.

[0009] The term "regulate" as used herein means the action of suppressing or promoting. Moreover, the term "agent" refers to any substances having an arbitrary molecular weight such as proteins and nucleic acids.

[0010] The DNA of the present invention is a shear stress-responsive DNA. Examples thereof include a DNA having a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO:143, 145, 147, 149, 151, 153, 155, 157, 168, 170 and 172; and a DNA capable of hybridizing with the foregoing DNAs under stringent conditions and showing an alteration in the expression level in response to the application of a shear stress.

[0011] The above-described DNA capable of hybridizing with a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO:143, 145, 147, 149, 151, 153, 155, 157, 168, 170 and 172 under stringent conditions is a DNA obtained by carrying out colony hybridization, plaque hybridization or Southern blot hybridization while using a DNA having a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO: 143, 145, 147, 149, 151, 153, 155, 157, 168, 170 and 172 as a probe. Specifically, it includes DNA which can be identified by using a filter having colony- or plaque-derived DNAs immobilized thereon to carry out hybridization at 65°C in the presence of 0.7-1.0 M NaCl, and then washing the filter with an SSC solution having a 0.1 - to 2-fold concentration (an SSC solution having a one-fold concentration is composed of 150 mM sodium chloride and 15 mM sodium citrate) under 65°C conditions.

[0012] Hybridization may be carried out according to the methods described in Molecular Cloning, A Laboratory Manual, Second Edition, Cold Spring Harbor Laboratory Press (1989) (hereinafter referred to briefly as "Molecular Cloning, Second Edition"); Current Protocols in Molecular Biology, John Wiley & Sons (1987-1997) (hereinafter referred to briefly as "Current Protocols in Molecular Biology"); DNA Cloning 1: Core Techniques, A Practical Approach, Second Edition, Oxford University (1995); and the like. Specific examples of the hybridizable DNAs include DNAs having not less than 60% homology, preferably not less than 80% homology, more preferably not less than 90% homology, and most preferably not less than 95% homology with a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO:143, 145, 147, 149, 151, 153, 155, 157, 168, 170 and 172.

[0013] Furthermore, the DNA of the present invention also includes oligonucleotides and antisense oligonucleotide having a sequence of a part of the DNA of the present invention. The oligonucleotide includes, for example, an oligonucleotide having the same sequence as the nucleotide sequence of 5 to 60 residues, preferably 10 to 40 residues, in a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO:143, 145, 147, 149, 151, 153, 155, 157, 168, 170 and 172. The antisense oligonucleotide includes, for example, an antisense oligonucleotide of the foregoing oligonucleotide.

[0014] The protein of the present invention includes a protein having an activity associated with arteriosclerosis. Specific examples thereof include a protein having an amino acid sequence selected from the amino acid sequences represented by SEQ ID NO:144, 146, 148, 150, 152, 154, 156, 158, 169, 171 and 173, and a protein comprising amino acid sequences in which one or more amino acids are deleted, replaced or added as compared with the amino acid sequence possessed by the foregoing protein, and having an activity involved in the formation of an arteriosclerotic lesion.

[0015] The protein comprising amino acid sequence in which one or more amino acids are deleted, replaced or added as compared with the amino acid sequence of protein having an amino acid sequence selected from the amino acid sequences represented by SEQ ID NO:144, 146, 148, 150, 152, 154, 156, 158, 169, 171 and 173, and having an activity involved in the formation of an arteriosclerotic lesion may be prepared according to the methods described in Molecular Cloning, Second Edition; Current Protocols in Molecular Biology; Nucleic Acids Research, 10, 6487(1982); Proc. Natl. Acad. Sci. USA, 79, 6409(1982); Gene, 34, 315(1985); Nucleic Acids Research, 13, 4431(1985); Proc. Natl. Acad. Sci. USA, 82, 488(1985); and the like.

[0016] Moreover, among the acquired large number of genes exhibiting an Increase of expression by the application of a shear stress in vascular endothelial cells, the present inventors have found A4RS-041 having homology with LFG (lifeguard), a brain-specific gene which has been reported to suppress Fas-mediated apoptosis [Proc. Natl, Acad. Sci. USA, 22, 12673-12678(1999)]. First of all, according to an analysis of the nucleotide sequence of A4RS-041, the present inventors have found that A4RS-041 is a gene entirely different from LFG because A4RS-041 has about 50% identity to LFG, but about one-third thereof on the amino-terminal side has little homology. Moreover, the present inventors have also found that the expression profiles of A4RS-041 and LFG in tissues are substantially different because A4RS-041 is widely expressed in a variety of tissues including vascular endothelial cells, whereas LFG is highly expressed in the brain but not in vascular endothelial cells. Furthermore, by constructing a transformed cell which permits A4RS-041 to be stably and highly expressed, the present inventors have also found that A4RS-041 suppresses Fas-mediated apoptosis, thus ascertaining that A4RS-041 is a key molecule for the suppression of the apoptosis of vascular endothelial cells by a shear stress. Thus, the present invention has been completed.

Brief Description of the Drawings

[0017]

5

10

15

20

25

30

35

40

FIG. 1 illustrates the results of Northern analysis of genes exhibiting an increase of expression in response to a shear stress stimulus. Lanes 1-41 show shear stress-dependent increases of expression for A4RS-016, -026, -040, -041, -063, -096, -116, -126, -131, -148, -154, -174, -175, -194, -197, -260, -271, -307, -355, -389, -391, -423, -431, -453, -492, -507, -514, -523, -544, -547, -557, -577, -588, -602, -608, -612, -625, -666, -668, -674 and -682, respectively. In each blot, 4 μg of total RNA derived from HUVEC having no shear stress applied thereto (with a stimulation time of 0) was electrophoresed in the left-hand lane, and 4 μg of total RNA derived from HUVEC having a shear stress applied thereto (a mixture of equal amounts of total RNA samples derived from HUVEC stimulated for 0.5, 1, 1.5, 2, 3, 4, 6, 10 and 20 hours) was electrophoresed in the right-hand lane.

FIG. 2 illustrates the results of Northern analysis of genes exhibiting an increase of expression in response to a shear stress stimulus. Lanes 42-83 show shear stress-dependent increases of expression for A4RS-751, -781, -784, -817, -818, -914, -929, -935, -938, -939, -945, -947, -948, -949, -011, -115, -143, -171, -193, -280, -402, -533, -604, -615, -619, -626, -676, -679, -737, -780, -826, -916, -933, -943, -002, -049, -230, -239, -242, -491, -578 and -829, respectively. In each blot, 4 μ g of total RNA derived from HUVEC having no shear stress applied thereto (with a stimulation time of 0) was electrophoresed in the left-hand lane, and 4 μ g of total RNA derived from HUVEC having a shear stress applied thereto (a mixture of equal amounts of total RNA samples derived from HUVEC stimulated for 0.5, 1, 1.5, 2, 3, 4, 6, 10 and 20 hours) was electrophoresed in the right-hand lane.

FIG. 3 Illustrates the results of Northern blotting analysis of genes expressed in response to a shear stress stimulus, showing their changes of expression with time. Lanes 1-17 show shear stress-dependent increases of expression for A4RS-016, -041, -063, -096, -116, -260, -271, -307, -389, -391, -602, -784, -115, -143, -193, -280 and -402, respectively. In each blot, 4 μ g of total RNA samples derived from HUVEC having shear stress application times of 0, 0.5, 1, 1.5, 2, 3, 4, 6, 10 and 20 hours respectively were electrophoresed as viewed from left to right.

FIG. 4 illustrates the results of Northern blotting analysis of genes expressed in response to a shear stress stimulus, showing their changes of expression with time. Lanes 18-28 show shear stress-dependent increases of expression for A4RS-604, -626, -916, -002, -049, -230, -239, -242, -491, -578 and -829, respectively. In each blot, 4 μ g of total RNA samples derived from HUVEC having shear stress application times of 0, 0.5, 1, 1.5, 2, 3, 4, 6, 10 and 20 hours respectively were electrophoresed as viewed from left to right.

FIG. 5 illustrates the construction of the plasmid pAMo-002 for the expression in animal cells.

FIG. 6A and FIG. 6B are diagrams showing the apoptosis suppressing activity of A4RS-041. FIG. 6A shows changes with time when the anti-Fas monoclonal antibody concentration was fixed at 100 ng/ml, and FIG. 6B shows dependence on the anti-Fas monoclonal antibody concentration when the stimulation time was fixed at 36 hours.
● represents HeLa cells into which A4RS-041 was introduced, and ■ represents HeLa cells into which GFP was

FIG. 7A and FIG. 7B are diagrams showing the distribution of expression of A4RS-041. FIG. 7A is a diagram showing the results obtained by analyzing the expression of A4RS-041 in human normal tissues by Northern blotting. FIG. 7B is a diagram showing the results obtained by analyzing the expression of A4RS-041 and LFG in human vascular endothelial cells and human brain by RT-PCR.

FIG. 8 is a diagram showing the amino acid sequence homology of A4RS-041 and LFG.

Detailed Description of the Invention

[0018] The present invention will be more specifically described hereinbelow. No particular limitation is placed on the type of cells used to prepare the DNA of the present invention, so long as they exhibit responsiveness to the application of a shear stress. However, adhesion type cells are preferred. Examples thereof include vascular endothellal cells, and human vascular endothelial cells are especially preferred. More preferred are human umbilical vein endothelial cells (HUVECs). These vascular endothelial cells can be easily separated from a human umbilical cord according to the method described in Cell (in Japanese), 20, 329(1988) or Human Cell, 1, 188(1988). It is also possible to obtain and use secondary cultured cells having been separated. The passage number of vascular endothelial cells having a passage number of 20 or less are preferred.

[0019] The culture medium used for cell culture may have a conventionally known composition. In the case, for example, of vascular endothelial cells, it is preferable to use a cell culture medium to which 0 to 20% of the blood serum of an animal such as cattle is added. More preferred is E-GM medium (containing 2% fetal calf serum; manufactured by Kurabo Industries, Ltd.) or M199 medium having 20% fetal calf serum added thereto. In order to promote the growth of cells, a cell growth factor such as ECGS (endothelial cell growth supplement), EGF (epidermal growth factor) or

basic FGF (fibroblast growth factor) may be added to the culture medium. A high shear stress can be applied to the cultured cells by adding dextran or the like to the culture medium and thereby increasing the viscosity of the culture medium.

[0020] As the culture apparatus permitting the application of a shear stress, there may be used an apparatus of the micro-carrier type [Am. J. Physiol., <u>259</u>, H804(1990)], the rotary disc type [Biorheology, <u>25</u>, 461(1988)], the parallel plate type [Biotechnol. Bioeng., 27, 1021(1985)] or the like.

[0021] In the application of a shear stress, no particular limitation is placed on the method for the culture of vascular endothellal cells. One exemplary method is as follows. Vascular endothellal cells are allowed to adhere to micro-carriers and suspended in a culture medium within a spinner flask. Although the incubation temperature may be any desired temperature that permit the culture of the cells, it preferable to use a temperature of 37°C. The incubation is preferably carried out in an incubator filled with 5% carbon dioxide gas. No particular limitation is placed on the number of cells harvested, so long as RNA can be extracted therefrom. A typical example thereof is a number of that order which can be obtained by ordinary culture techniques, and a number of not less than 1 x 106 cells is preferred. Although the incubation time is not specified, it is preferable to use an incubation time at which the expression of a gene is distinctly changed as compared with a culture without the application of a shear stress. Especially preferred is an incubation time which provides good viability of the cells. Specifically, an incubation time in the range of 4 to 24 hours is useful. [0022] As the method for preparing total RNA from vascular endothelial cells having a shear stress applied thereto, the guanidine thiocyanate-cesium trifluoroacetate method [Methods in Enzymol., 154, 3(1987)] or the like may be employed.

[0023] As the method for preparing poly(A)+ RNA from total RNA, the oligo(dT)-immobilized cellulose column method (Molecular Cloning, Second Edition) or the like may be employed.

[0024] Furthermore, mRNA may be prepared by using a kit such as Fast Track mRNA Isolation Kit (manufactured by Invitrogen) or Quick Prep mRNA Purification Kit (manufactured by Amersham Pharmacia Biotech).

[0025] Now, the method for the construction of a cDNA library is described below. Usable methods for the construction of a cDNA library include the methods described in Molecular Cloning, Second Edition, Current Protocols in Molecular Biology, DNA Cloning 1: Core Techniques, A Practical Approach, Second Edition, Oxford University Press (1995), and the like; and methods using a commercially available kit such as Superscript Plasmid System for cDNA Synthesis and Plasmid Cloning (manufactured by Life Technologies) or ZAP-cDNA Synthesis Kit (manufactured by Stratagene).

[0026] As a cloning vector for the construction of a cDNA library, there may be used any of phage vectors, plasmid vectors and the like, provided that they can replicate autonomously in <u>Escherichia coii</u> K12 strain. Specific examples thereof include ZAP Express [manufactured by Stratagene; Strategies, 5, 58(1992)], pBluescript ii SK(+) [Nucleic Acids Res., 17, 9494(1989)], \(\lambda\) zap II (manufactured by Stratagene), \(\lambda\)gt11 [DNA Cloning, A Practical Approach, 1, 49(1985)], \(\lambda\)BlueMid (manufactured by Clontech), \(\lambda\)EXCeil (manufactured by Amersham Pharmacia Biotech), pcD2 [Moi. Ceii. Biol., 3, 280(1983)] and pUC18 [Gene, 33, 103(1985)].

35

[0027] As a Escherichia coli for introducing vectors having cDNAs integrated thereinto, there may be used any microorganism that belongs to Escherichia coli. Specifically, Escherichia coli XL1-Blue MRF' [manufactured by Stratagene; Strategies, 5, 81(1992)], Escherichia coli C600 [Genetics, 39, 440(1954)], Escherichia coli Y1088 [Science, 222, 778(1983)], Escherichia coli Y1090 [Science, 222, 778(1983)], Escherichia coli K802 [J. Mol. Biol., 166, 118(1966)], Escherichia coli JM105 [Gene, 38, 275(1985)] and the like may be used.

[0028] Since this cDNA library has the characteristics of vascular endothelial cells having a shear stress applied thereto, it is useful, for example, in cloning a gene associated with a lesion occurring in vital vascular regions undergoing a change of shear stress (specifically, the formation of arteriosclerotic lesions, or the like) and in developing pharmaceuticals by controlling the expression of the gene. Moreover, this cDNA library is different in the types and quantities of genes contained therein, from a cDNA library constructed by using mRNA derived from another type of cells (specifically, standing-cultured vascular endothelial cells having no shear stress applied thereto) as a template. Accordingly, it is possible to isolate the above-described gene associated with the formation of arteriosclerotic lesions or a protein encoded by the gene while using the difference as an index.

[0029] As the method for concentrating genes exhibiting an increase of expression by the application of a shear stress from the cDNA library so constructed, there may be employed a method such as the subtraction method [Proc. Natl. Acad. Sci. USA, 88, 2825(1991)] or differential hybridization [J. Biol. Chem., 265, 2973(1990)].

[0030] As the method for selecting clones having expression specificity (i.e., exhibiting an increase of expression by the application of a shear stress) from the subtraction library in which such genes are concentrated in the above-described manner, there may be employed Northern hybridization [Molecular Cloning, Second Edition], RT(reverse-transcribed)-PCR [Current Protocols in Molecular Biology] or the like.

[0031] With respect to the shear stress-responsive clone selected in the above-described manner, the nucleotide sequence of the DNA can be determined by analyzing it according to a commonly employed nucleotide sequence

analysis method such as the dideoxy method of Sanger et al. [Proc. Natl. Acad. Sci. USA, 74, 5463(1977)], or by means of a nucleotide sequence analyzer such as 373A DNA Sequencer (manufactured by Perkin Elmer).

[0032] The novelty of the nucleotide sequence determined in the above-described manner can be confirmed by using a homology search program (e.g., blast) to search the nucleotide sequence in nucleotide sequence databases such as GenBank, EMBL and DDBJ, and thereby ascertaining that the databases do not include any nucleotide sequence having a distinct identity to the aforesaid nucleotide sequence and hence considered to be identical thereto.

[0033] When the DNA obtained in the above-described manner is a partial DNA of the cDNA corresponding to a shear stress-related mRNA, a clone containing the full-length cDNA may be selected again from the cDNA library by using the DNA obtained in the above-described manner as a probe.

[0034] The selection of a cDNA clone from the cDNA library may be carried out by colony hybridization or plaque hybridization using a probe labeled with an isotope or digoxigenin [Sambrook et al., Molecular Cloning, Second Edition (1989)].

[0035] Examples of the full-length cDNA of the shear stress-responsive gene having a novel nucleotide sequence, which is obtained in the above-described manner, include DNAs having the nucleotide sequences represented by SEQ ID NO:143, 145, 147, 149, 151, 153, 155, 157, 168, 170 and 172.

[0036] Once the full-length cDNA of a shear stress-related gene is obtained and its nucleotide sequence is determined as described above, the desired DNA can be obtained by preparing primers based on the nucleotide sequence and carrying out PCR [PCR Protocols, Academic Press (1990)] while using cDNA synthesized from mRNA or a cDNA library as a template. Moreover, the desired DNA may also be prepared by using a DNA synthesizer to synthesize it chemically on the basis of the determined nucleotide sequence of the DNA. Usable DNA synthesizers include Model 392 DNA Synthesizer (manufactured by Perkin Elmer) using the phosphoamldite method, and the like.

20

[0037] On the basis of the nucleotide sequence information of the aforesaid DNA and DNA fragment, an oligonucleotide and an antisense oligonucleotide each having a partial sequence of the DNA of the present invention may be prepared according to a conventional method or by means of a DNA synthesizer.

[0038] Examples of the oligonucleotide or antisense oligonucleotide include a sense primer corresponding to a nucleotide sequence on the 5'-terminal side and an antisense primer corresponding to a nucleotide sequence on the 3'-terminal side, both in a partial nucleotide sequence of mRNA to be detected. However, the base corresponding to uracil in mRNA is thymidine in oligonucleotide primers. Preferably, the sense primer and antisense primer are oligonucleotides whose melting temperatures (Tm) and numbers of bases are not extremely different from each other and which consist of 10 to 40 bases.

[0039] Moreover, in the present invention, there may be used derivatives of the nucleotides. Examples thereof include methyl derivatives and phosphothioate derivatives of the nucleotides.

[0040] Now, the method for the preparation of a protein having an activity involved in the formation of an arteriosclerotic lesion is described below.

35 [0041] The cDNA of the shear stress-responsive gene, which was obtained in the above-described manner, encodes a protein having an activity involved in the formation of an arteriosclerotic lesion.

[0042] The activity involved in the formation of an arteriosclerotic lesion means an activity regulating the development of arteriosclerosis, and preferably an activity preventing the development of arteriosclerosis. Examples thereof include, but are not limited to, the following activities.

[0043] They include regulation of the incorporation of low-density lipoprotein (LDL) into the vascular endothelium; regulation of the incorporation of oxidized LDL into the vascular endothelium; regulation of the expression of LDL receptors in vascular endothelial cells; regulation of the production of oxidized LDL in vascular endothelial cells; regulation of the expression of scavenger receptors in the vascular endothelium; regulation of the infiltration of lymphocytes into blood vessels; regulation of the expression of a cell surface adhesion molecule promoting the infiltration of lymphocytes into blood vessels in vascular endothelial cells; regulation of the proliferation of vascular smooth muscle produced in vascular endothelial cells; regulation of the apoptosis of vascular endothelial cells; and the like.

[0044] The DNAs and proteins of the present invention have been found on the basis of their shear stress-dependent increase of expression in vascular endothelial cells. As described in the Background of the Invention, it is generally known that arteriosclerosis occurs frequently in places where a low shear stress is produced and the separation or stagnation of a flow or turbulence (e.g., eddies) tends to occur. Accordingly, the DNAs and proteins of the present invention are especially useful for the treatment or prevention of arteriosclerosis or various vascular diseases caused thereby, including non-limitative examples such as cardiac insufficiency, restenosis after PTCA, and hypertension.

[0045] If necessary, a DNA fragment of appropriate length containing a portion encoding the protein is prepared on the basis of the full-length cDNA.

[0046] An expression plasmid for the protein is created by inserting the DNA fragment or the full-length cDNA Into an expression vector on the downstream side of a promoter.

[0047] The expression plasmid is introduced into a host cell suited to the expression vector.

[0048] As the host cell, there may be used any host cell that enables the expression of the desired DNA. For example,

there may be used bacteria belonging to the genera <u>Escherichia</u>, <u>Serratia</u>, <u>Corynebacterium</u>, <u>Brevibacterium</u>, <u>Pseudomonas</u>, <u>Bacillus</u> and <u>Microbacterium</u>; yeasts belonging to the genera <u>Kluyveromyces</u>, <u>Saccharomyces</u>, <u>Shizosaccharomyces</u>, <u>Trichosporon</u> and <u>Schawnniomyces</u>; animal cells; and insect cells.

[0049] As the expression vector, there is used a vector which can be autonomously replicated or incorporated into a chromosome in the aforesaid host cell and which contains a promoter at a position capable of transcribing the shear stress-responsive DNA.

[0050] When a bacterium or the like is used as the host cell, the shear stress-responsive DNA expression vector is preferably a recombinant vector which can be autonomously replicated in the bacterium and which consists of a promoter, a ribosome-binding sequence, the shear stress-responsive DNA and a transcription termination sequence. A gene controlling the promoter may be contained therein.

[0051] Examples of such expression vectors include pBTrp2, pBTac1, pBTac2 (all commercially available from Boehringer Mannheim), pKK233-2 (manufactured by Amersham Pharmacia Biotech), pSE280 (manufactured by Invitrogen), pGEMEX-1 (manufactured by Promega), pQE-8 (manufactured by QIAGEN), pKYP10 (Japanese Published Unexamined Patent application No. 110600/83), pKYP200 [Agricultural Biological Chemistry, 48, 669 (1984)], pLSA1 [Agric. Biol. Chem., 53, 277(1989)], pGEL1 [Proc. Natl. Acad. Sci. USA, 82, 4306(1985)], pBluescript II SK(-) (manufactured by Stratagene), pGEX (manufactured by Amersham Pharmacia Biotech), pET-3 (manufactured by Novagen), pTerm2 (USP 4686191, USP 4939094, USP 5160735), pSupex, pUB110, pTP5, pC194, pEG400 [J. Bacteriol., 172, 2392(1990)].

[0052] The promoter may be any promoter that can express a gene in the host cell. Examples thereof include promoters derived from Escherichia coli and phages, such as trp promoter (Ptrp), lac promoter (Plac), P_L promoter, P_R promoter and T7 promoter; and SP01 promoter, SP02 promoter and penP promoter. Moreover, there may also be used artificially designed or modified promoters and the like, such as a promoter comprising two Ptrp's connected in series (Ptrpx2), tac promoter, let promoter [Gene, 44, 29(1986)] and lacT7 promoter.

[0053] The ribosome-binding sequence may be any ribosome-binding sequence that can be expressed in the host cell. However, it is preferable to use a plasmid in which the distance between the Shine-Dargarno sequence and the initiation codon is adjusted to a suitable length (e.g., 6-18 bases).

[0054] In the nucleotide sequence of the protein-encoding part of the shear stress-responsive DNA of the present invention, some residues may be replaced so as to give the codons most suitable for its expression in the host. Thus, the production rate of the desired protein can be improved.

[0055] A transcription termination sequence is not necessarily required for the expression of the shear stress-responsive DNA of the present invention. However, it is desirable to dispose a transcription termination sequence just downstream of the structural gene.

[0056] Examples of the host cell include microorganisms belonging to the genera Escherichia, Serratia, Corynebacterium, Brevibacterium, Pseudomonas, Bacillus and the like, such as Escherichia coli XL1-Blue, Escherichia coli XL2-Blue, Escherichia coli DH1, Escherichia coli MC1000, Escherichia coli KY3276, Escherichia coli W1485, Escherichia coli JM109, Escherichia coli HB101, Escherichia coli No.49, Escherichia coli W3110, Escherichia coli NY49, Bacillus subtilis, Bacillus amyloliquefaciens, Brevibacterium ammoniagenes, Brevibacterium immariophilum ATCC14068, Brevibacterium saccharolyticum ATCC14066, Corynebacterium glutamicum ATCC13032, Corynebacterium glutamicum ATCC13869, Corynebacterium acetoacidophilum ATCC13870, Microbacterium ammoniaphilum ATCC15354, and Pseudomonas sp. D-0110.

[0057] As the method for introducing the recombinant vector, there may be employed any method that can introduce DNA into the aforesaid host cell. Examples thereof include the calcium ion method [Proc. Natl. Acad. Sci. USA, 69, 2110(1972)], the protoplast method (Japanese Published Unexamined Patent Application No. 248397/88), and the methods described in Gene, 17, 107(1982) and Molecular & General Genetics, 168, 111(1979).

[0058] Where a yeast is used as the host cell, usable expression vectors include, for example, YEp13 (ATCC37115), YEp24 (ATCC37051), YCp50 (ATCC37419), pHS19 and pHS15.

[0059] The promoter may be any promoter that can express a gene in the yeast. Examples thereof include PHO5 promoter, PGK promoter, GAP promoter, ADH promoter, gal 1 promoter, gal 10 promoter, heat shock protein promoter, MFα1 promoter and CUP 1 promoter.

[0060] Examples of the host cell include <u>Saccharomyces cerevisae</u>, <u>Shizosaccharomyces pombe</u>, <u>Kluyveromyces lactis</u>, <u>Trichosporon pullulans and Schwanniomyces alluvius</u>.

[0061] As the method for introducing the recombinant vector, there may be employed any method that can introduce DNA into yeasts. Examples thereof include the electroporation method [Methods. Enzymol., 194, 182(1990)], the spheroplast method [Proc. Natl. Acad. Sci. USA, 75, 1929(1978)], the lithium acetate method [J. Bacteriol., 153, 163(1983)], and the methods described in Proc. Natl. Acad. Sci. USA, 75, 1929(1978).

[0062] Where an animal cell is used as the host cell, usable expression vectors include, for example, pcDNAI, pcDM8 (manufactured by Funakoshi), pAGE107 [Japanese Published Unexamined Patent Application No. 22979/90; Cytotechnology, 3, 133(1990)], pAS3-3 (Japanese Published Unexamined Patent Application No. 227075/90), pCDM8 [National Patent Application No. 227075/90].

ture, 329, 840(1987)], pcDNAI/Amp (manufactured by Invitrogen), pREP4 (manufactured by Invitrogen), pAGE103 [J. Biochem., 101,1307(1987)] and pAGE210.

[0063] The promoter may be any promoter that can be expressed in the animal cell. Examples thereof include the promoter of the iE (immediate early) gene of cytomegalovirus (human CMV), the early promoter of SV40, the promoter of retroviruses, metallothionein promoter, heat shock protein promoter, and SR α promoter. The enhancer of the IE gene of human CMV may be used in conjunction with the promoter.

[0064] Examples of the host cell include Namalwa cell derived from a human, COS cell derived from a monkey, CHO cell derived from a Chinese hamster, and HBT5637 (Japanese Published Unexamined Patent Application No. 299/88). [0065] As the method for introducing the recombinant vector into the animal cell, there may be employed any method that can introduce DNA into animal cells. Examples thereof include the electroporation method [Cytotechnology, 3, 133(1990)], the calcium phosphate method (Japanese Published Unexamined Patent Application No. 227075/90), the lipofection method [Proc. Natl. Acad. Sci. USA, 84, 7413(1987)], and the methods described in Virology, 52, 456(1973). Transformants may be harvested and cultured according to the method described in Japanese Published Unexamined Patent Application No. 227075/90 or 257891/90.

[0066] Where an insect cell is used as the host, the protein may be expressed according to the method described, for example, in Baculovirus Expression Vectors, A Laboratory Manual, Current Protocols in Molecular Biology Supplement 1-38 (1987-1997), or Bio/Technology, 6, 47(1988).

[0067] Specifically, a recombinant gene transfer vector and a baculovirus are co-introduced into an insect cell. After a recombinant virus is obtained in the culture supernatant of the insect cell, an insect cell is further infected with the recombinant virus to express the protein.

[0068] Examples of the gene transfer vector used in this method include pVL1392, pVL1393 and pBlueBaciii (all manufactured by invitrogen).

[0069] As the baculovirus, there may be used, for example, autographa californica nuclear polyhedrosis virus that is a virus infecting insects belonging to Noctuidae.

[0070] As the insect cell, there may be used Sf9 and Sf21 that are ovarian cells of <u>Spodoptera frugiperda</u> [Baculovirus Expression Vectors, A Laboratory Manual, W.H. Freeman and Company, New York (1992)], High 5 that is an ovarian cell of Trichoplusia ni (manufactured by Invitrogen), and the like.

[0071] The methods which may be employed for co-introducing the aforesaid recombinant gene transfer vector and the aforesaid baculovirus into an insect cell in order to prepare a recombinant virus include, for example, the calcium phosphate method (Japanese Published Unexamined Patent Application No. 227075/90) and the lipofection method [Proc. Natl. Acad. Sci. USA, 84, 7413(1987)].

[0072] The expression of the gene may be effected not only by direct expression, but also by secretory production, fusion protein expression or the like, for example, according to the methods described in Molecular Cloning, Second Edition.

[0073] When the gene is expressed by means of a yeast, an animal cell or an insect cell, the protein having a sugar or sugar chain added thereto may be obtained.

[0074] A shear stress-responsive protein may be prepared by culturing a transformant containing a recombinant DNA having the shear stress-responsive DNA integrated thereinto in a culture, causing a shear stress-responsive protein to be produced and accumulated in the culture, and harvesting the protein from the resulting culture.

[0075] In order to culture the transformant of the present invention for the preparation of the shear stress-responsive protein in a culture medium, there may be employed a common method for the culture of the host.

[0076] When the transformant of the present invention is a procaryote (e.g., <u>Escherichia coli</u>) or a eucaryote (e.g., yeast), the culture medium for the culture of such microorganisms may be a natural medium or a synthetic medium, provided that this medium contains a carbon source, a nitrogen source, minerals and other nutrients which can be assimilated by the microorganism and that this medium permits the transformant to be efficiently cultured.

[0077] The carbon source may be any carbon source that can be assimilated by the respective microorganisms. There may be used carbohydrates such as glucose, fructose, sucrose, molasses containing them, starch and starch hydrolyzate; organic acids such as acetic acid and propionic acid; and alcohols such as ethanol and propanol.

[0078] As the nitrogen source, there may be used ammonia; ammonium salts of various inorganic acids or organic acids, such as ammonium chloride, ammonium sulfate, ammonium acetate and ammonium phosphate; and other nitrogen-containing compounds, as well as peptone, meat extract, yeast extract, com steep liquor, casein hydrolyzate, soybean meal and soybean meal hydrolyzate, various fermented bacterial cells and their digestion products, and the like.

[0079] As the minerals, there may be used potassium dihydrogen phosphate, dipotassium hydrogen phosphate, magnesium phosphate, magnesium sulfate, sodium chloride, ferrous sulfate, manganese sulfate, copper sulfate, calcium carbonate and the like.

[0080] The cultivation is carried out under aerobic conditions, for example, according to a shaking culture or deep aerated spinner culture technique. The incubation temperature should be in the range of 15 to 40°C and the incubation

time usually ranges from 16 hours to 7 days. During cultivation, pH is maintained at 3.0 to 9.0. The adjustment of pH is made with an inorganic or organic acid, an alkaline solution, urea, calcium carbonate, ammonia or the like.

[0081] During cultivation, an antibiotic such as ampicillin or tetracycline may be added to the culture medium, if necessary.

- [0082] When a microorganism transformed with an expression vector using an inducible promoter is cultured, an inducer may be added to the culture medium, if necessary. For example, when a microorganism transformed with an expression vector using <u>lac</u> promoter is cultured, isopropyl-β-D-thiogalactopyranoside (IPTG) or the like may be added to the culture medium, and when a microorganism transformed with an expression vector using <u>trp</u> promoter is cultured, indoleacrylic acid (IAA) or the like may be added to the culture medium.
- [0083] As the culture medium for culturing a transformant obtained by using an animal cell as the host cell, there may be used any of commonly used culture media such as RPMI1640 medium [The Journal of the American Medical Association, 199, 519(1967)], Eagle's MEM [Science, 122, 501(1952)], Dulbecco-modified MEM [Virology, 8, 396 (1959)], 199 medium [Proceeding of the Society for the Biological Medicine, 73, 1(1950)], and culture media prepared by adding fetal calf serum or the like to the foregoing media.
- 15 [0084] The cultivation is usually carried out for 1 to 7 days under conditions including a pH of 6 to 8, a temperature of 30 to 40°C, and the presence of 5% CO₂.
 - [0085] During cultivation, an antibiotic such as kanamycin or penicillin may be added to the culture medium, if necessary.
 - [0086] As the culture medium for culturing a transformant obtained by using an insect cell as the host cell, there may be used any of commonly used culture media such as TNM-FH medium (manufactured by Pharmingen), Sf-900 II SFM medium (manufactured by Life Technologies), ExCel1400, ExCel1405 (both manufactured by JRH Biosciences), and Grace's Insect Medium [Nature, 195, 788(1962)].
 - [0087] The cultivation is usually carried out for 1 to 5 days under conditions including a pH of 6 to 7 and a temperature of 25 to 30°C.
 - [0088] During cultivation, an antibiotic such as gentamicin may be added to the culture medium, if necessary.
 - [0089] In order to isolate and purify a protein having an activity associated with arteriosclerosis in accordance with the present invention, from the culture of the transformant of the present invention, there may be employed common techniques for the isolation and purification of enzymes.
 - [0090] For example, where the protein of the present invention is expressed in a dissolved state within cells, the cells are collected by centrifugation after completion of the incubation, suspended in an aqueous buffer, and disrupted with a sonicator, French press, Manton Gaulin homogenizer, Dynomill or the like to obtain a cell-free extract. From the supernatant obtained by centrifuging the cell-free extract, a purified preparation may be obtained by employing common techniques for the isolation and purification of enzymes, either alone or in combination. These techniques include, for example, solvent extraction, salting-out with ammonium sulfate or the like, desalting, precipitation with an organic solvent, anion-exchange chromatography using a resin such as diethylaminoethyl (DEAE)-Sepharose or DIAION HPA-75 (manufactured by Mitsubishi Chemical Corp.), cation-exchange chromatography using a resin such as S-Sepharose FF (manufactured by Amersham Pharmacia Biotech), hydrophobic chromatography using a resin such as butyl Sepharose or phenyl Sepharose, gel filtration with a molecular sleve, affinity chromatography, chromatofocusing, and electrophoresis such as isoelectric focusing.
- 40 [0091] Where the protein is expressed in the form of an insoluble material within cells, the cells are collected, disrupted and centrifuged. Thus, the insoluble protein is recovered as a precipitate fraction.
 - [0092] The insoluble protein so recovered is solubilized with a protein denaturing agent.
 - [0093] The solubilized solution is diluted or dialyzed to reduce the concentration of the protein denaturing agent in the solubilized solution and thereby refold the protein to a normal stereostructure. Thereafter, a purified preparation of the protein may be obtained according to the same isolation and purification techniques as described above.
 - [0094] Where the protein of the present invention or a derivative thereof (e.g., a glycosylated product) is secreted out of cells, the protein or a derivative thereof (e.g., a glycosylated product) may be recovered from the culture supernatant. Specifically, the culture supernatant is recovered from the resulting culture according to a technique such as centrifugation. Then, a purified preparation may be obtained from the culture supernatant by employing the same isolation and purification techniques as described above.
 - [0095] Examples of the protein thus obtained include proteins having the amino acid sequences represented by SEQ ID NO:144, 146, 148, 150, 152, 154, 156, 158, 169, 171, 173 and the like.
 - [0096] The protein expressed in the above-described manner may also be prepared by chemical synthesis processes such as Fmoc method (fluorenylmethyloxycarbonyl method) and tBoc method (t-butyloxycarbonyl method). Alternatively, they may also be synthesized by means of a peptide synthesizer manufactured by Sowa Trading Co. (Advanced ChemTech, USA), Perkin Elmer, Amersham Pharmacia Biotech, Aloka (Protein Technology Instrument, USA), Kurabo (Synthecell-Vega, USA), PerSeptive Japan, Ltd. (PerSeptive, USA), Shimadzu Corporation or the like.
 - [0097] Now, the methods for the preparation of antibodies recognizing the protein of the present invention are de-

scribed below.

- (i) Preparation of a polyclonal antibody
- 5 [0098] A purified full-length or partial fragment of the protein obtained in the above-described manner, or a peptide having a partial amino acid sequence of the protein of the present invention is used as an antigen. A polyclonal antibody may be prepared by administering this antigen to an animal.
 - [0099] As the animal to which the antigen is administered, there may be used a rabbit, goat, mouse, hamster or the like. The dose of the antigen is preferably in the range of 50 to 100 µg per animal. When a peptide is used, it desirably used after being covalently bonded to carrier protein such as keyhole impet haemocyanin or bovine thyroglobulin. The peptide used as an antigen may be synthesized by means of a peptide synthesizer.
 - [0100] After the first administration, the antigen is administered 3 to 10 times at intervals of 1 to 2 weeks. After each administration, blood is collected from the venous plexus of fundus oculi on the 3rd to 7th day, and the reaction of the serum with the antigen used for immunization is confirmed by enzyme immunoassay [Enzyme-Linked Immunosorbent assay (ELISA) (In Japanese), Igaku Shoin, 1976; Antibodies-A Laboratory Manual, Cold Spring Harbor Laboratory (1988)] or the like.
 - [0101] Serum is obtained from a nonhuman mammal whose serum exhibits a sufficient antibody titer against the antigen used for immunization. Then, a polyclonal antibody can be obtained by separating and purifying the serum.
 - [0102] The techniques which can be employed for the purpose of separation and purification include centrifugation; salting-out with 40-50% saturated ammonium sulfate, caprylic acid precipitation [Antibodies, A Laboratory Manual, Cold Spring Harbor Laboratory (1988)], chromatography using a DEAE-Sepharose column, anion-exchange column, protein A or G column, or gel filtration column, and the like. These techniques may be used either alone or in combination.
- 25 (ii) Preparation of a monoclonal antibody
 - (a) Preparation of antibody-producing cells
- [0103] A rat whose serum exhibits a sufficient antibody titer against the partial fragment polypeptide of the protein of the present invention used for immunization is used as a source of antibody-producing cells.
 - [0104] After the antigenic substance is finally administered to the rat exhibiting the aforesaid antibody titer, the spleen is excised on the 3rd to 7th day. The spleen is minced in MEM (manufactured by Nissul Seiyaku Co., Ltd.) and loosened with a pincette. After this suspension is centrifuged at 1,200 rpm for 5 minutes, the supernatant is discarded. The spleen cells in the resulting precipitate fraction are treated with a Tris-ammonium chloride buffer (pH 7.65) for 1-2 minutes to remove erythrocytes, and washed three times with MEM. The spleen cells thus obtained are used as anti-body-producing cells.
 - (b) Preparation of myeloma cells
- [0105] As the myeloma cells, an established cell line obtained from a mouse or rat is used.
 - [0106] Usable cell lines include, for example, the 8-azaguanine-resistant mouse (BALB/c-derived) myeloma cell line P3-X63Ag8-U1 (herelnafter abbrevlated as P3-U1) [Curr. Topics. Microbiol. Immunol., 81, 1(1978); Europ. J. Immunol., 6, 511(1976)], SP2/0-Ag14(SP-2) [Nature, 276, 269(1978)], P3-X63-Ag8653(653) [J. Immunol., 123, 1548(1979)], and P3-X63-Ag8(X63) [Nature, 256, 495(1975)].
- [0107] Such a cell line is subcultured in 8-azaguanine medium [a culture medium prepared by adding glutamine (1.5 mmol/l), 2-mercaptoethanol (5 x 10⁻⁵ M), gentamicin (10 μg/ml) and fetal calf serum (FCS) (manufactured by CSL, 10%) to RPMI-1640 medium (the resulting medium is hereinafter referred to as the normal medium) and further adding 8-azaguanine (15 μg/ml) thereto]. Three or four days before cell fusion, the cell line is cultured in the normal medium, and not less than 2 x 10⁷ cells are used for the purpose of cell fusion.
 - (c) Formation of hybridomas
 - [0108] The antibody-producing cells obtained in (a) and the myeloma cells obtained in (b) are thoroughly washed with MEM or PBS (1.83 g disodium phosphate, 0.21 g monopotassium phosphate, 7.65 g sodium chloride, 1 liter distilled water, pH 7.2), and mixed so that the antibody-producing cells and the myeloma cells are present in a ratio of 5-10:1. After this mixture was centrifuged at 1,200 rpm for 5 minutes, the supernatant is discarded.
 - [0109] The mass of cells in the resulting precipitate fraction is thoroughly loosened, and 0.2 to 1 ml (per 108 antibody-producing cells) of a solution prepared by mixing 2 g of polyethylene glycol-1000 (PEG 1000), 2 ml of MEM, and 0.7

ml of dimethyl sulfoxide (DMSO) is added to the mass of cells at 37°C with stirring. Moreover, 1 to 2 ml of MEM is added thereto several times at intervals of 1 to 2 minutes. After completion of the addition, MEM is added to make a total volume of 50 ml.

[0110] After the suspension so prepared is centrifuged at 900 rpm for 5 minutes, the supernatant is discarded. The cells of the resulting precipitate fraction are gently loosened, and gently suspended in 100 ml of HAT medium [a culture medium prepared by adding hypoxanthine (10⁻⁴ M), thymidine (1.5 x 10⁻⁵ M) and aminopterin (4 x 10⁻⁷ M) to the normal medium] by repeated sucking and blowing with a measuring pipette.

[0111] This suspension is pipetted into the wells of a 96-well culture plate in an amount of 100 μ l per well, and incubated at 37°C in a 5% $\rm CO_2$ incubator for 7 to 14 days. After incubation, a portion of the culture supernatant is taken, and hybridomas reacting specifically with the partial fragment polypeptide of the protein of the present invention are selected according to enzyme immunoassay as described in Antibodies, A Laboratory Manual, Cold Spring Harbor Laboratory, Chapter 14 (1988) or the like.

[0112] An exemplary procedure for enzyme immunoassay is described below.

[0113] The partial fragment polypeptide of the protein of the present invention, which was used as an antigen at the time of immunization, is coated on a suitable plate and reacted with a first antibody comprising the culture supernatant of a hybridoma or the purified antibody obtained in (d) below, further reacted with a second antibody comprising an anti-rat or anti-mouse immunoglobulin antibody labeled with biotin, an enzyme, a chemiluminescent substance, a radioactive compound or the like, and then subjected to a reaction depending on the labeling material. Thus, the hybridomas reacting specifically with the protein of the present invention are selected as hybridomas for producing a monoclonal antibody against the protein of the present invention.

[0114] Using these hybridomas, cloning is repeated twice according to the limiting dilution method [HT medium (HAT medium freed of aminopterin) was used for the first time and the normal medium for the second time]. A hybridoma exhibiting a high antibody titer stably is selected as a hybridoma strain capable of producing an antibody against the polypeptide of the protein of the present invention.

(d) Preparation of a monoclonal antibody

20

[0115] 5 x 10⁶ to 20 x 10⁶ cells per animal of the hybridoma capable of producing a monoclonal antibody against the protein of the present invention, which was obtained in (c), is intraperitoneally injected into 8- to 10-weeks-old mice or nude mice having been subjected to a pristane treatment (i.e., having been treated by administering 0.5 ml of 2,6,10,14-tetramethylpentadecane (pristane) intraperitoneally and kept for 2 weeks]. After 10 to 21 days, the hybridoma develops into an ascites tumor. Ascites is collected from a mouse having developed an ascites tumor, and centrifuged at 3,000 rpm for 5 minutes to remove any solid matter. From the resulting supernatant, a monoclonal antibody may be purified and harvested in the same manner as described above in connection with a polyclonal antibody.

[0116] The subclass of the antibody may be determined by means of a mouse monoclonal antibody typing kit or a rat monoclonal antibody typing kit. The amount of protein may be determined by the Lowry method or calculated from the absorbance at 280 nm.

[0117] Now, the method for preparing a recombinant virus vector useful for producing the protein of the present-invention in a specific human tissue is described below.

[0118] The cDNA of the shear stress-responsive gene, which was obtained in the above-described manner, encodes a protein having an activity involved in the formation of an arteriosclerotic lesion.

[0119] If necessary, a DNA fragment of appropriate length containing a portion encoding the protein is prepared from the full-length cDNA.

[0120] A recombinant virus vector is created by inserting the DNA fragment or the full-length cDNA into a virus vector on the downstream side of a promoter.

[0121] This recombinant virus vector is introduced into a packaging cell suited to the vector.

[0122] As the packaging cell, there may be used any cell that, when the recombinant virus vector lacks any of the genes encoding proteins necessary for the packaging of the virus, can supplied the deficient proteins. For example, there may be used human kidney-derived HEK293 cell or mouse fibroblast cell NIH3T3. The proteins supplied by the packaging cell include mouse retrovirus-derived proteins such as gag, pol and env for a retrovirus vector; HIV virus-derived proteins such as gag, pol, env, vpr, vpu, vif, tat, rev and nef for a lentivirus vector; adenovirus-derived proteins such as E1A and E1B for an adenovirus vector; and proteins such as Rep(p5, p19, p40) and Vp(Cap) for an adenovassoclated virus.

[0123] As the virus vector, there is used a virus vector which can produce the recombinant virus in the aforesaid packaging cell and which contains a promoter at a position permitting the shear stress-responsive DNA to be transcribed in a target cell. As the plasmid vector, there may be used MFG [Proc. Natl. Acad. Sci. USA, 92, 6733-6737 (1995)], pBabePuro [Nucleic Acids Res., 18, 3587-3596(1990)], LL-CG, CL-CG, CS-CG, CLG [Journal of Virology, 72, 8150-8157(1998)] and pAdexi [Nucleic Acids Res., 23, 3816-3821(1995)]. The promoter may be any promoter that

can be expressed in human tissues. Examples thereof include the promoter of the IE (immediate early) gene of cytomegalovirus (human CMV), the early promoter of SV40, the promoter of retroviruses, metallothioneln promoter, heat shock protein promoter, and SR α promoter. The enhancer of the IE gene of human CMV may be used in conjunction with the promoter.

- [0124] Examples of the method for introducing the aforesaid recombinant virus vector into the aforesaid packaging cell include the calcium phosphate method (Japanese Published Unexamined Patent Application No. 227075/90) and the lipofection method [Proc. Natl. Acad. Sci. USA, 84, 7413(1987)].
 - [0125] Now, the method for detecting a shear stress-responsive mRNA using the shear stress-responsive DNA of the present invention is described below.
- [0126] The DNAs which can be used in this method include, for example, DNAs having the nucleotide sequences represented by SEQ ID NO:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 116, 117, 119, 121, 123, 125, 127, 129, 130, 131, 132, 133, 134, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 168, 170, 172 and the like. Moreover, they include a DNA having a sequence of part of the foregoing DNA, an oligonucleotide DNA having the nucleotide sequence of 10 to 40 consecutive bases therein. Furthermore, they include a shear stress-responsive DNA capable of hybridizing with the foregoing DNA or a fragment thereof under stringent conditions.
 - [0127] The identification of a change in the expression level of a shear stress-responsive mRNA and a structural change of the expressed mRNA in human biological specimens and human primary cultured cells is useful in knowing the risk of developing arteriosclerosis in the future or the cause of an already developed vascular disease.
 - [0128] Examples of the method for detecting the expression level of a shear stress-responsive mRNA and a structural change thereof include (1) Northern blottling, (2) in situ hybridization, (3) quantitative PCR, (4) differential hybridization, (5) the DNA chip method, and (6) RNase protection assay.
- [0129] The materials which can be analyzed by the aforesald methods Include mRNA or total RNA which is obtained from biological specimens (e.g., vascular endothelium, blood serum and saliva) collected from arteriosclerotic patients and healthy subjects, or a primary cultured cell sample prepared by isolating cells from such a biological specimen and culturing them in a suitable culture medium in vitro (the mRNA and total RNA are hereinafter referred to as the specimen-derived RNA). Alternatively, isolated paraffin or cryostat sections of tissues obtained from biological specimens may also be used.
 - [0130] Northern blotting is a technique in which the specimen-derived RNA is separated by gel electrophoresis, transferred to a support such as a nylon filter, hybridized with a labeled probe prepared from the DNA of the present invention, and then washed to detect a band bound specifically to a shear stress-responsive mRNA. Thus, the expression level of a shear stress-responsive mRNA and a structural change thereof can be detected. The hybridization is carried out by incubating the support under such conditions as a stable hybrid is formed between the probe and a shear stress-responsive mRNA in the specimen-derived RNA. In order to prevent a false positive reaction, it is desirable to carry out the hybridization and washing steps under highly stringent conditions. They are determined according to a large number of factors such as temperature, ionic strength, base composition, probe length and formamide concentration. These factors are described, for example, in Molecular Cloning, Second Edition (as mentioned above).
 - [0131] The labeled probe used for Northern blotting may be prepared, for example, by incorporating a radioactive isotope, biotin, a fluorescent group, a chemiluminescent group or the like into the DNA of the present invention or an oligonucleotide designed from the sequence of the DNA, according to a well-known technique (nick translation, random priming or kinasing). Since the amount of labeled probe hybridized reflects the expression level of the shear stress-responsive mRNA, the expression level of the shear stress-responsive mRNA can be determined by determining the amount of labeled probe hybridized. Moreover, a structural change of the shear stress-responsive mRNA can be detected by analyzing the binding site of the labeled probe.
 - [0132] The expression level of a shear stress-responsive mRNA can also be detected by In <u>situ</u> hybridization in which the hybridization and washing steps are carried out by using the aforesaid labeled probe and isolated paraffin or cryostat sections of tissues obtained from the living body. In order to prevent a false positive reaction in <u>in situ</u> hybridization, it is desirable to carry out the hybridization and washing steps under highly stringent conditions. They are determined according to a large number of factors such as temperature, ionic strength, base composition, probe length and formamide concentration. These factors are described, for example, in Current Protocols in Molecular Biology.
 - [0133] Some methods for detecting a shear stress-responsive mRNA, such as quantitative PCR, differential hybridization, and the DNA chip method, may be carried out on the basis of the synthesis of cDNA by using the specimenderived RNA, an oligo-dT primer or random primer, and reverse transcriptase (the resulting cDNA is hereinafter referred to as the specimen-derived cDNA). When the specimen-derived RNA is mRNA, both of the aforesaid primers may be used. However, when the specimen-derived RNA is total RNA, it is necessary to use an oligo-dT primer.
 - [0134] In quantitative PCR, DNA fragments derived from the shear stress-responsive mRNA are amplified by carrying

out PCR while using a template comprising the specimen-derived cDNA and primers designed on the basis of the nucleotide sequence possessed by the DNA of the present invention. Since the amount of the amplified DNA fragments reflects the expression level of the shear stress-responsive mRNA, the amount of the shear stress-responsive mRNA can be determined by using, as an internal control, a DNA encoding actin or G3PDH (glyceraldehyde 3-phosphate dehydrogenase) not responding to a shear stress. Moreover, a structural change of the shear stress-responsive mRNA can be detected by separating the amplified DNA fragments by gel electrophoresis. In this detection method, it is desirable to use suitable primers capable of amplifying a target sequence specifically and efficiently. Such suitable primers can be designed on the basis of the conditions that they do not hybridize between primers or within primers and that they hybridize specifically with the target cDNA at the annealing temperature and separate from the target under denaturing conditions. The quantitative determination of the amplified DNA fragments must be carried out within the range of the number of cycles of PCR in which the amplification product is increasing exponentially. Such a number of cycles of PCR can be known by recovering the amplified DNA fragment produced at each number of cycles of PCR and analyzing it by gel electrophoresis.

[0135] An alteration of the expression level of the shear stress-responsive mRNA can be detected by hybridizing and washing the DNA of the present invention immobilized on a filter or a substrate (e.g., slide glass or sillcon) while using a probe comprising the specimen-derived cDNA synthesized from the specimen-derived RNA with the aid of dNTP. The methods based on this principle include methods called differential hybridization [Trends in Genetics, 7, 314-317(1991)] and the DNA chip method [Genome Research, 6, 639-645(1996)]. In both methods, the difference in the expression of the shear stress-responsive mRNA between a control specimen and a target specimen can be accurately detected by immobilizing an internal control (e.g., actin or G3PDH) on the filter or substrate. Moreover, the accurate expression level of the shear stress-responsive mRNA can be determined by synthesizing cDNAs from a control specimen and the specimen-derived RNA using different labeled dNTP and carrying out hybridization with the two labeled cDNA probes simultaneously on one filter or one substrate.

[0136] In RNase protection assay, a promoter sequence (e.g., T7 promoter or SP6 promoter) is first linked to the 3'-terminus of the DNA of the present Invention. Then, in an in vitro transcription system using RNA polymerase, a labeled antisense RNA is synthesized using labeled rNTP. After this labeled antisense RNA is combined with the specimenderived RNA to form an RNA-RNA hybrid, it is digested with RNase and a band protected from digestion is detected by gel electrophoresis. The expression level of the shear stress-responsive mRNA can be determined by assaying the protected band.

[0137] Now, the method for detecting a gene causative of arteriosclerosis using the shear stress-responsive DNA of the present invention is described below.

[0138] The DNAs which can be used in this method include, for example, DNAs having the nucleotide sequences represented by SEQ ID NO:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 116, 117, 119, 121, 123, 125, 127, 129, 130, 131, 132, 133, 134, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 168, 170, 172 and the like. Moreover, they include a DNA having a sequence of part of the foregoing DNA, an oligonucleotide DNA having the nucleotide sequence of 5 to 60 consecutive bases in the foregoing DNA, and preferably an oligonucleotide DNA having the nucleotide sequence of 10 to 40 consecutive bases therein. Furthermore, they include a shear stress-responsive DNA capable of hybridizing with the foregoing DNA or a fragment thereof under stringent conditions.

[0139] The most accurate test for evaluating the presence or absence of a mutation causative of arterlosclerosis in the locus of a shear stress-responsive gene is a direct comparison of the genes from a control population with the genes from arteriosclerotic patients.

[0140] Specifically, human biological specimens such as vascular endothelium, blood serum or saliva, or specimens derived from primary cultured cells established from the biological specimens, are collected from 10 to 100 arterioscle-rotic patients and healthy subjects. Then, DNA is extracted from each of the biological specimens or the primary cultured cell-derived specimens (this DNA is hereinafter referred to as the specimen-derived DNA). This specimen-derived DNA may be used directly, or may be used by amplifying a shear stress-responsive DNA using primers designed on the basis of the nucleotide sequence possessed by the DNA of the present invention. Alternatively, PCR may be carried out by using a template comprising the specimen-derived cDNA and primers designed on the basis of the nucleotide sequence possessed by the DNA of the present invention. Thus, a DNA fragment comprising a shear stress-responsive DNA sequence can be amplified and used.

[0141] In order to determine whether the DNA of the present invention has a mutation causative of arteriosclerosis, a method for detecting a heteroduplex formed by hybridization between a DNA strand having a wild type allele and a DNA strand having a mutated allele can be used.

[0142] The methods which can be used to detect a heteroduplex include (1) the detection of a heteroduplex by polyacrylamide electrophoresis [Trends Genet., 7, 5(1991)], (2) single strand conformation polymorphism analysis [Genomics, 16, 325-332(1993)], (3) chemical cleavage of mismatches (CCM), (4) enzymatic cleavage of mismatches

[Nature Genetics, 9, 103-104(1996)], (5) denaturing gradient gel electrophoresis [Mutat. Res., 288, 103-112(1993)], and the like.

[0143] Using a template comprising the specimen-derived DNA or specimen-derived cDNA and primers designed on the basis of the sequence possessed by the DNA of the present invention, a shear stress-responsive DNA is amplified as a fragment smaller than 200 bp, and then subjected to polyacrylamide electrophoresis. If a heteroduplex is formed owing to a mutation of the shear stress-responsive DNA, it has lower mobility than a homoduplex having no mutation, and can hence be detected as extra bands. The use of a specially made gel (Hydro-link, MDE or the like) provides a higher degree of separation. The analysis of a fragment smaller than 200 bp makes it possible to detect an insertion, a deletion, and most one-base substitutions. It is desirable to carry out this heteroduplex analysis on one sheet of gel in combination with single strand conformation polymorphism analysis as described below.

[0144] In single strand conformation polymorphism analysis (SSCP analysis), a shear stress-responsive DNA is amplified as a fragment smaller than 200 bp by using a template comprising the specimen-derived DNA or specimen-derived cDNA and primers designed on the basis of the sequence possessed by the DNA of the present invention. The amplified shear stress-responsive DNA fragment is denatured and then electrophoresed through native polyacrylamide gel. During DNA amplification, the primers are labeled with an isotope or fluorochrome, or the unlabeled amplification product is stained with silver. Thus, the amplified shear stress-responsive DNA fragment can be detected as bands. In order to clarify the difference from a wild type pattern, a control specimen may be electrophoresed at the same time. Thus, fragments having a mutation can be detected owing to their difference in mobility.

[0145] In chemical cleavage of mismatches (CCM), the shear stress-responsive DNA is amplified by using a template comprising the specimen-derived DNA or specimen-derived cDNA and primers designed on the basis of the sequence possessed by the DNA of the present invention. The amplified DNA fragment is hybridized with a labeled DNA prepared by incorporating an isotope or fluorescent label into the DNA of the present invention, and treated with osmium tetroxide to cleave one strand of the DNA at a mismatching site. Thus, a mutation can be detected. CCM is one of the most sensitive detection methods and can be applied even to specimens of kilobase length.

[0146] In place of the aforesaid osmium tetroxide, a combination of an enzyme involved in the repair of mismatches in cells (e.g., T4 phage resolvase or endonuclease VII) and RNase A may be used. Thus, a mismatch can be cleaved enzymatically.

[0147] In denaturing gradient gel electrophoresis (DGGE), the shear stress-responsive DNA is amplified by using a template comprising the specimen-derived DNA or specimen-derived cDNA and primers designed on the basis of the sequence possessed by the DNA of the present invention. The amplified DNA fragment is electrophoresed through a gel having a concentration gradient of a chemical denaturing agent or a temperature gradient. The amplified DNA fragment moves through the gel up to a position where it is denatured into single strands, and cease to move after denaturation. Since the amplified DNA fragments move through the gel differently according to the presence or absence of a mutation in the shear stress-responsive DNA, the presence of a mutation can be detected. In order to enhance detection sensitivity, a poly(G:C) terminus may be attached to each primer.

[0148] Another method for determining whether the DNA of the present invention has a mutation causative of arteriosclerosis is a protein truncation test (PTT) [Genomics, 20, 1-4(1994)]. This test can specifically detect a frame shift mutation, splice site mutation or nonsense mutation which develops a deletion In protein. In PTT, a special primer is designed by linking a T7 promoter sequence and a eucaryotic translation initiation sequence to the 5'-terminus of the DNA of the present invention. Using this primer, cDNA is prepared from specimen-derived RNA according to the reverse-transcribed PCR (RT-PCR) technique. When this cDNA is reacted in an in vitro transcription/translation system, it is transcribed into mRNA by the action of T7 promoter and translated by the action of the translation initiation sequence, so that a protein is produced. When this protein is electrophoresed through a gel, there will be no mutation that develops a deletion if the position of the migrated protein corresponds to that of the full-length protein. If the protein has a deletion, it will be migrated over a shorter distance than the full-length protein. Thus, the degree of deletion can be estimated from that position.

[0149] In order to determine the nucleotide sequences of the specimen-derived DNA and the specimen-derived cDNA, it is possible to use primers designed on the basis of the nucleotide sequence of the DNA of the present invention. An analysis of the determined nucleotide sequences makes it possible to judge whether or not the specimen-derived DNA or the specimen-derived cDNA has a mutation causative of arteriosclerosis.

[0150] A mutation outside the coding region of a shear stress-responsive gene can be detected by testing non-coding regions such as introns and control sequences near or within the gene. An arteriosclerotic disease caused by a mutation in a non-coding region can be ascertained by comparing the test specimen with a control specimen according to the above-described method and detecting an abnormal size, or abnormal production, of mRNA in the arteriosclerotic patient.

[0151] For the gene suggesting the presence of a mutation in a non-coding region, the DNA of the non-coding region can be cloned by using the DNA of the present invention as a probe for hybridization. A mutation in a non-coding region may be searched according to any of the above-described methods.

[0152] By subjecting to a statistical analysis according to the method described in Handbook of Human Genetics Linkage, The John Hopkins University Press, Baltimore (1994), the mutations so found may be Identified as single nucleotide polymorphisms (SNPs) having a linkage with arteriosclerosis. Moreover, a gene causative of arteriosclerosis may be identified by obtaining DNA from a family having a history of arteriosclerosis according to the previously described method, and detecting a mutation therefrom.

[0153] Now, the method for diagnosing vascular diseases caused by arteriosclerosls using the shear stress-responsive DNA of the present invention is described below.

[0154] The DNAs which can be used in this method include, for example, DNAs having the nucleotide sequences represented by SEQ ID NO:1,3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 116, 117, 119, 121, 123, 125, 127, 129, 130, 131, 132, 133, 134, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 168, 170, 172 and the like. Moreover, they include a DNA having a sequence of part of the foregoing DNA, an oligonucleotide DNA having the nucleotide sequence of 5 to 60 consecutive bases in the foregoing DNA, and preferably an oligonucleotide DNA having the nucleotide sequence of 10 to 40 consecutive bases therein. Furthermore, they include a shear stress-responsive DNA capable of hybridizing with the foregoing DNA or a fragment thereof under stringent conditions.

[0155] The cause of arteriosclerosis can be ascertained by detecting a gene mutation in any tissue of a human subject. For example, where a mutation is present in the germ cell system, an individual having inherited the mutation may tend to develop arteriosclerosis. The mutation can be identified by testing DNA obtained from any tissue of the body of the individual. For example, a diagnosis of arteriosclerosis can be made by collecting blood from a subject, extracting DNA from cells of the blood, and using this DNA to perform a test for a gene mutation. Moreover, a prenatal diagnosis may be made by using fetal cells, placental cells or amniotic cells to perform a test for a gene mutation.

20

[0156] Furthermore, by obtaining a biological tissue from the lesion of a patient having developed a vascular disease and testing its DNA, the type of the vascular disease can be diagnosed and the results thus obtained can be utilized to select a drug to be administered. In order to detect a mutation of a gene in the tissue, it is useful to isolate the lesional tissue segregated from the surrounding normal tissues. An arteriosclerotic lesion may be obtained, for example, by a bypass operation for replacing the lesion of arteriosclerosis with a normal blood vessel. The tissue thus obtained is treated with trypsin or the like, and the resulting cells are cultured in a suitable culture medium. Then, chromosomal DNA and mRNA can be extracted from the cultured cells.

[0157] The DNA obtained from a human specimen for diagnostic purposes according to any of the aforesaid methods is hereinafter referred to as the diagnostic specimen-derived DNA. Moreover, the cDNA synthesized from the RNA obtained from a human specimen for diagnostic purposes according to any of the aforesaid methods is hereinafter referred to as the diagnostic specimen-derived cDNA.

[0158] Using the shear stress-responsive DNA of the present invention and the diagnostic specimen-derived DNA or the diagnostic specimen-derived cDNA, a diagnosis of arteriosclerosis may be made according to the above-described method for detecting a gene causative of arteriosclerosis.

[0159] Moreover, in order to make a diagnosis of arteriosclerosis by using the shear stress-responsive DNA of the present invention and the diagnostic specimen-derived DNA or the diagnostic specimen-derived cDNA, there may also be employed a method such as (1) the detection of a restriction enzyme site, (2) the utilization of an allele-specific oligonucleotide probe [allele-specific oligonucleotide hybridization (ASO)], (3) PCR using an allele-specific oligonucleotide [amplification refractory mutation system (ARMS)], (4) oligonucleotide ligation assay (OLA), (5) PCR-preferential homoduplex formation assay (PCR-PHFA), or (6) oligo-DNA array [Protein-Nucleic Acid-Enzyme (in Japanese), 43, 2004-2011(1998)].

[0160] Where a restriction enzyme site disappears or appears as a result of a single base change, the mutation may be easily detected by amplifying the diagnostic specimen-derived DNA or the diagnostic specimen-derived cDNA with primers designed on the basis of the sequence possessed by the DNA of the present invention, digesting it with the restriction enzyme, and comparing the resulting restriction enzyme-cleaved DNA fragments with those obtained from healthy subjects. However, the occurrence of such a mutation is rare. For diagnostic purposes, a mismatch exerting no influence on annealing is introduced into PCR primers designed on the basis of the sequence possessed by the DNA of the present invention. Thus, for a mutation not accompanied by the disappearance or appearance of a restriction enzyme site, a restriction enzyme site is artificially introduced.

[0161] A short synthetic DNA probe hybridizes only with a perfectly base pairing sequence alone. Taking advantage of this characteristic, a single-base mutation can be easily detected by preparing an allele-specific oligonucleotide probe (ASO). For diagnostic purposes, reverse dot blotting is often employed in which an oligonucleotide designed on the basis of the sequence possessed by the DNA of the present invention and an identified mutation is attached to a filter and hybridization is carried out with a probe prepared from the diagnostic specimen-derived DNA or the diagnostic specimen-derived cDNA by PCR using primers designed on the basis of the sequence possessed by the DNA of the present invention and labeled dNTP. In the DNA chip method, an oligonucleotide designed on the basis of the sequence

possessed by the DNA of the present invention and the mutation is synthesized directly on a substrate (e.g., slide glass or silicon) to form a highly dense array. This DNA chlp method is a mutation detection method suitable for large-scale diagnostic purposes because various mutations can be more conveniently detected by using a small amount of the diagnostic specimen-derived DNA or the diagnostic specimen-derived cDNA.

[0162] Nucleotide mutations can also be detected by the following oligonucleotide ligation assay (OLA).

[0163] Two oligonucleotides consisting of about 20 bases, which are designed from the sequence possessed by the DNA of the present invention and are capable of hybridizing on both sides of a mutation site, are prepared. Using a template comprising the diagnostic specimen-derived DNA or the diagnostic specimen-derived cDNA and primers designed from the sequence possessed by the DNA of the present invention, shear stress-responsive DNA fragment is amplified by PCR. The amplified fragment is hybridized with the aforesald polynucleotide. After hybridization, the two oligonucleotides are ligated by means of DNA ligase. For example, by labeling one oligonucleotide with biotin and the other oligonucleotide with a different label such as digoxigenin, it is possible to detect rapidly whether the ligation has occurred or not. OLA is a mutation detection method suitable for large-scale diagnostic purposes because it does not require electrophoresis or centrifugation.

[0164] A very small amount of a mutated gene can also be quantitatively and easily detected by the following PCR-PHFA.

[0165] PCR-PHFA is a combination of three techniques including gene amplification (PCR), liquid-phase hybridization exhibiting very high specificity, and enzymatic detection of PCR product (ED-PCR) detecting the PCR product in the same manner as ELISA. Using a dinitrophenyl(DNP)-labeled and biotin-labeled primer set, an amplification product labeled at both ends is prepared by carrying out PCR amplification while using the DNA of the present invention as a template. This amplification product is mixed with a large excess (20- to 100-fold) of an unlabeled amplification product obtained by using an unlabeled primer set having the same sequences and a template comprising the diagnostic specimen-derived DNA or the diagnostic specimen-derived cDNA. After thermal denaturation, this mixture is cooled with a gentle temperature gradient of the order of 1°C/5-10 minutes to form perfect complementary strands preferentially. The labeled DNA so reformed is captured and adsorbed to a streptavlidin-immobilized well via blotin. On the other hand, an enzyme-labeled anti-DNP antibody is bound thereto via DNP. Thus, the labeled DNA can be detected by a color-developing reaction based on the enzyme. If a gene having the same sequence as the labeled DNA is not present in the specimen, the original double-strand labeled DNA is preferentially reformed to develop a color. In contrast, if a gene having the same sequence is present in the specimen, complementary strands are randomly replaced to decrease the reformation of the labeled DNA, resulting in a marked reduction in color development. Thus, known mutated polymorphic genes can be detected and quantitatively determined.

[0166] Now, the methods for detection and quantitative determination of the shear stress-responsive protein of the present invention immunologically using the antibody of the present invention are described below.

[0167] The methods by which a microorganism, an animal cell or an insect cell, or a tissue, expressing the protein of the present invention intracellularly or extracellularly can be immunologically detected and determined quantitatively using the antibody (polyclonal antibody or monoclonal antibody) of the present invention include fluorescent antibody technique, enzyme-linked immunosorbent assay (ELISA), radioimmunoassay (RIA), immunohistochemical staining techniques (e.g., ABC method and CSA method) such as tissue immunostaining and cell immunostaining, western blotting, dot blotting, immunoprecipitation, sandwich ELISA [Experimental Manual for Monoclonal Antibodies (in Japanese), Kodansha Scientific (1987); Blochemical Experimental Lectures (Second Series) 5, Methods of Immunobiochemical Research (in Japanese), Tokyo-Kagaku-Dojin (1986)], and the like.

[0168] The fluorescent antibody technique is a technique in which, after a microorganism, an animal cell or an insect cell, or a tissue, expressing the protein of the present invention intracellularly or extracellularly is reacted with the antibody of the present invention and further reacted with an anti-mouse IgG antibody, or a fragment thereof, labeled with a fluorescent material such as fluorescein isothiocyanate (FITC), fluorescence is measured with a flow cytometer. [0169] Enzyme-linked immunosorbent assay (ELISA) is a technique in which, after a microorganism, an animal cell or an insect cell expressing the protein of the present invention intracellularly or extracellularly is reacted with the antibody of the present invention and further reacted with an anti-mouse IgG antibody, or a binding fragment thereof, labeled with an enzyme such as peroxidase or biotin, the developed color is measured with a spectrophotometer.

[0170] Radioimmunoassay (RIA) is a technique in which, after a microorganism, an animal cell or an insect cell, or a tissue, expressing the protein of the present invention intracellularly or extracellularly is reacted with the antibody of the present invention and further reacted with an anti-mouse IgG antibody, or a fragment thereof, labeled with a radioactive substance, radioactivity is measured with a scintillation counter or the like.

[0171] Cell immunostaining and tissue immunostaining are in which, after a microorganism, an animal cell or an insect cell, or a tissue, expressing the protein of the present invention intracellularly or extracellularly is reacted with the antibody of the present invention and further reacted with an anti-mouse IgG antibody, or a fragment thereof, labeled with a fluorescent material (e.g., FITC) or an enzyme (e.g., peroxidase or biotin), it is observed under the microscope.

[0172] Western blotting is a technique in which, after an extract of a microorganism, an animal cell or an insect cell,

or a tissue, expressing the protein of the present invention intracellularly or extracellularly is fractionated by SDS-polyacrylamide gel electrophoresis [Antibodies-A Laboratory Manual, Cold Spring Harbor Laboratory (1988)], this gel is blotted to a PVDF membrane or a nitrocellulose membrane, then the membrane is reacted with the antibody of the present invention and further reacted with an anti-mouse IgG antibody, or a fragment thereof, labeled with a fluorescent material (e.g., FITC) or an enzyme (e.g., peroxidase or biotin). Thus, the protein of the present invention can be detected.

[0173] Dot blotting is a technique in which, after an extract of a microorganism, an animal cell or an insect cell, or a tlssue, expressing the protein of the present invention intracellularly or extracellularly is blotted to a nitrocellulose membrane, this membrane is reacted with the antibody of the present invention and further reacted with an anti-mouse IgG antibody, or a binding fragment thereof, labeled with a fluorescent material (e.g., FITC) or an enzyme (e.g., peroxidase or biotin). Thus, the protein of the present invention can be detected.

[0174] Immunoprecipitation is a technique in which, after an extract of a microorganism, an animal cell or an insect cell, or a tissue, expressing the protein of the present invention intracellularly or extracellularly is extracted, the resulting extract is reacted with the antibody of the present invention, a carrier having the ability to bind specifically to immunoglobulin (e.g., protein G-Sepharose) is added thereto so as to precipitate the resulting antigen-antibody complex.

[0175] In sandwich ELISA, two antibodies of the present invention having different antigen recognition sites are provided. In advance, one of the antibodies is adsorbed to a plate, and the other is labeled with a fluorescent material (e.g., FITC) or an enzyme (e.g., peroxidase or biotin). After an extract of a microorganism, an animal cell or an insect cell, or a tissue, expressing the protein of the present invention intracellularly or extracellularly is extracted, the resulting extract is reacted with the antibody-adsorbed plate, the plate is reacted with the labeled antibody and subjected to a reaction depending on the labeling material.

[0176] Now, the method for diagnosing vascular diseases caused by arteriosclerosis using the antibody of the present Invention is described below.

[0177] The identification of an alteration of the expression level of a shear stress-responsive protein and a structural change of the expressed protein in human biological specimens and human primary cultured cells is useful in knowing the risk of developing arteriosclerosis in the future or the cause of an already developed vascular disease.

[0178] The methods which can be employed to make a diagnosis by detecting the expression level of a shear stress-responsive protein and a structural change thereof include the above-described fluorescent antibody technique, enzyme-linked immunosorbent assay (ELISA), radioimmunoassay (RIA), immunohistochemical staining techniques (e. g., ABC method and CSA method) such as tissue Immunostaining and cell immunostaining, western blotting, dot blotting, immunoprecipitation, sandwich ELISA and the like.

[0179] The materials which can be diagnosed by the aforesaid methods include biological specimens themselves (e.g., blood vessels in the lesion, blood, serum, urine, feces and saliva) collected from human subjects, and cells or cell extracts obtained from the foregoing biological specimens. Alternatively, an isolated paraffin or cryostat section of a tissue obtained from biological specimens may also be used.

[0180] Now, the methods for screening a therapeutic agent for vascular diseases caused by arteriosclerosis using the shear stress-responsive DNA of the present invention, a protein encoded by the DNA, or an antibody capable of recognizing the protein are described below.

[0181] The DNAs which can be used in these screening methods include, for example, DNAs having the nucleotide sequences represented by SEQ ID NO: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 116, 117, 119, 121, 123, 125, 127, 129, 130, 131, 132, 133, 134, 135, 137, 139, 141, 143, 145, 147, 149, 151, 153, 155, 157, 168, 170, 172 and the like; and a shear stress-responsive DNA capable of hybridizing with the foregoing DNA or a fragment thereof under stringent conditions. The protein which can be used therein include a protein encoded by the foregoing DNA (e.g., a protein having an amino acid sequence selected from the amino acid sequences represented by SEQ ID NO:144, 146, 148, 150, 152, 154, 156, 158, 169, 171 and 173); and a protein comprising an amino acid sequence in which one or more amino acids are deleted, replaced or added as compared with the amino acid sequence possessed by the foregoing protein, and having an activity involved in the formation of an arteriosclerotic lesion. The antibody which can be used therein include an antibody capable of recognizing the foregoing protein.

[0182] A microorganism, an animal cell or an insect cell transformed by introducing the DNA of the present invention so as to produce the protein of the present invention or a partial polypeptide of the protein, and the protein or polypeptide in purified form, are useful for the purpose of screening an agent acting specifically on a shear stress-responsive protein. The agent obtained by this screening is useful for the treatment of vascular diseases caused by arteriosclerosis.

[0183] One of the aforesaid screening methods comprises selecting a labeled compound binding specifically to a microorganism, an animal cell or an insect cell transformed so as to produce the protein of the present invention or a partial polypeptide of the protein (hereinafter referred to as the transformant for screening). The specific binding of a labeled compound may be detected by comparison with a control comprising an untransformed microorganism, animal

cell or insect cell. Alternatively, an unlabeled compound may be selected by competitive screening in which its inhibitory effect on the binding to the transformant for screening of a compound or protein binding specifically to the transformant for screening is used as an index.

- [0184] The purified protein of the present invention or the purified partial polypeptide of the protein may be used to select a labeled compound binding specifically to a shear stress-responsive protein. The binding of the labeled compound may be determined quantitatively according to the above-described immunological method using the antibody of the present invention. Alternatively, an unlabeled compound may be selected by competitive screening in which its inhibitory effect on the binding to the protein or polypeptide of a labeled compound binding to the protein or polypeptide is used as an index.
- [0185] In the other of the aforesald screening methods, a large number of partial peptides of the protein are densely synthesized on plastic pins or a certain solid support. Thus, a compound or protein binding selectively to the peptides can be efficiently screened (WO 84/03564).
 - [0186] An expression regulating agent capable of regulating the expression of a shear stress-responsive mRNA or protein in vascular endothelial cells is also useful for the treatment of vascular diseases caused by arteriosclerosis.
 - [0187] An agent for regulating the transcription or translation of a shear stress-responsive gene can be screened by adding various compounds to a vascular endothelial cell line and assaying an increase or decrease in the expression of a shear stress-responsive mRNA using the DNA of the present invention. An increase or decrease in the expression of a shear stress-responsive mRNA may be detected by the above-described PCR, Northern blotting, and RNase protection assay.
- [0188] An agent for regulating the transcription or translation of a shear stress-responsive gene can also be screened by adding various compounds to a vascular endothelial cell line and assaying an increase or decrease in the expression of a shear stress-responsive protein using the antibody of the present invention. An increase or decrease in the expression of a shear stress-responsive protein may be detected by the above-described fluorescent antibody technique, enzyme-linked immunosorbent assay (ELISA), radioimmunoassay (RIA), immunohistochemical staining techniques (e.g., ABC method and CSA method) such as tissue immunostaining and cell immunostaining, western blotting, dot blotting, immunoprecipitation, and sandwich ELISA.
 - [0189] The compound obtained by the aforesaid methods may be administered, as an agent, to model animals for arteriosclerosis, such as ApoE knockout mice and rabbits fed with a high cholesterol diet. By measuring the incorporation of oxidized LDL and cholesterol into the vascular endothelium and the formation of an arteriosclerotic lesion in these animals, the therapeutic effect of the compound on the vascular disease caused by arteriosclerosis can be evaluated.
 - [0190] Now, the drug delivery method using the antibody of the present invention is described below.
 - [0191] The antibody used for this drug delivery may be any antibody in accordance with the present invention. However, it is particularly desirable to use a humanized antibody.
- 35 [0192] Usable humanized antibodies include a human chimeric antibody, a complementary determining region (here-inafter referred to as CDR) grafted humanized antibody, and the like.
 - [0193] The human chimeric antibody means an antibody consisting of a heavy-chain variable region (the heavy chain may hereinafter be referred to as H chain, the variable region as V region, and the heavy-chain variable region as HV or VH) and a light-chain variable region (the light chain may hereinafter be referred to as L chain, and the light-chain variable region as LV or VL) of an antibody of an animal other than human, and a heavy-chain constant region (the constant region may hereinafter be referred to as C region, and the heavy-chain constant region as CH) and a light-chain constant region (the light-chain constant region may hereinafter be referred to as CL) of a human antibody. As the animal other than human, there may be used any of various animals that permit the generation of hybridomas, such as mice, rats, hamsters and rabbits.
- [0194] The human chimeric antibody of the present invention may be produced by obtaining cDNAs encoding VH and VL from a hybridoma capable of producing a monoclonal antibody which binds to the protein of the present invention and neutralizes the action of the protein of the present invention; inserting them into an expression vector for mammalian cells having genes encoding human antibody CH and human antibody CL, respectively, to construct a human chimeric antibody expression vector; and introducing the vector into mammalian cells to express the antibody.
- [0195] The CH of the human chimeric antibody may be any CH belonging to human immunoglobulin (hereinafter abbreviated as hlg). However, the CH of hlgG class is preferred. Furthermore, there may be used any of various subclasses (e.g., hlgG1, hlgG2, hlgG3 and hlgG4) belonging to hlgG class. The CL of the human chimeric antibody may be any CL belonging to hlg, and the CL of κ or λ class may be used.
- [0196] The CDR-grafted humanized antibody means an antibody in which the amino acid sequences of CDRs of VH and VL of an antibody of an animal other than human are transplanted into appropriate positions of VH and VL of a human antibody.
 - [0197] The CDR-grafted humanized antibody of the present Invention may be produced by constructing cDNAs encoding V regions in which the CDR sequences of VH and VL of any human antibody are replaced by the CDR sequences

of VH and VL, respectively, of an antibody of an animal other than human that reacts with the protein of the present invention, binds to the protein of the present invention, and neutralizes the action of the protein of the present invention; inserting them into an expression vector for mammalian cells having genes encoding human antibody CH and human antibody CL, respectively, to construct a CDR-grafted humanized antibody expression vector; and introducing the vector into animal cells to express the antibody.

[0198] The CH of the CDR-grafted humanized antibody may be any CH belonging to hlg. However, the CH of higG class is preferred. Furthermore, there may be used any of various subclasses (e.g., hlgG1, hlgG2, hlgG3 and hlgG4) belonging to higG class. The CL of the CDR-grafted humanized antibody may be any CL belonging to hlg, and the CL of κ or λ class may be used.

[0199] Originally, human antibodies mean antibodies existing naturally in the human body. However, they also include antibodies obtained from a human antibody phage library and a human antibody-producing transgenic animal which have been created on the basis of the recent progress of genetic engineering, cell technology and embryological engineering.

[0200] An antibody existing in the human body may be obtained, for example, according to the following method.

15 [0201] Lymphocytes are isolated from human peripheral blood, immortalized by infection with EB virus or the like, and then cloned. After the selected lymphocyte producing a desired antibody is cultured, the antibody can be obtained from the resulting culture.

[0202] The human antibody phage library is a library in which an antibody gene prepared from human B cells is inserted into a phage gene so as to express antibody fragments (e.g., Fab and single-chain antibody) on the phage surface. From this library, a phage expressing an antibody fragment having a desired antigen-binding activity can be recovered by using its binding activity for a substrate having the antigen immobilized thereon as an index. This antibody fragment can further be converted into a complete human antibody according to genetic engineering techniques.

[0203] The human antibody-producing transgenic animal means an animal in which a human antibody gene is introduced into the cells. Specifically, a human antibody-producing transgenic animal may be created by introducing a human antibody gene into a mouse ES cell, transplanting the ES cell into an early embryo of another mouse, and developing the embryo. In order to prepare a human antibody from the human antibody-producing transgenic animal, there may be employed a method which comprises obtaining a human antibody-producing hybridoma according to the common method for the formation of hybridomas in mammals other than human, and culturing the hybridoma to produce and accumulate the human antibody in the resulting culture.

[0204] The antibody fragments include Fab, Fab', F(ab')₂, single-chain antibody, dsFv, CDR-containing peptides, and the like.

[0205] Among the fragments obtained by treating IgG with the proteolytic enzyme papain (igG is cleaved at the 224th amino acid residue of each H chain), Fab is an antibody fragment with a molecular weight of about 50,000 which has an antigen-binding activity and consists of about a half of an H chain on the N-terminal side and a whole L chain which are linked together via a disulfide bond.

[0206] The Fab of the present invention may be obtained from an antibody reacting specifically with the protein of the present invention, by treating it with the proteolytic enzyme papain. Alternatively, Fab may also be obtained by inserting DNA encoding the Fab of the antibody into a procaryotic expression vector or a eucaryotic expression vector, and introducing the resulting vector into a procaryote or eucaryote to express the DNA.

[0207] Among the fragments obtained by treating IgG with the proteolytic enzyme pepsin (IgG is cleaved at the 234th amino acid residue of each H chain), F(ab')₂ is an antibody fragment with a molecular weight of about 100,000 which has an antigen-binding activity and is slightly larger than two Fab molecules linked together via disulfide bonds in the hinge area.

[0208] The F(ab')₂ of the present invention may be obtained from an antibody reacting specifically with the protein of the present invention, by treating it with the proteolytic enzyme pepsin. Alternatively, F(ab')₂ may also be obtained by inserting DNA encoding the F(ab')₂ of the antibody into a procaryotic expression vector or an eucaryotic expression vector, and introducing the resulting vector into a procaryote or eucaryote to express the DNA.

[0209] Fab' is an antibody fragment with a molecular weight of about 50,000 which has an antigen-binding activity and is obtained by breaking the disulfide bonds in the hinge area of the aforesaid F(ab').

[0210] The Fab' of the present invention may be obtained from an antibody reacting specifically with the protein of the present invention, by treating it with the reducing agent dithiothreitol. Alternatively, Fab' may also be obtained by inserting DNA encoding the Fab' fragment of the antibody into a procaryotic expression vector or an eucaryotic expression vector, and introducing the resulting vector into a procaryote or eucaryote to express the DNA.

[0211] A single-chain antibody (hereinafter also referred to as scFv) is a VH-P-VL or VL-P-VH polypeptide consisting of one VH and one VL linked together by a suitable peptide linker (hereinafter referred to as P). The VH and VL contained in the scFv used in the present invention may be those of any antibody (e.g., humanized antibody or human antibody) reacting specifically with the protein of the present invention.

[0212] The single-chain antibody of the present invention may be obtained according to the following method.

- [0213] After cDNAs encoding the VH and VL of an antibody reacting specifically with the protein of the present invention are obtained, a DNA encoding the single-chain antibody is constructed. Then, the single-chain antibody may be obtained by inserting the DNA into a procaryotic expression vector or an eucaryotic expression vector, and introducing the resulting vector into a procaryote or eucaryote to express the DNA.
- [0214] The disulfide-stabilized V region fragment (hereinafter referred to as dsFv) is a fragment obtained by replacing one amino acid residue of each of VH and VL with a cystelne residue and linking these polypeptides together by a disulfide bond extending between the cysteine residues. The amino acid residues to be replaced with cysteine residues can be selected on the basis of the predicted stereostructure of the antibody, according to the method shown by Reiter et al. [Protein Engineering, 7, 697(1994)]. The VH and VL contained in the disulfide-stabilized V region fragment used in the present invention may be those of any antibody (e.g., humanized antibody or human antibody) reacting specifically with the protein of the present invention.
 - [0215] The disulfide-stabilized V region fragment of the present invention may be obtained according to the following method.
- [0216] After cDNAs encoding the VH and VL of an antibody reacting specifically with the protein of the present invention are obtained, a DNA encoding the disulfide-stabilized V region fragment is constructed. Then, the disulfide-stabilized V region fragment may be obtained by inserting the DNA into a procaryotic expression vector or an eucaryotic expression vector, and introducing the resulting vector into a procaryote or eucaryote to express the DNA.
 - [0217] The CDR-containing peptides may be prepared by chemical synthesis processes such as the Fmoc method and the tBoc method.
- [0218] A conjugated antibody prepared from the antibody of the present invention as described below may be used as a drug delivery system to deliver an agent or protein specifically to a lesion of arteriosclerosis.
 - [0219] The conjugated antibody is an antibody obtained by linking a radioactive isotope, protein, low-molecular-weight agent or the like to an antibody reacting specifically with the protein of the present invention (e.g., a humanized antibody, a human antibody, or a fragment of these antibodies) by chemical means or genetic engineering means.
- [0220] The conjugated antibody of the present invention may be prepared by linking a radioactive isotope, protein, low-molecular-weight agent or the like to N-terminal or C-terminal side of an H chain or L chain of an antibody or antibody fragment reacting specifically with the protein of the present invention, to a sultable substituent group or side chain of the antibody or antibody fragment, or to a sugar chain of the antibody or antibody fragment, by chemical means or genetic engineering means.
- [0221] Usable radioactive isotopes include 1311, 1251 and the like. They can be linked to an antibody fragment, for example, according to the chloramine T method.
 - [0222] Usable low-molecular-weight agents are anticancer drugs including, for example, alkylating agents such as nitrogen mustard and cyclophosphamide; antimetabolites such as 5-fluorouracil and methotrexate; antibiotics such as daunomycin, bleomycin, mitomycin C, daunorubicin and doxorubicin; plant alkaloids such as vincristine, vinblastine and vindesine; and hormones such as tamoxifen and dexamethasone [Clinical Oncology (in Japanese), edited by the Japanese Society for the Research of Clinical Oncology, 1996, Gan-to-Kagakuryoho Sha]; anti-Inflammatory drugs including, for example, steroids such as hydrocortisone and prednisone; nonsteroidal anti-inflammatory drugs such as aspirln and indomethacin; immunomodulators such as gold sodium thlomalate and penicillamlne; immunosuppressants such as cyclophosphamide and azathioprine; and antihistamines such as chlorpheniramine maleate and clemastine [Inflammation and Anti-inflammatory Therapy (in Japanese), 1982, Ishlyaku Shuppan Kabushiki Kaisha]; and the like. [0223] A low-molecular-weight agent may be linked to the aforesaid antibody in the usual manner. For example, daunomycin may be linked to the antibody, for example, by linking daunomycin to an amino group of the antibody via

glutaraldehyde, or by linking the amino group of daunomycin to a carboxyl group of the antibody via water-soluble

[0224] Suitable proteins include cytokines activating immunocompetent cells, and growth controlling factors for vascular endothelium, vascular smooth muscle and the like. Examples thereof include human interleukln 2, human granulocyte macrophage colony-stimulating factor, human macrophage colony-stimulating factor, human interleukln 12, fibroblast growth factor 2 (FGF-2) and platelet-derived growth factor (PDGF). Moreover, in order to damage directly with proliferative vascular smooth muscle cells of an arteriosclerotic lesion, there may be used a toxin such as ricin or diphtheria toxin.

carbodilmide.

- [0225] The conjugated antibody having a protein linked thereto may be prepared according to the following method. [0226] A DNA encoding the conjugated antibody is constructed by linking cDNA encoding the protein to cDNA encoding the antibody or antibody fragment. After this DNA is inserted into a prokaryotic or eucaryotic expression vector, the resulting expression vector is introduced into a procaryote or eucaryote to express the DNA. Thus, the desired conjugated antibody can be obtained.
- [0227] Now, the method of gene therapy using a virus vector containing the shear stress-responsive DNA of the present Invention is described below.
- [0228] A therapeutic agent may be prepared from the above-described recombinant virus vector and a base for gene

therapeutic agents [Nature Genet., 8, 42(1994)].

[0229] The base for gene therapeutic agents may be any base that is commonly used for injections: Examples thereof include distilled water; a solution of a salt such as sodium chloride or a mixture of sodium chloride and an inorganic salt; a solution of mannitol, lactose, dextran, glucose or the like; a solution of an amino acid such as glycine or arginine; and a mixture of an organic acid solution or a salt solution and a glucose solution. Moreover, injections in the form of solutions, suspensions or dispersions may be prepared in the usual manner, by using auxiliaries such as osmotic pressure regulators, pH regulators, vegetable oils (e.g., sesame oil and soybean oil) and surfactants (e.g., lecithin and nonlonic surfactants), in combination with the aforesald bases. These injections may also be prepared as preparations to be dissolved at the time of use, according to a technique such as powdering or freeze-drying. Where the gene therapeutic agent of the present invention is a liquid, it may be used directly for therapeutic purposes, as required. Where it is a solid, it may be dissolved immediately before gene therapy in the aforesaid base having been sterilized as required, and used for therapeutic purposes. In order to administer the gene therapeutic agent of the present invention, there may be employed a local administration method using a double balloon catheter or the like so that the gene therapeutic agent will be absorbed into the vascular endothelium of the treated site of the patient.

[0230] As a method for carrying a virus vector more specifically to an arteriosclerotic lesion, Somia et al. have reported a method using a fusion protein consisting of a single-chain antibody capable of recognizing specifically the LDL receptor and the Env protein of a retrovirus vector [Proc. Natl. Acad. Sci. USA, 92, 7570-7574(1995)]. This system is not limited to retrovirus vectors, but may also be applied to lentivirus vectors and the like.

[0231] The nonviral gene transfer techniques which are known in this field include calcium phosphate coprecipitation [Virology, 52, 456-467(1973); Science, 209, 1414-1422(1980)], microinjection [Proc. Natl. Acad. Sci. USA, 77, 5399-5403(1980); Proc. Natl. Acad. Sci. USA, 77, 7380-7384(1980); Cell, 27, 223-231(1981); Nature, 294, 92-94 (1981)], membrane fusion-mediated transfer method using liposomes [Proc. Natl. Acad. Sci. USA, 84, 7413-7417 (1987); Biochemistry, 28, 9508-9514(1989); J. Biol. Chem., 264, 12126-12129(1989); Hum. Gene Ther., 3, 267-275 (1992); Science, 249, 1285-1288(1990); Circulation, 83, 2007-2011(1992)], direct DNA incorporation and receptor-mediated DNA transfer method [Science, 247, 1465-1468(1990); J. Biol. Chem., 266, 14338-14342(1991); Proc. Natl. Acad. Sci. USA, 87, 3655-3659(1991); J. Biol. Chem., 264, 16985-16987(1989); BioTechniques, 11, 474-485(1991); Proc. Natl. Acad. Sci. USA, 87, 3410-3414(1990); Proc. Natl. Acad. Sci. USA, 88, 4255-4259(1991); Proc. Natl. Acad. Sci. USA, 87, 4033-4037(1990); Proc. Natl. Acad. Sci. USA, 88, 8850-8854(1991); Hum. Gene Ther., 3, 147-154 (1991)], and the like.

[0232] When gene transfer using a virus vector is combined with direct <u>In vivo</u> gene transfer using liposome delivery, the virus vector can be directed to an arteriosclerotic lesion.

[0233] In addition, a virus vector may also be prepared by combining a DNA of appropriate size in accordance with the present invention with a polylysine-conjugated antibody specific for adenovirus hexon protein to form a complex, and linking the resulting complex to an adenovirus vector, This virus vector attains target cells stably, is incorporated into the cells by the action of endosomes, and is decomposed in the cells. Thus, the gene can be expressed efficiently. [0234] In an investigation on tumors, it has been reported that membrane fusion-mediated transfer method using liposomes permits a liposome preparation to be administered directly to a target tissue, and the tissue can hence incorporate and express the gene locally [Hum. Gene Ther., 3, 399-410(1992)]. Accordingly, It may be expected that a similar effect is produced in the case of an arteriosclerotic lesion. In order to deliver DNA directly to an arteriosclerotic lesion, It is preferable to employ a gene transfer technique. Receptor-mediated DNA transfer is carried out, for example, by conjugating DNA (usually taking the form of a covalently closed supercoiled plasmid) to a protein ligand via polylysine. The ligand is selected on the basis of the presence of the corresponding ligand receptor on the cell surface of the target cells or tissue. Examples of the combination of the receptor and the ligand include the combination of LDL receptor and LDL, and the combination of scavenger receptor and oxidized LDL. If desired, this ligand-DNA conjugate may be directly injected into the blood and thereby delivered to a target tissue where it binds to the receptor and the DNA-protein complex is internalized. In order to prevent the intracellular degradation of DNA, the target tissue may be simultaneously infected with an adenovirus to disrupt the endosome function.

[0235] Now, the method of treatment using an antibody capable of recognizing specifically the shear stress-responsive DNA of the present invention is described below.

[0236] A pharmaceutical containing the antibody of the present invention may be administered alone as a therapeutic agent. However, it is usually desirable to provide as pharmaceutical preparations produced by blending the antibody with one or more pharmacologically acceptable carriers and working up the resulting blend according to any of various techniques known well in the technical field of pharmaceutics.

[0237] It is desirable to use the route of administration which is most effective for the purpose of treatment. Examples thereof include oral administration and parenteral administration such as buccal, intratracheal, intrarectal, subcutaneous, intramuscular and intravenous administration. In the case of antibody preparations, intravenous administration is desirable.

[0238] Examples of dosage forms include sprays, capsules, tablets, granules, medicated syrups, emulsions, sup-

positories, injections, ointments, tapes, and the like.

[0239] Pharmaceutical preparations suitable for oral administration include emulsions, medicated syrups, capsules, tablets, powders, granules and the like.

[0240] Llquid preparations such as emulsions and medicated syrups may be produced using additives including water; sugars such as sucrose, sorbitol and fructose; glycols such as polyethylene glycol and propylene glycol; oils such as sesame oil, olive oil and soybean oil; antiseptics such as p-hydroxybenzoic acid esters; flavors such as strawberry flavor and peppermint; and the like.

[0241] Capsules, tablets, powders, granules and the like may be produced using additives including exciplents such as lactose, glucose, sucrose and mannitol; disintegrators such as starch and sodium alginate; lubricants such as magnesium stearate and talc; binders such as polyvinyl alcohol, hydroxypropylcellulose and gelatin; surfactants such as fatty acid esters; plasticizers such as glycerin; and the like.

[0242] Pharmaceutical preparations suitable for parenteral administration include injection, suppository, spray and the like. Injection is prepared using a carrier comprising a salt solution, a glucose solution or a mixture thereof, and the like. Alternatively, a powder for injection may be prepared by freeze-drying the antibody of the present invention in the usual manner and adding sodium chloride thereto. Suppository is prepared using a carrier such as cacao butter, hydrogenated fats and carboxylic acids.

[0243] Spray is prepared by using the antibody of the present Invention itself, or using a carrier which does not irritate the mucous membranes of the oral cavity and respiratory tract of the patient and enables the antibody of the present invention to be dispersed as fine particles and easily absorbed, and the like.

[0244] Specific examples of the carrier include lactose and glycerin. Depending on the antibody of the present invention and the nature of the carrier used, aerosols, dry powders and the like may be prepared. Also in these parenteral preparations, the ingredients described as additive in connection with oral preparations may be added.

[0245] The dosage and the frequency of administration may vary according to the desired therapeutic effect, the method of administration, the period of treatment, the age and body weight of the patient, and the like. However, the drugs of the present invention are usually administered to adults in a daily dose of 10 µg/kg to 20 mg/kg.

[0246] One of the activities involved in an arteriosclerotic lesion (i.e. the activities regulating the development of arteriosclerosis) is the promotion or suppression of the apoptosis of vascular endothelial cells. Since it is known that, in vascular endothelial cells, the application of a shear stress tends to suppress the apoptosis of endothelial cells, the shear stress-responsive DNA of the present invention is considered to contain a gene and protein which exhibits a shear stress-dependent increase of expression in vascular endothelial cells and has an apoptosis-suppressing activity. Accordingly, by using this DNA containing a gene having an apoptosis-suppressing activity, a protein encoded by the DNA, a recombinant virus vector constructed by Inserting the DNA into a vector, an antibody against the protein encoded by the DNA, and the like, the following applications can be made: (1) identification of the apoptosis sensitivity of cells, (2) regulation of the apoptosis of cells, and (3) screening of an agent for regulating the apoptosis of cells. These applications (1), (2) and (3) are described below in greater detail.

(1) Identification of the apoptosis sensitivity of cells

[0247] Now, the method for identifying the apoptosis sensitivity of cells using the shear stress-responsive DNA of the present Invention or a protein encoded by the DNA is described below.

[0248] Apoptosis sensitivity means the degree of ease with which cells undergo apoptosis in response to an exogenous apoptotic stimulus, i.e. the degree of susceptibility of cells to the influence of an apoptotic stimulus. It is believed that this apoptosis sensitivity is defined according to whether the apoptotic signal in the cells is accompanied by a suppressive or promotive signal. The molecular entity thereof comprises a group of proteins involved in the suppression or promotion of apoptosis (e.g., apoptosis signal transduction molecule), i.e., the so-called apoptosis-related proteins. These apoptosis-related proteins include, for example, a protein encoded by the DNA (A4RS-041) having the nucleotide sequence represented by SEQ ID NO:7 of the present invention, and a protein having the amino acid sequence represented by SEQ ID NO:8.

[0249] Hemodynamic physical forces applied to vascular endothelial cells include a shear stress resulting from a flow of blood with fixed directionality (i.e., a laminar flow) and applied in parallel with the direction of the blood flow, and a normal stress caused by a blood pressure and applied perpendicularly to the endothelium. Vascular endothelial cells are always subjected to both forces. Generally, the development of arteriosclerosis is suppressed in regions where the shear stress is greater than the normal stress. Conversely, the development of arteriosclerosis tends to occur in regions where the normal stress is greater than the shear stress. In fact, it has been reported that the apoptosis of vascular endothelial cells is suppressed by a shear stress resulting from a laminar flow. In the culture system (i.e., the micro carrier/spinner flask system) used to obtain the DNAs of the present invention, not only a shear stress due to a flow, but also a normal stress due to a centrifugal force caused by rotation is applied to endothelial cells. Some of the genes responding to a shear stress are modified by a normal stress, and others are not modified thereby. This difference

in reactivity can be clarified by confirming the presence or absence of an increase of expression in HUVECs cultured in a parallel plate type culture apparatus or other apparatus which applies only a shear stress thereto. It is believed that at least the group of shear stress-responsive genes not modified by a normal stress act protectively against arteriosclerosis, and this gene group includes a gene and protein having an apoptosis-suppressing activity.

[0250] The endogenous transcription level of the DNA of the present invention having an apoptosis-suppressing activity, or the expression level of the protein of the present invention having an apoptosis-suppressing activity, or a structural change of the expressed protein may be detected using the DNA of the present invention having an apoptosis-suppressing activity, a DNA having the same sequence as 5 to 60 consecutive bases in the nucleotide sequence of the DNA, an antibody capable of recognizing the protein of the present invention having an apoptosis-suppressing activity, or the like. Thus, the apoptosis sensitivity of cells can be identified.

[0251] Examples of the DNA used in the method for identifying apoptosis sensitivity, and an antibody capable of recognizing a protein encoded by the DNA include a DNA having the nucleotide sequence represented by SEQ ID NO:7, a DNA having the same sequence as 5 to 60 consecutive bases in the nucleotide sequence represented by SEQ ID NO:7, and an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:8.

[0252] The DNA of the present invention, a DNA having the same sequence as 5 to 60 consecutive bases in the nucleotide sequence of the DNA, and an antibody capable of recognizing the protein of the present invention having an apoptosis-suppressing activity, which are used in the above-described method, are effective as agents for identifying the apoptosis sensitivity of cells.

[0253] Since the apoptosis of vascular endothelial cells is promoted in an arteriosclerotic lesion, these agents can also be utilized as diagnostic agents for vascular diseases caused by arteriosclerosis with a view, for example, to identifying the arteriosclerotic lesion or predicting the risk of developing arteriosclerosis in the future.

[0254] The agent for identifying the apoptosis sensitivity of cells include, for example, an agent containing a DNA having the nucleotide sequence represented by SEQ ID NO:7, a DNA having the same sequence as 5 to 60 consecutive bases in the nucleotide sequence represented by SEQ ID NO:7, an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:8, or the like.

[0255] Since the DNAs of the present invention were obtained from human umbilical veln endothelial cells (HUVECs) as shear stress-responsive DNAs, it is desirable that the objective cells used for the identification of apoptosis sensitivity are vascular endothelial cells such as human primary cultured vascular endothelial cells and human umbilical vein endothelial cells (HUVECs). However, since apoptosis is a phenomenon universally observed in all types of cells of the living body including vascular endothelial cells, the objective cells are not limited to vascular endothelial cells.

(2) Regulation of the apoptosis of cells

Since the DNA of the present invention is a shear stress-responsive gene which is known to exhibit an increase of expression in response to a shear stress and lead to the suppression of apoptosis, the DNA of the present invention or a DNA having the same sequence as 5 to 60 consecutive bases in the DNA may be involved in the suppression of apoptosis. On the other hand, when an antisense DNA having a nucleotide sequence complementary to the nucleotide sequence of each of these DNAs is used, the apoptosis of cells is promoted because the endogenous transcription or translation of the DNA is suppressed.

[0257] Similarly to the DNA of the present invention, the apoptosis of cells may also be regulated using a protein encoded by the DNA of the present invention or an antibody capable of recognizing the protein. Specifically, a protein having an apoptosis-suppressing activity is selected from various proteins encoded by the DNAs of the present invention, and the DNA encoding this protein is integrated into a virus vector to create a recombinant virus vector. Then, the apoptosis of cells or a tissue may be suppressed by introducing the recombinant virus vector into the cells or tissue and expressing the protein having an apoptosis-suppressing activity.

[0258] Moreover, the apoptosis of cells may be regulated by using an antibody capable of recognizing the aforesaid protein and thereby giving a positive or negative apoptosis-regulating signal to the cells.

[0259] Examples of the method for suppressing or promoting apoptosis include a method for promoting the apoptosis of cells by suppressing the endogenous transcription or translation of the DNA using a DNA having the nucleotide sequence represented by SEQ ID NO:7, a DNA having the same sequence as 5 to 60 consecutive bases in the nucleotide sequence represented by SEQ ID NO:7, or an antisense DNA having a nucleotide sequence complementary to the nucleotide sequence of each of these DNAs, for example, according to the antisense technique; and a method for suppressing the apoptosis of cells by introducing the DNA into the cells and thereby accelerating the transcription of the DNA.

[0260] Moreover, they also include a method for suppressing the apoptosis of cells by increasing the intracellular expression level of a protein having the amino acid sequence represented by SEQ ID NO:8, using a recombinant virus vector containing a DNA having the nucleotide sequence represented by SEQ ID NO:7, a recombinant virus vector

containing an RNA comprising a sequence homologous with the sense strand of the DNA having the nucleotide sequence represented by SEQ ID NO:7, or a recombinant virus vector capable of producing a protein having the amino acid sequence represented by SEQ ID NO:8.

[0261] Furthermore, since the amino acid sequence represented by SEQ ID NO:8 is considered to be a membrane protein on the basis of its structure, they also include a method for regulating the apoptosis of cells by subjecting the cells to the action of an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:8, stimulating the protein expressed on the cell surface, and thereby transducing a positive or negative apoptosis-regulating signal in the cells.

[0262] The DNA of the present invention, a DNA having the same sequence as 5 to 60 consecutive bases in the nucleotide sequence of the DNA, a recombinant virus vector capable of expressing the protein of the present invention having an apoptosis-suppressing activity, and an antibody capable of recognizing the protein of the present invention, which are used in the above-described methods, are effective as agents for regulating the apoptosis of cells. These agents can also be utilized as therapeutic agents for vascular diseases caused by arteriosclerosis.

[0263] The agents for regulating apoptosis include, for example, an agent containing a DNA having the nucleotide sequence represented by SEQ ID NO:7, a DNA having the same sequence as 5 to 60 consecutive bases in the nucleotide sequence represented by SEQ ID NO:7, an antisense DNA having a nucleotide sequence complementary to the nucleotide sequence of each of these DNAs, a recombinant virus vector containing a DNA having the nucleotide sequence represented by SEQ ID NO:7, a recombinant virus vector containing an RNA comprising a sequence homologous with the sense strand of the DNA having the nucleotide sequence represented by SEQ ID NO:7, a recombinant virus vector capable of producing a protein having the amino acid sequence represented by SEQ ID NO:8, or an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:8.

[0264] Since the DNAs of the present invention were obtained from human umbilical vein endothelial cells (HUVECs) as shear stress-responsive DNAs, it is desirable that the objective cells used for the regulation of apoptosis are vascular endothelial cells such as human primary cultured vascular endothelial cells and human umbilical vein endothelial cells (HUVECs). However, since apoptosis is a phenomenon universally observed in all types of cells of the living body including vascular endothelial cells, the objective cells are not limited to vascular endothelial cells.

- (3) Screening of an agent for regulating the apoptosis of cells
- [0265] The methods for screening an agent for regulating the apoptosis of cells using the shear stress-responsive DNA of the present invention or a protein encoded by the DNA are described below.
 - [0266] One of the aforesald screening methods is such that, when apoptosis is Induced in an animal cell line exhibiting the Fas-dependent induction of apoptosis, a compound or protein which can suppress or promote apoptosis by regulating the endogenous transcription or translation of the DNA of the present invention is selected.
- [0267] In particular, a compound or protein which can suppress apoptosis by promoting the endogenous transcription or translation of the DNA of the present Invention is effective for the treatment of vascular diseases caused by arteriosclerosis. On the other hand, a compound or protein which can promote apoptosis by suppressing the endogenous transcription or translation of the DNA of the present invention is effective for the treatment of diseases based on abnormal proliferation of cells, such as cancer.
- [0268] According to one exemplary method for screening an agent for regulating the apoptosis of cells using the DNA of the present invention, after a test material is made to act on cells, an increase or decrease of the endogenous transcription level of a DNA having the nucleotide sequence represented by SEQ ID NO:7 is assayed using the DNA having the nucleotide sequence represented by SEQ ID NO:7, or a DNA having the same sequence as 5 to 60 consecutive bases in the nucleotide sequence represented by SEQ ID NO:7. Thus, an agent for suppressing or promoting the apoptosis of the cells can be screened.
 - [0269] Another of the aforesaid screening methods is such that, when an animal cell which has been transformed by Introducing the DNA of the present Invention so as to produce the protein of the present invention or a partial polypeptide of the protein is used, a compound or protein which can suppress the apoptosis of the cell by binding specifically to the cell is selected. In this method, the specific binding of a compound or protein can be detected by using an untransformed cell as a control. The agent obtained by this screening is also effective for the treatment of vascular diseases caused by arteriosclerosis.

[0270] According to one exemplary screening method using the protein of the present invention, a DNA having the nucleotide sequence represented by SEQ ID NO:7 is introduced into cells using a recombinant virus vector containing the DNA having the nucleotide sequence represented by SEQ ID NO:7, or a recombinant virus vector containing an RNA comprising a sequence homologous with the sense strand of the DNA having the nucleotide sequence represented by SEQ ID NO:7, to express a protein having the amino acid sequence represented by SEQ ID NO:8. By exposing the cells to a test material so as to contact the test material with the protein, an agent which binds specifically to the protein to change the activity of the protein is selected. Thus, an agent for suppressing or promoting the apoptosis

of cells can be screened.

[0271] Alternatively, a DNA having the nucleotide sequence represented by SEQ ID NO:7 or a DNA encoding a protein having the amino acid sequence represented by SEQ ID NO:8 is inserted into a vector to construct a recombinant DNA. This recombinant DNA is introduced into a host cell, and the resulting transformant is cultured in a culture medium. By using the resulting culture to contact the protein in the culture with a test material, an agent which binds specifically to the protein to change the activity of the protein is selected. Thus, an agent for suppressing or promoting the apoptosis of cells can be screened.

[0272] Alternatively, an isolated and purified protein having the amino acid sequence represented by SEQ ID NO:8 or a partial peptide of the protein having the amino acid sequence represented by SEQ ID NO:8 is used in an in vitro system. By contacting a test material with the protein or the peptide, an agent which blnds specifically to the protein or peptide to cause a change in the activity of the protein is selected. Thus, an agent for suppressing or promoting the apoptosis of cells can be screened.

[0273] When an agent for suppressing or promoting apoptosis is screened by using an increase or decrease of the transcription level of a DNA having the nucleotide sequence represented by SEQ ID NO:7 in the cells as an index, the transcription level of the DNA may be analyzed according to a technique such as Northern hybridization, in <u>situ</u> hybridization, RNase protection assay or RT-PCR, by using a probe or primer comprising the DNA having the nucleotide sequence represented by SEQ ID NO:7, or a DNA having the same sequence as 5 to 60 consecutive bases in the nucleotide sequence represented by SEQ ID NO:7.

[0274] When an agent for suppressing or promoting apoptosis is screened by using the expression level of a protein having the amino acid sequence represented by SEQ ID NO:8 in the cells as an index, the expression level of the protein may be analyzed according to an immunological detection technique using an antibody capable of recognizing the protein having the amino acid sequence represented by SEQ ID NO:8.

[0275] The agents obtained by the above-described screening methods can be utilized as an agent for suppressing or promoting the apoptosis of cells.

[0276] Since the DNAs of the present invention were obtained from human umbilical vein endothelial cells (HUVECs) as shear stress-responsive DNAs, it is desirable that the objective cells used for the regulation of apoptosis are vascular endothelial cells such as human primary cultured vascular endothelial cells and human umbilical vein endothelial cells (HUVECs). However, since apoptosis is a phenomenon universally observed in all types of cells of the living body including vascular endothelial cells, the objective cells are not limited to vascular endothelial cells.

[0277] As the vector used to express the DNA of the present invention in an animal cell and the method for Introducing a recombinant vector, there may be employed any of the previously described methods.

[0278] As the immunological detection technique for assaying an increase or decrease of the expression level of the protein of the present invention using an antibody, there may be employed any of the previously described techniques. [0279] As the host cell required in a screening system for detecting the suppression or promotion of apoptosis, there may be used any animal cell that exhibits the Fas-dependent induction of apoptosis. Examples thereof include suspension type cells such as Jurkat [J. Exp. Med., 152,1709-19(1980)], HPB-ALL [Int. J. Cancer, 21, 166-170(1978)] and SKW6.4[Immunol. Lett., 7, 17-23(1983)]; and adhesion type cells such as HeLa and A673 [Arch. Biochem. Biophys., 230, 93-102(1984)].

[0280] One example of a substance for inducing Fas-dependent cell death in the aforesaid cell lines is the anti-human Fas monoclonal antibody CH-11 [J. Exp. Med., 169, 1747-1756(1989)]. Exemplary methods for inducing cell death are as follows. In the case of a suspension type cell, a cell suspension is diluted with a culture medium so as to have a density of about 106 cells/ml and added to a 24-well plate or a 96-well microtiter plate for the culture of animal cells. After the anti-human Fas monoclonal antibody is added to a concentration of 1 to 500 ng/ml, the plate is incubated in a CO₂ incubator at 37°C for several hours to 2 day and culture is carried out. In the case of an adhesion type cell, cells are inoculated onto a plate in advance. When cell death is to be induced, the culture medium is replaced by a culture medium containing the anti-human Fas monoclonal antibody, and the culture is continued in a CO₂ incubator at 37°C.

[0281] As the method for detecting the suppression or promotion of apoptosis, there may be employed, for example, a detection method in which the cells are stained with trypan blue, Giemsa stain or the like and observed under an optical microscope. In the case of adhesion type cells, apoptosis causes cells to detach from the plate and float. Accordingly, the occurrence of apoptosis can be easily detected without staining. Also known is a detection method in which the cells are stained with a fluorochrome such as Hoechst 33342, Hoechst 33258 or propidium iodide and observed under a fluorescence microscope [Biomanual UP Series, New Experimental Methods for the Research of Apoptosis (in Japanese), Second Edition]. Moreover, there may also be employed biochemical methods such as a method involving the measurement of the activity of caspase activated in the process of apoptosis [J. Exp. Med., 183, 1957-1964 (1996)], and MTT assay involving the measurement of mitochondrial dehydrogenase activity in living cells [J. Immunol. Methods, 16, 55-63(1983)]. Furthermore, a method for detecting a structural change of cell membrane using Annexin V [J. Exp. Med., 182, 1545-1556(1995)], and detection methods based on DNA fragmentation such as TUNEL method

and Burton's method [Biomanual UP Series, New Experimental Methods for the Research of Apoptosis (in Japanese), Second Edition] are also known.

Examples

[0282] The present invention is more specifically described hereinbelow with reference to the following examples. However, the present invention is in no way to be limited to these examples.

Example 1

10

Construction of a cDNA library from HUVECs having a shear stress applied thereto

(1) Culture of HUVECs

[0283] Using F-12K medium (manufactured by Dalnippon Pharmaceutical Co., Ltd.) containing 10% fetal calf serum, 1% penicillin (5,000 units/ml)/streptomycin (5 mg/ml) solution (manufactured by Life Technologies), 0.003% Endothelial Cell Growth Supplement (manufactured by Becton Dickinson), 0.01% heparin (manufactured by Wako Pure Chemical Industries Ltd.) and 0.14% NaHCO₃ (manufactured by Life Technologies), HUVECs were cultured and subcultured under the condition of 5% CO₂ and 37°C. The HUVECs used were purchased from Clonetics.

(2) Application of a shear stress to HUVECs

[0284] A suspension of 0.2 g of micro-carriers (Cytodex 3; manufactured by Amersham Pharmacia Biotech) In 10 ml of PBS buffer was transferred to a sterilized 50 ml tube, and centrifuged at 1,000 rpm for 3 minutes at room temperature. After the supernatant was removed, F12K medium was added. After the resulting suspension was centrifuged again and the supernatant was removed, the medium was added to make up to about 10 ml.

[0285] After the HUVECs obtained in the above culture step (1) were dissociated with trypsin/EDTA, about 2 x 10⁶ HUVECs were suspended in 10 ml of the medium and mixed with the above-described micro-carriers. This mixture was transferred to a 200 ml spinner flask, and 15 ml of the medium was added to make a total volume of about 35 ml. The mixture was stirred at 50-60 rpm for 30 seconds and then allowed to stand for one hour. By repeating this stirring/ standing procedure four times, HUVECs were made to adhere to the micro-carriers. Thereafter, a shear stress was applied to the cells by stirring the mixture at 160 rpm for a selected period of time.

(3) Preparation of RNA

35

[0286] Samples of 1.6 x 10^7 HUVECs having a shear stress applied thereto for 0.5 hour, 1 hour, 1.5 hours, 2 hours, 3 hours, 4 hours, 6 hours, 10 hours, and 20 hours respectively were prepared in the manner described in the above step (2). From each of the aforesaid nine samples of cells having different shear stress application times, total RNAs were prepared by the guanidine thiocyanate-cesium trifluoroacetate method [Methods in Enzymology, 154, 3(1987)]. 100 μ g each of these total RNAs from the nine samples were mixed to obtain 900 μ g of total RNA. This 900 μ g of total RNA was passed through an oligo-dT cellulose column (manufactured by Collaborative Research) to obtain 30.9 μ g of mRNA as poly(A)+ RNA.

(4) Construction of a cDNA library

[0287] Using 3.0 µg of mRNA obtained in the above step (3), the synthesis of cDNA, the addition of BamHI adapter, and cleavage reaction with NotI were carried out according to the linker primer method [Hiroshi Nojima ed., "Methods for the Construction of Gene Libraries" (In Japanese)]. The resulting double-stranded cDNAs were ligated between Bglll/NotI of the plasmid vector pAP3neo [Genes to Cells, 3, 459(1998)] so that 5'-terminus of the cDNAs was always located on the Bglll site of the vector. Using the resulting ligation reaction solution, the plasmid was introduced into Escherichia coli MC1061A (Molecular Cloning, Second Edition) by electroporation. Thus, a cDNA library was constructed.

55

Example 2

Construction of a subtraction library

(I) Preparation of single-strand DNA

[0288] 2 µg of the plasmid of the cDNA library obtained in Example 1 by amplification in MC1061A was introduced into Escherichia coll XL1-Blue MRF (manufactured by Stratagene) by electroporation. After this Escherichia coli was suspended in 4.5 ml of SOC medium (Molecular Cloning, Second Edition) and incubated at 37°C for 1 hour with vigorous shaking, all of the resulting culture was added to 5.5 ml of LB medium (Molecular Cloning, Second Edition) containing 50 µg/ml ampicillin. After being incubated at 37°C for 5 hours with vigorous shaking, 5 ml of the resulting culture was inoculated into 45 ml of 2-YT medium (Molecular Cloning, Second Edition) containing ampicillin, and 1 x 10¹¹ pfu of helper phage R408 [Gene, 45, 333(1986)] was added thereto. After being incubated at 37°C for 12 hours with vigorous shaking, the resulting culture was transferred to a sterilized tube and centrifuged at 10,000 rpm for 10 minutes at 4°C to precipitate the Escherichia coll. The phage-containing supernatant was transferred to a new sterilized tube and centrifuged again. The supernatant was passed through a sterilizing filter (manufactured by Millipore) having a pore diameter of 0.22 µm to remove the Escherichla coli completely. 2.5 ml of 10-DNase buffer [100 mM Tris-HC] (pH 7.5), 100 mM MgCl₂], 1 µl of 20 units/µl DNase I (manufactured by Nippon Gene Co., Ltd.) were added to 25 mI of the phage solution, and this mixture was reacted at 37°C for 30 minutes. Then, 1/4 volume of 20% polyethylene glycol (molecular weight 6,000)/2.5 M NaCl was added thereto and mixed well, following by standing at room temperature for 20 minutes. After this mixture was centrifuged at 10,000 rpm for 10 minutes at 4°C, the supernatant was removed completely. The resulting precipitate of phage was dissolved in 400 μl of TE [10 mM Tris-HCl (pH 8.0), 1 mM EDTA (pH 8.0)], and 25 μl of 25 mg/ml Proteinase K and 4 μl of 10% SDS were added thereto, following by reaction at 42°C for 1 hour. The reaction mixture was subjected to a phenol treatment, a phenol-chloroform treatment and a chloroform treatment, and then precipitated with ethanol. The resulting precipitate of single-strand phage DNA was dissolved in 30 µl of TE.

(2) Biotinylation of RNA

[0289] In the same manner as In Example 1, poly(A)+ RNA was prepared from HUVECs having no shear stress applied thereto (i.e., HUVECs made only to adhere to micro carriers). To 30 µg of this RNA was added distilled water so as to make a volume of 20 µl. Then, 30 µl of 1 µg/µl PHOTOPROBE blottn (manufactured by Vector Laboratorles) was added thereto in the dark. After the tube was uncapped and placed on ice, the mixture was irradiated with light from a mercury vapor lamp disposed about 10 cm above the tube for 20 minutes to biotinylate the RNA, followed by the addition of 50 µl of 100 mM Tris-HCl (pH 9.5)/1 mM EDTA (pH 8.0). Then, 100 µl of water-saturated butanol was added thereto, followed by vigorous stirring. After this mixture was centrifuged at 14,000 rpm for 5 minutes at 4°C, the upper butanol layer was removed. This procedure was repeated two more times. 100 µl of chloroform was added to the aqueous layer, followed by vigorous stirring. After this mixture was centrifuged at 14,000 rpm for 5 minutes at 4°C, the aqueous layer was transferred to a new tube. After this procedure was repeated again, RNA was precipitated with ethanol. The recovered precipitate of RNA was dissolved in 20 µl of distilled water, and subjected again to the procedure for biotinylation. The biotinylated RNA was preserved at -80°C in the ethanol-precipitated state till use for hybridization.

(3) Hybridization of single-strand DNA with RNA

[0290] 20 μg of the biotinylated RNA prepared in step (2) was recovered by centrifugation at 14,000 rpm for 15 minutes at 4°C, and dissolved in 8 μl of distilled water. To this solution, 12.5 μl of 2 x reaction buffer [80% formamide, 100 mM HEPES (pH 7.5), 2 mM EDTA (pH 8.0), 0.2% SDS], 2.5 μl of 2.5 M NaCl, 1 μl of 1 μg/μl poly(A) (manufactured by Amersham Pharmacia Biotech), and 1 μl (0.5 μg/μl) of the single-strand DNA prepared In step (1) from the cDNA library derived from HUVECs having a shear stress applied thereto were added so as to make a total volume of 25 μl.

After this mixture was heated at 65°C for 10 minutes, it was quickly transferred to a heat block warmed at 42°C and Incubated at 42°C for two nights to effect hybridization.

(4) Subtraction and rehybridization

[0291] After completion of the hybridization, 400 μl of a buffer [500 mM NaCl, 50 mM HEPES (pH 7.5), 2 mM EDTA (pH 8.0)] was added to the reaction mixture. Then, 5 μl of 2 μg/μl streptavidin (manufactured by Life Technologies) was added thereto and mixed therewith. After this mixture was allowed to stand at room temperature for 5 minutes, it was subjected to a phenol-chloroform treatment. The aqueous layer was transferred to a new tube, and 5 μl of fresh

streptavidin was added thereto. After this mixture was allowed to stand at room temperature for 5 minutes, subtraction was carried out by subjecting it twice to a phenol-chloroform treatment and once to a chloroform treatment. The aqueous layer was placed in the upper chamber of a Millipore Filter UFCP3TK50 (manufactured by Millipore) and centrifuged at 10,000 rpm at 4°C until all of the solution passed Into the lower chamber. After the solution was removed from the lower chamber, the filter was washed by adding 300 μ l of TE to the upper chamber and centrifuging the filter. After this procedure was repeated, single-strand DNA captured on the filter was recovered with 30 μ l of 1/10 TE. This single-strand DNA was dried under vacuum and dissolved in distilled water to make up to 9 μ l. After 10 μ g of the biotinylated RNA prepared in step (2) was precipitated with ethanol and recovered by centrifugation, 9 μ l of the above single-strand DNA solution was added to the precipitate. After the addition of 12.5 μ l of 2 x reaction buffer, 2.5 μ l of 2.5 M NaCl, and 1 μ l of poly(A), a second hybridization step was carried out in the same manner as in step (3), and subtraction was carried out in the above-described manner. Thereafter, single-strand DNA was recovered in a similar manner and subjected to a third subtraction step by hybridization with 10 μ g of the biotinylated RNA and a fourth subtraction step by using 5 μ g of the biotinylated RNA.

(5) Synthesis of double-strand DNA and its introduction into Escherichia coli

[0292] After four subtraction steps were successively carried out as described above, the resulting single-strand DNA was recovered in 30 μ l of 1/10 TE. To a 15 μ l portion thereof, 14 μ l of distilled water and 1 μ l of a 2 μ g/ μ l primer extension primer having the nucleotide sequence represented by SEQ ID NO: 159 were added, followed by heating at 65°C for 10 minutes. After this mixture was allowed to stand at room temperature for 5 minutes so as to anneal the primer to single-strand DNA, 5 μ l of 10 x reaction buffer (attached to BcaBEST Dideoxy Sequencing Kit; manufactured by Takara Shuzo Co., Ltd.), 10 μ l of a 1 mM dNTP mixture, 0.5 μ l of 3 μ g/ μ l single-strand DNA-binding protein (manufactured by USB), 2 μ l of 2 units/ μ l BcaBEST DNA polymerase (manufactured by Takara Shuzo Co., Ltd.), and 2.5 μ l of distilled water were added thereto. This mixture was reacted at 65°C for 1 hour to synthesize double-strand DNA. After the addition of 50 μ l of distilled water, the reaction mixture was subjected to a phenol-chloroform treatment and a chloroform treatment. The resulting solution was concentrated by means of a Millipore Filter UFCP3TK50, and the double-strand DNA was finally dissolved in 20 μ l of TE. Using 1/5 volume of this solution, the double-strand DNA was introduced into Escherichia coli MC1061A by electroporation.

(6) Reverse subtraction

[0293] Escherichia coli MC1061A having the double-strand DNA introduced thereinto, which was obtained in step (5), was cultured, and plasmid DNA was prepared from the Escherichia coli. In the same manner as in step (1), this plasmid DNA was introduced into Escherichia coli XL1-Blue MRF' to prepare single-strand DNA. Two μg of mRNA derived from HUVECs having a shear stress applied thereto was biotinylated in the manner described in step (2), and mixed with 2 μg of the aforesaid single-strand DNA. To this mixture, 12.5 μl of 2 x reaction buffer, 2.5 μl of 2.5 M NaCl, 1 μl of 1 μg/μl poly(A), and 1 μl of distilled water were added so as to make a total volume of 25 μl. In the same manner as in step (3), this mixture was incubated at 42°C for two nights to carry out hybridization. Four hundred μ l of a buffer [500 mM NaCl, 50 mM HEPES (pH 7.5), 2 mM EDTA (pH 8.0)] was added to the reaction mixture. Then, 7 μ l of 2 μ g/ μl streptavidin was added thereto and mixed therewith. After this mixture was allowed to stand at room temperature for 5 minutes, phenol-chloroform was added thereto with vigorous mixing. After this mixture was centrlfuged at 14,000 rpm for 7 minutes at room temperature, the aqueous layer was removed. Then, 400 μl of fresh TE was added thereto with vigorous mixing. After this mixture was centrifuged at 14,000 rpm for 7 minutes at room temperature, the aqueous layer was removed. This procedure was repeated two more times, so that single-strand DNA which did not hybridize with the biotinylated RNA was removed. After 400 μl of TE was added without mixing, the tube was heated at 95°C for 5 minutes in the uncapped state. Thereafter, by placing the tube on ice for 5 minutes to denature the DNA, the single-strand DNA having hybridized with the biotinylated RNA and present in the phenol-chloroform layer was separated from the biotinylated RNA. After the reaction mixture was vigorously mixed and centrifuged at 14,000 rpm for 7 minutes at room temperature, the aqueous layer was transferred to a new tube. The aqueous layer was subjected again to a phenol-chloroform treatment and then to a chloroform treatment. The aqueous layer containing the singlestrand DNA was concentrated by means of a Millipore Filter UFCP3TK50, and the single-strand DNA was finally recovered in 30 μ l of 1/10 TE. Fifteen μ l of this solution was dried under vacuum, and dissolved in distilled water to make up to 9 μl. Five μg of mRNA derived from HUVECs having no shear stress applied thereto was biotinylated and recovered by precipitation with ethanol. To the precipitate was added 9 μl of the aforesaid single-strand DNA solution. Then, 12.5 μl of 2 x reaction buffer, 2.5 μl of 2.5 M NaCl, and 1 μl of poly(A) were added thereto, and normal subtraction was carried out in the same manner as steps (3) and (4).

[0294] That is, a subtraction library in which genes exhibiting an increase of expression in response to the application of a shear stress in HUVECs were concentrated was prepared by carrying out four successive subtraction steps, one

reverse subtraction step, and one normal subtraction step.

Example 3

5 Obtaining of clones exhibiting an alteration of expression by Northern hybridization

[0295] Northern hybridization was carried out in order to select clones which are included in the subtraction library obtained in Example 2 and exhibit a shear stress-dependent increase of expression.

(1) Transfer of RNA to a membrane

[0296] According to the same procedure as in Example 1, total RNAs were obtained from HUVECs having a shear stress applied thereto and HUVECs having no shear stress applied thereto, respectively. To 4 µg of each total RNA was added distilled waster so as to make a volume of 1.8 µl. Then, 0.8 µl of 10 x MOPS buffer [80 mM sodium acetate, 197 mM MOPS, 10 mM EDTA (pH 8.0)], 1.4 µl of a 35% formaldehyde solution (manufactured by Nacalai Tesque), and 4 µl of deionized formamide were added thereto. After this mixture was heated at 65°C for 15 minutes and then cooled rapidly by placing it on ice for 5 minutes, the total amount thereof was electrophoresed through 1 x MOPS/2% formaldehyde/1% agarose gel. After completion of the electrophoresis, the gel was washed with distilled water for 20 minutes, and this washing step was repeated three times to remove any formaldehyde from the gel. After the gel was soaked in 20xSSC (3 M NaCl, 0.3 M sodium citrate) for 30 minutes, RNA in the gel was transferred to a nylon membrane Biodyne A (manufactured by Pall BioSupport) according to a capillary transfer method using 20xSSC. After completion of the transfer, the RNA was fixed to the membrane by allowing the membrane to stand at 80°C for 2 hours.

(2) Labeling of probes

25

[0297] In the subtraction library obtained in Example 2, clones having an inserted DNA fragment of not less than 0.4 kb size were treated by cleaving the plasmid with \underline{Smal} and \underline{Notl} to exclse the Inserted DNA fragment. The fragments thus obtained were purified using a QIAquick Gel Extraction Kit (manufactured by QIAGEN), and the procedure therefor was carried out according to the manual attached to the kit. Using about 50 ng of the purified DNA fragments as templates, the DNA fragments were labeled using a Random Primer DNA Labeling Kit Ver. 2 (manufactured by Takara Shuzo Co., Ltd.) and [α -32P]dCTP (110 TBq/mmol; Amersham Pharmacia Biotech), and used as probes. The procedure therefor was carried out according to the manual attached to the kit.

(3) Hybridization and autoradiography

35

[0298] The membrane prepared in step (1) was placed in a hybridization bag, and a freshly prepared hybridization solution [50% formamide, 5 x Denhardt's, 5 x SSC, 0.1% SDS, denatured salmon DNA (0.1 mg/ml)] was added thereto. The hybridization bag was incubated at 42°C for 2 hours or more to carry out prehybridization. The probes prepared in step (2) were denatured by heating them at 95°C for 5 minutes and cooling them rapidly. These probes were mixed with a hybridization solution and added to the prehybridized membrane. The hybridization bag was incubated at 42°C for 24 hours or more to carry out hybridization. The membrane was taken out of the hybridization bag, placed in 2 x SSC/0.1% SDS, and slowly shaken at room temperature for 10 minutes to remove the hybridization solution as much as possible. Then, the membrane was washed in 0.15 x SSC/0.1% SDS at 42°C for 30 minutes, and this washing step was repeated twice. After completion of the washing steps, autoradiography was carried out by exposing an X-ray film to the membrane. A total of 1,026 clones were named A4RS-1 to A4RS-1026, respectively, and each of them was subjected to Northern hybridization. Thus, there were obtained 107 clones exhibiting a shear stress-dependent increase of expression.

Example 4

50

Identification of clones exhibiting alteration of expression

(1) Determination of nucleotide sequences

[0299] With respect to the clones which were ascertained to exhibit an increase of expression in response to the application of a shear stress in Example 3, their nucleotide sequences were determined by means of a 377 DNA Sequencer (manufactured by Perkin Elmer). For the determination of the nucleotide sequences, a Dye Primer Cycle Sequencing Kit (manufactured by Perkin Elmer) was used. The procedure therefor was carried out according to the

attached manual. The clones exhibiting alteration of expression were identified by comparing the resulting nucleotide sequences with the database GenBank. As a result, the 107 clones were classified into 88 types of genes. In these 88 genes, 5 genes which have been reported to exhibit the induction of expression by a shear stress stimulus in vascular endothellal cells, i.e. the genes encoding endothelln 1, monocyte chemotactic protein 1, heparin-binding EGF-like growth factor, thrombomodulin, and transforming growth factor β, are included. Accordingly, 83 genes with which the induction of expression by a shear stress stimulus in vascular endothellal cells had not yet been reported could be identified. These genes included 55 known genes and 28 novel genes. With respect to genes whose sequences are not identical with any of the full-length cDNAs included in the known sequences, but are identical only with expressed sequence tags (ESTs) alone, and genes whose sequences are not identical with any of the known sequences (i.e., novel genes), all ESTs included in the corresponding UnlGene are joined together to construct as long sequences as possible on a computer. With respect to eight of the novel genes, full-length cDNAs were cloned from a cDNA library prepared with a λ phage vector in Example 5 that will be given later.

(2) Known genes exhibiting a shear stress-dependent increase of expression

[0300] When the nucleotide sequence of A4RS-016 was determined, this was identical with the sequence of thioredoxin reductase [Accession: X91247] (SEQ ID NO:1). The amino acid sequence encoded by this gene is shown as SEQ ID NO:2. Thioredoxin reductase is an enzyme reducing thioredoxin using NADPH, and participates in various physiological reactions such as control of intracellular antioxidation, signal transduction, and NO production. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 1 of FIG. 1 and lane 1 of FIG. 3. [0301] When the nucleotide sequence of A4RS-026 was determined, this was identical with the sequence of lipopolysaccharide-induced protein gene [Accession: Q51544] (SEQ ID NO:3). The amino acid sequence encoded by this gene is shown as SEQ ID NO:4. The protein encoded by this gene does not show substantial homology with other known proteins, and its function is unknown. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 2 of FIG. 1.

[0302] When the nucleotide sequence of A4RS-040 was determined, this was identical with the sequence of spliceosome-associated protein (SAP145) [Accession: U41371] (SEQ ID NO:5). The amino acid sequence encoded by this gene is shown as SEQ ID NO:6. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 3 of FIG. 1.

[0303] When the nucleotide sequence of A4RS-041 was determined, this was identical with the sequence of human proline-rich membrane protein (PRMP) [Accession: V50494] (SEQ ID NO:7). The amino acid sequence encoded by this gene is shown as SEQ ID NO:8. Only the sequence of PRMP is registered in a database, and its function is unknown. However, PRMP has substantial homology with rat neural membrane protein 35 (NMP35) [Molecular and Cellular Neuroscience, 11, 260(1998)] and the glutamate-binding subunit of NMDA receptor [Accession: W62612]. Although the function of NMP35 is not clearly known, it is expressed specifically in the brain, like the glutamate-binding subunit of NMDA receptor. From an analysis of hydrophilicity on the basis of its amino acid sequence, NMP35 is presumed to be a membrane protein. RPMP also has an extremely high degree of hydrophobicity and hence functions as a membrane protein. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 4 of FIG. 1 and lane 2 of FIG. 3.

[0304] When the nucleotide sequence of A4RS-063 was determined, this was identical with the sequence of puromycin-sensitive aminopeptidase [Accession: AJ132583] (SEQ ID NO:9). The amino acid sequence encoded by this gene is shown as SEQ ID NO: 10. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 5 of FIG. 1 and lane 3 of FIG. 3.

[0305] When the nucleotide sequence of A4RS-096 was determined, this was identical with the sequence of human secreted protein gene 125 clone HSPAG15 [Accession: V59635] (SEQ ID NO:11). The amino acid sequence encoded by this gene is shown as SEQ ID NO:12. Only the sequence of this gene is registered in a bank, and its function is unknown. The protein encoded by this gene does not show substantial homology with other known proteins. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 6 of FIG. 1 and lane 4 of FIG. 3. [0306] When the nucleotide sequence of A4RS-116 was determined, this was identical with the sequence of lamin C [Accession: M13451] (SEQ ID NO:13). The amino acid sequence encoded by this gene is shown as SEQ ID NO: 14. Lamin C is a lining protein for the nuclear membrane and is one of the cytoskeleton forming factors. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 7 of FIG. 1 and lane 5 of FIG. 3. [0307] When the nucleotide sequence of A4RS-126 was determined, this was identical with the sequence of cytokine-response gene CR8 [Accession: T43383] (SEQ ID NO:15). The amino acid sequence encoded by this gene is shown as SEQ ID NO:16. Cytokine-response gene CR8, which is also called DEC1, is a transcription factor having a basic helix-loop-helix motif. In particular, it has high homology with a HES family of transcription factors participating in nerve differentiation. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 8 of FIG. 1. [0308] When the nucleotide sequence of A4RS-131 was determined, this was identical with the sequence of human

- enhancer of filamentation (HEF1) [Accession: L43821] (SEQ ID NO:17). The amino acid sequence encoded by this gene is shown as SEQ ID NO:18. HEF1 is a signal transduction molecule having an SH3 domain, having a FAK-binding activity, and participating in regulation of the cytoskeleton. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 9 of FIG. 1.
- [0309] When the nucleotide sequence of A4RS-148 was determined, this was identical with the sequence of interferon-induced 15-kDa protein gene [Accession: M21786] (SEQ ID NO:19). The amino acid sequence encoded by this gene is shown as SEQ ID NO:20. The protein encoded by this gene does not show substantial homology with other known proteins, and its function is unknown. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 10 of FIG. 1.
- [0310] When the nucleotide sequence of A4RS-154 was determined, this was identical with the sequence of LDL receptor [Accession: N60388] (SEQ ID NO:21). The amino acid sequence encoded by this gene is shown as SEQ ID NO:22. LDL receptor incorporates LDL, which is one of the causes for the formation of an arteriosclerotic lesion, under the endothelium. It has been reported that, when a shear stress is applied to cultured bovine aortic endothelial cells, the binding and incorporation of LDL via LDL receptor increases [Circulation, 76, 648(1987)]. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 11 of FIG. 1.
 - [0311] When the nucleotide sequence of A4RS-174 was determined, this was identical with the sequence of peripheral myelin protein (PMP)-22 [Accession: Q32869] (SEQ ID NO:23). The amino acid sequence encoded by this gene is shown as SEQ ID NO:24. PMP-22 is a component of myelin present in the peripheral nervous system, and is a membrane protein having four transmembrane domains. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 12 of FIG. 1.
 - [0312] When the nucleotide sequence of A4RS-175 was determined, this was identical with the sequence of tyrosine kinase receptor UFO/ArK [Accession: S65125) (SEQ ID NO:25). The amino acid sequence encoded by this gene is shown as SEQ ID NO:26. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 13 of FIG. 1.
- [0313] When the nucleotide sequence of A4RS-194 was determined, this was identical with the sequence of calcium-ATPase HK2 [Accession: M23115] (SEQ ID NO:27). The amino acid sequence encoded by this gene is shown as SEQ ID NO:28. Calcium-ATPase HK2 is present in the membranes of the endoplasmic reticulum within cells. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 14 of FIG. 1.
 - [0314] When the nucleotide sequence of A4RS-197 was determined, this was identical with the sequence of human arginine-rich protein [Accession: M83751] (SEQ ID NO:29). The amino acid sequence encoded by this gene is shown as SEQ ID NO:30. The amino acid sequence encoded by this gene does not show substantial homology with other known proteins, and its function is unknown. However, it is suggested that this gene may be a kind of proto-oncogene. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 15 of FIG. 1.
 - [0315] When the nucleotide sequence of A4RS-260 was determined, this was identical with the sequence of KIAA0025 [Accession: D14695] (SEQ ID NO:31). The amino acid sequence encoded by this gene is shown as SEQ ID NO:32. The protein encoded by this gene does not show substantial homology with other known proteins, and its function is unknown. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 16 of FIG. 1 and lane 6 of FIG. 3.
 - [0316] When the nucleotide sequence of A4RS-271 was determined, this was identical with the sequence of human high-mobility group phosphoprotein isoform I-C (HMGI-C) [Accession: U28749] (SEQ ID NO:33). The amino acid sequence encoded by this gene is shown as SEQ ID NO:34. Judging from its structure, HMGI-C is a transcription factor. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 17 of FIG. 1 and lane 7 of FIG. 3.
- [0317] When the nucleotide sequence of A4RS-307 was determined, this was identical with the sequence of PRAD1 [Accession: X59798] (SEQ ID NO:35). The amino acid sequence encoded by this gene is shown as SEQ ID NO:36. PRAD1 is a member of the cyclin family and is also called cyclin D1. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 18 of FIG. 1 and lane 8 of FIG. 3.
 - [0318] When the nucleotide sequence of A4RS-355 was determined, this was identical with the sequence of KiAA0964 [Accession: AB023181] (SEQ ID NO:37). The amino acid sequence encoded by this gene is shown as SEQ ID NO:38. The protein encoded by this gene is judged to be the human ortholog of rat PSD-95/SAP90-associated protein-4 (SAPAP-4). SAPAP-4 is present in membranes and is considered to participate in the clustering of NMDA receptor. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 19 of FIG. 1. [0319] When the nucleotide sequence of A4RS-389 was determined, this was identical with the sequence of lamin
- A [Accession: M13452] (SEQ ID NO:39). The amino acid sequence encoded by this gene is shown as SEQ ID NO: 40. Lamin A is a lining protein for the nuclear membrane and is one of the cytoskeleton forming factors. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in panel 20 of FIG. 1 and panel 9 of FIG. 3.
 - [0320] When the nucleotide sequence of A4RS-391 was determined, this was identical with the sequence of non-muscle alpha actinin [Accession: U48734] (SEQ ID NO:41). The amino acid sequence encoded by this gene is shown

- as SEQ ID NO:42. Alpha actinin is one of the cytoskeleton forming factors. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 21 of Fig. 1 and lane 10 of Fig. 3.
- [0321]. When the nucleotide sequence of A4RS-423 was determined, this was identical with the sequence of gamma-filamin [Accession: AF089841] (SEQ ID NO:43). The amino acid sequence encoded by this gene is shown as SEQ ID NO:44. Gamma-filamin is an actin filament crosslinking protein, and participates in filopodia formation by binding to low-molecular-weight GTP-binding proteins such as rac and rho. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 22 of Fig. 1.
- [0322] When the nucleotide sequence of A4RS-431 was determined, this was identical with the sequence of growth factor inducible immediate early gene product CYR61 [Accession: U62015] (SEQ ID NO:45). The amino acid sequence encoded by this gene is shown as SEQ ID NO:46. CYR61 is also called glgl, monocyte mature differentiation factor, or connective tissue growth factor-2, and is a secreted factor having a signal sequence at the amino-terminus. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 23 of FIG. 1.
- [0323] When the nucleotide sequence of A4RS-453 was determined, this was identical with the sequence of nuclear factor of activated T cells (NF-ATc) [Accession: U08015] (SEQ ID NO:47). The amino acid sequence encoded by this gene is shown as SEQ ID NO:48. NF-ATc is one of the components of a transcription factor. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 24 of FIG. 1.
- [0324] When the nucleotide sequence of A4RS-492 was determined, this was identical with the sequence of GLI Krupple-related protein [Accession: M77698] (SEQ ID NO:49). The amino acid sequence encoded by this gene is shown as SEQ ID NO:50. GLI Krupple-related protein, which is also called YY1, is a suppressively functioning transcription factor. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 25 of FIG. 1.
- [0325] When the nucleotide sequence of A4RS-507 was determined, this was identical with the sequence of human mRNA homologous to the p64 bovine chloride channel [Accession: Y12696] (SEQ ID NO:51). The amlno acid sequence encoded by this gene is shown as SEQ ID NO:52. Only the sequence of this gene is reported, and its function is not clearly known. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown In lane 26 of FIG. 1. [0326] When the nucleotide sequence of A4RS-514 was determined, this was identical with the sequence of KIAA0080 [Accession: D38522] (SEQ ID NO:53). The amino acid sequence encoded by this gene is shown as SEQ ID NO:54. The protein encoded by this gene is judged to be the human ortholog of rat synaptotagmin XI that is a membrane protein. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 27 of FIG. 1.
- [0327] When the nucleotide sequence of A4RS-523 was determined, this was identical with the sequence of nicotinamide N-methyltransferase [Accession: U08021] (SEQ ID NO:55). The amino acid sequence encoded by this gene is shown as SEQ ID NO:56. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 28 of FIG. 1.
- [0328] When the nucleotide sequence of A4RS-544 was determined, this was identical with the sequence of H. saplens mRNA for surface glycoprotein [Accession: Z50022] (SEQ ID NO:57). The amino acid sequence encoded by this gene is shown as SEQ ID NO:58. The protein encoded by this gene is a type I membrane protein. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 29 of FIG. 1.
- [0329] When the nucleotide sequence of A4RS-547 was determined, this was identical with the sequence of early growth response gene alpha(EGR-alpha) [Accession: S81439] (SEQ ID NO:59). The amino acid sequence encoded by this gene is shown as SEQ ID NO:60. EGR-alpha is a transcription factor, and it has been reported that its homologue, EGR-1, is activated by a shear stress in endothelial cells [Arterloscier. Thromb. Vasc. Biol., 17, 2280(1997)]. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 30 of FIG. 1.
- [0330] When the nucleotide sequence of A4RS-557 was determined, this was identical with the sequence of SF2p33 [Accession: M69040] (SEQ ID NO:61). The amino acid sequence encoded by this gene is shown as SEQ ID NO:62. SF2p33 is a nuclear factor and is indispensable for the splicing of pre-mRNA. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 31 of FIG. 1.
 - [0331] When the nucleotide sequence of A4RS-577 was determined, this was identical with the sequence of p66 shc [Accession: U73377] (SEQ ID NO:63). The amino acid sequence encoded by this gene is shown as SEQ ID NO:64. shc is a signal transduction molecule which transduces a stimulus from tyrosine kinase to ras. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 32 of FIG. 1.
 - [0332] When the nucleotide sequence of A4RS-588 was determined, this was identical with the sequence of lysosomal acid Ilpase (LAL) [Accession: M74775] (SEQ ID NO:65). The amino acid sequence encoded by this gene is shown as SEQ ID NO:66. LAL, which is also called cholesteryl esterase, is an enzyme hydrolyzing cholesteryl esters incorporated into cells. If this gene is deficient, cholesteryl ester storage disease may be induced to cause arteriosclerosis. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 33 of FIG. 1.
 - [0333] When the nucleotide sequence of A4RS-602 was determined, this was identical with the sequence of NG,NG dimethylarginine dimethylaminohydrolase (DDAH) [Accession: AB001915] (SEQ ID NO:67). The amino acid sequence

- encoded by this gene is shown as SEQ ID NO:68. DDAH hydrolyzes N^G-monomethyl-L-arginine (MMA) and N^G,N^G-dimethyl-L-arginine (DMA) to citrullin. Since MMA and DMA are substrate analogs for NO synthase, they inhibit the synthesis of NO. That is, DDAH induces NO synthesis indirectly. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 34 of FIG. 1 and lane 11 of FIG. 3.
- [0334] When the nucleotide sequence of A4RS-608 was determined, this was identical with the sequence of serum deprivation response (SDPR) [Accession: AF085481] (SEQ iD NO:69). The amino acid sequence encoded by this gene is shown as SEQ ID NO:70. For human SDPR, only its sequence is registered. It has been reported that the expression of its mouse ortholog, sdr, is induced by serum deprivation in NIH3T3. However, its function is unknown. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 35 of FIG. 1.
- [0335] When the nucleotide sequence of A4RS-612 was determined, this was identical with the sequence of regulator of G protein signaling (RGS3) [Accession: U27655] (SEQ ID NO:71). The amino acid sequence encoded by this gene is shown as SEQ ID NO:72. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in panel 36 of FIG. 1.
 - [0336] When the nucleotide sequence of A4RS-625 was determined, this was identical with the sequence of cytokine-inducible nuclear protein C-193 [Accession: X83703] (SEQ ID NO:73). The amino acid sequence encoded by this gene is shown as SEQ ID NO:74. In endothelial cells, this gene is expressed in response to inflammatory stimuli such as TNF- α and LPS. The amino acid sequence encoded by this gene does not show substantial homology with other known proteins, but has been proved to be a nuclear factor. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 37 of FIG. 1.
- 20 [0337] When the nucleotide sequence of A4RS-666 was determined, this was identical with the sequence of laminin B1 chain [Accession: M61916] (SEQ ID NO:75). The amino acid sequence encoded by this gene is shown as SEQ ID NO:76. Laminin B1 chain is a glycoprotein and is a kind of extracellular matrix. It has been reported that, in bovine arterial endothelial cells, laminin protein is increased by the application of a shear stress [Laboratory Investigation, 73, 565(1995)]. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 38 of FIG. 1.
- [0338] When the nucleotide sequence of A4RS-668 was determined, this was identical with the sequence of Matrix Gla protein (MGP) [Accession: M58549] (SEQ ID NO:77). The amino acid sequence encoded by this gene is shown as SEQ ID NO:78. MGP is a kind of extracellular matrix. It has been reported that, in knockout mice of this gene, calcification occurs in arteries and cartilages and results in death [Nature, 386, 78(1997)]. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 39 of FIG. 1.
- 30 [0339] When the nucleotide sequence of A4RS-674 was determined, this was identical with the sequence of PTX3 (SEQ ID NO:79). The amino acid sequence encoded by this gene is shown as SEQ ID NO:80. PTX3 is a member of the pentraxin family, and is a secreted factor having a signal sequence at the amino-terminus. It has been reported that, in vascular endothelial cells and monocytes, this gene is expressed in response to inflammatory stimuli such as IL-1 and TNF-α. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 40 of FIG. 1.
 - [0340] When the nucleotide sequence of A4RS-682 was determined, this was identical with the sequence of connective tissue growth factor [Accession: X78947] (SEQ ID NO:81). The amino acid sequence encoded by this gene is shown as SEQ ID NO:82. Connective tissue growth factor is a secreted factor having a signal sequence at the aminoterminus, and its expression in developed arteriosclerotic lesions has been reported [Circulation, 95, 831(1997)]. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 41 of Fig. 1.
 - [0341] When the nucleotide sequence of A4RS-751 was determined, this was identical with the sequence of FLI-1 [Accession: Q50644] (SEQ ID NO:83). The amino acid sequence encoded by this gene is shown as SEQ ID NO:84. FLI-1, which is also called ERGB, is a transcription factor belonging to the ETS family. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 42 of FIG. 2.
- [0342] When the nucleotide sequence of A4RS-781 was determined, this was identical with the sequence of HLA-E [Accession: X56841] (SEQ ID NO:85). The amino acid sequence encoded by this gene is shown as SEQ ID NO:86. HLA-E is a kind of MHC class I protein. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 43 of FIG. 2.
 - [0343] When the nucleotide sequence of A4RS-784 was determined, this was identical with the sequence of plasminogen activator inhibitor (PAI) [Accession: M16006] (SEQ ID NO:87). The amino acid sequence encoded by this gene is shown as SEQ ID NO:88. PAI acts antagonistically against plasminogen activator. It has been reported that its expression is decreased by the application of a shear stress [Blood, <u>87</u>, 2314(1996)]. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 44 of FIG. 2 and lane 12 of FIG. 3.
 - [0344] When the nucleotide sequence of A4RS-817 was determined, this was identical with the sequence of keratin 18 [Accession: M26326] (SEQ ID NO:89). The amino acid sequence encoded by this gene is shown as SEQ ID NO: 90. Keratin 18 is a kind of intermediate filament. Its Northern biot exhibiting a shear stress-dependent increase of expression is shown in lane 45 of FIG. 2.
 - [0345] When the nucleotide sequence of A4RS-818 was determined, this was identical with the sequence of human

secreted protein gene 5 clone HELDY41 [Accession: V34315] (SEQ ID NO:91). The amino acid sequence encoded by this gene is shown as SEQ ID NO:92. The amino acid sequence encoded by this gene coincides with a partial sequence of human hedgehog interacting protein [Accession: W56538]. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 46 of FIG. 2.

- [0346] When the nucleotide sequence of A4RS-914 was determined, this was identical with the sequence of monocyte-derived neutrophil-activating protein (MONAP) [Accession: M26383] (SEQ ID NO:93). The amino acld sequence encoded by this gene is shown as SEQ ID NO:94. MONAP is also called interleukin 8 (IL-8), and its relation with the development of arteriosclerosis is strongly suggested. In fact, its strong expression in an mRNA level and in a protein level has been reported in macrophages derived from arteriosclerotic plaques [Arterioscler. Thromb. Vascul. Biol., 16, 1007(1996)]. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 47 of FIG. 2. [0347] When the nucleotide sequence of A4RS-929 was determined, this was identical with the sequence of MUC18 glycoprotein [Accession: M28882] (SEQ ID NO:95). The amino acid sequence encoded by this gene is shown as SEQ ID NO:96. MUC18, which is also called Mel-CAM or CD146, is a cell adhesion factor having an immunoglobulin-like domain. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 48 of FIG. 2.
- [0348] When the nucleotide sequence of A4RS-935 was determined, this was identical with the sequence of nuclear speckle-type protein (SPOP) [Accession: AJ000644] (SEQ ID NO:97). The amino acid sequence encoded by this gene is shown as SEQ ID NO:98. SPOP is a nuclear factor which is considered to interact with splicing factors. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 49 of FIG. 2.
- [0349] When the nucleotide sequence of A4RS-938 was determined, this was identical with the sequence of throm-bospondin (TSP) [Accession: X14787] (SEQ ID NO:99). The amino acid sequence encoded by this gene is shown as SEQ ID NO:100. TSP is a glycoprotein functioning as an extracellular matrix, and has an inhibitory effect on carcinogenesis and angiogenesis. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 50 of FIG. 2.
- [0350] When the nucleotide sequence of A4RS-939 was determined, this was identical with the sequence of caveolin [Accession: Z18951] (SEQ ID NO:101). The amino acid sequence encoded by this gene is shown as SEQ ID NO:102. Caveolin is a principal component of caveolae present in the cell membrane. It has been reported that caveolin participates in the control of NO production by interacting with nitric oxide (NO) synthase [J. Biol. Chem., 273, 34724 (1998)]. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 51 of FIG. 2.
 - [0351] When the nucleotide sequence of A4RS-945 was determined, this was identical with the sequence of human BENE mRNA [Accession: U17077] (SEQ ID NO:103). The amino acid sequence encoded by this gene is shown as SEQ ID NO:104. BENE is a membrane protein having homology with T cell surface glycoprotein MAL. Since its expression in endothelial cells is increased by lysophosphatidyl choline (lysoPC) that is a component of oxidized lipoproteins, its relation with arteriosclerosis is suggested [J. Biochemistry, 123, 1119(1998)]. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 52 of FIG. 2.
- [0352] When the nucleotide sequence of A4RS-947 was determined, this was identical with the sequence of 1,4-al-pha-glucan branching enzyme [Accession: L07956] (SEQ ID NO:105). The amino acid sequence encoded by this gene is shown as SEQ ID NO:106. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 53 of FIG. 2.
- [0353] When the nucleotide sequence of A4RS-948 was determined, this was identical with the sequence of ferritin H [Accession: M11146] (SEQ ID NO:107). The amino acid sequence encoded by this gene is shown as SEQ ID NO: 108. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 54 of FIG. 2.
 - [0354] When the nucleotide sequence of A4RS-949 was determined, this was identical with the sequence of human PAST (HPAST) [Accession: AF001434] (SEQ ID NO:109). The amino acid sequence encoded by this gene is shown as SEQ ID NO:110. HPAST has homology with PAST-1 that is a fly-derived glycoprotein. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 55 of FIG. 2.
 - (3) Novel partial-length genes exhibiting a shear stress-dependent increase of expression
- [0355] When the nucleotide sequence of A4RS-011 was determined, this was identical with a group of ESTs included in UniGene Hs. 71475. The sequence represented by SEQ ID NO: 111 could be obtained by joining the corresponding ESTs together. The amino acid sequence encoded by this sequence is shown as SEQ ID NO:112. The amino acid sequence encoded by this sequence does not show substantial homology with other known proteins. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 56 of FIG. 2.
- [0356] When the nucleotide sequence of A4RS-115 was determined, this was identical with a group of ESTs included In UniGene Hs. 3742. The sequence represented by SEQ ID NO:113 could be obtained by joining the corresponding ESTs together. The amino acid sequence encoded by this sequence is shown as SEQ ID NO:114. This gene has very high homology with rat SEC61 [Accession: M96630] and Is considered to be the human ortholog thereof. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 57 of FIG. 2 and lane 13 of FIG. 3.

- [0357] When the nucleotide sequence of A4RS-143 was determined, this was identical with a group of ESTs included in UnlGene Hs. 5307. The sequence represented by SEQ ID NO:115 could be obtained by joining the corresponding ESTs together. This sequence does not have an ORF consisting of 50 or more amino acids and is hence considered to be a non-translational region. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 58 of FIG. 2 and lane 14 of FIG. 3.
- [0358] When the nucleotide sequence of A4RS-171 was determined, no sequence identical exactly with it was found in the data banks. The nucleotide sequence is shown as SEQ ID NO: 116. This sequence does not have an ORF consisting of 50 or more amino acids and is hence considered to be a non-translational region. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 59 of FIG. 2.
- [0359] When the nucleotide sequence of A4RS-193 was determined, this was identical with a group of ESTs included in UniGene Hs. 112157. The sequence represented by SEQ ID NO:117 could be obtained by joining the corresponding ESTs together. The amino acid sequence encoded by this sequence is shown as SEQ ID NO: 118. The protein encoded by this sequence does not show substantial homology with other known proteins. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown In lane 60 of FIG. 2 and lane 15 of FIG. 3.
- [0360] When the nucleotide sequence of A4RS-280 was determined, this was identical with a group of ESTs included in UniGene Hs. 109017. The sequence represented by SEQ ID NO:119 could be obtained by joining the corresponding ESTs together. The amino acid sequence encoded by this sequence is shown as SEQ ID NO:120. This gene has as high as 87% homology with human ras-like protein TC10 [Accession: M31470] and is considered to be a novel human low-molecular-weight GTP-binding protein. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 61 of FIG. 2 and lane 16 of FIG. 3.
 - [0361] When the nucleotide sequence of A4RS-402 was determined, this was identical with a group of ESTs included in UniGene Hs. 181077. The sequence represented by SEQ ID NO:121 could be obtained by joining the corresponding ESTs together. The amino acid sequence encoded by this sequence is shown as SEQ ID NO:122. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 62 of FIG. 2 and lane 17 of FIG. 3.
- [0362] When the nucleotide sequence of A4RS-533 was determined, this was identical with EST clones R07925 and T86046. The sequence represented by SEQ ID NO:123 could be obtained by joining the corresponding ESTs together. The amino acid sequence encoded by this sequence is shown as SEQ ID NO:124. The amino acid sequence encoded by this sequence does not show substantial homology with other known proteins. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 63 of FIG. 2.
- [0363] When the nucleotide sequence of A4RS-604 was determined, this was identical with a group of ESTs included in UniGene Hs. 34160. The sequence represented by SEQ ID NO:125 could be obtained by joining the corresponding ESTs together. The amino acid sequence encoded by this sequence is shown as SEQ ID NO:126. The protein encoded by this sequence does not show substantial homology with other known proteins. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 64 of FIG. 2 and lane 18 of FIG. 4.
 - [0364] When the nucleotide sequence of A4RS-615, was determined, this was identical with a group of ESTs included in UniGene Hs. 193974. The sequence represented by SEQ ID NO:127 could be obtained by joining the corresponding ESTs together. The amino acid sequence encoded by this sequence is shown as SEQ ID NO:128. The protein encoded by this sequence does not show significant homology with other known proteins. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 65 of FIG. 2.
- [0365] When the nucleotide sequence of A4RS-619 was determined, this was identical with a group of ESTs included in UniGene Hs. 14512. The sequence represented by SEQ ID NO:129 could be obtained by joining the corresponding ESTs together. This sequence does not have an ORF consisting of 50 or more amino acids and is hence considered to be a non-translational region. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 66 of FIG. 2.
- [0366] When the nucleotide sequence of A4RS-626 was determined, no sequence identical exactly with it was found in the data banks. The nucleotide sequence is shown as SEQ ID NO:130. This sequence does not have an ORF consisting of 50 or more amino acids and is hence considered to be a non-translational region. Its Northern biots exhibiting a shear stress-dependent increase of expression are shown in lane 67 of FIG. 2 and lane 19 of FIG. 4.
 - [0367] When the nucleotide sequence of A4RS-676 was determined, this was identical with a group of ESTs included in UniGene Hs. 8881. The sequence represented by SEQ ID NO:131 could be obtained by joining the corresponding ESTs together. This sequence does not have an ORF consisting of 50 or more amino acids and is hence considered to be a non-translational region. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 68 of FIG. 2.
 - [0368] When the nucleotide sequence of A4RS-679 was determined, no sequence identical exactly with it was found in the data banks. The nucleotide sequence is shown as SEQ ID NO: 132. This sequence does not have an ORF consisting of 50 or more amino acids and is hence considered to be a non-translational region. Its Northern blot exhibiting a shear stress-dependent Increase of expression is shown in lane 69 of FIG. 2.
 - [0369] When the nucleotide sequence of A4RS-737 was determined, no sequence identical exactly with it was found

in the data banks. The nucleotide sequence is shown as SEQ ID NO:133. This sequence does not have an ORF consisting of 50 or more amino acids and is hence considered to be a non-translational region. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 70 of FIG. 2.

[0370] When the nucleotide sequence of A4RS-780 was determined, this was identical with a group of ESTs included in UniGene Hs. 34489. The sequence represented by SEQ ID NO:134 could be obtained by joining the corresponding ESTs together. This sequence does not have an ORF consisting of 50 or more amino acids and is hence considered to be a non-translational region. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 71 of FIG. 2.

[0371] When the nucleotide sequence of A4RS-826 was determined, this was identical with a group of ESTs included in UniGene Hs. 7348. The sequence represented by SEQ ID NO:135 could be obtained by joining the corresponding ESTs together. The amino acid sequence encoded by this sequence is shown as SEQ ID NO:136. The protein encoded by this sequence does not show substantial homology with other known proteins. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 72 of FIG. 2.

[0372] When the nucleotide sequence of A4RS-916 was determined, this was identical with a group of ESTs included in UniGene Hs. 105695. The sequence represented by SEQ ID NO:137 could be obtained by joining the corresponding ESTs together. The amino acid sequence encoded by this sequence is shown as SEQ ID NO:138. The protein encoded by this sequence does not show substantial homology with other known proteins. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 73 of FIG. 2 and lane 20 of FIG. 4.

[0373] When the nucleotide sequence of A4RS-933 was determined, this was identical with EST clone Al391599. The sequence represented by SEQ ID NO:139 could be obtained by joining the corresponding ESTs together. The amino acid sequence encoded by this sequence is shown as SEQ ID NO:140. The protein encoded by this sequence does not show substantial homology with other known proteins. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 74 of FIG. 2.

[0374] When the nucleotide sequence of A4RS-943 was determined, this was identical with a group of ESTs included in UniGene Hs. 186838. The sequence represented by SEQ ID NO:141 could be obtained by joining the corresponding ESTs together. The amino acid sequence encoded by this sequence is shown as SEQ ID NO:142. The amino acid sequence encoded by this sequence has a zinc finger motif and shows 67% homology with bird-derived zinc finger 5 protein [Accession: U51640]. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in lane 75 of FIG. 2.

Example 5

30

Cloning of full-length cDNAs

[0375] With respect to the novel DNAs exhibiting a shear stress-dependent increase of expression which were obtained in Example 3, the length of the insert was significantly shorter than the size of mRNA detected by Northern blotting in most cases. That is, the clones obtained from the subtraction library were judged to be partial cDNA fragments and not full-length cDNAs. Accordingly, with respect to eight of the novel DNAs, their full-length cDNAs were obtained again from a cDNA library.

(1) Construction of a cDNA library using a λ phage vector

[0376] Three point two µg of oligo(dT)-Xhol primer (SEQ ID NO:160) was added to 4.8 µg of the HUVEC-derived poly(A)+ RNA obtained in Example 1. Then, distilled water was added thereto so as to make a volume of 6.8 μl. This solution was heated at 70°C for 10 minutes and then cooled rapidly by placing it on ice. To this solution, 4 µl of 5 x reverse transcriptase reaction buffer (attached to the enzyme), 2 µl of 100 mM DTT, 1.2 µl of a mixed dNTP solution [10 mM dATP, 10 mM dGTP, 10 mM dTTP, 5 mM 5-methyl dCTP], and 1 μ l of [α -32P]dATP (110 TBq/mmol; manufactured by Amersham Pharmacia Biotech) as a tracer were added on ice. After this mixture was kept at 37°C for 2 minutes, 5 μl of Superscript II RNase H⁻ Reverse Transcriptase (1,000 units; manufactured by Life Technologies) was added thereto and reacted at 44°C for 1 hour to synthesize cDNA. After the reaction was stopped by the addition of 0.8 µl of 0.5 M EDTA (pH 8.0), the reaction mixture was subjected to a phenol-chloroform treatment and a chloroform treatment, and precipitated with ethanol to recover a cDNA-mRNA hybrid. After the precipitate was dissolved In 17 μl of distilled water, 5 μl of 5 x reaction buffer (attached to the enzyme), 2.5 μl of 100 μM dGTP, and 0.5 μl of 15 units/μl terminal deoxynucleotidyl transferase (manufactured by Life Technologies) were added thereto. This mixture was reacted at 37°C for 30 minutes to add oligo-dG to the 3'-terminus of cDNA. After the reaction was stopped by the addition of 5 μl of 0.5 M EDTA (pH 8.0), the reaction mixture was subjected to a phenol-chloroform treatment and a chloroform treatment, and precipitated with ethanol. After the resulting precipitate was dissolved in 20.7 μl of distilled water, 1.5 μl of reaction buffer A [200 mM Tris-HCI (pH 8.75), 100 mM KCI, 100 mM (NH₄)₂SO₄, 20 mM MgSO₄, 1% Triton X-100, 1

mg/ml BSA], 1.5 μl of reaction buffer B [200 mM Tris·HCl (pH 9.2), 600 mM KCl, 20 mM MgCl₂], 0.3 μg of oligo(dC) NotI primer (SEQ ID NO:161), 0.75 μ l of a 10 mM mixed dNTP solution, and 1.5 μ l of 10 mM β -NAD were added thereto so as to make a total volume of 27.45 μl. After this mixture was kept at 55°C for 5 minutes, 1.5 μl of 5 units/μl ΕχΤαq DNA polymerase (manufactured by Takara Shuzo Co., Ltd.), 0.75 μl of 100 units/μl Ampligase (manufactured by Epicentre), and 0.3 µl of 5 units/µl Hybridase (manufactured by Epicentre) were added thereto. Using a Thermal Cycler DNA Engine (manufactured by MJ Research), the temperature of this mixture was slowly reduced from 55°C to 35°C at a rate of 0.3°C per minute. Thereafter, the mixture was kept at 35°C for 15 minutes to anneal the primer to the template single-stranded cDNA. Thereafter, the mixture was kept at 72°C for 15 minutes to carry out the extension reaction of second-strand DNA. By repeating this annealing/extension cycle three more times, mRNA was degraded to make double-stranded cDNA. To the reaction mixture, 0.5 μ l of 0.5 M EDTA (pH 8.0), 0.5 μ l of 10% SDS, and 0.5 μl of 20 μg/μl Proteinase K were added. Then, the reaction mixture was kept at 45°C for 15 minutes to stop the reaction and inactivate the enzyme. Thereafter, the reaction mixture was subjected to a phenol-chloroform treatment and a chloroform treatment, and precipitated with ethanol. The resulting precipitate was dissolved in 44 μ l of distilled water. Then, 5 µl of 10 x reaction buffer (attached to the enzyme) and 1 µl of Xhol (10 units/µl; manufactured by Takara Shuzo Co., Ltd.) were added thereto and reacted at 37°C for 2 hours to cleave the Xhol site in the oligo(dT)-Xhol primer. Then, 0.5 μl of 5 M NaCl and 1 μl of Notl (10 units/μl; manufactured by Takara Shuzo Co., Ltd.) were added to the reaction mixture and reacted at 37°C for 2 hours to cleave the Notl site in the oligo(dC)-Notl primer. In order to remove short cDNA fragments of not greater than 400 bp size, and unreacted primers and nucleotides, the reaction mixture was placed on a SizeSep-400 spun column (manufactured by Amersham Pharmacia Biotech) equilibrated with TE buffer, and centrifuged at 400 x g for 2 minutes. The resulting eluate was purified by subjecting it to a phenol-chloroform treatment and a chloroform treatment. Eight μl of 10 x reaction buffer (manufactured by Takara Shuzo Co., Ltd.), 62 μl of distilled water, and 50 units (5 μl) of Xhol were added to 5 μg (5 μl) of cloning vector λΖΑΡΙΙ (manufactured by Stratagene), and reacted at 37°C for 4 hours. Then, 1 µl of 5 M NaCl and 50 units (5 µl) of Notl were added to the reaction mixture, and further reacted at 37°C for 4 hours. Thus, the Xhol and Notl sites of the vector were cleaved. Then, 9 µl of 10 x reaction buffer (attached to the enzyme) and 0.025 unit of temperature-sensitive alkaline phosphatase (manufactured by Life Technologies) were added to the reaction mixture and reacted at 65°C for 15 minutes to dephosphorylate the 5'-termini of the Xhol-cleaved end and Notl-cleaved end of the vector. After the reaction was stopped by the addition of 10 μl of a reaction stopper (attached to the enzyme), the reaction mixture was subjected to a phenolchloroform treatment and a chloroform treatment, and the vector was recovered by ethanol precipitation. The aforesaid purified cDNA was added to 0.25 µg of the vector, followed by ethanol precipitation. The recovered vector DNA and cDNA were dissolved in 4 µl of a ligase buffer [100 mM Tris-HCl (pH 7.6), 5 mM MgCl₂, 300 mM NaCl], and 4 µl of solution B in a Ligation Kit Ver. 1 (manufactured by Takara Shuzo Co., Ltd.). This mixture was reacted at 26°C for 10 minutes to ligate cDNA to vector DNA. Using 4 µl portions of the reaction mixture, packaging was carried out using a λ Phage Packaging Extract Gigapack β Gold (manufactured by Stratagene). Specifically, reagents were used and the procedure for packaging was carried out according to the manual attached to the kit. Escherichia coli XL1-Blue MRF strain was infected with the resulting phage, and its titer was measured. Moreover, the phage was multiplied on a plate and recovered in SM buffer (its composition is described in the manual of Stratagene). Thus, the cDNA library was amplified once to obtain a final cDNA library. Specifically, the procedures for titer measurement and library amplification were carried out according to the manual attached to the λ phage packaging kit.

(2) Obtaining of full-length cDNAs by plaque hybridization

[0377] With respect to the library constructed in step (1), plaque DNAs were blotted to a nylon membrane Hybond N+ (manufactured by Amersham Pharmacla Biotech). The plasmids derived from the subtraction library obtained in Example 2 were used as templates, and primers specific for each genes were synthesized and used. After a PCR DIG labeling mix (manufactured by Boehringer Mannheim) was added, PCR was carried out to amplify and label each genespecific fragments. Using these DNA fragments as probes, hybridization and the detection of positive plaques were carried out according to the manual of Boehringer Mannheim. Positive plaques were amplified in SM buffer and formed into plasmids using helper phage ExAssist (manufactured by Stratagene). Specifically, the procedure for plasmid formation was carried out according to the manual of Stratagene.

(2) Determination of nucleotide sequence

[0378] The nucleotide sequence of each of the cDNA clones thus obtained was determined by means of a 377 DNA Sequencer (manufactured by Perkin Elmer). Specifically, the determination of the nucleotide sequence was carried out with a Dye Primer Cycle Sequencing FS Ready Reaction Kit according to the manual attached to the Kit (manufactured by Perkin Elmer). Moreover, this nucleotide sequence was translated into an amino acid sequence on a three-frame basis and examined for the presence of an open reading frame (ORF).

- (3) Homology analysis of full-length cDNAs
- ① A4RS-002

[0379] With respect to the full-length cDNA clone pfA4RS-002-1 obtained as a result of plaque hybridization, the whole nucleotide sequence of cDNA was determined and the resulting nucleotide sequence is shown as SEQ ID NO: 143. Escherichia coli DH5α strain having clone pfA4RS-002-1 introduced thereinto (Escherichia coli DH5α/pfA4RS-002-1) was internationally deposited on August 5, 1999 with the National Institute of Bioscience and Human-Technology, the Agency of Industrial Science and Technology (Higashi 1-1-3, Tsukuba City, Ibaraki Prefecture, Japan) under the Budapest Treaty, and assigned the accession number FERM BP-6822. In the nucleotide sequence of A4RS-002, an ORF consisting of 390 amino acids was observed (its amino acid sequence is shown as SEQ ID NO:144). As a result of homology analysis, this amino acid sequence was found to show significant homology with proteins belonging to the immunoglobulin family. Among others, this amino acid sequence show high homology with A33 antigen that is a specific marker for human colon carcinoma [Proc. Natl. Acad. Sci. USA, 94, 469(1997)] and CAR (coxackie and adenovirus receptor) that is a virus receptor protein [Science, 275, 1320(1997)]. Judging from their primary structure, these factors are presumed to be a type I membrane protein. According to a hydrophilicity analysis on the basis of the amino acid sequence, 29 residues at the amino-terminus of A4RS-002 is estimated to be a secretion signal, and a sequence extending from the 249th to 270th amino acid is considered to be a highly hydrophobic transmembrane region. Since ICAM-1 and VCAM-1 belonging to the immunoglobulin family exhibit a shear stress-dependent alteration of expression, A4RS-002 is presumed to belong to the immunoglobulin family and function as a membrane protein. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 76 of FIG. 2 and lane 21 of FIG. 4.

② A4RS-049

15

25

35

[0380] With respect to the full-length cDNA clone pfA4RS-049-1 obtained as a result of plaque hybridization, the whole nucleotide sequence of cDNA was determined and the resulting nucleotide sequence is shown as SEQ ID NO: 145. Escherichia coli DH5α strain having clone pfA4RS-049-1 introduced thereinto (Escherichia coli DH5α/pfA4RS-049-1) was internationally deposited on August 5, 1999 with the National Institute of Bioscience and Human-Technology, the Agency of Industrial Science and Technology (Higashi 1-1-3, Tsukuba City, Ibaraki Prefecture, Japan) under the Budapest Treaty, and assigned the accession number FERM BP-6823. In the nucleotide sequence of A4RS-049, an ORF consisting of 881 amino acids was observed (its amino acid sequence is shown as SEQ ID NO:146). As a result of homology analysis, the protein encoded by A4RS-049 showed significant homology not only with mousederived 3BP-1 (SH3 domain binding protein) [EMBO, J. 14, 3127(1995)], but also with various GTPase-activating protein (GAPs) such as rhoGAP and Abr. GAPs are a family of proteins controlling the GTPase activity of low-molecularweight GTP-binding proteins such as ras and rab, and A4RS-049 shows homology with GAPs (e.g., rho and rac) specific for a subfamily considered to participate in regulation of cytoskeleton. In the amino acid sequence encoded by A4RS-049, the GTPase-activating domain conserved among known GAPs is present. Accordingly, A4RS-049 is presumed to function as a GAP. Moreover, a nematode-derived gene [Accession: Z73425] and a yeast-derived gene [Accession: Z97210], which are registered in databases but have an unknown function, show significant homology with the protein encoded by A4RS-049. Thus, A4RS-049 is expected to be a gene conserved well in the process of evolution. Its Northern blots exhibiting a shear stress-dependent Increase of expression are shown in lane 77 of FIG. 2 and lane 22 of FIG. 4.

③ A4RS-230

[0381] With respect to the full-length cDNA clone pfA4RS-230-2 obtained as a result of plaque hybridization, the whole nucleotide sequence of cDNA was determined and the resulting nucleotide sequence is shown as SEQ ID NO: 147. Escherichia coli DH5α strain having clone pfA4RS-230-2 introduced thereinto (Escherichia coli DH5α/pfA4RS-230-2) was internationally deposited on August 5, 1999 with the National Institute of Bioscience and Human-Technology, the Agency of Industrial Science and Technology (Higashi 1-1-3, Tsukuba City, Ibaraki Prefecture, Japan) under the Budapest Treaty, and assigned the accession number FERM BP-6824.

[0382] In the nucleotide sequence of A4RS-230, an ORF consisting of 322 amino acids was observed (its amino acid sequence is shown as SEQ ID NO:148). As a result of homology analysis, the protein encoded by A4RS-230 shows as high as 83% homology with mouse myeloid upregulated protein [Accession: 035682] and is considered to be a human counterpart thereof. However, its part on the C-terminal side is substantially different. As to mouse myeloid upregulated protein, only the sequence is registered in a database and its function is unknown. According to a hydrophilicity analysis on the basis of the amino acid sequence, the protein encoded by A4RS-230 has very high hydro-

phobicity and may hence function as a membrane protein. However, a sequence judged to be a signal sequence is not present at the N-terminus. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 78 of Fig. 2 and lane-23 of Fig. 4.

5 (4) A4RS-239

[0383] With respect to the full-length cDNA clone pfA4RS-239-2 obtained as a result of plaque hybridization, the whole nucleotide sequence of cDNA was determined and the resulting nucleotide sequence is shown as SEQ ID NO: 149. Escherichia coli DH5α strain having clone pfA4RS-239-2 introduced thereinto (Escherichia coli DH5α/pfA4RS-239-2) was internationally deposited on August 5, 1999 with the National institute of Bioscience and Human-Technology, the Agency of Industrial Science and Technology (Higashi 1-1-3, Tsukuba City, Ibaraki Prefecture, Japan) under the Budapest Treaty, and assigned the accession number FERM BP-6825.

[0384] In the nucleotide sequence of A4RS-239, an ORF consisting of 663 amino acids was observed (its amino acid sequence is shown as SEQ ID NO:150). As a result of homology analysis, the protein encoded by A4RS-239 showed low but significant homology with various GAPs such as rhoGAP and Abr, similarly to the above-described A4RS-049. However, A4RS-239 and A4RS-049 are different DNAs. In the amino acid sequence encoded by A4RS-239, the GTPase-activating domain conserved among known GAPs is present. Accordingly, A4RS-239 is presumed to function as a GAP. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 79 of FIG. 2 and lane 24 of FIG. 3.

(5) A4RS-242

20

[0385] With respect to the full-length cDNA clone pfA4RS-242-1 obtained as a result of plaque hybridization, the whole nucleotide sequence of cDNA was determined and the resulting nucleotide sequence is shown as SEQ ID NO: 151. Escherichia coli DH5 α strain having clone pfA4RS-242-1 introduced thereinto (Escherichia coli DH5 α /pfA4RS-242-1) was internationally deposited on August 5, 1999 with the National Institute of Bioscience and Human-Technology, the Agency of Industrial Science and Technology (Higashi 1-1-3, Tsukuba City, Ibaraki Prefecture, Japan) under the Budapest Treaty, and assigned the accession number FERM BP-6826. In the nucleotide sequence of A4RS-242, an ORF consisting of 863 amino acids was observed (its amino acid sequence is shown as SEQ ID NO:152). As a result of homology analysis, the amino-terminal half of the protein encoded by A4RS-242 is identical with approximately the full length of the product of the gene ehb10. However, a part of A4RS-242 corresponding to the half on the carboxylterminal side is not present in ehb10. That is, they are considered to be splicing variants. ehb10 is one of the proteins obtained by expression cloning, as factors binding to the EH domain considered to participate in the protein interaction of Eps15 (the substrate for EGF receptor) [Genes & Dev., 11, 2239(1997)], but its function is unknown. However, the motif required for binding to the EH domain is also present in A4RS-242. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 80 of FIG. 2 and lane 25 of FIG. 4.

6 A4RS-491

[0386] With respect to the full-length cDNA clone pfA4RS-491-1 obtained as a result of plaque hybridization, the whole nucleotide sequence of cDNA was determined and the resulting nucleotide sequence is shown as SEQ ID NO: 153. Escherichia coli DH5α strain having clone pfA4RS-491-1 introduced thereinto (Escherichia coli DH5α/pfA4RS-491-1) was internationally deposited on August 5, 1999 with the National Institute of Bioscience and Human-Technology, the Agency of Industrial Science and Technology (Higashi 1-1-3, Tsukuba City, Ibaraki Prefecture, Japan) under the Budapest Treaty, and assigned the accession number FERM BP-6827. In the nucleotide sequence of A4RS-491, an ORF consisting of 331 amino acids was observed (its amino acid sequence is shown as SEQ ID NO:154). As a result of homology analysis, the protein encoded by A4RS-491 was identical with an amino acid sequence [Accession: 043334] registered in a database as a human hypothetical protein over a wide range. However, this hypothetical protein consists of 393 amino acids, and it has been found that its 88th to 148th amino acids are not contained in the amino acid sequence encoded by A4RS-491. That is, they are considered to be splicing variants. The protein encoded by A4RS-491 shows substantial homology with nematode-derived glycerophosphodiester phosphodiesterase [Accession: Z78198] and bacterium-derived glycerophosphodiester phosphodiesterase [Accession: E69827], and has been found to be a gene conserved well in the process of evolution. It is known that bacterium-derived glycerophosphodiester phosphodiesterase is present on membranes. According to a hydrophilicity analysis on the basis of the amino acid sequence encoded by A4RS-491, an amino acid sequence extending from the 1st to 26th amino acid in SEQ ID NO: 154 is presumed to be a signal peptide. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 81 of FIG. 2 and lane 26 of FIG. 4.

(7) A4RS-578

[0387] With respect to the full-length cDNA clone pfA4RS-578-1 obtained as a result of plaque hybridization, the whole nucleotide sequence of cDNA was determined and the resulting nucleotide sequence is shown as SEQ ID NO: 155. Escherichia coli DH5α strain having clone pfA4RS-578-1 introduced thereinto (Escherichia coli DH5α/pfA4RS-578-1) was internationally deposited on August 5, 1999 with the National Institute of Bioscience and Human-Technology, the Agency of Industrial Science and Technology (Higashi 1-1-3, Tsukuba City, Ibaraki Prefecture, Japan) under the Budapest Treaty, and assigned the accession number FERM BP-6828. In the nucleotide sequence of A4RS-578, an ORF consisting of 541 amino acids was observed (its amino acid sequence is shown as SEQ ID NO:156). As a result of homology analysis, the protein encoded by A4RS-578 showed the highest homology with the amino acid sequence [Accession: Z95559] of a protein of unknown function registered as a nematode-derived hypothetical protein, and then showed significant homology with rat brain finger protein (BFP) [Biochem. Biophys. Res. Commun., 240, 8 (1997)]. Rat BFP was cloned as a novel gene having the RING finger motif as a kind of zinc finger motif, and it has been reported that this gene is expressed brain-specifically and that the expression of this gene may be induced at the stage of differentiation into nerve cells. However, a sequence judged to be the RING finger motif is not present in the amino acid sequence encoded by A4RS-578. The protein encoded by A4RS-578 also shows significant homology with various GTP-binding proteins, and has two of the three motifs possessed in common by many GTP-binding proteins. Since the existence of GTP-binding proteins having only two motifs has bee reported, there is a possibility that the protein encoded by A4RS-578 functions as a GTP-binding protein. Its Northern blots exhibiting a shear stressdependent increase of expression are shown in lane 82 of FIG. 2 and lane 27 of FIG. 4.

(8) A4RS-829

25

35

[0388] With respect to the full-length cDNA clone pfA4RS-829-1 obtained as a result of plaque hybndization, the whole nucleotide sequence of cDNA was determined and the resulting nucleotide sequence is shown as SEQ ID NO: 157. Escherichia coli DH5 α strain having clone pfA4RS-829-1 introduced thereinto (Escherichia coli DH5 α /pfA4RS-829-1) was internationally deposited on August 5, 1999 with the National institute of Bioscience and Human-Technology, the Agency of Industrial Science and Technology (Higashi 1-1-3, Tsukuba City, Ibaraki Prefecture, Japan) under the Budapest Treaty, and assigned the accession number FERM BP-6829. In the nucleotide sequence of A4RS-829, an ORF consisting of 173 amino acids was observed (its amino acid sequence is shown as SEQ ID NO:158). As a result of homology analysis, the protein encoded by A4RS-829 showed substantial homology with the amino acid sequences of proteins of unknown functions registered as hypothetical proteins, such as an arabidopsis-derived protein [Accession: 048707], a nematode-derived protein [Accession: Q20340] and a yeast-derived protein [Accession: Q3677], and was found to be a gene conserved well in the process of evolution. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in lane 83 of FIG. 2 and lane 28 of FIG. 4.

Example 6

Production of a recombinant protein of A4RS-002

(1) Construction of an expression plasmid

[0389] To 2 μg of pfA4RS-002-1 obtained in Example 5, 5 μl of 10-reaction buffer (attached to the enzyme), 1 μl of Xhol (10 units/µl; manufactured by Takara Shuzo Co., Ltd.), and distilled water were added so as to make a total volume of 50 µl. This mixture incubated at 37°C for 2 hours to digest the cDNA completely. Then, 0.5 µl of 5 M NaCl and 1 µl of Notl (10 units/µl; manufactured by Takara Shuzo Co., Ltd.) were added to the reaction mixture. This mixture incubated at 37°C for 2 hours to digest the cDNA completely. The reaction mixture was subjected to a phenol-chloroform treatment and a chloroform treatment, and then precipitated with ethanol. After the resulting precipitate was dissolved in 20 µl of distilled water, 3 μl of 10 x blunting buffer (attached to the enzyme), 6 μl of a 2.5 mM mixed dNTP solution, and 1 μl of Klenow fragment (manufactured by Takara Shuzo Co., Ltd.) were added thereto. This mixture was incubated at 37°C for 1 hour to carry out the blunting of restriction enzyme-treated ends. The reaction mixture was subjected to a phenolchloroform treatment and a chloroform treatment, and then precipitated with ethanol. After the resulting precipitate was dissolved in 5 µl of distilled water, 0.4 µg and 0.3 µg, respectively, of Sfil linkers (5'-CTTTAGAGCAC-3', 5'-CTCTAAAG-3') were added thereto so as to make a volume of 6 µl. Twelve µl of solution I and 6 µl of solution II of a Ligation Kit Ver. 2 (manufactured by Takara Shuzo Co., Ltd.) were added thereto, and the resulting mixture was incubated at 16°C overnight to carry out linker ligation. The total amount of the reaction mixture was electrophoresed through 0.8% agarose gel, and the desired fragments were recovered using a QIAEX II Gel Extraction Kit (manufactured by QIAGEN). The procedure therefor was carried out according to the manual attached to the kit. The recovered DNA fragments

were dissolved in 10 μl of distilled water. To this insert DNA, an animal cell expression plasmid vector pAMo [J. Biol. Chem., 268, 22782(1993); also called pAMoPRC3Sc (Japanese Published Unexamined Patent Application No. 336963/93)], which had been linearized with Sfil and similarly recovered from an agarose gel, was added in a molar amount equal to 1/5 of that of the insert, and Ligation High (manufactured by Toyobo Co., Ltd.) in a volume equal to that of the solution. This mixture was incubated at 16°C for 3 hours to ligate the insert with linkers to the vector, and then introduced into competent-cell Escherichia coli MW294. After Introduction, LB agar medium containing 50 μg/ml ampicillin was inoculated with the bacterial suspension and incubated at 37°C overnight to form colonies. The resulting colonies were randomly picked up, and the plasmid was obtained from each colony and examined for the presence or absence of the insert by a restriction enzyme treatment. With respect to the colonies having the insert, the direction of the insert was examined. Using one clone, pAMo-002, having the desired directivity, the plasmid was mass-prepared using a QIAGEN Plasmid Midi Kit (manufactured by QIAGEN). The procedure therefor was carried out according to the manual attached to the kit. This plasmid was sterilely precipitated with ethanol and then dissolved in distilled water to a concentration of 1 μg/μl. The above-described construction of pAMo-002 is illustrated in FIG. 5.

(2) Introduction of the recombinant plasmid into cultured animal cells

[0390] Namalwa KJM-1 [Cytotechnology, 1, 151(1988)], which is a host cell for gene expression, was collected by centrifugation, washed with 10 mi of K-PBS [13.7 mM KCl, 0.27 mM NaCl, 0.81 mM Na₂HPO₄, 0.15 mM KH₂PO₄, 0.4 mM MgCl₂], and suspended in cooled K-PBS so as to have a density of 8 x 10⁶ cells/ml. Two hundred μi (1.6 x 10⁶ cells) of this cell suspension was mixed with 4 μi (4 μg) of the plasmid DNA prepared in step (1), and this mixture was quickly transferred to a chamber (manufactured by BiO-RAD) which had previously been cooled on ice. Then, using a Gene Pulser (manufactured by BiO-RAD), electroporation was carried out by the application of a voltage of 0.35 kV, 125 μF. Thereafter, the chamber was quickly placed on ice, and-the electroporated cells were transferred to a flask containing 8 ml of RPMI1640 medium (manufactured by Nissui Selyaku Co., Ltd.). After the flask was incubated for 24 hours under conditions include 37°C and 5% CO₂, G-418 as an agent for selection was added thereto so as to give a final concentration of 0.5 mg/ml. Gene-introduced cells were selected by continuing the incubation for one more week. As a control, KJM-1 cells into which only pAMo vector having no insert was Introduced were also prepared.

Example 7

30

Cloning of full-length cDNAs (2)

[0391] Similarly to Example 5, with respect to three novel partial cDNA fragments obtained from the subtraction library, full-length cDNAs were obtained from full-length cDNA librarles derived from human adipose tissue or Kato III.

(1) Construction of full-length cDNA libraries derived from human adipose tissue or Katolli cells

[0392] mRNA was extracted from human adipose tissue according to the method described in the paper (J. Sambrook, E.F. Fritsch & T. Maniatis, Molecular Cloning, Second Edition, Cold Spring Harbor Laboratory Press, 1989). Moreover, poly(A)+ RNA was purified with oligo-dT cellulose.

[0393] Similarly, mRNA was extracted from Katolii cells according to the method described in the paper (J. Sambrook, E.F. Fritsch & T. Maniatis, Molecular Cioning, Second Edition, Cold Spring Harbor Laboratory Press, 1989). Moreover, poly(A)+ RNA was purified with oligo-dT celiulose.

[0394] From each poly(A)+ RNA, a cDNA library was constructed according to an oligo-cap method [M. Maruyama and S. Sugano, Gene, 138, 171-174(1994)]. Using an oligo-cap linker (SEQ ID NO:162) and an oligo-dT primer (SEQ ID NO:163), BAP (Bacterial Alkaline Phosphatase) treatment, TAP (Tabacco Acid Phosphatase) treatment, RNA ligation, the synthesis of first-strand cDNA, and the removal of RNA were carried out according to the methods described in the paper [Suzuki & Kanno, Tanpakushitsu-Kakusan-Koso (in Japanese), 41:197-201(1996); Y. Suzuki, Gene, 200, 149-156(1997)]. Then, the resulting cDNA was converted to double-stranded cDNA by PCR using two primers [a 5'-terminal sense primer (SEQ ID NO:164) and a 3'-terminal antisense primer (SEQ ID NO:165)], and then cleaved with Sfii. This PCR was carried out in such a way that, using a commercially available GeneAmp XL PCR Kit (manufactured by Perkin Elmer), the reaction mixture was heat-treated at 95°C for 5 minutes, subjected 12 times to a reaction cycle comprising heating at 95°C for 1 minute, 58°C for 1 minute, and at 72°C for 10 minutes, and then kept at 4°C. Thereafter, a cDNA library was constructed by cloning the cDNA into a Dralli-cleaved pME18SFL3 vector [Accession: AB009864; expression vector, 3392 bp] with the fixed directivity of the cDNA.

(2) Determination of the full-length cDNA sequences

[0395] With respect to the plasmid DNAs of clones obtained from the cDNA libraries prepared in step (1), each cDNA clone was subjected to an In vitro transposon (hereinafter abbreviated as Tn) transposition reaction by using a GSP-1 Genome Priming System (manufactured by NEB). pGPS1.1 (manufactured by NEB) was used as the Tn donor. After completion of the Tn transposition reaction, a portion of the DNA sample was taken and used to transform Escherichia coli. Typically, 16 Tn-inserted clones were picked up for each cDNA clone. With respect to the plasmid DNAs of clones thus obtained, the full-length cDNA sequences were determined in the same manner as in Example 5, by using Primer N (SEQ ID NO:166) and Primer S (SEQ ID NO:167) as primers.

(3) Novel full-length genes exhibiting a shear stress-dependent increase of expression

[0396] Using the sequence of A4RS-011 obtained from the subtraction library in Example 3 as a query, the cDNA sequences obtained in step (2) were searched by means of BLAST program [Altschui, Stephen F., Thomas L. Madden, Alejandro A. Schaffer, Jinghui Zhang, Zheng Zhang, Webb Miller, and David j. Lipman, Nucleic Acids Res., 25, 3389-3402(1997)]. As a result, the sequence of A4RS-011 was identical with C-KAT07969 (SEQ ID NO:168). Among the ORFs of this cDNA sequence, the longest translated amino acid sequence was regarded as the amino acid sequence (121-1062; SEQ ID NO:169) encoded by the cDNA sequence of C-KAT07969. This amino acid sequence does not show substantial homology with other known proteins. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in panel 56 of FIG. 2.

[0397] Using the sequence of A4RS-604 obtained from the subtraction library in Example 3 as a query, the cDNA sequences obtained in step (2) were searched by means of BLAST program. As a result, the sequence of A4RS-604 was identical with the sequence of C-ADKA02341 (SEQ ID NO:170). This sequence is identical with a portion of the sequence of H. sapiens mRNA for myosin-I beta [Accession: X98507]. Among the ORFs of this cDNA sequence, the longest translated amino acid sequence was regarded as the amino acid sequence (SEQ ID NO:171) encoded by the cDNA sequence of C-ADKA02341. Its Northern blots exhibiting a shear stress-dependent increase of expression are shown in panel 64 of FIG. 2 and panel 18 of FIG. 4.

[0398] Using the sequence of A4RS-619 obtained from the subtraction library in Example 3 as a query, the cDNA sequences obtained in step (2) were searched by means of BLAST program. As a result, the sequence of A4RS-619 was identical with the sequence of C-hep01279 (SEQ iD NO:172). Among the ORFs of this cDNA sequence, the longest translated amino acid sequence was regarded as the amino acid sequence (SEQ ID NO:173) encoded by the cDNA sequence of C-hep01279. This amino acid sequence does not show substantial homology with other known proteins. Its Northern blot exhibiting a shear stress-dependent increase of expression is shown in panel 66 of FIG. 2.

35 Example 8

10

20

Detection of the apoptosis-suppressing activity of A4RS-041

[0399] In order to investigate the function of genes exhibiting a shear stress-dependent increase of expression which were obtained from the subtraction library, the following experiments were carried out with respect to a gene of unknown function, A4RS-041, having homology with the gene LFG capable of suppressing Fas-mediated apotosis.

(1) Construction of a recombinant virus vector

Using a plasmid having the full-length A4RS-041 (SEQ ID NO:7) as a template, the part of the cDNA sequence which encodes the protein of A4RS-041 was specifically amplified by PCR. That is, in a PCR tube, 20 ng of the template plasmid DNA, 25 pmol of a 5'-terminal sense primer having the Hindlil site added thereto (SEQ ID NO: 174), 25 pmol of a 3'-terminal antisense primer having the Clai site added thereto (SEQ ID NO: 175), 5 μl of 10 x reaction buffer (attached to the enzyme), 5 μl of a 2 mM dNTP solution, and 0.5 μl of KOD DNA polymerase (2.5 units/μl; manufactured by Toyobo Co, Ltd.) were mixed, and sterilized water was added thereto so as to make a volume of 50 μl. This mixture was heated at 98°C for 15 seconds, at 65°C for 2 seconds, and at 74°C for 30 seconds. This cycle was repeated 25 times to amplify the cDNA. The resulting amplified fragment of the full-length A4RS-041 was purified by cleaving its ends with Hindlil and Clal, and ligated to virus vector pCLNCX (manufactured by IMGENEX) which had previously been cleaved with Hindlil and Clal. As a result, there was constructed a recombinant virus vector pCLNC041 with which the expression of A4RS-041 is induced by CMV promoter. With respect to the resulting recombinant virus vector pCLNC041, the nucleotide sequence of its inserted fragment part was determined. Thus, it was confirmed that no nucleotide substitution was caused by PCR. As a control, pCLNCGFP was constructed by Inserting EFGP (enhanced green fluorescent protein; manufactured by Clontech) into the Hindlil and Clal sites of pCLNCX in the same manner.

(2) Preparation of HeLa cells expressing A4RS-041 to be highly and stably

[0401]. Recombinant viruses were produced by introducing each of the recombinant virus vectors constructed in step (1) into 293 cells for virus production. For the transfection of 293 cells with pCLNC041 or pCLNCGFP, a TransFast (manufactured by Promega) was used. The procedure therefor was carried out according to the attached manual. The procedures for virus production and for the infection of HeLa cells were carried out according to the manual attached to the virus vector (manufactured by IMGENEX) used.

[0402] Two days after infection, $300 \,\mu\text{g/ml}$ of G418 (manufactured by life Technologies) was added to the HeLa cells and the incubation was continued, so that uninfected cells were selectively eliminated. According to this procedure, there were obtained transformants expressing A4RS-041 or GFP to be highly and stably.

(3) Detection of an apotosis-suppressing activity

[0403] Apoptosis was induced by adding 100 ng/ml of anti-Fas monoclonal antibody CH-11 (manufactured by MBL) to the stable transformants of HeLa cells obtained in step (2) (i.e., the stable transformants of HeLa cells expressing the expression of A4RS-041 or GFP as a control). Twenty-four (24), 36 and 48 hours after the start of induction, the survival rate of the cells was measured by staining with trypan blue. For this purpose, the survival rate was measured for both suspended cells and adhering cells. All experiments were carried out in duplicate, and averages and standard deviations were obtained. The results are shown in FIG. 6A. Moreover, when the antibody concentration was altered to 10, 50, 100 and 500 ng/ml, the survival rate after 36 hours was measured. The results are shown in FIG. 6B. In the HeLa cells having A4RS-041 introduced thereinto (represented by • in FIG. 6), a significant increase in survival rate was observed at all points as compared with the HeLa cells having GFP (control) introduced thereinto (represented by • in FIG. 6). Thus, it has been found that, at least in HeLa cells, A4RS-041 has an activity for suppressing Fasmediated apotosis.

Example 9

25

Analysis of the distribution of expression of A4RS-041

[0404] With respect to A4RS-041 that was found to have an apoptosis-suppressing activity in Example 8, the following experiments were carried out in order to examine its sites of expression in human tissues.

(1) Analysis of the expression of A4RS-041 in human normal tissues

[0405] Using primers specific for A4RS-041 (SEQ ID NO:176,177) and a PCR DIG Labeling Mix (manufactured by Boehringer Mannheim), a template comprising the A4RS-041-containing plasmid obtained in Example 2 was subjected to PCR. Thus, a DIG-labeled A4RS-041 specific fragment was prepared. Using this DNA fragment as a probe, hybridization was carried out with a Human Multiple Tissue Northern Blot (manufactured by Clontech) on which RNAs derived from 8 human tissues had been blotted. After washing, chemiluminescence signals were detected using a DIG luminescence detection kit (manufactured by Boehringer Mannheim). The procedure therefor was carried out according to the manual attached to the kit. As shown in panel A of FIG. 7, signals specific for A4RS-041 were detected in the vicinity of about 2.5 kb. In Lanes 1 to 8, 2 μg each of poly(A)+ RNAs derived from spleen, kidney, skeletal muscle, liver, lung, placenta, brain and heart had been electrophoresed. Although signals were observed in all lanes, the signal in lane 7 (brain) was weak. Thus, it has been found that the expression of A4RS-041 is relatively low in the brain. On the other hand, it has been reported that the expression of LFG is very high in the brain and low in the periphery [Proc. Natl. Acad. Sci. USA, 22, 12673-12678(1999)]. This suggests that A4RS-041 and LFG function tissue-specifically.

(2) Investigation on the expression of A4RS-041 and LFG in human vascular endothelial cells and brain

[0406] Using a template comprising 1 μg of the HUVEC (having no shear stress applied thereto)-derived poly(A)+ RNA obtained in Example 2 or 1 μg of human brain-derived poly(A)+ RNA (manufactured by Clontech), single-stranded cDNA was synthesized using a Superscript Preamplification System (manufactured by Life Technologies). The procedure therefor was carried out according to the manual attached to the kit. The finally obtained cDNA solution was diluted to 5 ml and used for PCR. Using these cDNAs as templates, PCR was carried out using primers specific for A4RS-041 (SEQ ID NO:176,177), LFG (SEQ ID NO:178,179) and G3PDH (SEQ ID NO:180,181). The reaction mixture contained 5 μl of a cDNA solution, 2 μl of 10 x reaction buffer (attached to the enzyme), 1.6 μl of a 2.5 mM dNTP solution, 1 μl of dimethyl sulfoxide, 10 pmol each of sense and antisense primers, and 0.1 μl of GeneTaq DNA polymerase (5 units/μl; manufactured by Nippon Gene Co., Ltd.), and sterilized water was added thereto so as to make a total

volume of 20 µl. After the template and the primers were denatured by heating at 94°C for 1 minute, a cycle comprising heating at 94°C for 1 minute, at 60°C for 1 minute, and at 72°C for 1 minute was repeated. The number of cycles was 33 for A4RS-041 and LFG, and 24 for G3PDH. The reaction mixture was kept at 72°C for 10 minutes and then cooled to 4°C. One-half of the resulting PCR product was subjected to 1.8% agarose electrophoresis. The results are shown in panel B of FIG. 7. In lane 1, a 100 bp ladder (manufactured by Life Technologies) was electrophoresed as a size marker. Lanes 2, 4 and 6 show the PCR products obtained with HUVEC-derived cDNA, and Lanes 3, 5 and 7 show the PCR products obtained with human brain-derived cDNA. Moreover, lanes 2 and 3 show the PCR products obtained with A4RS-041-specific primers, lanes 4 and 5 show the PCR products obtained with LFG-specific primers, and lanes 6 and 7 show the PCR products obtained with G3PDH-specific primers.

[0407] The band of A4RS-041 is amplified in both HUVECs (lane 2) and the brain (lane 3), indicating that A4RS-041 is expressed in both of them. Its expression level in the brain tends to be lower than in HUVECs. On the other hand, LFG is very strongly expressed in the brain(lane 5), but the band of LFG is not amplified at all in HUVECs (lane 4), and this indicates that LFG is not expressed in HUVECs.

[0408] From the above-described results, it is believed that the factor involved in the suppression of apoptosis in endothelial cells is not LFG but A4RS-041.

[0409] The homology between the amino acid sequences of A4RS-041 and LFG (human-derived) is shown in FIG. 8. They are judged to be homologous proteins having 48.9% (152/311) identity. However, it has been found that a portion corresponding to about one-third on the N-tenninal side has considerably low homology.

FREE-TEXT-FOR SEQUENCE-LISTING.....

[0410]

SEQ ID NO:159 - Description of artificial sequence: Artificial synthetic primer sequence SEQ ID NO:160- Description of artificial sequence: Artificial synthetic primer sequence 25 SEQ ID NO:161 - Description of artificial sequence: Artificial synthetic primer sequence SEQ ID NO:162 - Description of artificial sequence: Oligo-cap linker sequence SEQ ID NO:163 - Description of artificial sequence: Oligo-dT primer sequence SEQ ID NO:164 - Description of artificial sequence: Artificial synthetic primer sequence SEQ ID NO:165 - Description of artificial sequence: Artificial synthetic primer sequence 30 SEQ ID NO:166 - Description of artificial sequence: Artificial synthetic primer sequence SEQ ID NO:167 - Description of artificial sequence: Artificial synthetic primer sequence SEQ ID NO:174 - Description of artificial sequence: Synthetic DNA SEQ ID NO:175 - Description of artificial sequence: Synthetic DNA 35 SEQ ID NO:176 - Description of artificial sequence: Synthetic DNA SEQ ID NO:177 - Description of artificial sequence: Synthetic DNA SEQ ID NO:178 - Description of artificial sequence: Synthetic DNA SEQ ID NO:179 - Description of artificial sequence: Synthetic DNA SEQ ID NO:180 - Description of artificial sequence: Synthetic DNA 40 SEQ ID NO:181 - Description of artificial sequence: Synthetic DNA

55

45

SEQUENCE LISTING

5	<110> KYOWA HAKKO KOGYO CO., LTD.
	<120> Shear stress-responsive genes
10	<130> PH-1064-PCT
	<140> .
	<141>
15	<150> JP 1999-280976
	<151> 1999-10-01
20	<160> 181
	<170> Patentln Ver. 2.0
25	⟨210⟩ 1
25	<211> 3817
	<212> DNA
30	<213> Homo sapiens
	⟨220⟩
35	<221> CDS
•	<222> (440) (1930)
	⟨400⟩ 1
40	gaattegggt ggagteetga aggagggeet gatgtettea teatteteaa attettgtaa 60
	gctctgcgtc gggtgaaacc agacaaagcc gcgagcccag ggatgggagc acgcggggga 120
45	cggcctgccg gcggggacga cagcattgcg cclgggtgca gcagtgtgcg tctcggggaa 180
	gggaagatat titaaggcgt gictgagcag acggggaggc tiitccaaac ccaggcagct 240
50	tegtggegtg tgeggttteg acceggteac acaaagette ageatgteat gtgaggaegg 300
•	tegggeetg aaaggaaege teteggaatt ggeegeggaa accgatetge eegitgtgit 360
	tglgaaacag agaaagatag gcggccatgg tccaacctig aaggctlatc aggagggcag 420
55	acticaaaag ctactaaaa aig aac ggc cci gaa gat cti ccc aag tcc tat 472

Met Asn Gly Pro Glu Asp Leu Pro Lys Ser Tyr

5				1			į	5				10)	
	gac ta	t gac ctt	atc a	tc att	gga	ggt	ggc	tca	gga	ggt	ctg	gca	gct	·520
	Asp Ty	r Asp Leu	lle l	le Ile	Gly	Gly	Gly	Ser	Gly	Gly	Leu	Ala	Ala	
10	•	15				20					25			
	gct aag	g gag gca	gcc ca	aa tat	ggc	aag	aag	gtg	atg	gtc	ctg	gac	ttt	568
15	Ala Lys	Glu Ala	Ala G	ln Tyr	Gly	Lys	Lys	Val	Met	Val	Leu	Asp	Phe	
		30			35					40		•		
20	gtc act	ccc acc	cct c	tt gga	act	aga	tgg	ggt	ctt	gga	gga	aca	tgt	616
	Val Thr	Pro Thr	Pro L	eu Gly	Thr	Arg	Trp	Gly	Leu	Gly	Gly	Thr	Cys	
	45			50			•		55					
25	gtg aat	gtg ggt	tgc a	ta cct	aaa	aaa	ctg	atg	cat	caa	gca	gc t	ttg	664
	Val Asn	Val Gly	Cys I	le Pro	Lys	Lys	Leu	Met	His	Gln	Ala	Ala	Leu	
30	60			65				70					75	
		caa gcc												712
	Leu Gly	Gln Ala		ln Asp	Ser	Arg		Tyr	Gly	Trp	Lys		Glu	
35			80				85			000		90		
		git aag												760
40	Glu Thr	Val Lys	HIS A	sp Irp	ASP		Mei	116	GIU	AIA		GIN	ASN	
		95			~~~	100		a t a			105			000
45	•	ggc tct Gly Ser												808
	nis iie	110	Leu A:	אינו ווי	115	IYI	VIR	141	nia	120	MIR	GIU	LYS	
	ana ata	gtc tat	#2F 25	at oct		aaa	caa		att		cci		900	856
50		Val Tyr												000
	125		ain W	130	171	J1)	0111	1 110	135	013	110	1113	AI E	
55			aat o		aee	222	<i>a</i>	202		101	100	ac.	m2 ~	004
	att aag	gca aca	dat da	11 444	RRC	add	844	add	all	ıdı	ıca	RCG	Rag	904

	lle	Lys	Ala	Thr	Asn	Asn	Lys	Gly	Lys	Glu	Lys	Ile	Tyr	Ser	Ala	Glu	
5	140					145					150					155	
	agt	ttt	ctc	att	gcc	act	ggt	gaa	aga	cca	cgt	tac	ttg	ggc	atc	cct	952
10	Şer	Phe	Leu	He	Ala	Thr	Gly	Glu	Arg	Pro	Arg	Tyr	Leu	Gly	He	Pro	
					160					165					170		
	ggi	gac	aaa	gaa	tac	tgc	atc	agc	agt	gat	gat	ctt	ttc	tcc	ttg	cct	1000
15	Gly	Asp	Lys	Glu	Tyr	Cys	Ile	Ser	Ser	Asp	Asp	Leu	Phe	Ser	Leu	Pro	
				175					180					185		•	
20	tac	tgc	ccg	ggt	aag	acc	ctg	gtt	gtt	gga	gca	tcc	tat	gtc	gċt	ttg	1048
	Tyr	Cys	Pro	Gly	Lys	Thr	Leu	Val	Val	Gly	Ala	Ser	Tyr	Va l	Ala	Leu	
25			190					195					200				
	gag	tgc	gc t	gga	ttt	ctt	gct	ggt	att	ggt	t t a	ggc	gtc	act	gtt	atg	1096
	Glu	Cys	Ala	Gly	Phe ·	Leu	Ala	Gly	Ile	Gly	Leu	Gly	Yal	Thr	Val	Met	•
30		205	-				210					215					
	gtt	agg	tcc	att	ctt	ctt	aga	gga	ttt	gac	cag	gac	atg	gcc	aac	aaa	1144
35	Val	Arg	Ser	Ile	Leu	Leu	Arg	Gly	Phe	Asp	Gln	Asp	Met	Ala	Asn	Lys	
	220					225					230					235	
40					atg												1192
	Ile	Gly	Głu	His	Met	Glu	Glu	His	Gly		Lys	Phe	He	Arg		Phe	
					240					245					250		•
45					gtt												1240
	Val	Pro	He		Val	G] u	Gln	Ile		Ala	Gly	Thr	Pro	Gly	Arg	Leu	
50				255					260					265			
	aga	gta	g _i t a	gc t	cag	tcc	acc	aat	agt	gag	gaa	atc	att	gaa	gga	gaa	1288
	Arg	Val	Ya I	Ala	Gin	Ser	Thr	Asn	Ser	Glu	Glu	He	He	Glu	Gly	Glu	
55			270					275					280				

	tat	aat	acg	gtg	atg	ctg	gca	ata	gga	aga	gat	gct	tgc	aca	aga	aaa	1336
5	Tyr	Asņ	Thr	Val	Me t	Leu	Ala	He	Gly	Arġ	Asp	Ala	Cys	Thr	Arg	Lys	
•		285					290		٠			295	•				•
	att	ggc	tta	gaa	acc	gla	ggg	gtg	aag	ata	·aa t	gaa	aag	act	gga	aaa	1384
10	He	Gly	Leu	Glu	Thr	Val	Gly	Val	Lys	He	Asn	Glu	Lys	Thr	Gly	Lys	
	300		•			305					310					315	
15	ata	cct	gtc	aca	gat	gaa	gaa	cag	acc	aat	gtg	cct	tac	atc	tat	gcc	1432
	lle	Pro	Val	Thr	Asp	Glu	Glu	Gln	Thr	Asin	Val	Pro	Tyr	He	Tyr	Ala	
20					320					325	•				330		
	att	ggc	gat	ata	ttg	gag	gal	aag	gtg	gag	ctc	acc	cca	gl·t	gca	atc	1480
	He	Gly	Asp	lle	Leu	Glu	Asp	Lys	Val	Glu	Leu	Thr	Pro	Val	Ala	Ile	
25			-	335					340					345			•
				aga													1528
30	Gln	Ala		Arg	Leu	Leu	Ala		Arg	Leu	Tyr	Ala		Ser	Thr	Val	
		1-1	350				-44	355		224	-1-		360	+			1578
				tat											•		1576
35	LYS	365	WSh	Tyr	Giu	V2II	370	rio	1111	1111	141	375	1111	110	ren	018	
	tat		grt	tgt	ppr	ctt		636	222	ааа	get		gag	aag	ttt	.ggg	1624
40				Cys													
•	380	.,		.,.	•••	385				•	390					395	
45		gaa	aat	att	gag		tac	cat	agt	tac	ttt	tgg	сса	ttg	gaa	tgg	1672
				lle													
					400					405					410		
50	acg	att	CCg	tca	aga	gat	aac	aac	aaa	tgt	tat	gca	aaa	ata	alc	tgt	1720
	Thr	He	Pro	Ser	Arg	Asp	Asn	Asn	Lys	Cys	Tyr	Ala	Lys	Ile	ile	Cys	
55				415					420					425			
											•					• •	

aat act aaa gac aat gaa cgt git gig ggc tit cac gta cig ggt cca 1768 Asn Thr Lys Asp Asn Glu Arg Val Val Gly Phe His Val Leu Gly Pro 430 435 440 aat got gga gaa gtt aca caa ggo tit gca got gog cto aaa tgt gga 1816 10 Asn Ala Gly Glu Val Thr Gln Gly Phe Ala Ala Ala Leu Lys Cys Gly 445 450 455 15 ctg acc aaa aag cag ctg gac agc aca att gga atc cac cct gtc tgt Leu Thr Lys Lys Gln Leu Asp Ser Thr Ile Gly Ile His Pro Val Cys 20 460 465 470 475 gca gag gta tic aca aca tig tot gig acc aag cgc tot ggg gca agc Ala Glu Val Phe Thr Thr Leu Ser Val Thr Lys Arg Ser Gly Ala Ser 25 480 485 490 atc cic cag gct ggc tgc tgaggttaag ccccagtgtg gatgctgttg 1960 30 Ile Leu Gln Ala Gly Cys 495 ccaagactgc aaaccactgg ctcgtttccg tgcccaaatc caaggcgaag ttttctagag 2020 35 ggitcitggg cicitggcac ctgcgtgtcc tgtgcttacc accgcccaag gcccccttgg 2080 atotoligga taggagitgg igaatagaag goaggoagca toacaciggg gioacigaca 2140 40 gactigaage tgacattigg cagggcateg aagggatgea tecatgaagt caccagtete 2200 aagcccaigi ggtaggcggt gaiggaacaa cigicaaatc agittiagca igacciticc 2260 45 ligiggatti icitaticic giigicaagi liiciagggi igaattitti icitittici 2320 ccatggtgtt aatgatatta gagatgaaaa acgttagcag ttgattittg tccaaaagca 2380 agicatggci agagiatcca igcaaggigi ciigitgcat ggaagggata giitggcicc 2440 50 ctiggagget aigtaggeti gtcccgggaa agagaacigt ccigcagcig aaatggacig 2500 ticiliacig accigcicag cagiticiic teteatalai teccaaaaca agiacatetg 2560 55 cgatcaacic tagccaaatt igccccigig igciacatga iggatgatta ttattttaag 2620

gictgittag gaagggaaat ggctacitgg ccagccattg cctggcatti ggtagtatag 2680 tatgattoto accallatti gloatggagg cagacataca coagaaatgg gggagaaaca 2740 gtacatatet tietgietti agtitatigi gigetggiet aageaagelg agateatiig 2800 caatggaaaa cacgtaacti giitaaaagt tiitciggta gciitagcii tatgctaaaa 2860 aaaataatga cattgggtat ctattictit ctaagacata cattagtagg aaaataagtc 2920 ttttcatgct tatgatttag cigittigig gtaattgctt tilaaaggaa gttattaata 2980 tcataagtta ttattaatat tttgaacaca ggtggatgtg aaggattttc atttaaaaac 3040 caagtggtit igactitite igitgaatga acaactgige etigiggaat titigeagaa 3100 gigittatgc litigitagca liticaactig calitatiata aagaggiati aatgccicag 3160 ttatgtgttt gtcaatgtac tggctgagga ttctatctca gctgtctttt ctaactgtgt 3220 aggttgagtt tigaacacgt gcttgiggac atcagcctcc igccagcagt tcttgaagct 3280 tettttteat teetgetaet etaecigiat tieteagitg eageacigag iggicaaaat 3340 acatttctgg gccacctcag ggaacccatg catctgcctg gcatttaggc agcagagccc 3400 ctgaccgtcc cccacaggct cigccicacg tcctcatctc attiggcigt gtaaagaaat 3460 gggaaaaggg aaaaggagag agcaattgag gcagttgacc atalicagti tiatitatti 3520 attittaatt tgittitite teeaagieea eeagteteig aaattagaac agtaggeggi 3580 atgagataat caggoctaat catgitigiga tictottito tiagiggagi ggaatgitoi 3640 atccccacaa gaaggattat atcttataga ctigictigi tcagattcig tatttaccca 3700 tittattgaa acatatacta agticcaigi attitigita caaatciict gaaaaaaaac 3760 aaaacaatgi gaaacattaa aattaaaagg caltaataat aaaaaaaaaa aaaaaaa

⟨210⟩ 2

10

15

20

25

30

35

45

50

55

<211> 497

<212> PRT

<213> Homo sapiens

<400> 2

Met Asn Gly Pro Glu Asp Leu Pro Lys Ser Tyr Asp Tyr Asp Leu Ile

	1			5		10		15
5	Ile :	lle Gly	Gly Gly	Ser G	y Gly Le	ı Ala Ala	Ala Lys G	lu Ala Ala
			20		· 2:	5		30
	Gln 1	yr Gly	Lys Lys	Val Me	t Val Lei	Asp Phe	Val Thr P	ro. Thr Pro
10		35			40		45	•.
	Leu G	ly Thr.	Arg Trp	Gly Le	u Gly Gly	Thr Cys	Val Asn Va	al Gly Cys
15		50		. 5	5		60	
	Ile P	ro Lys	Lys Leu	Met Hi	s Gln Ala	Ala Leu	Leu Gly Gl	n Ala Leu
20	65			70		75		 80
20	Gin A	sp Ser /	Arg Asn	Tyr Gl	y Trp Lys	Val Glu	Glu Thr Va	l Lys His
			85			90		95
25	Asp T	rp Asp A	Arg _. Met	Ile Gl	u Ala Val	Gln Asn I	His Ile Gl	y Şer Leu
		1	100		105		11	0
30	Asn T	rp Gly T	yr Arg	Val Ala	a Leu Arg	Glu Lys I	Lys Val Va	l Tyr Glu
		115-			120	•	125	
	Asn Al	a Tyr G	ly Gln	Phe Ile	e Gly Pro	His Arg I	lle Lys Al	a Thr Asn
35	13	10		135	i	1	140	
	Asn Ly	s Gly L	ys Glu	Lys Ile	Tyr Ser	Ala Glu S	Ser Phe Le	u Ile Ala
40	145			150		155		160
	Thr Gl	y Glu A	rg Pro	Arg Tyr	Leu Gly	lle Pro G	ly Asp Ly	s Glu Tyr
45			165			170	•	175
45	Cys Il	e Ser S	er Asp	Asp Leu	Phe Ser	Leu Pro T	yr Cys Pro	Gly Lys
		-	80		185		. 190	
50	Thr Le	u Va] Va	al Gly	Ala Ser	Tyr Val	Ala Leu G	lu Cys Ala	Gly Phe
		195			200		205	•
55	Leu Al	a Gly II	le Gly	Leu Gly	Val Thr	Val Met V	al Arg Ser	lle Leu
	210)		215		2:	20	

	Leu	Arg	Gly	Phe	Asp	Gln	Asp	Met	Ala	Asn	Lys	He	Gly	Glu	His	Me t
5	225					230					235					.240
	Glu	Glu	His	Gly	He	Lys	Phe	lle	Arg	Gln	Phe	Yal	Pro	Ile	Lys	Val
10 .					245					250					255	
	Glu	Gln	He	Glu	Ala	Gly	Thr	Pro	Gly	Arg	Leu	Arg	Val	Val	Ala	Gln
				260					265					270		
15	Ser	Thr	Asn	Ser	Glu	Glu	Ile	He	Glu	Gly	Glu	Туг	Asn	Thr	Val	Met
			275					280					285	•		
20	Leu	Ala	He	Gly	Arg	Asp	Ala	Cys	Thr	Arg	Lys	He	Gly	Leu	Glu	Thr
		290					295					300				
25	Val	Gly	Val	Lys	.Ile	Asn	Glu	Lys	Thr	Gly	Lys	He	Pro	Va]	Thr	Asp
	305		-			310					315				•	320
	Glu	Glu	Gln	Thr	Asn	Va l	Pro	Tyr	lle	Tyr	Ala	He	Gly	Asp	He	Leu
30					325					330					335	
·	Glu	Asp	Lys	Val	Glu	Leu	Thr	Pro	Val	Ala	Ile	Gln	Ala	Gly	Arg	Leu
35				340	•				345					350		
	Leu	Ala	Gln	Arg	Leu	Туг	Ala	Gly	Ser	Thr	Val	Lys	Cys	Asp	Tyr	Glu
			355					360					365			
40	Asn	Val	Pro	Thr	Thr	Va l		Thr	Pro	Leu	Glu		Gly	Ala	Cys	Gly
		370					375					380				
45		Ser	Glu	Glu	Lys		Val	Glu	Lys	Phe		Glu	Glu	Asn	He	
	385		•			390		_	_		395				_	400
50	Val	Туг	His	Ser		Phe	Trp	Pro	Leu		Тгр	Thr	He	Pro		Arg
					405	_				410					415	
	Asp	Asn			Cys	Туг	Ala	Lys		He	Cys	Asn	Thr		Asp	Asn
55				420					425					430		

	Glu Arg Val Val Gly Phe His	Val Leu Gly Pro	Asn Ala Gly Glu Va	l .
5	435	440	445	
	Thr Gln Gly Phe Ala Ala Ala	Leu Lys Cys Gly	Leu Thr Lys Lys Gli	1
10	450 455		460	
	Leu Asp Ser Thr lle Gly Ile	His Pro Val Cys	Ala Glu Val Phe Thr	•
15	465 470 ⁻	475	480)
15	Thr Leu Ser Val Thr Lys Arg	Ser Gly Ala Ser	Ile Leu Gin Ala Gly	•
	485	490	495	
20	Cys			
	⟨210⟩ 3			
25	⟨211⟩ 1487		•	
	<212> DNA			
	<213> Homo sapiens			
30	⟨220⟩			
	<221> CDS			•
35	<222> (6) (938)		,	
	<400> 3			
40	ggage atg egg ggc geg geg egg	gcg gca tgg gg	g cgc gcg ggg cag cc	g 50 .
40	Met Arg Gly Ala Ala Arg	Ala Ala Trp Gly	y Arg Ala Gly Gln Pr	0
	1 5	10) i	5 ·
45	tgg ccg cga ccc ccc gcc ccg g	gc ccg ccc ccg (ccg ccg ctc ccg ctg	98
	Trp Pro Arg Pro Pro Ala Pro G	ly Pro Pro Pro F	'ro Pro Leu Pro Leu	
50	20	25	. 30	
	cig cic cig cic cig gcc ggg c			146
	Leu Leu Leu Leu Ala Gly L	eu Leu Gly Gly A	la Gly Ala Gln Tyr	
55	35	40	45	

	tco	agc	gac	cgg	tgc	agc	t gg	aag	ggg	agc	888	ctg	acg	cac	gag	gca	194
5	Sei	Ser	Asp	Arg	Cys	Ser	Trp	Lys	Gly	Ser	Gly	Leu	Thr	His	Glu	Ala	
			50					55					60				
	cac	agg	aag	gag	gtg	gag	cag	gig	tat.	ctg	cgc	tgt	gcg	gcg	ggt	gcc	242
10	His	Arg	Lys	Glu	Val	Glu	Gln	Val	Tyr	Leu	Arg	Cys	Ala	Ala	Gly	Ala	
		65					70					75					
15	gtg	gag	tgg	atg	tac	cca	aca	ggt	gct	ctc	atc	gtt	aac	ctg	cgg	ccc	290
	Val	Glu	Trp	Me t	Туг	Pro	Thr	Gly	Ala	Leu	He	Val	Asn	Leu	Arg	Pro	
20	80					85					90					95	
	aac	acc	t t,c	tcg	cc t	gcc	cgg	cac	ctg	acc	gtg	tgc	atc	agg	tcc	ttc	338
	Asn	Thr	Phe	Ser	Pro	Ala	Arg	His	Leu	Thr	.Val	Cys	Ile	Arg	Ser	Phe	
25			•		100			•		105					110		
	•	gac															386
30	Thr	Asp	Ser		Gly	Ala	Asn	He		Leu	Glu	Lys	Thr		Glu	Leu	
	222		a t a	115					120					125		4-4	40.4
35		ctg											·				434
	AI B	Leu	130	Yaı	110	νsh	GIY.	135	GIA	MIR		GIY	140	Vai	GIII	Cys	
	111			gag.	cag	eec.	ggc		ttc	gtg	gag	gcc		ርርg	cag	Сар	482
40		Gly				•											100
		145					150		,			155					
45	gat	atc	ggc	cgg	agg	acc	aca	ggc	ttc	cag	tac	gag	cig	gtt	agg	agg	530
	Asp	Ile	Gly .	Arg.	Arg	Thr	Thṛ	Gly	Phe	Gln	Tyr	 Glu	Leu	Val	Arg	Arg	
50	160					165					170					175	
	cac	agg	gcg	tcg	gac	cig	cac	gag	ctg	tct	gcg	CCE	tgc.	cgt	ccc	tgc	578
	His	Arg .	Ala :	Ser.	Asp	Leu	His	Gļu	Leu	Ser	Ala	Pro	Cys	Arg	Pro	Cys	
55					180		,	-		185					190		
								•									

	agt	gac	acc	gag	gtg	çtc	cta	gcc	gtc	tgc	acc	agc	gac	ttc	gcc	git	626
5	Ser	Asp	Thr	Glu	Val	Leu	Leu	Ala	Va]	Cys	Thr	Ser	Asp	Phe	Ala	Va 1	
5				195					200					205			
	cga	ggc	tcc	atc	cag	caa	gtt	acc	cac	gag	cct	gag	cgg	cag	gac	tca	674
10	Arg	Gly	Ser	Ile	Gln	Gln	Va l	Thr	His	Glu	Pro	Glu	Arg	Gln	Asp	Ser	
			210					215					220				•
15	gcc	atc	cac	ctg	cgc	gtg	agc	aga	ctċ	tat	cgg	cag	aaa	agc	agg	gtc	722
	Ala	Ile	His	Leu	Arg	Val	Ser	Arg	Leu	Tyr	Arg	Gln	Lys	Ser	Arg	Val	
20		225					230					235					
	ttc	gag	ccg	gtg	ссс	gag	ggt	gac	ggc	cac	tgg	cag	ggg	cgc	gtc	agg	770
	Phe	Glu	Pro	Val	Pro	Glu	Gly	Asp	Gly	His	Trp	Gln	Gly	Arg	Val	Arg	
25	240		•			245					250					255	
	acg																818
30	Thr	Leu	Leu	Glu		Gly	Va]	Arg	Pro	Gly	His	Gly	Asp	Phe	Leu	Phe	
					260					265					270		
35				atg										•			866
	Thr	Gly		Me t	His	Phe	Gly	Giu		Arg	Leu	Gly	Cys		Pro	Arg	
				275					280					285			•
				ttc													914
	Phe			rne	GIN	Arg			Arg	ASP	Ala			Arg	Gly	Leu	
45			290		-44			295	4				300				000
									lgac	ICCE	igg	gccg	CIEC	c ct	tcct	ctcc	968
50	Asn		Lys	GIU	vai			ASP			•						
		305					310			4 .	_4_						
							•									ggcca	
55	cgcg	ctgg	ga g	ccgc	gtgc	c ct	gggc	ccag	tcc	tgac	cct	ggia	ccga	ag c	tgtg	gacgl	1088

1487

totogocaca cicaaccoca igagoticca gocaaggaig coolggooga iiggaaaigo 1148 tglaaaatgc aaactaagtt attatattit tittigglaa aaaagaaatg tccataggaa 1208 5 acaaatteet gigicilaaa acgeetiggi gigeegicig atacigitei etaaagaegi 1268 taggagicae ggeateigge eigeggiigg gigaageact ggeegiiggg cacagiggat 1328 gigigaaaag gigccalica gagiigitai icicalgacg gaagitiigg agccaaataa 1388 tacgititit attitcatti tattitaaa ggatgagcti tggiccitii caggccgccg 1448 gtigiticcg ticccgagaa taaagacgag gaiccgacc 15 <210> 4 20 (211) 311 <212> PRT <213> Homo sapiens 25 <400> 4 ~ Met Arg Gly Ala Ala Arg Ala Ala Trp Gly Arg Ala Gly Gln Pro Trp 30 1 5 10 15 Pro Arg Pro Pro Ala Pro Gly Pro Pro Pro Pro Leu Pro Leu Leu 20 25 35 Leu Leu Leu Ala Gly Leu Leu Gly Gly Ala Gly Ala Gln Tyr Ser 35 40 40 Ser Asp Arg Cys Ser Trp Lys Gly Ser Gly Leu Thr His Glu Ala His 50 55 Arg Lys Glu Val Glu Gln Val Tyr Leu Arg Cys Ala Ala Gly Ala Val 65 70 75 · Glu Trp Met Tyr Pro Thr Gly Ala Leu lle Val Asn Leu Arg Pro Asn 50 85 90 95 Thr Phe Ser Pro Ala Arg His Leu Thr Val Cys lle Arg Ser Phe Thr 100 105 110

	Asp Ser Ser Gl	y Ala Asn Ile Tyr Leu	Glu Lys Thr Gly Glu Leu Arg
5	115	120	125
	Leu Leu Val Pro	o Asp Gly Asp Gly Arg	Pro Gly Arg Val Gln Cys Phe
	130	135	140
	Gly Leu Glu Gli	o Gly Gly Leu Phe Val	Glu Ala Thr Pro Gln Gln Asp
	145	150	155 160
15	Ile Gly Arg Arg	Thr Thr Gly Phe Gln	Tyr Glu Leu Val Arg Arg His
		165	170 175
20	Arg Ala Ser Asp	Leu His Glu Leu Ser	Ala Pro Cys Arg Pro Cys Ser
	180	185	190
	Asp Thr Glu Val	Leu Leu Ala Val Cys	Thr Ser Asp Phe Ala Val Arg
25	195	200	205
,	Gly Ser Ile Glm	Gln Val Thr His Glu	Pro Glu Arg Gln Asp Ser Ala
30	210	215	220
			Arg Gln Lys Ser Arg Val Phe
35	225 ·	230	235 240
	Glu Pro Val Pro	•	Frp Gln Gly Arg Val Arg Thr
40	Low Low Clu Cvo		250 255
40	260		lis Gly Asp Phe Leu Phe Thr 270
			Leu Gly Cys Ala Pro Arg Phe
45	275	· 280	285
			Ala Gin Glu Arg Gly Leu Asn
50	290	295	300
	Pro Cys Glu Val		
55	305	310	

	<21	0> 5						•									
5	<21	1> 2	820					•									
	<21	2> D	NA .														•
10	<21	3> H	omo	sapi	ens												
10	· <22	0>									•						
	<22	1> C	DS		•												
15	<22	2> (49)	. (26	64)												
	<40	0> 5	•														
20	ctc	ccaa	agc	agaa	ttgc	ag c	t gcc	gccg	c cg	cac	ctcc	agg	ccac	t at	g gc	g cct	57
														Me	t Ala	a Pro	
05															1		
25																ccg	105
	Gly		Ala	GIn	Glu	Len		Ala	Lys	Leu	Ala		He	Gly	Ala	Pro	
	atc	5	a a t	221	cgc	0 20	10	rta	ata	020	røø	15	rao	agr	tac	acc	153
				•	Arg												100
35·	20		•	•		25					30					35	
	cgc	cag	act	ggc	atc	gtg	ctg	aat	cgg	ccg	gtt	ttg	aga	ggg	gaa	gat	201
40	Arg	Gln	Thr	Gly	He	Val	Leu	Asn	Arg	Pro	Va]	Leu	Arg	Gly	Glu	Asp	
					40					45					50	•	
	ggg	gac	aaa	gcc	gct	cca	cct	ccc	atg	tcg	gca	cag	ctc	cci	gga	att '	249
45	Ġly	Asp	Lys	Ala	Ala	Pro	Pro	Pro	Me t	Ser	Ala	G l.n	Leu	Pro	Gly	He	
				55					60		•			65			
50	ccc	atg	cca	cca	cca	cct	iig	gga	clc	CCC	cct	ctg	cag	cct	cct	ccg	297
	Pro	Me t	Pro	Pro	Pro	Pro	Leu	Gly	Leu	Pro	Pro	Leu	Gln	Pro	Pro	Pro	
55			70					75					80				
	cca	ccc	cca	cca	cct	cca	cca	gġc	ctt	ggc.	ctţ	ggc	ttt	cct	alg	B Č Č	345

	Pro	Pro	Pro	Рго	Pro	Pro	Pro	Gly	Leu	Gly	Leu	Gly	Phe	Pro	Met	Ala	
5		85				•	90					95					
	cac	cca	cca	aat	ttg	ggg	ссс	ccg	cct	cct	ctc	cgt	gtg	ggt	gag	cca	393
10	His	Pro	Pro	Asn	Leu	Gly	Pro	Pro	Pro	Pro	Leu	Arg	Val	Gly	Glu	Pro	
	100					105					110					115	
15	gig	gca	ctg	tca	gag	gag	gag	cgg	ctg	aag	ttg	gci	cag	cag	cag	gcg	441
	Va l	Ala	Leu	Ser	Glu	Glu	Glu	Arg	Leu	Lys	Leu	Ala	Gln	Gln	Gln	Ala	
	•	•			120					125					130		
20	gca	ttg	ctg	atg	cag	cag	gag	gag	cgt	gcc	aag	cag	cag	gga	gat	cat	489
	Ala	Leu	Leu	Met	Gln	GIn	Glu	Glu	Arg	Ala	Lys	Gln	Gln	Gly	Asp	His	
. 25				135					140					145			
	tcg	ctg	aag	gaa	cat	gag	ctc	ttg	gag	cag	cag	aag	cgg	gca	ģc t	gtg	537
30	Ser	Leu	Lys	Gl u	His	Glu	Leu	Leu	Glu	Gln	Gln	Lys	Arg	Ala	Ala	Val	
			150					155					160				
	tta	ctg	gag	cag	gaa	cga	cag	cag	gag	att	gcc	aag	atg	ggc	acc	cca	585
35	Leu	Leu	Glu	Gln	Glu	Arg	Gln	Gln	Glu	He	Ala	Lys	Met	Gly	Thr	Pro	
		165					170				•	175			•		
40	gic	cct	cgg	ccc	cca	caa	gac	atg	ggc	cag	att	ggt	gtg	cgc	act	cct	633.
	Val	Pro	Arg	Pro	Pro	Gln	Asp	Met	Gly	Gln	lle	Gly	Val	Arg	Thr	Pro	
45	180					185					190					195	
45	cĺg	ggt	cct	cga	gta	gct	gct	cca	gtg	ggc	cca	gtg	ggc	ccc	act	cct	681
	Leu	Gly	Pro	Arg	Ÿa J	Ala	Ala	Pro	Val	Gly	Pro	Val	Gly	Рго	Thr	Рго	
50		•			200					205					210		
	aca	gtl	llg	ccc	atg	gga	gcc	cct	gli	ccc	cgg	cct	cgt	ggt	ccc	cca	729
55	Thr	Va l	Leu	Pro	Met	Gly	Ala	Pro	Val	Pro	Arg	Pro	Arg	Gly	Pro	Pro	
				215					220					225			

	ccg cc	c cct gga	gat gag aac	aga gag atg gat	gac ccc tct gtg	g ggc 777
5	Pro Pro	o Pro Gly	Asp Glu Asn	Arg Glu Met Asp	Asp Pro Ser Val	Gly
-		230		235	240	
	ccc aas	g atc ccc	cag gct ttg	gag aag atc ctg	cag ctg aag gag	agc 825
10	Pro Lys	s Ile Pro	Gin Ala Leu	Glu Lys Ile Leu	Gln Leu Lys Glu	Ser
	245	5	250		255	•
15	cgc cas	gaa gag	atg aat tot	cag cag gag gaa	gag gaa atg gaa	aca 873
	Arg Glr	Glu Glu	Met Asn Ser	Gln Gln Glu Glu	Glu Glu Met Glu	Thr
	260		265	270		275
20	gat gct	.cgc tcg	tcc ctg ggc	cag tca gcg tca	gag act gag gag	gac 921
	Asp Ala	Arg Ser	Ser Leu Gly	Gln Ser Ala Ser	Glu Thr Glu Glu	Asp
25		-	280	285	290	
	aca gtg	tcc gta	tct aaa aag	gag aaa aac cgg	aag cgt agg aac	cga 969
30	Thr Val		Ser Lys Lys	Glu Lys Asn Arg		Arg .
		295		. 300	305	
				cgg gtg cga ggg		
35	Lys Lys		Lys Pro Gin	Arg Val Arg Gly		Ser
		310	gag and gag	315.	320	1065
40				ica acc cgg tcc Ser Thr Arg Ser		
	325	nap nig	330		335	361
45		got gat		gag tat gtg act		att 1113
				Glu Tyr Val Thr		
	340		345	350		355
50		ccc aac	ttt atc ttc	til aag agg alc	tit gag gct tit	•
				Phe Lys Arg Ile		•
55			360	365	370	, -
		•	-		510	

	ct	c ac	t ga	t gai	tgts	3 2 2 2	aag	gag	aaa	gag	aaa	gag	CC	gag	aaa	ctt	1209
5	Le	u Th	r Ası	p Asp	Vaļ	Lys	Lys	Glu	Lys	Glu	Lys	Glu	Pro	Glu	Lys	Leu	
				375	i				380					385			
10	ga	c aa	a cts	g gag	aac	tct	gca	gcc	ccc	aag	aag	aag	gga	įtt	gaa	gaģ	1257
	Ası	Ly:	s Lev	Glu	Asn	Ser	Ala	Ala	Pro	Lys	Lys	Lys	Gly	Phe	Glu	Glu	
15	•		390)				395		•	•		400				
	gag	cad	c aag	gac	agt	gat	gat	gac	agc	agt	gat	gac	gag	cag	gaa	aag	1305
	Glu	His	s Lys	Asp	Ser	Asp	Asp	Asp	Ser	Ser	Asp	Asp	Glu	Gln	Glu	Lys	
20		405	5		•		,410					415					•
	aag	cca	gaa	gcc	ccc	aag	ctg	tcc	aag	aag	aag	ttg	cgc	cga	atg	aac	1353
25	Lys	Pro	Glu	Ala	Pro	Lys	Leu	Ser	Lys	Lys	Lys	Leu	Arg	Arg	Met	Asn	
	420		-			425					430				٠.	435	
30	cgc	ttc	act	gtg	gc t	gaa	ctc	aag	cag	ctg	gtg	gct	cgg	ccc	gat	gtc	1401
35	Arg	Phe	Thr	Val	Ala	Glu	Leu	Lys	Gln	Leu	Val	Ala	Arg	Pro	Asp	Val	
					44.0					445	٠				450		
35			atg														1449
	Val	Glu	Met		Asp	Val	Thr	Ala		Asp	Pro	Lys			Val	His	
40				455					460			•		465			
			gcc														1497
45	Leu	Lys	Ala	Thr	Arg	Asn	Ser		Pro	Vai	Рго	AIg		Trp	Cys	Phe	•
			470					475					480				
			aaa														1545
50	Lys		Lys	ıyr	Leu			Lys	Arg	Gly	116		Lys	Pro	110	Phe	
		485					490					495					·. .
55			cca												•		1593
	Glu	Leu	Pro	Asp	rhe	He	Lys	Arg	Thr	Gly	He	GIn	Glu	Met	Arg	Glu	

	500				•	505					510					515	
5	gcc	ctg	cag	gag	aag	gaa	gaa	cag	aag	acc	atg	aag	tca	aaa	atg	cga	1641
	Ala	Leu	Gln	Glu	Lys	Glu	Glu	Gln	Lys	Thr	Met	Lys	Ser	Lys	Met	Arg	•
10					520					525					530		
10	gag	aaa	gtt	cgg	cct	aag	atg	ggc	aaa	att	gac	atc	gac	tac	cag	aaa	1689
	Glu	Lys	Val	Arg	Pro	Lys	Met	Gly	Lys	He	Asp	He	Asp	Tyr	Gln	Lys	
15				535					540					545			
	ctg	cat	gat	gcc	ttc	ttc	aag	tgg	cag	acc	aag		aag	cig	acc	atċ	1737 -
20	Leu	His	Asp	Ala	Phe	Phe	Lys	Trp	Gln	Thr	Lys	Pro	Lys	Leu	Thr	He	
			550					555					560				•
	cat	ggg	gac	cig	tac	tat	gag	888	aag	gag	ttc	gag	aca	cga	ctg	aag	1785
25	His	Gly	Asp	Leu	Tyr	Tyr	Glu	Gly	Lys	Glu	Phe	Glu	Thr	Arg	Leu	Lys	
		565					570					575					
30	gag	aag	aag	CCB	gga	gat	ctg	tct	gat	gag	cta	agg	att	tcc	ttg	ggg	1833
		Lys	Lys	Pro	Gly		Leu	Ser	Asp	Glu		Arg	Ile	Ser	Leu		
35	580					585					590					595	.40.
33				gga													1881
	Met	Pro	Yaı	Gly	•	ASTI	SIA	HIS	Lys			710	PTO	110		116	
40		015	000	000	600	~~	000	000	000	605			224	010	610	212	1020
				cga													1929
45	VIG	MCL	0111	615	171	01)	110		620	001	.,.		non	625	Lys	116	
	cct	000	cto	aác	trø	_ር ርር	atc	cct		agr	tet	tee	t t t		tac	cat	1977
				Asn												•	1311
50		··,	630					635			-,,		640	•.,	•,•		
	gr t	gg t		tgg	ggr	222	cct		gig	gat	gag	act	•	222	CCa	ctc	2025
55				Trp													2000
	A I a	OIA	013	עוו	J, ,		1.0			p		1	917	213		~.u	

		645					650			•		655					
5	tat	ggg	gac	gtg	ttt	gga	acc	aat	gct	gct	gaa	ttt	cag	acc	aag	act	2073
	Туг	Gly	Asp	Val	Phe	Gly	Thr	Asn	Ala	Ala	Glu	Phe	Gln	Thr	Lys	Thr	
10	660					665					670					675	
	gag	gaa	gaa	gag	att	gat	cgg	acc	cçt	lgg	ggg	gaa	ctg	gaa	cca	tct	2121
15	Glu	Glu	Glu	Glu	lle	Asp	Arg	Thr	Pro	Trp	Gly	Glu	Leu	Glu	Pro	Ser	
					680					685					690		
	gat	gaa	gaa	tcc	tca	gaa	gaa	gag	gaa	gag	gaa	gaa	agt	gat	gaa	gac	2169
20	Asp	Glu	Glu	Ser	Ser	Glu	Glu	Glu	Glu	Glu	Glu	Glu	Ser	Asp	Glu	Asp	
				695					700					705			
25					aca												2217
	Lys	Pro		Glu	Thr	G} y	Phe		Thr	Pro	Ala	Asp		Gly	Leu	lle.	
30	•		710			100		715		50 1	~~~	ata	720		aa t	722	2266
					ltt Phe												2265
35		725	013	017	THE	JC.	730	141	1.0	71,14	017	735	0,0		710		
33	cic		gag	ctg	agg	aag		aag	att	gag	gag		atg	gac	gga	agt	2313
	Leu																
40	740					745					750					755	
•	gag	aca	cct	cag	ctc	ttc	act	gtg	llg	cca	gag	aag	aga	aca	gcc	act	2361
45	Glu	Thr	Рго	Gln	Leu	Phe	Thr	Val	Leu	Pro	Glu	Lys	Arg	Thr	a I A	Thr ·	
					760					765		•			770		
50	gtt	gga	ggg	gcc	atg	atg	gga	tca	acc	.cac	att	tat	gac	atg	tcc	acg	2409
	Val	Gly	Gly	Ala	Me t	Met	Gly	Ser	Thr	His	He	Туг	Asp	Met	Ser	Ťhr	
				775					780					785			
55	gtt	atg	agc	cgg	aag	ggc	ccg	gct	cc t	gag	ctg	caa	ggt	gig	gaa	gtg	2457

	Val Met Ser Arg Lys Gly Pro Ala Pro Glu Leu Gln Gly Val Glu Val
	790 795 800
5	gcg ctg gcg cct gaa gag ttg gag ctg gat cct atg gcc atg acc cag 2505
•	Ala Leu Ala Pro Glu Glu Leu Glu Leu Asp Pro Met Ala Met Thr Gln
10	805 810 815
	aag tat gag gag cat gtg cgg gag cag cag gct caa gta gag aag gag 2553
15	Lys Tyr Glu Glu His Val Arg Glu Gln Gln Ala Gln Val Glu Lys Glu
	820 825 830 835
	gac tic agi gac atg gig gci gag cac gci gcc aaa cag aag caa aaa 2601
20	Asp Phe Ser Asp Met Val Ala Glu His Ala Ala Lys Gln Lys Gln Lys
	840 845 850
25	aaa cgg aaa gct cag ccc cag gac agc cgt ggg ggc agc aag aaa tat 2649
	Lys Arg Lys Ala Gln Pro Gln Asp Ser Arg Gly Gly Ser Lys Lys Tyr
30	855 . 860 865
	aag gag itc aag tit taggicccct cacactagcc-cittiiigg ccctacgict 2704
	Lys Glu Phe Lys Phe
35	870
	ggatgcctgg gcttcacaca agaaccacct ctcccgcagt tcccaaggac ttgtcatttc 2764
40	atgitcitat tilagaccig tiligiaaal aaagcigili cccaaggaaa gagaig 2820
	⟨210⟩ 6
45	<211> 872
	<212> PRT
	<213> Homo sapiens
50	<400> 6
	Met Ala Pro Gly Ala Ala Gln Glu Leu Gln Ala Lys Leu Ala Glu lle
55	1 5 10 15
	• •

	Gly	Ala	Pro	lle	Gln	Gly	Asn	Arg	Glu	Glu	Leu	Val	Glu	Arg	Leu	Gln
5				20					25					. 30 .:		
	Ser	Tyr	Thr	Arg	Gln	Thr	Gly	Ile	Yal	Leu	Asn	Arg	Pro	Val	Leu	Arg
			35					40					45	•	•	•
10	Gly	Glu	,Asp	Gly	Asp	Lys	Ala	Ala	Pro	Pro	Pro	Met	Ser	Ala	Gln	Leu
		50					55					60				
15	Pro	Gly	lle	Pro	Met	Pro	Pro	Pro	Pro	Leu	Gly	Leu	Pro	Pro	Leu	Gln
	65					70					75					80
20	Pro	Pro	Pro	Pro	Pro	Pro	Pro	Pro	Pro	Pro	Gly	Leu	Gly	Leu	Gly	Phe
					85					90					95	,
	Pro	Me t	Ala	His	Pro	Pro	Asn	Leu	Gly	Pro	Pro	Pro	Pro	Leu	Arg	Yal
25			-	100					105					110		
	Gly	Glu	Pro	Val	Ala	Leu	Ser	Glu	Glu	G1 u	Arg	Leu	Lys	Leu	Ala	Gln
30			115			,		120	٠				125			
	Gln	Gln	Ala	Ala	Leu	Leu	Met	Gln	Gln	Glu	Glu	Arg	Ala	Lys	Gln	Gin
		130					135					140				
35	Gly	Asp	His	Ser	Leu	Lys	Glu	His	Glu	Leu	Leu	Glu	Gln	Gln	Lys	.Arg
	145					150					155					160
40	Ala	Ala	Val	Leu	Leu	Glu	Gln	Glu	Arg	Gln	Gln	Glu	He	Ala	Lys.	Me t
					165					170					175	
	Gly	Thr	Pro	Val	Pro	Arg	Pro	Pro	Gln	Asp	Met	Gly	Gln	He	Gly	Val
45				180					185					190		
	Arg	Thr	Pro	Leu	Gly	Pro	Arg	Val	Ala	Ala	Pro	Val	Gly	Pro	Val	Gly
50			195					200					20,5			
	Pro	Thr	Pro	Thr	Va l	Leu	Pro	Met	Gly	Ala	Pro	Val	Pro	Arg	Pro	Arg
		210					215					220				
55	Gly	Pro	Pro	Pro	Pro	Pro	Gly	Asp	Glu	Asn	Arg	Glu	Met	Asp	Asp	Pro

	225					230				•	235				•	240
5	Ser	Val	Gly	Pro	Lys	He	Pro	Gln	Ala	Leu	Glu	Lys	He	Leu	Gin	Leu
					245					250		•			255	
10	Lys	Ġlu	Ser	Arg	Gln	Glu	Glu	Met	Asn	Ser	Gln	Gln	Glu	Glu	Glu	Glu
	•			260					265					270		
	Me t	Glu	Thr	Asp	Ala	Arg	Ser	Ser	Leu	Gly	Gln	Ser	Ala	Ser	Glu	Thr
15			275					280					285			
	Glu	Glu	Asp	Thr	Val	Ser	Val	Ser	Lys	Lys	Glu	Lys	Asn	Arg	Lys	Arg
20		290					295					300				
	Arg	Asn	Arg	Lys	Lys	Lys	Lys	Lys	Pro	Gln	Arg	Val	Arg	Gly	Val	Ser
25	305					310			٠		315					320
	Ser	Glu	Šer	Ser	Gly	Asp	Arg	Glu	Lys	Asp	Ser	Thr	Arg	Ser	Arg	Gly.
					325					330					335	
30	Ser	Asp	Ser	Pro	Ala	Ala	Asp	Val	Glu	Ile	Glu	Tyr	Val	Thr	Glu	Glu
				340					345					350		
35	Pro	Glu	He	Tyr	Glu	Pro	Asn	Phe	lle	Phe	Phe	Lys	Arg	He	Phe	Glu
			355					360					365			
	Ala	Phe	Lys	Leu	Thr	Asp		Val	Lys	Lys	Glu	Lys	Glu	Lys	Glu	Pro
40		370					375					380				
	Glu	Lys	Leu	Asp	Lys		Glu	Asn	Ser	Ala		Pro	Lys	Lys	Lys	Gly
45	385					390					395					400
	Phe	Glu	Glu	Glu	•	Lys	Asp	Ser	Asp		Asp	Ser	Ser	Asp	•	Glu
50		·			405					410					415	
	Gin	Glu	Lys	Lys	Pro	Glu	Ala	Pro	Lys	Leu	Ser	Lys	Lys	Lys	Leu	Arg
				420					425					430		
55	Arg	Me t	.Asn	Arg	Phe	Thr	Val	Ala	Glu	Leu	Lys	Gln	Leu	Val	Ala	Arg

	•			435	j				440					445			
5		Pro	Asp	Val	Val	Glu	Met	His	Asp	Val	Thr	Ala	Gln	Asp	Pro	Lys	Leu
			450)				455	•				460				•
10		Leu	Ya 1	His	Leu	Lys	Ala	Thr	Arg	Asn	Ser	Val	Pro	Va l	Pro	Arg	His
		465					470					475					480 [°]
		Trp	Cys	Phe	Lys	Arg	Lys	Туг	Leu	Gln	Gly	Lys	Arg	Gly	lle	Glu	Lys
15						485					490					495	
		Pro	Pro	Phe	Glu	Leu	Pro	Ásp	Phe	He	Lys	Arg	Thr	Gly	He	Gln	Glu
20					500					505					510		
		Met	Arg	Glu	Ala	Leu	Ģln	Glu	Lys	Głu	Glu	GIn	Lys	Thŕ	Met	Lys	Ser
				515					520					525			
25		Lys	Met	Arg	Glu	Lys	Val	Arg	Pro	Lys	Met	Gly	Lys	Ļle	Asp	lle	Asp
			530					535					540				
30			Gln	Lys	Leu	His		Ala	Phe	Phe	Lys		Gln	Thr	Lys	Pro	
		545		•			550					555	•				560
35		Leu	Thr	He	His		Asp	Leu	Tyr	Tyr		Gly	Lys	G] u	Phe		Thr
		1==	Lau	T 110	CI.	565	1	D=0	C1	4	570	۲۵-	A ==	C1	1	575	11.
		WiR	ren	LYS	G1 u 580	LYS	Lys	rio	GIY	585	reu	261	ASP	GIU	590	AIg	116
40		Ser	Len	GIV	Met	Pro	Val	Glv	Pro		Ala	Hie	Ive	Val		Dro	Pro
		00,	Dog	595	ide t		•••	0.,	600		1114		Dys	605	110		110
45		Trp	Leu		Ala	Met	Gln	Arg		Gly	Pro	Pro	Pro		Tvr	Pro	Asn
			610					615					620				
50		Leu		Ile	Рго	Gly	Leu	Asn	Ser	Pro	lle	Рго		Ser	Cys	Ser	Phe
30		625					630					635					640
		Gly	Туг	His	Ala	Gly	Gly	Trp	Gly	Lys	Pro	Pro	۷al	Asp	Glu	Thr	
55						845					650					655	

	I	Lys	Pro	Leu	Tyr	Gly	Asp	Va)	Phe	Gly	Thr	Asn	Ala	Ala	Glu	Phe	Gln
5	•				660	l				665			•		670		
	1	Th r	Lys	Thr	Glu	Glu	Glu	Glu	Ile	Asp	Arg	Thr	Pro	Trp	Gly	Glu	Leu
	•			675					680					685		•	
10	G	Slu	Pro	Ser	Asp	G∙] u	Glu	Ser	Ser	Glu	Glu	Glu	Glu	Glu	Glu	Glu	Ser
			690					695					700				
15	A	sp	Glu	Asp	Lys	Pro	Asp	Glu	Thr	Gly	Phe	lle	Thr	Pro	Ala	Asp	Ser
	7	05					710					715					720
20	G	lу	Leu	lle	Thr	Pro	Gly	Gly	Phe	Ser	Ser	Val	Pro	Ala	Gly	Met	Glu
		•				725					730					735	
25	T	hr	Pro	Glu ~	Leu	Ile	Glu	Leu	Arg	Lys	Lys	Lys	He	Glu	Glu	Ala	Met
23					740					745	•				750	•	
	A	sp	Gly	Ser	Glu	Thr	Pro	Gln	Leu	Phe	Thr	Val	Leu	Pro	Glu	Lys	Arg
30				75'5					760					765		•	
	T			Thr	Val	Gly	Gly		Met	Met	Gly	Ser			Ile	Tyr	Asp
35			770					775					780				
			Ser	Thr	Val	Met		Arg	Lys	Gly	Pro		Pro	Glu	Leu	Gln	
40		85	٥.				790	_	٠.	٠.		795			_		800
40	- Va	3	Glu	Val	Ala	Leu	Ala	Рго	Glu	Glu		Glu	Leu	Asp	Pro		Ala
	V.		ጥዜ	C1-	1	805	C1	C1	11 ! -	11 - 1	810	C1	01-	6 1	41.	815	
45	ме	31	101			Туг	610	GIU	HIS		Arg	6111	GIN			GIN	ASI
	0.1	1			820	DI.	0		V - 4	825	41-		71.		830	• 100	٥,
50	. 61	ו ט			ASP	Phe	Ser	ASP		Val	Ala	GIU			Ala	Lys	GIn
	·			835					840		01	•		845	0.1		_
55	Ly			LYS	LYS	Arg			GIN	rro	GIN			Arg	Gly	GIY	Ser
55		{	850					855					860				

	Lys Ly	s Tyr 1	Lys Glu	Phe	Lys	Phe									
5	865			870									•	,	
	<210>	7							•						
10	<211>	2433									٠				
	<212>	DNA												•	
15	<213>	Homo sa	piens												
	<220>														
	<221>	CDS												•	
20	<222>	(214)	(1146)												
	<400>	7													
25	atgcca	gccc ca	aacctc	at co	ctag	tgga	a ggo	ctts	gctg	atg	tggaa	agi s	ggcca	agggcc	60
	ctcatg	_ gtag gc	tgggcag	ga ag	gccca	lagaa	ı caş	gcto	taa	agc	tgota	3aa (cccg	olgac	120
	ctggtc	ccg ga	ggctct	lg co	agto	tgad	agi	igtto	ttg	gcad	etge	tca :	aagg	icccag	180
30	cagctg	ggt tc	cccgtca	ag co	cgtg	agce	g gco	ate	t tcc	: aac	cce	c ago	c gc	cca	234
·		•	•					Met	Sei	r Ası	ı Pro	Se s	r Ala	a Pro	
35								. 1	٠			;	5		
	cca cca	tat g	aa gac	cgc	aac	ccç	ctg	tac	cca	ggc	cct	ccg	ccc	cct	282
	Pro Pro	Jyr G	lu Asp	Arg	Asn	Pro	Leu	Tyr	Pro	Gly	Pro	Pro	Pro	Pro	
40		10				15					20				
	ggg gg(tat g	gg cag	cca	tct	gic	ctg	cca	gga	ggg	tat	cct	gcc	tac	330
45	Gly Gly		•												
	25				30					35					
	cct ggd		cg cag	cci		tac	ggi	Cac	cct		aac.	tac	cca	cag	378
50	Pro Gly														0.0
		191 1	IO GIN		Uly	1 7 1	017	1113	50		uiy	171	110	55	•
55	40			45		_4				4					400
55	ccc atg	CCC C	cc acc	cac	ccg	alg	ccc	alg	aac	lac	ggc	cca	ggc	cat	426

	Pro	Met	PT0	P10	Inr	HIS	Pro	Mel	PIO	Met	ASN	Туг	Gly	Pro	Gly	His	
5					60					65	•				70		
	ggc	tat	gat	ggg	gag	gag	aga	gcg	gtg	agt	gat	agc	ttc	ggg	cct	gga	474
	Gly	Туг	Asp	Gly	Glu	Glu	Arg	Ala	Val	Ser	Asp	Ser	Phe	Gly	Pro	Gly	
10	•			75					80					85			
	gag	tgg	gat	gac	cgg	aaa	gtg	cga	cac	act	ttt	atc	cga	aag	gtt	tac	522
15	Glu	Trp	Asp	Asp	Arg	Lys	Val	Arg	His	Thr	Phe	He	Arg	Lys	Val	Tyr	
			90					95		•		•	100				
20	tcc	atc	atc	tcc	glg	cag	ctg	ctc	atc	act	gtg	gcc	atc	att	gct	atc	570
20	Ser	He	Ile	Ser	Val	Gln	Leu	Leu	He	Thr	Va]	Ala	He	Ile	Ala	Ile	
		105					1-10					115					
?5 .	ttc	acc	jtt	gtg	gaa	cct	gtc	agc	gcc	ttt	gig	agg	aga	aat	gtg	gct	618
	Phe	Thr	Phe	Val	Glu	Pro	Val	Ser	Ala	Phe	Va]	Arg	Arg	Asn	Yal	Ala	
30	120					125					130	•				135	
	gtc	lac	tac	gtg	tcc	tat	gct	gtc	ttc	gtt	gtc	acc	tac	ctg	atc	ctt	- 666
	Val	Tyr	Tyr	Val	Ser	Tyr	Ala	Val	Phe	Val	Vai	Thr	Tyr	Leu	lle	Leu	
35					140					145					150		
	gcc	t gc	tgc	cag	gga	ccc	aga	cgc	cgt	ttc	cca	tgg	aac	atc	att	ctg	714
10	Ala	Cys	Cys	Gln	Gly	Pro	Arg	Arg	Arg	Phe	Pro	Trp	Asn	Ile	Ile	Leu	
				155					160					165			
	ctg	acc	ctt	ttt	act	ttt	gcc	atg	ggc	ttc	atg	acg	ggc	acc	att	tcc	762
45	Leu	Thr	Leu	Phe	Thr	Phe	Ala	Met	Gly	Phe	Met	Thr	Gly	Thr	He	Ser	
			170					175					180				
50	agt	atg	tac	caa	acc	aaa	gcc	glc	atc	att	gca	atg	atc	alc	act	gcg	810
	Ser	Met	.Tyr	Gln	Thr	Lys	Ala	Val	He	Ile	Ala	Met	Ile	Ile	Thr	Ala	
		185					190					195					
55	gtg	gta	tcc	att	tċa	gtc	acc	atc	ltc	lgc	tţt	cag	acc	aag	gtg	gaç	858

	Val	Val	Ser	He	Ser	Val	Thr	He	Phe	Cys	Phe	GIn	Inr	Lys	Val	ASP	
5	200					205					210					215	
	ttc	acc	tcg	tgc	aca	ggc	ctc	ttc	tgt	gtc	ctg	gga	att	gtg	ctc	ctg	906
	Phe	Thr	Ser	Cys	Thr	Gly	Leu	Phe	Cys	Val	Leu	Gly	Ile	Va}	Leu	Leu	
					220					225					230	•	-
	gig	ac t	ggg	att	gic	act	agc	att	glg	ctc	tac	ttc	caa	tac	gtt	tac	954
15	Val	Thr	Gly	Ile	Val	Thr	Ser	He	Va I	Leu	Tyr	Phe	Gln	Tyr	Val	Tyr	
				235					240					245			
20				atg													1002
	Trp	Leu	His	Met	Leu	Tyr	Ala		Leu	Gly	Ala			Phe	Thr	Leu	
25			250 -					255					260				
				t ac													1050
	Phe		Ala	Tyr	Asp	Thr		Leu	Ya I	ren	GIY		Arg	Lys	HIS	inr	
30		265					270	4			- + -	275	- • •	1		~~ ~	1000
•																gac .	1090
35		Ser	Pro	Glu	Asp		He	Thr	Gly	Ala		GIn	116	Tyr	Inr		
	280		4		44-	285	444	-1-			290		~~~	ant	252	295	1146
40				atc												•	1146
	116	116	171	Ile		ınr	rne	vaı	reu	305	ren	Mer	GIA	жър	310	#211	
	taan			7000	300		racci	røa t <i>i</i>	c ct		tete	cct	toda	aec		gggctg	1206
45							•									tgccca	
														•		ctiggt	
50																aggctg	
																clgggg	
55																agaagt	
	ııgt	gage	gaa	tatga	1999	sa 8	UUId	LICE	aid	Buld	gaag	554	αιαι	5aa	a55 t	05005l	1000

gacticaagg tcacgaggit ccccicccac cictgicaca ggcticitga ctacgtagit 1566 ggagctattt cticcccag caaagccaga gagcttigic cccggccicc iggacacata 1626 ggccattate etgtatteet tiggettgge atettttage teaggaaggt agaagagate 1686 tgtgcccatg ggtctccttg cttcaatccc ttcttgttc agtgacatat gtattgttta 1746 tctgggttag ggatggggga cagataatag aacgagcaaa gtaacctata caggccagca 1806 tggaacagca tctcccctgg gcttgctcct ggcttgtgac gctataagac agagcaggcc 1866 acatgtggcc atctgctccc cattettgaa agetgctggg gcctccttgc aggettetgg 1926 atctctggtc agagtgaact cttgcttcct gtattcaggc agctcagagc agaaagtaag 1986 gggcagagic atacgigigg ccaggaagta gccagggiga agagagactc ggigcgggca 2046 gggagaatgc ctgggggtcc ctcacctggc tagggagata ccgaagccta ctgtggtact 2106 gaagactict gggttcittc ctictgctaa cccagggagg gtcctaagag gaaggtgact 2166 tetetetgit tgiettaagt tgeactgggg gatttetgae ttgaggeeca tetetecage 2226 cagocacted citotiteta atattaagie ootigagote gaateeggaa egeggacaag 2286 ggtcagtctg tcgggtgggg gcagaaatca aatcagccca aggatatagt taggattaat 2346 tacttaatag agaaateeta actatateae acaaagggat acaactataa atgtaataaa 2406 2423 attiatgict agaagit <210> 8 (211) 311

<212> PRT

<213> Homo sapiens

<400> 8

10

15

20

25

30

35

40

50

Met Ser Asn Pro Ser Ala Pro Pro Pro Tyr Glu Asp Arg Asn Pro Leu

1 5 10 15

Tyr Pro Gly Pro Pro Pro Pro Gly Gly Tyr Gly Gln Pro Ser Val Leu

20 25 30

Pro Gly Gly Tyr Pro Ala Tyr Pro Gly Tyr Pro Gln Pro Gly Tyr Gly

			35	i				40					45			
5	His	s Pro	Ala	Gly	Туг	Pro	Gln	Pro	Met	Pro	Pro	Thr	His	Pro	Met	Pro
J		5,0)				55					60				
	Met	Asn	Туг	Gly	Рго	Gly	His	Gly	Туг	Asp	Gly	Glu	Glu	Arg	Ala	Ya I
10	65	i .				70					75					80
	Ser	Asp	Ser	Phe	Gly	Pro	Gly	Glu	Trp	Asp	Asp	Arg	Lys	Val	Arg	His
					85					90					95	
	Thr	Phe	He	Arg	Lys	Val	Tyr	Ser	lle	He	Ser	Val	G] n	Leu	Leu	He
?0				100					105					110		
	Thr	Val		He	He	Ala	He		Thr	Phe	Val	Glu		Val	Ser	Ala
			115					120					125			
	Phe		Arg	Arg	Asn	Val		Val	Tyr	Tyr	Val		Tyr	Ala	Va)	Phe
·	V - 1	130	7 1. −	••	•		135	41-	0	0	01	140				
30		vai	Inr	Tyr	ren		ren	Als	Lys	Cys		GIY	Pro	Arg	Arg	•
	145	Dra	Ten	Asn	110	150	Ĭ an	Ĭ a n	Thr	lan	155 Pho	The	Dha	Ala	Mat	160
35	·	110	110		165	110	LCO	LCu	1111	170	1 nc	1111	1110	ліс	175	GIY
•	Phe	Met	Thr	Gly		Ile	Ser	Ser	Met		Gln	Thr	Lys	Ala		He
				180					185	•				190		
10	lle	Ala	Met	Ile	Ile	Thr	Ala	Val	Va l	Ser	lle	Ser	Val	Thr	Ile	Phe
			195					200					205			
15	Cys _.	Phe	Gln	Thr	Lys	Val	Asp	Phe	Thr	Ser	Cys	Thr	Gly	Leu	Phe	Cys
		210					215					220				
50	Yal	Leu	Gly	Ile	Va I	Leu	Leu	Val	Thr	Gly	Ile	Val	Thr	Ser	He	Va]
	225					230					235					240
	Leu	Tyr	Phe	Gln	Tyr	Val	Tyr	Trp	Leu	His	Met	Leu	Tyr	Ala	Ala	Leu
55	•				245			•		250	_				255	

	Gly Ala	Ile Cys	Phe Th	r Leu	Phe	Leu Ala	a Tyr	Asp	Thr G	In Leu	Val	
5		260		•		265			. 21	70		
	Leu Gly	Asn Arg	Lys Hi	s Thr	He	Ser Pro	Glu	Asp	Tyr I	le Thr	Gly	
10		275			280				285			٠.
	Ala Leu	Gln Ile	Tyr Th	r Asp	lle	lle Ty	lle	Phe	Thr Pl	ne Val	Leu	
15	290			295				300				
-	Gln Leu	Met Gly	Asp Ar	g Asn								
	305	•	31	0				•				
20	<210> 9						•					
	(211) 40	149										
25	<212> DN									•		
	<213> Ho		ens									
	<220>	-										
30	<221> CD	s ·				•						
	<222> (8	6) (271	0)									
35	<400> 9											
	cctcggcc	ct ccgcc	tcctc	ccclc	ctcct	tctcgt	cttc	agcc	gctcct	ctcgc	cgccg	60
40	cctccaca	gc ctggg	cctcg	ccgcg	atg	ccg gag	aag	agg (ccc tt	c gag	cgg	112
					Me t	Pro Glu	Lys	Arg 1	Pro Ph	e Glu	Arg	
				,	1			5 .				
45	ctg cct	gcc gat	gic ic	c ccc	atc	aac tac	agc	ctt	igc ct	c aag	CCC	160
	Leu Pro	Ala Asp	Val Se	r Pro	Ile:	Asn Tyr	Ser	Leu (Cys Le	u Lys	Pro	
50	10		18	5			20				25	
	gac tig	ctg gac	ttc ac	c ttc	gag	ggc aag	ctg	gag g	cc gc	c gcc	cag	208
	Asp Leu 1	Leu Asp	Phe Th	r Phe	Glu	Gly Lys	Leu	Glu /	Ala Al	a Ala	Gln	
55			30			35	:			40		

	gtg	agg	cag	gcg	ac t	aat	cag	att	gig	atg	aat	tgt	gct	gat	att	gat	256
5	Va l	Arg	Gln	Ala	Thr	Asn	Gln	Ile	Val	Me t	Asn	Cys	Ala	Asp	Ile	Asp	
				45					50					55			
10	att	att	aca	gct	tca	tat	gca	cca	gaa	gga	gat	gaa	gaa	ata	cat	gct	304
	He	lle	Thr	Ala	Ser	Туг	Ala	Pro	Glu	Gly	Asp	Glu	Glu	He	His	Ala	
			60					65					70				
15	aca	gga	itt	aac	tat	cag	aat	gaa	gat	gaa	aaa	gtc	acc	ttg	tct	ttc	352
	Thr	Gly	Phe	Asn	Tyr	Gin	Asn	Glu	Asp	Glu	Lys	Yai	Thr	Leu	Ser	Phe	
20		75					80					85					
	cct	agt	ac ť	ctg	caa	aca	ggt	acg	gga	acc	tta	aag	ata	gat	ttt	gtt	400
25	Pro	Ser	Thr	Leu	Gln	Thr	Gly	Thr	Gly	Thr	Leu	Lys	He	Asp	Phe	Val	
25	. 90		-			95					100		•			105	
٠.	gga	gag	ctg	aat	gac	aaa	atg	aaa	ggt	ttc	tat	aga	agt	aaa	tat	act	448
30	Gly	GJu	Leu	Asn	Asp	Lys	Met	Lys	Gly	Phe	Tyr	Arg	Ser	Lys	Tyr	Thr	
					110				•	115					120		
35	acc	cct	tct	gga	gag	glg	cgc	tat	gct	gct	gta	aca	cag	ttt	gag	gc t	496
	Thr	Pro	Ser	Gly	Glu	Val	Arg	Tyr	Ala	Ala	Val	Thr	Gln	Phe	Glu	Ala	
				125					130					135			
40	act	gat	gcc	cga	agg	gci	ttt	cct	igc	tgg	gat	gag	cct	gct	atc	aaa	544
	Thr	Asp		Arg	Arg	Ala	Phe		Cys	Trp	Asp	Glu	Pro	Ala	Ile'	Lys	
45	•		140		•			145					150				
		act															592
50		Thr	Phe	Asp	lle	Ser		Va l	Val	Pro	Lys		Arg	Val	Ala	Leu	
		155					160					165					
		aac															640
55	Ser	Asn	Met,	Аѕп	Val.	He	qzA	Arg	Lys	Pro	Туг	Pro	Asp	Asp	Glu	Asn	

	170			175			180		185
· 5	tta	gtg ga	a gig aa	gttt	gcc cgc	aca cct	gtt atg	tct aca tat	ctg 688.
	Leu	Val Gl	u Val Ly	s Phe	Ala Arg	Thr Pro	Val Met	Ser Thr Tyr	Leu
			19	0		195		200	
10	gtg	gca tt	t gtt gt	g ggt (gaa tat	gac ttt	gta gaa	aca agg tca	aaa 736
	Ya1	Ala Ph	e Val Va	l Gly (Glu Tyr	Asp Phe	Val Glu	Thr Arg Ser	Lys
15			205			210		215	-
	gat	ggt gt	g tgt gti	cgt (gtt tac	act cct	git ggc	aaa gca gag	caa 784
20	Asp	Gly Va	Cys Va	Arg \	Val Tyr	Thr Pro	Val Gly	Lys Ala Glu	Gln
		226)	•	. 225			230	
								cct ttt tat	
25	Gly	_	Ala Leu			Ala Lys		Pro Phe Tyr	Lys
		235			240		245		
30								gat ctc att	
	250	југ гле	ASD Val	255	IYF PTO	ren 110	260	Asp Leu lle	265
35		gra gan	iii gca		ggt gcc	210 020		ggc cti gtt	
								Gly Leu Val	
		•	270			275		. 280	
40	lat	agg gag	act gca	ittg	ctt att	gat cca	aaa aat	tcc igi ici	tca 976
	Туг	Arg Gly	Thr Ala	Leu L	Leu Ile	Asp Pro	Lys Asn	Ser Cys Ser	Ser
45			285		•	290		295	٠
	tcc	cgc cag	tgg git	gct c	ctg git	gtg gga	cat gaa	ctc gcc cat	caa 1024
50	Ser	Arg Gln	Trp Val	Ala L	Leu Val	Yal Gly	His Glu	Leu Ala His	Gln
		300			305		•	310	
	igg	ttt gga	aat ctt	gtt a	act atg	gaa (gg	tgg act	cat ctt tgg	tta 1072
55	Trp	Phe Gly	Asn Leu	Val T	Thr Met	Glu Trp	Trp Thr	His Leu Trp	F ěń

	315	320 .	325
5	aat gaa ggt tit gc	ca too tgg att gaa tat o	etg igi gia gac cac igc 1120
	Asn Glu Gly Phe Al	la Ser Trp lle Glu Tyr L	eu Cys Val Asp His Cys
10	330	335 3	345
	ttc cca gag tat ga	at att igg act cag itt g	sti ici gci gai tac acc 1168
15	Phe Pro Glu Tyr As	sp lle Trp Thr Gin Phe V	al Ser Ala Asp Tyr Thr
	35	355	360
20	cgt gcc cag gag ct	it gac gcc tta gat aac a	igo cat cot att gaa gto 1216
		eu Asp Ala Leu Asp Asn S	·
	365	370	375
25	•	a tot gag git gat gag a	
	Ser val Gly HIS Pro	o Ser Glu Val Asp Glu I 385	390
30		a tot gto ato oga atg o	
		a Ser Val Ile Arg Met L	•
35	395	400	405
	gat aag gac ttt aag	g aaa gga atg aac atg t	at tta acc aag ttc caa 1360
40	Asp Lys Asp Phe Lys	s Lys Gly Met Asn Met T	yr Leu Thr Lys Phe Ġln
	410	415 · 4	20 425
	caa aag aat gct gcc	c aca gag gat cic tgg g	aa agi ita gaa aal gct 1408
45	Gln Lys Asn Ala Ala	a Thr Glu Asp Leu Trp G	lu Ser Leu Glu Asn Ala
	430	0 435	440
50	agt ggt aaa cct ata	a gca gct gtg atg aat a	cc lgg acc aaa caa atg 1456
	Ser Gly Lys Pro 116	e Ala Ala Val Net Asn Ti	hr Trp Thr Lys Gln Met
55	. 445	450	455
	gga til ccc cic att	t tal gig gaa got gaa c	ag gta gaa gat gac aga 1504

	Gly Ph	e Pro Leu I	le Tyr Val	Glu Ala Glu Gln	Val Glu Asp Asp .	Arg
5		460		465	470 .	
	tta tt	g agg ttg t	cc caa aag	aag tic tgt gct	ggt ggg tca tat	gtt 1552
10	Leu Le	u Arg Leu S	er Gln Lys	Lys Phè Cys Ala	Gly Gly Ser Tyr	Va)
	47	5	480		485	
	ggt ga	a gat tgt o	cc cag tgg	atg gtc cct atc	aca atc tct act	agt 1600
15	Gly Gla	ı Asp Cys P	ro Gln Trp	Met Val Pro Ile	Thr lle Ser Thr	Ser
	490		495	500		505
20	gaa ga	ccc aac c	ag gcc aaa	cta aaa att cta	atg gac aag cca g	gag 1648
	Glu Ası	Pro Asn G	ln Ala Lys	Leu Lys Ile Leu	Met Asp Lys Pro (Glu
		. 5	10	515	520	
25	atg aat	gtg gtt t	tg aaa aat	gtc aaa cca gac	caa tgg gtg aag	tta 1696
	Met Asn	Val Val L	eu Lys Asn	Val Lys Pro Asp	Gln Trp Val Lys I	Leu
30		525		530	535	
					tac ago tot goo a	
<i>3</i> 5	Asn Leu			•	Tyr-Ser Ser Ala M	det
		540		545	550	
			•		tot olg occ oct g	
40				lie arg asp Leu	Ser Leu Pro Pro V	/a1
	555		560	san ata tta tan	565	
45					tig gct cga gct g Leu Ala Arg Ala (
	570	Led Gly L	575 ·	580		585
		agr art g			gag gct tit gtg a	
50				•	Glu Ala Phe Val A	
	116 116		90	595	600	1911
55	ana 222					
	gag CCC	adi idi di	LI BLE LEE	age gae etg age	igi aac cig.ggg a	iit 1936

	Glu	Pre	Asn	Tyr	Thr	Val	Trp	Ser	Asp	Leu	Ser	Cys	Asn	Leu	Gly	Ile.	
5				605					610					615			
	cto	tca	act	ctc	ttg	tcc	cac	aca	gac	ttc	tat	gag	gaa	atc	cag	gag	1984
10 .	Leu	Ser	Thr	Leu	Leu	Ser	His	Thr	Asp	Phe	Туг	Glu	Glu	Ile	Gln	Gl·u	
			620					625					630				•
15	ttt	gte	aaa	gat	gtc	tt	tca	cct	ata	ggg	gag	aga	ctg	ggc	tgg	gac	2032
	Phe	Val	Lys	Asp	Val	Phe	Ser	Pro	Ile	Gly	Glu	Àrg	Leu	Gly	Trp	Asp	
20		635					640					645					
20	ccc	aaa	cct	gga	gaa	ggt	cat	ctc	gat	gca	ctc	ctg	agg	ggc	ttg	gtt	2080
	Pro	Lys	Рго	Gly	Glu	Gly	His	Leu	Asp	Ala	Leu	Leu	Arg	Gly	Leu	Val	
25	650		.			655					660					665	
								gga								-	2128
30·	Leu	Gly	Lys	Leu		Lys	Ala	Gly	HIS		Ala	Thr	Leu	Glu		Ala	
	cal	cat	0.00		670	600	000	ata	700	675			24.4		680		0126
35								gtg Val						•			2176
	416	11.6	WI P	685	L)3	лор	iira	141	690	u,		OIII	116	695	261	NIG	
	ġat	ctg	agg		cct	gic	tat	ctg		gtt	ttg	aag	cat		gat	ggc	2224
40								Leu		•							
			700	•			•	705					710				
45	act	act	l t a	gai	att	atg	tta	aaa	ctt	cat	aaa	caa	gca	gai	atg	caa	2272
	Thr	Thr	Leu	Asp	ΙΙe	Me t	Leu	Lys	Leu	His	Lys	Ġln	Ala	Asp	Met	Gln	
50		715		• .			720					725					
	gaa	gag	aaa	aac	cga	atc	gaa	aga	gtc	ctt	ggc	gct	act.	ctt	ttg	cct	2320
55	Glu	Glu	Lys	Asn	Arg.	lle	G1 u	Arg	Val	Leu'	Gly	Ala	Thr	Leu	Leu	Pro	
	730					735					740					745	

	gac	ctg	att	caa	aaa	gtc	ctc	acg	ttt	gca	ctt	tca	gaa	gag	gla	cgt	2368
5	Asp	Leu	He	Gln	Lys	Val	Leu	Thr	Phe	Ala	Leu	Ser	Glu	Glu	Val	Arg	
			•		750					755					760		•
	cca	cag	gac	act	gla	tcg	gta	att	ggt	gga	gta	ġct	gga	ggc	agc	aag	2416
10	Pro	Gln	Asp	Thr	Val	Ser	Val	He	Gly	Gly	Val	Ala	Gly	Gly	Ser	Lys	
				765					770					775			
15	cat	ggt	agg	aaa	gc t	gct	tgg	aaa	ttc	ata	aag	gac	aac	tgg	gaa	gaa	2464
	His	Gly	Arg	Lys	Ala	Ala	Trp	Lys	Phe	lle	Lys	Asp	Asn	Trp	Glu	Glu	
20			780			•		785			•	•	790		•		
	ctt	tat	aac	cga	tac	cag	gga	gga	ttc	t t a	ata	tcc	aga	cta	ata	aag	2512
	Leu	Tyr	Asn	Arg	Tyr	Gln	Gly	Gly	Phe	Ļeu	He	Ser	Arg	Leu	lÌe	Lys .	
?5		795	-				800					805					
	cta	lca	gtt	gag	gga.	ttt	gca	gtt	gat	aaa	atg	gct	gga	gag	gtt	aag	2560
30	Leu	Ser	Val	Glu	Gly	Phe	Ala	Val	Asp	Lys	Met	Ala	Gly	Glu	Val	Lys	
	810					815					820		٠			825	
	gct	ttc	ttc	gag	agt	cac ·	cca	gct	cct	tca	gct	gag	cgt	acc	atc	cag	2608
35	Ala	Phe	Phe	Glu		His	Pro	Ala	Pro		Ala	Glu	Arg	Thr		Gln	
					830					835					840		
40	•		tgt									_					2656
	Gln	Cys	Cys		Asn	He	Leu	Leu		Ala	Ala	Ţrp	Leu		Arg	Asp	
				845					850					855	•		
45	•		agc														2704
	Ala	Glu		He	His	Gln	Tyr		Leu	GIn	Arg	Lys		Ser	Pro	Pro	
50			860					865					870				
			tgaa	tccl	ga g	gtgo	Cgc	ca ti	ggcg	ggilo	l go	tgct	lcg	ctgo	aggg	gat	2760
55	Thr																
		875															

aagglggagc	taccgaacag	cigalicata	tgccaagaat	tiggagicti	ctttcaaacc	2820
agtgggggtt	ggacaatgaa	tgtagttaac	tggttcctgc	tcacactcca	gaattaaatt	2880
ctattgaaaa	aggaaaatca	gcaaticagc	aaaaaaataa	ataaaaaata	aaaatgtaaa	2940
tatgatagta	ataaaataga	gcataacgaa	actgtgaaac	tttctgaagc	ctigicagig	3000
gttaaaagta	tttaacactc	tacigitaat	gacagatgtt	ctgtttttat	aacctaccaa	3060
aaggaaacta	gaggeticit	ggtgaagagc	atttttgtga	agtgggttct	gcaaggagcc	3120
tataaagcca	agggtggtgt	ccatttctgg	gaatggttaa	acacaaaagg	ctgatagctg	3180
gtatcacata	gttggagtca	gtgcataatt	ccaagtggct	ttttttttt	ttggcacggg	3240
gactgatcag	gaagatatat	tcctgcataa	ctcaatctga	accaaggatt	gtagtttagt	3300
ittcctcctt	gccttccctt	ctgtgtgacc	gacccttgg	ccaaaaaaaa	aacaaaaagc	3360
aaaaaacaaa	aacctaccct	gttctggttt	ttttcctccc	tttagttcca	ccccaaccc	3420
ccattccctg	gtgtccttct	tagagatgaa	gaaataataa	ggaaacatct	ttcatagcca	3480
			/		cttataagaa	•
ccctgaaatt	tatataggtg	agacaataga	aataaaaaga	tcttcagcca	ggcctttctg	3600
aaggagtlat	tctgctaaaa	atggtcttag	ttgtctgaaa	agccagctct	tgaacctctt	3660
				·	agtcagtggt	
					acigiaagcc	
			•		ctatttaatc	
					tttictttt	
					cttaacggta	
			liccitgaaa	calltligig	ctatigitti	
aaaaaaataa	ııasaaaaca	gilggcgil				4049

⟨210⟩ 10

<211> 875

<212> PRT

<213> Homo sapiens

	<40	0> 1	0													
	Met	Pro	Glu	Lys	Arg	Pro	Phe	Glu	Arg	Leu	Pro	Ala	Asp	Val	Ser	Pro
	1	•			5					10				٠.	15	
10	He	Asn	Tyr	Ser	Leu	Cys	Leu	Lys	Pro	Asp	Leu	Leu	Asp	Phe	Thr	Phe
				20			•		25				٠	30	•	
15	Glu	Gly	Lys	Leu	Glu	Ala	Ala	Ala	Gĺn	Val	Arg	Gln	Ala	Thr	Asn	Gln
			35					40				•	45			
	lle	Val	Met	Asn	Cys	Ala	Asp	He	Asp	Ile	He	Thr	Ala	Ser	Tyr	Ala
20		50					55			٠		60				
	Pro	Glu	Gly	Asp	Glu	G] u	Ile	His	Ala	Thr	Gly	Phe	Asn	Tyr	Gln	Asn
25	65					70					75					80
	Glu	Asp	Glu	Lys	Val	Thr	Leų	Ser	Phe	Pro	Ser	Thr	Leu	Gln	Thr	Gly
					85					90		•			95	
30	Thr	Gly	Thr	Leu	Lys	He	Asp	Phe	Yal	Gly	Glu	Leu	Asn	Asp	Lys	Met
				100					105					110		
35	Lys	Gly	Phe	Tyr	Arg	Ser	Lys	Tyr	Thr	Thr	Pro	Ser	Gly	Glu	Val	Arg
			115					120					125			
40	Tyr		Ala	Val	Thr	Gln		Glu	Ala	Thr	Asp		Arg	Arg	Ala	Phe
40		130	_			_	135					140				•
		Cys	Trp	Asp	Glu		AJa	He	Lys	Ala		Phe	Asp	He	Ser	
45	145		_			150				•	155			,, ,		160
	Val	Val	Pro	Lys		Arg	Val	Ala	Leu		ASN	Met	ASI	154	lle	ASP
50		_	_	_	165					170	77. 1	٥,	· ·	,	175	
	Arg	Lys	Pro		Рго	Asp :	Asp	Glu		Leu	Val	Glu	Val		Phe	Ala
				180		_		_	185					190	•	
55	Arg	Thr	Pro	Va I	Met	Ser	Thr	Tyr	Leu	Val	Ala	Phe	Val	Val	Gly	Glu

			19	5				200)				20	5		
5	Ту	гAs	p Ph	e Va	J Gli	u Thi	r Arg	s Ser	Lys	Asp	Gly	' Val	l_Cys	Ya]	Arg	Yal
		21	0			•	215	i				220)	•		
10	Ty	r Th	r Pr	o Va	l Gly	/ Lys	Ala	Glu	Glo	Gly	Lys	Phe	Ala	Leu	Gļu	Val
70	22	5				230)				235					240
	Ala	a Ala	Ly	s Th	r Leu	Pro	Phe	Tyr	Lys	Asp	Tyr	Phe	. Asn	Val	Pro	Tyr
15 ·					245	i				250					255	
	Pro	Lei	Pro	Lys	: Ile	Asp	Leu	He	Ala	He	Ala	Asp	Phe	Ala	A I,a	G 1.y
20				260)				265					270		
	Ala	Met	Ğlu	Asn	Trp	Gly	Leu	Val	Thr	Туг	Arg	Glu	Thr	Ala	Leu	Leu
			275					280					285			
25	·Ile		Pro	Lys	Asn	Ser		Ser	Ser	Ser	Arg	Gln	Trp	Val	Ala	Leu
		290					295					300				
30		Val	Gly	His	Glu		Ala	His	Gln	Trp		Gly	Asn	Leu	Val	
	305	C1	T	T	TL	310	1	σ.			315	•	ъ.			320
35	Met	GIU	111	111	Thr 325	nıs	rea	irp	Leu		Gru	GIY	Phe	Ala		Тгр
•	He	Glu	Tur	Ten	Cys	Vol	Acn	Hic	Cve	330	Dro	Cin	Tur	Aan	335	Т
	110	010	.,.	340	0,3	101	nsp		345	1116	110	oru	1 9 1	350	116	117
40	Thr	Gln	Phe		Ser	Ala	Asp			Arg	Ala	Gln	Glo		Asn	Ala
			355					360					365	200	,	,,,,
45	Leu	Asp	Asn	Ser	His	Pro	Île	Glu	Va l	Ser	Val	Gly		Рго	Ser	Glu
		370			•	•	375					380				
50	Val	Asp	Glu	Ile	Phe	Asp	Ala	lle	Ser	Туг	Ser	Lys	Gly	A'l a	Ser	Val
	385					390					395					400
	lle	Arg	Me t	Leu	His	Asp	Туг	lle	Gly	Asp	Lys	Asp	Phe	Lys	Lys	Gly
55					405					410					415	

5	Met	Asn	Met	Tyr	Leu	Thr	Lys	Pbe	·Gln	Gln	Lys	Asn	Ala	Ala	Thr	Glu
				420					425	-				430		
	Asp	Leu	Trp	Glu	Ser	Leu	Glu	Asn	Ala	Ser	Gly	Lys	Pro	Ile	Ala	·Ala
10			435					440					445			
	Val	Met	Asn	Thr	Trp	Thr	Lys	Gln	Met	Gly	Phe	Pro	Leu	He	Tyr	Val
15		450					455					460				
	Glu	Ala	Glu	Gln	Val	Glu	Asp	Asp	Arg	Leu	Leu	Arg	Leu	Ser	Gln	Lys
	465					470					475			•		480
20	Lys	Phe	Cys	Ala	Gly	Gly	Ser	Tyr	Val	Gly	Glu	Asp	Cys	Pro	Gln	Trp
					485					490					495	
25	Met	Val	Pro	Ile	Thr	Ile	Ser	Thr	Ser	Glu	Asp	Pro	Asn	Gln	Ala	Lys
•			-	500					505					510	•	
	Leu	Lys	He	Leu	Met	Asp	Lys	Рго	Glu	Met	Asn	Val	Val	Leu	Lys	Asn
30		•	515				,	520					525			
	Val	Lys	Pro	Asp	Gln	Trp	Val	Lys	Leu	Asn	Leu	Gly	Thr	Val	Gly	Phe
35		530					535					540				
	Tyr	Arg	Thr	Gln	Tyr	Ser	Ser	Ala	Ne t	Leu	Glu	Ser	Leu	Leu	Pro	Gly
	-545					550					555					560
40	Ile	Arg	Asp	Leu	Ser	Leu	Pro	Pro	Val	Asp	Arg	Leu	Gly	Leu	Gln	Asn
	•				565					570					575	
45	Asp	Leu	Phe	Ser	Leu	Ala	Arg	Ala	Gly	Ite	He	Ser	Thr	Val	Glu	Va l
				580					585					590	•	
	Leu	Lys	Val	Met	Glu	Ala	Phe	Val	Asn	Glu	Pro	Asn-	Tyr	Thr	Va)	Trp
50			595					600					605			
	Ser	Asp	Leu	Ser	Cys	Asn	Leu	Gly	lle	Leu	Ser	Thr	Leu	Leu	Ser	His
55		610					615					620				

	Thr	Asp	Phe	Tyr	Glu	Glu	He	Gln	Glu	Phe	Val	. Lys	Asp	Val	Phe	Ser
5	625					630					635	•		,		640
	Pro	Ile	Gly	Glu	Arg	Leu	Gly.	Trp	Asp	Pro	Lys	Pro	Gly	Glu	Gly	His
••			•		645					650					655	
10	Leu	Asp	Ala	Leu	Leu	Arg	Gly	Leu	Val	Leu	Gly	Lys	Leu	Gly	Lys	Ala
				660			,		665					670		
15	Gly	His	Lys	Ala	Thr	Leu	Glu	Glu	Ala	Arg	Arg	Arg	Phe	Lys	Asp	His
	•		675					680		•			685			
20	Val	Glu	Gly	Lys	Gln	Ile	Leu	Ser	Ala	Asp	Leu	Arg	Ser	Pro	Val	Туг
		690					695					700				
	Leu	Thr	Val	Leu	Lys	His	Gly	Asp	Gly	Thr	Thr	Leu	Asp	Ile	Me t	Leu
	705		~			710					715					720
	Lys	Leu	His	Lys	Gln	Ala	Asp	Met	Gln	Glu	Glu	Lys	Asn	Arg	lle	Glu
30					725					730					735	
	Arg	Val	Leu		Ala	Thr	Leu	Leu		Asp	Leu	He	Gln		Val	Leu
35				740					745	_				750		
•	Thr	Phe		Leu	Ser	Glu	Glu		Arg	Pro	Gln	Asp		Val	Ser	Val
	710	Cin	755	Va 1	410	C1	C1	760	Lua	11: -	C1	4	765	A1.	4.1.	•
40	116	770	GIY	Val	Ala	ыу	Gly	261	LYS	nıs	GIA		Lys	Ala	Ala	1 rp
	lve		110	Ive	Acn	4 e n	775	Clu	Gla	l ou	Tur	780	A = 0	Tur	Cln	Gly.
45	785	1110	110	LJS	пор	790	117	910	010	Dea	795	VOII	U1P	1 9 1	0111	800
		Phe	i en	He	Ser		Leu	lle	Lvs	Len		Val	Glu	Clv	Dhe	
50	,	- 20			805	•••	200		2,0	810		•••	0,0	0.,	815	nia
	Va]	Aso	Lvs			Glv	Glu	Val	Lvs		Phe	Phe	Glu	Ser		Pro
	· - •			820					825				J, u	830		110
55	Ala	Pro			Glu	Arg	Thr	Ile		Gln	Cvs	Cvs	Glu		ì i e	וומּן
			J		J. U	0					٠,٠	-,0	J. u		410	ı.~u

840 845 835 5 Leu Asn Ala Ala Trp Leu Lys Arg Asp Ala Glu Ser Ile His Gln Tyr 855 860 10 Leu Leu Gln Arg Lys Ala Ser Pro Pro Thr Val 865 870 875 15 <210> 11 <211> 2007 <212> DNA 20 (213) Homo sapiens <220> 25 <221> CDS. <222> (1124).. (1330) <400> 11 30 tctaaaagcc cccttatacc ccactitgtg cagcaaagat ccccgtgcag gtcacagcct 60 gatttgtggc caggctggac aaattcctga ggcacaactt ggcttcagtt cagatttcaa 120 gcigigligg igitgggacc agcagaaggc aaacgtccag ccaacacaca ggactgtaag 180 aggactotga gotacgigoc cigigaagac coccaggoti igicatagga ggiogiicag 240 cttccccaaa gtcagaggtg attigattig gggaagacig aatattcaca cctaagicgt 300 40 gagcatatee tgagttitae tieettatgg ettgeeetee aagttetete teteataeae 360 acacacacco itgotocaga atcaccagac acciccatgg ciccagciai gggaacagci 420 45 gcattggggc tgcctttctg tittggcttag gaacttctgt gcttcttgtg gctccactcg 480 cgaggcagct cggaggigig gactccgatt gggcigcagg cagcictggg acggcacagg 540 gegggegete tgateagete gtgtaaaaca caeegtette ttggeeteet ggeagtteit 600 50 totgogaata gtocicioco tggocagitg aatgggggaa gotgotggoa caggaaggag 660

aggogatoco ggotgaggot taggaaattg ciggagcogg ciccaagcag ataattoact 720

ggggaggtti icagagicaa acatcatici gccigtktig ggggccaggi gigicacaca 780

55

_	agcaictcaa	agicaaaagc	catctggggc	igcigcitci (citicicage cid	tggggaa 840
5 .	aggaatetee	ctctcctctc	acttgattcc	aagtgtggtt g	gaatigicig gag	cactggg 900
	actititic	tetttteett	gatggaccaa	cagigcaaai g	caatcicgc cat	ttaactt 960
10	tcaggicgat	ttcctttcct	gatcagacat	cttigigccc c	ctttaggaa gga	aaagaat 1020
	acacctacga	tgtgccaggc	actgtgttag	gcgcttttat a	tagatecte git	aggalga 1080
15	gactaaggga	tgaggacatc	tctttataaa	aggcccctaa g	ta atg gat aa	a cag 1135
					Met Asp Ly	s Gin
					1	
20	aaa cac tt	a gag gtg aga	a agg tot g	tc ttc aag a	tc caa ggt aa	g att 1183
	Lys His Le	ı Glu Val Are	g Arg Ser Va	al Phe Lys I	le Gln Gly Ly	
25	5	10)	. 15		20
	gcc ttc agi	ctg atg ttt	gtt ctc as	ng gac tta t	cc cct aca ata	a ttc 1231
	Ala Phe Ser	Leu Met Phe	· Val Leu Ly	s Asp Leu S	er Pro Thr Ile	Phe
30		25		30	38	5
	tcc cac tcc	ata ctt ctc	ctt cta co	c cac cat g	tg ctc ccg tgo	act 1279
35	Ser His Ser	lle Leu Leu	Leu Leu Pr	o His His Va	al Leu Pro Cys	Thr
•		40	4	5	50	
40	cci cag aig	gtc aga ggg	gta acc ca	a gic cii ag	ga gaa ttt ggg	gac 1327
40	Pro Gln Met	Val Arg Gly	Val Thr Gl	n Val Leu Ar	g Glu Phe Gly	Asp
	55		60		65	
45	caa tagaata	igt gatgigig	aa tttictti	aa aaaacttaa	g gagtetitge	1380
	Gin			·		
50 ·	taccttctgc	ltgttgagtt g	tittggcat t	calaltaaa ag	ccagcalc tcac	tattta 1440
	tigacaggit g	ggctgtgtg tg	gtgcgcatg t	gigiataca it	tccaggcg tgcc	tgtgtc 1500
	cigiagetti i	taaaaggaa ac	eccagical co	ccactatga at	ciggcaic tici	latget 1560
55	iclagigitt i	ggccataca to	caaccaagg gg	gillaatti at	ccaalget lgac	gacatg 1620

	ttca	egga	ggg	gctg	gatca	aa a	ttttg	gagag	ggt	tate	gga	aagg	gagg	ggg	gagaa	gaaat	1680
5	tgad	atti	t a t	ttta	ttat	tt a	tttta	aatg	ttt	acai	ctt	ctt	tatg	ttg	tatca	agcct	1740
	gaat	lagaa	aac	tgata	agcai	tt a	aaata	ctc	gtt	ccto	tct	ctc	tct	cgc	ttcct	ttttt	1800
10	ttti	tttt	ttai	aatt	tagga	at a	acaca	ettt	tgt	ttc	aaa	gtga	attt	gtg	attt	gigcig	1860
	tata	aaci	tgt	ataa	aaggi	it c	tgttt	ttaa	ags :	tgga	ittt	tca	tcc	ict	gggg	cagtg	1920
	gtcs	gccaa	aga (catci	tacat	it g	taaga	gaac	aca	gtgs	gaag	atco	tgte	ct	gatto	tcaaa	1980
.	aatt	atti	ttc	tctg	tatga	at t	aaaag	gt							٠		2007
	Z210	15 10	,														
20)> 12							•								
	<211											٠.					
		!> PF															
25				sapie	ens												
	<400														_		
30		Asp	Lys	Gln		His	Leu	Glu	Val		Arg	Ser	Val	Phe		11e	
	1				5					10					15	_	•
	Gln	Gly	Lys		Ala	Phe	Ser	Leu		Phe	Val	Leu	Lys			Ser	
35				20					25					30			
•	Pro	Thr	He	Phe	Ser	His	Ser	He	Leu	Leu	Leu	Leu			His	Val	
Ω			35					40					45				
40	Leu	Pro	Cys	Thr	Pro	Gln	Met	Val	Arg	Gly	Val	Thr	Gln	Val	Leu	Arg	
		50					- 55					60					
45	Glu	Phe	Gly	Asp	Gln												
	65																
	(210	> 13	1		•	•											
50																	
	<211								•								
55	<212																
	(213	> Ho	omo s	sapie	ens			•									

	<220>	
5	<221> CDS	
	<222> (135) (1850)	
10	<400> 13	
	acgccigcca ggagcaagcc gaagagccag ccggccggcg cactccgact ccgagcagtc 60	
15	tetglectic gaccegagee eegegeeett teegggacee etgeeeegeg ggeagegetg 12	0
	ccaaccigcc ggcc atg gag acc ccg tcc cag cgg cgc gcc acc cgc agc 17	0
	Met Glu Thr Pro Ser Gln Arg Arg Ala Thr Arg Ser	
20	1 5 10	
	ggg gcg cag gcc agc tcc act ccg ctg tcg ccc acc cgc atc acc cgg 21	8
25	Gly Ala Gin Ala Ser Ser Thr Pro Leu Ser Pro Thr Arg Ile Thr Arg	
	-15 20 . 25	
30	ctg cag gag aag gag gac ctg cag gag ctc aat gat cgc ttg gcg gtc 26	ô
30	Leu Gln Glu Lys Glu Asp Leu Gln Glu Leu Asn Asp Arg Leu Ala Val 30 35 40	
35	Tyr Ile Asp Arg Val Arg Ser Leu Glu Thr Glu Asn Ala Gly Leu Arg	ł
	45 50 55 60	
40	cti cgc atc acc gag ici gaa gag gig gic agc cgc gag gig icc ggc 362	2
	Leu Arg Ile Thr Glu Ser Glu Glu Val Val Ser Arg Glu Val Ser Gly	
45	65 70 75	
	atc aag gcc gcc tac gag gcc gag cic ggg gat gcc cgc aag acc ctt 410	ļ
	lle Lys Ala Ala Tyr Glu Ala Glu Leu Gly Asp Ala Arg Lys Thr Leu	
50	80 85 90	
	gac ica gia gcc aag gag cgc gcc cgc cig cag cig gag cig agc aaa 458	,
55	Asp Ser Val Ala Lys Glu Arg Ala Arg Leu Gln Leu Glu Leu Ser Lys	

			95					100					105		٠		
5	gtg	cgt	gag	gag	ttt	aag	gag	ctg	aaa	gcg	cgc	aat	acc	aag	aag	gag	506
	.Val	Arg	Glu	Glu	Phe	Lys	Glu	Leu	Lys	Ala	Arg	Asn	Thr	Lys	Lys	Glu	
10		110					115					120					
	ggt	gac	ctg	ata	gct	gct	cag	gc t	cgg	ctg	aag	gac	ctg	gag	gct	clg	554
	Gly	Asp	Leu	lle	Ala	Ala	Gln	Ala	Arg	Leu	Lys	Asp	Leu	Glu	Ala	Leu	
15	125					130					135			٠.		140	
	ctg	aac	tcc	aag.	gag	gcc	gca	ctg	agc	act	gct	ctc	agt	gag	aag	cgc	602
20	Leu	Așn	Ser	Ļys	Glu	Ala	Ąla	Leu	Ser	Thr	Ala	Leu	Ser	Glu	Lys	Arg	
		•			145					150					155		
	acg	ctg	gag	ggc	gag	cig	cat	gat	ctg	cgg	ggc	cag	gtg	gcc	aag	ctt	650
25	Thr	Leu	Ğlυ	Gly	Glu	Leu	His	Asp	Leu	Arg	Gly	Gln	Val	Ala	Lys	Leu	
				160					165					170			
30						gag											698
	Glu	Ala		Leu	G]y	Glu	Ala		Lys	Gln	Leu	Gln		Glu	Met	Leu	
35			175					180					185				-
						gag											746
			vai	ASP	Ala	Glu		Arg	ren	GIN	ınr	200	TÀ2	610	618	Leu	
40	gac	190	000	226	100	nto	195	201	ana	asa	cto		020	200	220	0.00	794
						Ile											134
45	205	i ne	011	Lys	non	210	171	501	010	010	215	11.0	0.0		<i>D</i> ,3	220	
	cgt	cat	gag	acc	cga		gig	gag	att	gaċ		ggg	aag	cag	cgt		842
	Arg						•								•		
50			•••	•	225			•••		230					235		
	t t t	gag	agc	CEE		gcg	gat	gc g			gaa	cig	CZZ	gcc		cat	890
55																His.	- 3 -

			24)				245	i				250)		
5	gag	gac ca	ag gt	g gag	cag	g tat	aag	aag	gag	ctg	gag	888	act	tat	tct	938
	Glu	Asp G	n Val	Glu	GI n	Tyr	lys	Lys	Glu	Leu	Gļu	Lys	Thr	· Tyr	Ser	
10		25	55				260					265				
	gcc	aag ci	g gad	aat	gcc	agg	cag	tct	gct	gag	agg	aac	agc	aac	ctg	986
15	Alai	Lys Le	u Asp	Asn	Ala	Arg	Gln	Ser	Ála	Glu	Arg	Asn	Ser	Asn	Leu	
15	. :	270				275					280					
	gig	ggg gc	t gcc	cac	gag	gag	ctg	Cag	cag	tcg	cgc	atc	cgc	atc	gac	1034
20	Val (Gly Al	a Ala	His	Glu	Glu	Leu	Gln	Gln	Ser	Arg	He	Arg	Ile	Asp	•
	285				290					295					300	
25	agc c	tc tc	t gcc	cag	ctc	agc	cag	ctc	cag	aag	cag	ctg	gca	gcc	aag	1082
	Ser L	eu Se	r Ala	Gln	Leu	Ser	Gln	Leu	Gln	Lys	Gln	Leu	Ala	Ala	Lys	
				305					310					315		
30	gag g	cg aa	g ctt	cga	gac	ctg	gag	gac	tca	ctg	gcc	cgt	gag	cgg	gac	1130
	Glu A	la Ly	s Leu	Arg	Asp	Leu	Glu	Asp	Ser	Leu	Ala	Arg	Glu	Arg	Asp	
35			320					325					330			
	acc a	gc cg	cgg	ctg	ctg	gcg	gaa	aag	gag	cgg	gag	atg	gcc	gag	atg	1178
	Thr S	er Arg	Arg	Leu	Leu	Ala	Glu	Lys	Glu	Arg	Glu	Met	A) a	C) 'n	Met	
		335	j				340					345				
	cgg go	ca age	atg	cag	cag	cag	ctg	gac	gag	tac	cag	gag	ctt	ctg	gac	1226
45	Arg Al	la Arg	Met	Gln	Gln	Gln	Leu	Asp	Glú	Туг	Gln	Glu	Leu	Leu	Asp	
	35	50				355		•			360			•		
50	aic aa	ag ctg	gcc	ctg	gac	alg	gag	alc	cac	gcc	tac	cgc	aag	ctc	ttg	1274
	lle Ly	s Leu	Ala	Leu	Asp	Met	Glu	He	His	Ala	Туг	Arg	Lys	Leu	Leu	
	365				370					375	•				3,80	
55	gag gg	c gag	gag	gag	agg	cta	cgc	ctg	tcc	ccc	agc	ccl	acc	tcg	cag	1322

				•									•					
		Glu	Gly	Glu	Glu	Glu	Arg	Leu	Arg	Leu	Ser	Pro	Ser	Pro	Thr	Ser	Gln	
5	,					385					390					395		
		cgc	agc	cgt	ggc	cgt	gct	tcc	tct	cac	tca	tcc	cag	aca	cag	ggt	ggg	1370
10		Arg	Ser	Arg	Gly	Arg	Ala	Ser	Ser	His	Ser	Ser	Gln	Thr	Gln	Gly	Gly	
		•			400					405					410			
		ggc	agc	gtc	acc	a88	aag	cgc	aaa	ctg	gag	tcc	act	gag	ágc	cgc	agc	1418
15		Gly	Ser	Val	Thr	Lys	Lys	Arg	Lys	Leu	Glu	Ser	Thr	Glu	Ser	Arg	Ser	
				415					420					425				
20		agc	ttc	tca	cag	cac	gca	cgc	act	agc	ggg	cgc	gtg	gcc	glg	gag	gag	1466
		Ser	Phe	Ser	Gin	His	Ala	Arg	Thr	Ser	Gly	Arg	Val	Ala	Val	Glu.	Glu	
			430					435				,	440					
25		gtg	gat	gag	gag	ggc	aag	ttt	gtc	cgg	ctg	cgc	a a c	aag	tcc	aat	gag	1514
		Val	Asp	Glu	Glu	Gly	Lys	Phe	Val	Arg	Leu	Arg	Asn	Lys	Ser	Asn	Glu	
30		445					450					455					460	
					atg.													1562
95		Asp	G) n	Ser	Me t	Gly	Asn	Trp	Gln	He			Gln	Asn	Gly		Asp	
35						465					470					475		
					act													. 1610
40		Pro	Leu	Leu	Thr	Туг	Arg	Phe	Pro		Lys	Phe	Ihr	ren		Ala	GIY	
					480					485	1				490	0.00		1250
45					acg													1000
		Gln	Va 3		Thr	116	irp •	Ala			A1ª	GIY	YIS	. 1111 505		261	rio	
				495			4		500				1.00			440	222	1706
50					ctg													1100
		Y10			Leu	vai	111		•	611	nsn	1111			U y S	изу	uen	
55			510					515					520					1754
		agc	cig	cgi	acg	gc t	ctc	alc	aac	LCC	act	ggg	gaa	gaa	RIB	RCC	atg.	1104

	Ser	Leu	Arg	Thr	Ala	Leu	He	Asn	Ser	Thr	Gly	Glu	Głu	Va)	Ala	Met	
5	525					530		•			535		•			540	
	cgc	aag	cig	gtg	cgc	tca	gtg	act	gtg _.	gtt	gag	gac	gac	gag	gàt	gag	1802
10 .	Arg	Lys	Leu	Val	Arg	Ser	Val	Thr	Val	Val	Glu	Asp	Asp	Glu	Asp	Glu	
					545					550					555		
	gat	gga	gat	gac	cig	ctc	cat	cac	cac	cac	gtg	agt	ggt	agc	cgc	cgc	1850
15	Asp	Gly	Asp	Asp	Ļeu	Leu	His	His	His	His	Val.	Ser	Gly	Ser	Arg	Arg	
				560					565					570	•		
20													gcc	ct	CCCC	gcctc	
	CCCE	gigco	aa a	aato	: t t t 1	ic a	ttaaa	gaai	gti	ttg	gaac	ttt					1953
25	<210)> 14	١												•		
	<211	1> 57	2										٠				
30	<212	2> PF	RT.														•
30	<213	3> Hc	omo s	sapie	ens											•	
)> 14															
<i>35</i>	Met	Glu	Thr	Pro		Gln	Arg	Arg	Ala		Arg	Ser	Gly	Ala		Ala	
	1	0	TL -	D	5	c	D-0	The	A = a	10	The	A = a	Lon	Cl.	15	1 200	
40	ser	26L	inr	20	reu	261	Pro	1111	25	116	1111	MIR	LCu	30	010	rà?	
	Glar	Acn	l en		Glu	Len	Asn	Asn		Leu	Ala	Val.	Tvr		Asp	Arg	
45	010	nsp	35	0	0,4	200	,,,,,	40	0				45		,,,,,	0	
	Val	Arg		Leu	Glu	Thr	Glu		Ala	Ġly	Leu	Arg		Arg	lle	Thr	
		50	•				55					60					
50	Glu	Ser	Glu	Glu	Val	Val	Ser	Arg	Glu	Val	Ser	Gly	lle	Lys	Ala	Ala	
	65					70					75					80	
55	Туг	Glu	Ala	Glu	Leu	Gly	Asp	Ala	Arg	Lys	Thr	Leu	Asp	Ser	Val	Ala	

5					88	5				-90				,	95	
J	Lys	s Glu	Arg	Ala	a Arg	Leu	Gln	Leu	Glu	Leu	Ser	Lys	Val	Arg	Glu	Glu
			•	100)				105		•			110		
10 .	Phe	Lys	Glu	Leu	Lys	Ala	Arg	Asn	Thr	Lys	Lys	Glu	Gly	Asp	Leu	He
			115	į				120					125			
15	Ala	Ala	Gln	Ala	Arg	Leu	Lys	Asp	Leu	Glu	Ala	Leu	Leu	Asn	Ser	Lys
		130					135					140				
	Glu	Ala	Ala	Leu	Ser	Thr	Ala	Leu	Ser	Glu	Lys	Arg	Thr	Leu	Glu	Gly
20	145		•			150					155					160
	Glu	Leu	His	Asp	Leu	Arg	Gly	Gln	Val	Ala	Lys	Leu	Glu	Ala	Ala	Leu
25	•				165					170					175	
	Gly	Glu	Ala	Lys	Lys	Gln	Leu	Gln	Asp	Glu	Met	Leu	Arg.	Arg	.Val	Asp
				180					185					190		
30	Ala	Glu	Asn	Arg	Leu	Gln	Thr	Met	Lys	G) u	Glu	Leu	Asp	Phe	Gln	Lys
			195					200				٠	205	•	•	
35	Asn	lle	Tyr	Ser	Glu	Glu	Leu	Arg	Glu	Thr	Lys	Arg	Arg	His	Glu	Thr
		210					215					220				
	Arg	Leu	Val	Glu	lle	Asp	Asn	Gly	Lys	Gln	Arg	Glu	Phe	G] u	Ser	Arg
40	225					230					235					240
	Leu	Ala	Asp	Ala	Leu	GIn	Glu	Leu	Arg	Ala	Gln	His	Glu	Asp	Gin	Val.
45					245					250					255	
	Glu	Gln	Tyr	Lys	Lys	Glu	Leu	Glu	Lys	Thr	Tyŗ	Ser	Ala	Lys	Leu	Asp ·
				260					265					270		
50	Asn	Ala	Arg	Gln	Ser	Ala	Glu	Arg	Asn	Ser	Asn	Leu	Val	Gly	Ala	Ala
			275					280					285			
55	His	G] u	Glu	Leu	Gln	Gln	Ser	Arg	He	Arg	He	Asp	Ser	Leu	Ser	Ala

		290					295		•			300		•.		
5	Gla	Leu	Ser	Gln	Leu	Gln	Lys	Gln	Leu	Ala	Ala	Lys	Glu	Ala	Lys	Leu
	30	<u>,</u>				310					315					320
	Arg	Asp	Leu	Glu	Asp	Ser	Leu	Ala	Årg	Glu	Arg	Asp	Thr	Ser	Arg	Arg
10					325					330					335	
	Lei	Leu	Ala	Glu	Lys	Glu	Arg	Glu	Me t	Ala	Glu	Met	Arg	Ala	Arg	Met
15				340					345					350		
	Gln	. Gln	Gln	Leu	Asp	Glu	Tyr	Gln	Glu	Leu	Leu	Asp	He	Lys	Leu	Ala
20			355					360					365			
	Leu	Asp	Me t	Glu	Ile	His		Tyr	Arg	Lys	Leu	Leu	Glu	Gly	Glu	.Glu
		370					375					380				
25		Arg	Leu	Arg	Leu		Pro	Ser	Pro	Thr	Ser	Gln	Arg	Ser	Arg	Gly
	385					390					395					400
30	Arg	Ala	Ser	Ser		Ser	Ser	Gln			Gly	Gly	Gly	Ser		Thr
	•	,			405	01		~ 1		410		_			415	
95	Lys	Lys		•	Leu	GIU	Ser	Inr		Ser	Arg	Ser	Ser		Ser	Gln
35	Hic	Ala .		420 The	Sar	Clu	Ara	Val	425	Val	Clu	C1	Vo I	430	C1	C1
			435	1111	261	Gly	nig	440	ЛІС	101	011	Giu	445	nsp	GIU	010
40	Glv	Lys 1		Val	Arg	Leu	Arg		Lvs	Ser	Asn	Glu		Gln	Ser	Met
		450					455		_, _			460	,	••••		
45	Gly	Asn '	Trp	Gln	Ile	Lys	Arg	Gin	Asn	Gly	Asp	Asp	Pro	Leu	Leu	Thr
	465					470				•	475					480
50	Tyr	Arg 1	Phe 1	Pro :	Pro	Lys	Phe	Thr	Leu	Lys	Ala	Gly	Gln	Va]	Val	Thr
55					485					490					495	
	He	Trp /	Ala	Ala (Gly	Ala	Gly	Ala	Thr	His	Ser	Рго	Pro	Thr	Asp	Leu
55			į	500					505					510		• •

	Val Trp Lys Ala Gin Asn Thr Trp Gly Cys Gly Asn Ser Leu Arg Thr
5	515 520 525
	Ala Leu lle Asn Ser Thr Gly Glu Glu Val Ala Met Arg Lys Leu Val
10	530 535 540
	Arg Ser Val Thr Val Val Glu Asp Asp Glu Asp Glu Asp Gly Asp Asp
·	545 550 555 560
15	Leu Leu His His His Val Ser Gly Ser Arg Arg
	565 570
20	⟨210⟩ 15
	⟨211⟩ 2865
25	<212> DNA
	<213> Homo sapiens
30	<220>
	<221> CDS
	<222> (240) (1475)
35	⟨400⟩ 15
	cacaccgcca gtctgtgcgc tgagtcggag ccagaggccg cggggacacc gggccatgca 60
40	cgccccaac tgaagctgca tctcaaagcc gaagattcca gcagcccagg ggatttcaaa 120
	gageteagae teagaggaae atetgeggag agaeceega agecetelee agggeagtee 180 teateeagae geteegttag tgeagaeagg agegegeagt ggeeegget egeeggee 239
45	atg gag cgg atc ccc agc gcg caa cca ccc ccc gcc tgc ctg ccc aaa 287
	Met Glu Arg Ile Pro Ser Ala Gln Pro Pro Pro Ala Cys Leu Pro Lys
	1 5 10 15
50	gca ccg gga ctg gag cac cga gac cta cca ggg atg tac cct gcc cac 335
	Ala Pro Gly Leu Glu His Arg Asp Leu Pro Gly Net Tyr Pro Ala His
55	20 25 . 30

	atg	tac	caa	gtg	lac	aag	tca	aga	cgg	gga	ata	aag	cgg	agc	gag	gac	383
	Met	Tyr	Gln	Val	Tyr	Lys	Ser.	Arg	Arg	Gly	Ile	Lys	Arg	Ser	Glu	Asp	
5			35		•			40					45				
	agc	aag	gag	acc	tac	aaa	ttg	ccg	cac	cgg	ctc	ttc	gag	aaa	aag	aga.	431
10	Ser	Lys	Glu	Thr	Tyr	Lys	Leu	Pro	His	Arg	Leu	Phe	G]u	Lys	Lys	Årg	
		50		•			55	•	•			60					
15	cgt	gac	cgg	att	aaċ	gag	tgc	atc	gcc	cag	ctg	aag	gat	ctc	cta	ccc	479
	Arg	Asp	Arg	Ile	Asn	.G1 u	Cys	Ile	Ala	Gln	Leu	Lys	Asp	Leu	Leu	Pro	
20	65					70	;				75					80	
	gaa	cat	ctc	aaa	ctt	aca	act	ttg	ggt	cac	ttg	gaa	aaa	gca	gtg	gtt	527
	Glu	His	Leu	Lys	Leu	Thr	Thr	Leu	Gly	His	Leu	Glu	Lys	Ala	Val	Val	
25			~		85	•				90					95		
	ctt	gaa	ctt	acc	t t g	aag	cat	gtg	aaa	gca	cta	aca	aac	cta	att	gat	575
30	Leu	Glu	Leu	Thr	Leu	Lys	His	Val	Lys	Ala	Leu	Thr	Asn	Leu	I i.e	Asp	
				100			•		105					110			
35				cag			•										623
	Gln	GIn		Gln	Lys	He	Ile		Leu	Gln	Ser	Gly		Gln	Ala	Gly	
			115					120					125				
40				ggg	•												671
	Glu		Ser	Gly	Arg	Asn		Glu	Thr	Gly	GIn		Met	Phe	Cys	Ser	
45		130					135					140					
				aca													. 719
50		Phe	Gln	Thr	Cys		Arg	Glu	Val	Leu		Tyr	Leu	Ala	Lys		
	145					150					155					160	
				cgg													767
55	Glu.	Asn	Thr	Arg	Asp	Leu	Lys	Ser	Ser	GIn	Leu	Val	Thr	His	Leu	His	

	•					165					170				•	175		
5		cgg	gtg	gtc	tcg	gag	ctg	ctg	cag	ggt	ggt	acc	tcc	agg	aag	cca	tca	815
		Arg	Va l	Val	Ser	Glu	Leu	Leu	Gln	Gly	Gly	Thr	Ser	Arg	Lys	Pro	Ser	
					180					185					190			
10)	gac	cca	gct	ccc	aaa	gtg	atg	gac	ttc	aag	gaa	aaa	ccc	agc	tct	ccg	863
		Asp	Pro	Ala	Pro	Lys	Val	Me t	Asp	Phe	Lys	Glu	Lys	Pro	Ser	Ser	Pro	
15	5			195					200			•	•	205				
		gcc	aaa	ggt	tcg	gaa	ggt	cct	888	aaa	aac	tgc	gtg	cca	gtc	atc	cag	911
. 20	9	Ala	Lys	Gly	Ser	Glu	Gly	Pro	Gly	Lys	Asn	Cys	Yal	Pro	Val	Ile	Gln	
			210					215					220					
		cgg	act	ttc	gc t	cac	tcg	agt	ggg	gag	cag	agc	ggc	agc	gac	acg	gac	959
2:	5	Arg	Thr	Phe	Ala	His	Ser	Ser	Gly	Glu	Gln	Ser	Gly	Ser	Asp	Thr	Asp	
		225					230					235					240	
3	o				ggc			•										1007
		Thr	Asp	Ser	Gly		Gly	Gly	Asp	Ser		Lys	Gly	Asp	Leu		Ser	
3.	=					245					250				_	255		1055
٥.					tgc													1055
		GIU	GIN	rro	Cys 260	rne	T\2	361	YSħ	265	GIA	WIR	nig	THE	270	INCL	GIA	-
4	o	799	200	atr	ggc	ara	211	920	raa		ter	gaa	gaa	ccc		aca	888	1103
					Gly													1100
4	5	O14	ni 6	275	01,				280	0,1		•••	717	285		••	-,0	
		aag	aac		atg	cag	ctt			gat	gaa	ggc	cat		act	agc	agt	1151
_	_				Met													
5	0		290					295		·			300	•	•			
	•			atc	agc	tcc	CCE		cig	ggc	сса	cac	cca	cac	cag	cct	cct	1199
5	55				Ser													
				- • •						•	_						• •	

		305	j				310	•				315					320	
5		tto	t gc	ctg	ccc	ttc	t ac	ctg	atc	cca	cct	tca	gcg	act	gcc	t ac	ctg	.1247
		Phe	Cys	Leu	Рго	Phe	Tyr	Leu	He	Pro	Pro	Ser	Ala	Thr	Ala	Туг	Leu	
10						325					330					335		
10		ccc	atg	clg	gag	aag	t gc	tgg	tat	ccc	acc	tca	gtg	cca	gtg	cta	tac	1295
		Pro	Me t	Leu	Glu	Lys	Cys	Trp	Tyr	Pro	Thr	Ser	Val	Pro	Val	Leu	Tyr	
15					340					345					350			
		cca	ggc	ctc	aac	gcc	tct	gcc	gca	gcc	ctc	tct	agc	ttc	atg	aac	cca	1343
20		Pro	Gly	Leu	Asn	Ala	Ser	Ala	Ala	Ala	Leu	Ser	Ser	Phe	Met	Asn	Pro	
				355			•		360					365				
25		gac	aag	atc -	tcg	gc t	ccc	ttg	ctc	atg	ccc	cag	aga	ctc	cct	tct	ccc	1391
		Asp		lle	Ser	Ala	Pro		Leu	Met	Pro	Gln		Leu	Pro	Ser	Pro	
30			370					375					380					
30					cat							•						1439
		385	F10	Ala	His	rio	390	Υaj	ASP	ser	ser	395	reu	rea	GIN	BIA	•	
35			cca	atc	ccc	cet		220	tta	022	acc		gar	tass	etei	i c i	400	1485
					Pro									Laac				1400
40		-,-				405					410	2,0	,					·
	,	aggg	gato	ct g			c tt	tcct	ncct	cgc		tcc	laaa	aago	aa o	cnna	aagnt	1545
45		ting	tgaa	lg c	tgnn	agan	t gt	tgca	ttgt	gta	tact	gag	ataa	tcle	ag g	cate	gagag	1605
		caga	nnca	gg g	tgtg	igig	t · gt	gtgt	gtgt	gtg	tgtg	igi	giat	gtgo	gtg	glgcg	tgcac	1665
50		atgt	gtgc	ct g	cgtg	tlgg	t at	agga	citi	ann	gclo	ctt	nngg	cata	Igg g	gaagt	cacga	1725
		agga	ttgc	tn g	acal	cagg	a ga	cing	gggg	gga	ttgt	agc	agac	gict	gg g	cttn	ncccc	1785
		accc	agag	aa t	agcc	сссп	n cn	anac	anat	cag	ctgg	att	taca	aaag	ct t	.caaa	gictt	1845
55		ggic	tgtg	ag t	cact	cttc	a gt	ttgg	gagc	tgg	gtct	gtg	gctt	tgat	ca g	aagg	tactt	1905

tcaaaagagg gctttccagg gctcagctcc caaccagctg ttaggacccc acccttttgc 1965 ctitatigic gacgigacic accagacgic ggggagagag agcagicaga ccgagciitt 2025 cigciaacai ggggagggia gcagacacig gcalagcacg glagiggiti gggggagggi 2085 ticcgcaggi cigciccca ccccigccic ggaagaalaa agagaalgia giiccciaci 2145 10 caggetites tagtgattas citactaass aactsaaaat ssseecetts tacaasetsa 2205 gcigccccgg agggagggag gagticccig ggciiciggc accigitici aggcciaacc 2265 15 attagtactt actgigcagg gaaccaaacc aaggicigag aaatgeggae anceegaggg 2325 agcaccecaa agtgeacaaa getgagtaaa aagetgeeee etteaaacag aactagacte 2385 agttitcaat tocatoctaa aactoottit aaccaagott agottotoaa agggotaaco 2445 20 aagoottgga accgccagat cottletgta ggetaatice tettggccaa eggeatatgg 2505 agigicotta ligolaaaaa ggalloogno tooticaaag aagilliali liiggicoag 2565 agtactigit ticccgatgi giccagccag ciccgcagca gcilitcaaa algcactaig 2625 cctgattgct gatcgtgttt laactittic tittcctgtt titaltiigg tatlaagtcg 2685 ciggotttat tigtaaagot gitalaaala talatlatat naantalatt aasaaggaaa 2745 30 niglincaga igitialitg lalaailaci igaticacan agngagaaaa aniganigia 2805 ticctginti ngaagagaag annaattii titticicta gggagaggia cagngiinni 2865 <210> 16 <211> 412 40 <212> PRT <213> Homo sapiens <400> 16 45 Met Glu Arg Ile Pro Ser Ala Gln Pro Pro Pro Ala Cys Leu Pro Lys 10 50 Ala Pro Gly Leu Glu His Arg Asp Leu Pro Gly Met Tyr Pro Ala His' 20 25 30 55 Met Tyr Gln Val Tyr Lys Ser Arg Arg Gly Ile Lys Arg Ser Glu Asp

			35					40					45			
<i>5</i>	Ser	Lys	Glu	Thr	Tyr	Lys	Leu	Pro	His	Arg	Leu	Phe	Glu	Lys	Lys	Arg
		50					55					60				
•	Arg	Asp	Arg	Ile	Asn	Glu	Cys	He	Ala	Gln	Leu	Lys	Asp	Leu	Leu	Pro
10	65	٠.				70			•		75					80
	Glu	His	Leu	Lys	Leu	Thr	Thr	Leu	Gly	His	Leu	Glu	Lys	Ala	Val	Val
15					85					90					95	
	Leu	Glu	Leu	Thr	Leu	Lys	His	Val	Lys	Ala	Leu	Thr	Asn	Leu	He	Asp
20				100					105					110		
	Gln	Gln	Gln	Gln	Lys	Ile	Ile	Ala	Leu	Gln	Ser	Gly	Leu	Gln	Ala	Gly
			115					120	٠.				125			
25	Glu	Leu	Ser	Gly	Arg	Asn	Val	Glu	Thr	Gly	Gln	Glu	Met	Phe	Cys	Ser
		130					135					140				
30	Gly	Phe	Gln	Thr	Cys	Ala	Arg	Glu	Val	Leu	Gln	Tyr	Leu	Ala	Lys	His
	145					150					155				•	160
	Glu	Asn	Thr	Arg	Asp	Leu	Lys	Ser	Ser	Gln	Leu	Val	Thr	His	Leu	His
35					165					170					175	
	Arg	Val	Val		Glu	Leu	Leu	Gln		Gly	Thr	Ser	Arg		Pro	Ser
40				180					185					190		
	Asp	Pro		Pro	Lys	Val	Met		Phe	Lys	Glu	Lys		Ser	Ser	Ь10
45		_	195					200			•		205	•••	•.	•
	Ala		Gly	Ser	Glu	Gly	•	GIY	Lys	ASII	Cys		710	vaj	He	Gin
		210			•••	•	215	01	0 1	C1-	C	220	C	4	~ 1	
50		Inr	rne	Ala	HIS		261	GIY	610	GIN		GIA	261	ASP	Thr	
	225					230	•		•	0.	235	.				240
55	Thr	Asp	Ser	Gly		Gly	Gly	ASP	Ser		Lys	Gly	ASP	Leu	Arg	Ser
					245					250					255	- .

5	Glu	Gln	Pro	Cys	Phe	Lys	Ser	Asp	His	Gly	Arg	Arg	Phe	Thr	Met	Gly
•				260					265					270		
	Glu	Arg	Ile	Gly	Ala	He	Lys	Gln	Glu	Ser	Glu	Glu	Pro	Pro	Thr	Lys
10			275					280					285			
	Lys	Asn	Arg	Met	Gln	Leu	Ser	Asp	Asp	Glu	Gly	His	Phe	Thr	Ser	Ser
15		290				•	295					300				
	Asp	Leu	Ile	Ser	Ser	Pro	Pbe	Leu	Gly	Pro	His	Pro	His	Gln	Pro	Pro
·	305					310					315					320
20	Pḥe	Cys	Leu	Pro	Phe	Tyr	Leu	He	Pro	Pro	Ser	Ala	Thr	Ala	Tyr	Leu
			•		325					330					335	
25	Pro	Me t	Leu	Glu	Lys	Cys	Trp	Tyr	Pro	Thr	Ser	Val	Pro	Val	Leu	Tyr
			-	340					345			•		350	•	
	Pro	Gly	Leu	Asn	Ala	Ser	Ala	Ala	Ala	Leu	Ser	Ser	Phe	Met	Asn	Pro.
<i>30</i> .			355				•	360					365			
	Asp	Lys	lle	Ser	Ala	Pro	Leu	Leu	Me t	Pro	Gln	Arg	Leu	Pro	Ser	Pro
35		370					375					380				
	Leu	Pro	Ala	His	Рго	Ser	Val	Asp	Ser	Ser	Val	Leu	Leu	Gln	Ala	Leu
	385					390					395					400
40	Lys	Pro	Ile	Pro	Pro .	Leu	Asn	Leu	Glu	Thr	Lys	Asp				
					405					410						
45	<21	0> 17	, ·													
	<21	1> 38	117													
50	<212	2> DN	IA													
	<213	3> Ho	mo s	apie	ns											
	<220)>														
55	<22	I> CD	S									••				

	<22	2> (164)	(2	665)												
5	<40	0> 1	7														
	tga	attc	glg	agag	actt	ga g	ggag	gcgc	t gc	gact	gaca	a.gc	ggct	ctg	cccg	ggacct	60.
10	tct	cgct	ttc	atct	agcg	ct g	cact	caat	g ga	BBBB	cggg	cac	cgca	gtg	ctta	atgctg	120
	tct	taac	tag	tgta	ggaa	aa c	ggct	caac	c ca	ccgc	tgcc	gaa	atg	aag	tat	aag	175
													Met	Lys	Tyr	Lys	
15								,					1				
	aat	ctt	atg	gca	agg	gcc	tta	tat	gac	aat	gtc	cca	gag	tgt	gcc	gag	223
20	Asn	Leu	Met	Ala	Arg	Ala	Leu	Tyr	Asp	Asn	Val	Pro	Głu	Cys	Ala	Glu	•
	5					10					15					20	
25	gaa	ctg	gcc	ttt	cgc	aag	gga	gac	atc.	ctg	acc	gtc	ata	gag	cag	aac	271
	Glu	Leu	Āla	Phe	Arg	Lys	Gly	Asp	He	Leu	Thr	Val	He	Glu	Gln	Asn	
					25					30					35		
30	aca	ggg	gga	ctg	gaa	gga	t gg	t gg	ctg	tgc	tcg	tta	cac	ggt	cgg	caa	319
	Thr	Gly	Gly		Glu	Gly	Trp	Trp	Leu	Cys	Ser	Leu	His	Gly	Arg	Gln	
35 ·				40					45					50			
															atg		367
	Gly	lle		Pro	Gly	Asn	Arg		Lys	Leu	Leu	He		Pro	Met	Gln	
40 .			55					60					65				
															cag		415
45	Glu		Ala	Ser	Ser	His	•	Gln	Pro	Ala	Ser		Leu	Met	Gln	G) n	•
		70					75					80					
50		*													gct		463
·		Phe	Gly	GIn	Gin		Leu	Tyr	Gin	Val		ASII	Pro	Gln	Ala		
	85					90					95					100	

ccc cga gac acc atc tac caa gtg cca cct tcc tac caa aat cag gga 511

	Pr	o Arg	a Asp	Thi	Ile	Туг	Gln	۷al	Pro	Pro	Ser	Tyr	Gln	Asn	Glr	Gly	
5				•	105					110					115	j 	
	· at	t tac	: caa	gto	ccc	act	ggc	cac	ggc	acc	caa	gaa	caa	gag	gta	tat	559
10	П	? Tyr	.Gln	Val	Pro	Thr	Gly	His	Gly	Thr	Gln	Glu	Gln	Glu	Va l	Tyr	
10				120	•			•	125					130	•		
	cas	gtg	cca	cca	tca	gtg	cag	aga	agc	att	ggg	gga	acc	agt	ggg	ccc	607
15	Gli	Val	Pro	Pro	Ser	Val	Gln	Arg	Ser	He	Gly	Gly	Thr	Ser	Gly	Pro	
			135					140		•			145				
20	cac	gig	ggl	aaa	aag	gtg	ata	acc	ccc	gtg	agg	aca	ggc	cat	ggc	tac	655
•	His	Val	Gly	Lys	Lys	Val	He	Thr	Pro	Val	Arg	Thr	Gly	His	Gly	Tyr	
05		150					155					160					
25		tac	-												•		703
		Туг	Glu	Туг	Pro		Arg	Туг	Gln	Lys		Val	Туг	Asp	He		
30	165					170		-4.0	4		175	4				180	
		tct Ser															751
35	110	DCI	1113		185	0111	GIJ	101	1 7 1	190	116	110	LIU	261	195	nia	
	aaa	ggc	cct	gtg		lca	gli	cca	gtg		gag	ata	aaa	cct		200	799
		Gly															
40				200					205		•			210			
	gig	tat	gac	atc	ccg	cct	aca	aaa	ggg	gta	tat	gcc	atţ	CCg	ccc	tct	847
45	Val	Tyr	Asp	Ile	Pro	Pro	Thr	Lys	Gly	Val	Tyr	Ala	Ile	Pro	Pro	Ser	
			215					220					225				
50	gct	tgc	cgg	gat	gaa	gca	ggg	ctt	agg	gaa	aaa	gac	tal	gac	llc	ccc	895
•	Ala	Cys	Arg	Asp	Glu	Ala	Gly	Leu	Arg	Glu	Lys	Asp	Туг	Asp	Phe	Pro	
		230					235					240				,	
55	cct	ccc	alg	aga	caa	gcl	gga	agg	ccg	gac	clc	aga	ccg	gag	ggg	gtt	943

	rr	o ri	U me	LAN	8 611	ı Wlg	613	, wig	riu	NSI.	, ren	Arg	ric	611	1 61)	y vai	•
5	24	5				250	}				255	i				260	
•	ta	t ga	c at	l cci	cca	acc	l go	acc	aag	cca	gca	ggg	aag	gac	ctt	cat	991
	Ty	r Ası	o Ile	e Pro	Pro	Thr	Cys	Thr	Lys	Pro	Ala	Gly	Lys	Asp	Leu	His	
					265					270					275		
	gta	a a a a	lac	aac	tgt	gac	att	cca	gga	gct	gca	gaa	CCg	gtg	gct	cga	1039
	Va J	Lys	Tyr	Asn	Cys	Asp	He	Pro	Gly	Ala	Ala	Glu	Pro	Val	Ala	Arg	
				280					285					290			
20	agg	cac	cag	agc	ctg	tcc	ccg	aat	cac	cca	ccc	ccg	caa	ctc	gga	cag	1087
	Árg	His	Gln	Ser	Leu	Ser	Pro	Asn	His	Pro	Pro	Pro	Gln	Leu	Gly	Gln	
_			295					300					305	•			
25	tca	gtg	ğgc	tct	cag	aac	gac	gca	tat	gat	gtç	ccc	cga	ggc	gtt	cag	1135
	Ser	Val	Gly	Ser	Gln	Asn	Asp	Ala	Туг	Asp	Val	Pro	Arg	Gly	Val	Gln	
o		310					315					320					
					cca										• • •		1183
5		Leu	Glu	Pro	Pro		Glu	Thr	Ser	Glu		Ala	Asn	Pro	Gln	Glu	
	325					330					335					340	
					tat												1231.
o	Arg	ASP	Gly	Val	Туг	Asp	Val	Pro	Leu		Asn	Pro	Рго	Asp		Lys	
		4.4			345		•			350					355		
5					ttg										,	_	1279
	GIY	261	Arg		Leu	vai	ASP			ASN	Arg	Leu	261		Ser	Ser	
o				360					365			• • •		370	•		1000
					Cgg												1327
e	101	GIÀ		1111	Arg	ser			96 L	ini	261			?el	ser	LYS	
5			375					380					385				

	ga	g tc	c tc	a cla	tca	gcc	tco	cca	gci	cag	ggac	aaa	agg	cto	tto	ctg	: 1375
5	Gl	u Se	r Se	r Leu	Ser	Ala	Ser	Pro	.Ala	Gla	ı Asp	Lys	Are	Leu	Phe	Leu	
		390)				395					400		•			
10	ga	cca	a gad	aca	gct	alt	gag	aga	ctt	cag	cgg	cto	cag	cag	gco	ctt	1423
70	Asp	Pro	Asp	Thr	Ala	lle	Glu	Arg	Leu	Gln	Arg	Lev	Gln	Gln	Ala	Leu	•
	405	;	•			410					415				•	-420	
15	gag	atg	ggt	gtc	tcc	agc	cta	atg	gca	clg	gtc	act	acc	gac	tgg	cgg	1471
	Glu	Met	Gly	Vál	Ser	Ser	Leu	Met	Ala	Leu	Va 1	Thr	.Thr	Asp	Trp	Arg	
20					425					430					435		
	tgt	tac	gga	tat	atg	gaa	aga	cac	atc	aat	gaa	ata	cgc	aca	gca	gtg	1519
	Cys	Tyr	Gly	Tyr	Met	Glu	Arg	His	Ile	Asn	Glu	11e	Arg	Thr	Ala	Val	
25			-	440					445					450			
	gac	aag	gtg	gag	clg	ttc	ctg	aag	gag	tac	cic	cac	ttt	gtc	aag	gga	1567
30	Asp	Lys	Val	Glu	Lev	Phe	Leu	Lys	Glu	Tyr _.	Leu	His	Phe	Val	Lys	Gly	
			455					460		•			465	•			
	gc t	gtt	gca	aat	gct	gcc	tgc	ctc	ccg	gaa	ctc	atc	ctc	cac	aac	aag	1615
35	Ala	Val	Ala	Asn	Ala	Ala	Cys	Leu	Pro	Glu	Leu	He	Leu	His	Asn	Lys	
		470					475					480					
40	atg	aag	cgg	gag	ctg	caa	cga	gtc	gaa	gac	tcc	cac	cag	atc	ctg	agt	1663
	Met	Lys	Arg	Glu	Leu	Gln	Arg	Va l	Glu	Asp	Ser	His	Gln	He	Leu	Ser	
4.5	485					490					495					500	
45	caa	acc	agc	cat	gac ·	tta	aa t	gag	tgc	agc	tgg	tcc	ctg	aat	atc	ttg	1711
	Gln	Thr	Ser	His	Asp	Leu	Asn	Glu	Cys	Ser	Тгр	Ser	Leu	Asn	lle	Leu	
50					505					510					515		
	gcc	atc	aac	aag	ccc	cag	aac	aag	tgt	gac	gat	ctg	gac	cgg .	ttt	gtg	1759
55	Ala	He	Asn	Lys	Pro	Gln.	Asn	Lys	Cys	Asp	Asp	Leu	Asp	Arg	Phe	Va 1	
30				520					525					530			

	٠	,a t	g gt	g gc	a aag	g ac	ggu	g cc	; gai	gac	gc	aae	cag	cte	c acc	c aca	acc	1807
5		Me	t Va	l Ala	a Lys	s Th	r Va	Pro	as (Asp	Ala	Lys	Gln	Lei	u Thi	r Thi	Thr	
				53	5				540)				549	5			
10		ate	c aac	c acc	c aac	gca	a gag	gco	cto	ttc	aga	ccc	ggc	cci	ggo	ago	ttg	1855
		He	e Asi	1 Thi	Asn	Ala	Glu	Ala	Lei	Phe	Arg	Pro	Gly	Pro	Gly	Ser	Leu	
15	•		550)				555		•			560					
75		cal	cts	g aag	aat	ggg	cce	gag	agc	atc	atg	aac	tca	ace	gag	tac	cca	1903
		His	Leu	Lys	Asn	Gly	Pro	Glu	Ser	lle	Met	Asn	Ser	Thr	Glu	Туг	Pro	
20		565	,				570					575			•		580	
		cac	ggt	ggc	tcc	cag	gga	cag	ctg	ctg	cat	cct	ggt	gac	cac	aag	gcc	1951
25 ·		His	Gly	Gly	Ser	Gln	Gly	Gln	Leu	Leu	His	Pro	Gly	Asp	His	Lys	Ala	
					•	585					590					595		
30		cag	gcc	cac	aac	aag	gca	ctg	ccc	cca	ggc	ctg	agc	aag	gag	cag	gcc	1999
		Gln	Ala	His	Asn	Lys	Ala	Leu	Pro	Pro	Gly	Leu	Ser	Lys	Glu	Gln	Ala	•
					600		,	,		605					610			
35		cct	gac	tgt	agc	ągc	agt	gat	ggt	tct	gag	agg	agc	tgg	atg	gat	gac	2047
		Pro	Asp		Ser	Ser	Ser	Asp	Gly	Ser	Glu	Arg	Ser	Trp	Met	Asp	Asp	
40				615					620					625				٠
							cta											2095
45		Туг		Tyr	Val	His	Leu		Gly	Lys	Glu	Ģlu		Glu	Arg	Gln	Gln	•
45			630					635					640					
							aaa -			•	•			•				2143
50			GIU	Leu	Leu	Glu	Lys	Glu	Asn	He	Met		Gln	Asn	Lys	Met		
		645					650					655					660	
55							clg											2191
	ì	Leu	Glu	His	His	Gln	Leu	Ser	Gln	Phe	Gln	Leu	Leu	Glu	Gln	Glu	He	

			665	. 670	675
5	aca aạs	g ccc gtg (gag aat gac	atc tcg aag tgg	aag ccc tct cag agc 2239
	Thr Lys	s Pro Val (Glu Asn Asp	Ile Ser Lys Trp	Lys Pro Ser Gln Ser
		680	•	685 .	690
10	cta ccc	acc aca a	ac agt ggc	gtg agt gct cag	gat cgg cag itg cig 2287
	Leu Pro	Thr Thr A	Asn Ser Gly	Val Ser Ala Gln	Asp Arg Gln Leu Leu
15		695		700	705
	tgc ttc	tac tat g	ac caa tgt	gag acc cat ttc	att tcc ctt ctc aac 2335
20	Cys Phe	Tyr Tyr A	sp Gln Cys	Glu Thr His Phe	lle Ser Leu Leu Asn
	710		715	•	720
•		•			gcc cag ccc ccg cga 2383
25		Asp Ala L	eu Phe Ser	Cys Val Ser Ser	Ala Gln Pro Pro Arg
	725		730	735	740
30					agt gca cac aaa cig 2431
	lle Phe				Ser Ala His Lys Leu
35			45	750	755
		•			act gcc cag gac att 2479
	val Pne		sp inr Leu		Thr Ala Gln Asp lle
40		760	to t	765	770
					igc gag cag cic aag 2527
45	. Alg ASII	775		ser asn din Leu (780	Cys Glu Gin Leu Lys
	act ata				785 cat tac ccc agc acc 2575
		1			tat tac ccc agc acc 2575 His Tyr Pro Ser Thr
50	790	tal met vi	795		
		ota 00a 25			800
55				••	gac cti tet aga aat 2623
	inr Ala	ren ein ei	u met yai }	nis bin val Thr /	Asp Leu Ser Arg Aşn

805 810 815 820

gcc cag ctg ttc aag cgc tct ttg ctg gag atg gca acg ttc 2665

Ala Gln Leu Phe Lys Arg Ser Leu Leu Glu Met Ala Thr Phe

825 830

tgagaagaaa aaaaagagga aggggacigc gitaacggit actaaggaaa actggaaata 2725 cigiciggit titgiaaaig tiaictatti tigiagataa tittatataa aaatgaaata 2785 tittaacatt tiaigggica gacaactiic agaaattcag ggagciggag agggaaatci 2845 ttttttcccc cctgagtgtt cttatgtata cacagaagta tctgagacat aaactgtaca 2905 gaaaactigi ccacgiccti tigtatgccc atgtaticai giittigiti giagatgiii 2965 gicigaigea tileattaaa aaaaaaaeea tgaattaega ageaeettag taageaeett 3025 ctaatgctgc attitititg tigitgitaa aaacatccag ciggitataa taitgiicic 3085 cacgicctig tgatgatict gagcciggca cigggaatci gggaagcata gittatiigc 3145 aagtgitcac ciiccaaaic aigaggcaia gcaigaciia iiciigiiii gaaaacicii 3205 ttcaaaactg accatcttaa acacatgatg gccaagtgcc acaaagccct cttgcggaga 3265 calitacgaa tatatatgig galccaagic icgalagita ggcgliggag ggaagagaa 3325 ccagagagtt tagaggccag gaccacagtt aggattgggt tgtttcaata ctgagagaca 3385 gctacaataa aaggagagca aligcciece iggggetgit caatelietg calitigigag 3445 tggttcagtc atgaggtttt ccaaaagatg ttttlagagt tgtaaaaacc atatttgcag 3505 caaagalita caaaggcgta tcagactatg atigitcacc aaaalagggg aatggitiga 3565 tecgecagit geaaglagag geetticiga etettaatat teaetitggt getaetacee 3625 ccattacctg aggaactggc caggiccitg atcatggaac tatagagcta ccagacatat 3685 cotgoictet aagggaatti attgotatet igeacettet itaaaaetea aaaaaeatat 3745 gcagacciga cacicaagag iggciagcia cacagagicc atciaattit igcaacticc 3805 cccccgaat tc 3817

<210> 18

5

10

20

25

30

35

40

45

50

55

⟨211⟩ 834

	<212>	PRT						•
5	<213>	Homo sap	iens					
	<400>	18						
.0	Met Ly	s Tyr Lys	s Asn Leu	Met Ala	Arg Ala	Leu Tyr	Asp Asn	Val Pro
10	1		5		10			15
	Glu Cy	s Ala Glu	ı Glu Leu	Ala Phe	Arg Lys	Gly Asp	Ile Leu	Thr Val
15		20)		25		30	
	Ile Gi	u Gln Asn	Thr Gly	Gly Leu	Glu Gly	Trp Trp	Leu Cys	Ser Leu
20		35		40			45	
	His Gly	y Arg Gln	Gly Ile	Val Pro	Gly Asn	Arg Val	Lys Leų	Leu Ile
	50)		55		60		
25	Gly Pro	Met Gin	Glu Thr	Ala Ser	Ser His	Glu Gln	Pro Ala	Ser Gly
	65		70	•		75		80
30	Leu Me	Gln Gln	Thr Phe	Gly Gln	Gln Lys	Leu Tyr	Gln Val	Pro Asn
		•	85		90			95
35	Pro Gli	Ala Ala	Pro Arg	Asp Thr	lle Tyr	Gln Val	Pro Pro	Ser Tyr
		100			105		110	
	Gln Asn	Gln Gly	lle Tyr	Gln Val	Pro Thr	Gly His	Gly Thr	Gln Glu
40		115		120		·	125	
	Gln Glu	Val Tyr	Gin Val	Lio Lio	Ser Val	Gln Arg	Ser Ile	Gly Gly
45	130			135		140		•
	Thr Ser	Gly Pro	His Val	Gly Lys	Lys Val	He Thr	Pro Val	Arg Thr
	145		150			155		160
50	Gly His	Gly Tyr	Val Tyr	Glu Tyr	Pro Ser	Arg Tyr	Gin Lys	Asp Val
			165		170			175
55	Tyr Asp	lle Pro	Pro Ser	His Thr	Thr Gin	Gly Val	Tyr Asp	Ile Pro

	•			180	1				185					190		
5	Pro	Ser	Ser	Ala	Lys	Gly	Pro	Val	Phe	Ser	Val	Pro	Val	Gly	Glu	Ile
•			195					200					205			•
	Lys	Pro	Gln	Gly	Val	Tyr	Asp	Ile	Pro	Pro	Thr	Lys	Gly	Val	Tyr	A l·a
10		210					215					220				
	He	Pro	Pro	Ser	Ala	Cys	Arg	Asp	Glu	Ala	Gly	Leu	Arg	Glu	Lys	Asp
15	225					230					235					240
	Tyr	Asp	Phe	Pro	Pro	Pro	Me t	Arg	Gln	Ala	Gly	Arg	Pro	Asp	Leu	Arg
20					245					250					255	
	Pro	Glu	Gly	Val	Tyr	Asp	Ile	Pro	Pro	Thr	Cys	Thr	Lys	Pro	Ala	Gly
				260					265					270		
25	Lys	Asp	Łeu	His	Val	Lys	Tyr	Asn	Cys	Asp	He	Pro	Gly	Ala	A.l a	Glu
			275					280					285			
30	Pro	Val		Arg	Arg	His		Ser	Leu	Ser	Pro		His	Pro	Рго	Pro
•		290		•			295					300	_			
35		Leu	Gly	GIn	Ser		Gly	Ser	Gin	Asn		Ala	Tyr	Asp	Val	
	305	C1	Va 1	Cla	Dha	310	C1	D	D==	41.	315	Th -	C	0 1	7	320
	AIE	Gly	va i		325	Leu	GIU	PIO	rio	330	6111	inr	ser	GIU		Ala
40	Δcn	Pro	Cln			Aen	Glv	Val	Tur		Val	Dro	I au	Uic	335	Dro
	ASI		0111	340	ш.	изр	0.7	141	345	пор	101	110	ren	350		110
45	Pro	Asp	Ala		GIy	Ser	Arg	Asp		Val	Asp	Glv	He		•	Len
			355	·			٠.	360					365			
50	Ser	Phe		Ser	Thr	Gly	Ser		Arg	Ser	Asn	Met		Thr	Ser	Ser
		370					375					380				
		Ser	Ser	Lys	Glu	Ser	Ser	Leu	Ser	Ala	Ser		Ala	Gln	Asp	Lys
55	385					390					395			•	-	400

	Arg	Leu	Phe	Leu	Asp	blo	Asp	Thr	Ala	He	Glu	Arg	Leu	Gln	Arg	Leu
5					405		·			410					415	
	Gln	Gln	Ala	Leu	Glu	Met	Gly	Val	Ser	Ser	Leu	Met	Ala	Leu	Val	Thr
ıó				420				•	425					430		
	Thr	Asp	Trp	Arg	Cys	Туг	Gly	Tyr	Met	Glu	Arg	His	He	Asn	Glu	lle
15			435					440					445			
	Arg	Thr	Ala	Val	Asp	Lys	Val	Glu	Leu	Phe	Leu	Lys	Glu	Tyr	Leu	His
		450					455					460				
20	Phe	Val	Lys	Gly	Ala	Val	Ala	Asn	Ala	Ala	Cys	Leu	Pro	Glu	Leu	Ile
	465					470					475				•	480
25	Leu	His	Asn	Lys	Met	Lys	Arg	Glu	Leu	Gln	Arg	Val	Glu	Asp	Ser	His
					485				•	490					495	
,	Gln	Ile	Leu	Ser	Gln	Thr	Ser	His	Asp	Leu	Asn	Glu	Cys	Ser	Trp	Ser
30				500					505					510		
	Leu	Asn	He	Leu	Ala	He	Asn	Lys	Pro	Gln	Asn	Lys	Cys	Asp	Asp	Leu
35			515					520					525			
	Asp	Arg	Phe	Val	Me t	Val	Ala	Lys	Thr	Val	Pro	Asp	Asp	Ala	Lys	Gln
10	:	530	•				535					540				
•	Leu	Thr	Thr	Thr	Ile	Asn	Thr	Asn	Ala	Glu	Ala	Leu	Phe	Arg	Pro	Gly
	545					550					555					560
15	Pro	Gly	Ser	Leu	His	Leu	Lys	Asn	Gly	Pro	G1 u	Ser	He	Met	Asn	Ser
					565			•		570					575	
50	Thr	Glu	Tyr	Pro	His	Gly	Gly	Ser	Gln	Gly	Gl _i n	Leu	Leu	His	Pro	Gly
				580					585		•			590		
	Asp	His	Lys	Ala	Gln	Ala	His	Asn	Lys	A]a	Leu	Pro	Pro	Gly	Leu	Ser
55			595					600					605		•	

	Ly:	s Gli	ı Gli	Ala	Pro) Asp	Cys	Ser	Ser	Ser	Asp	G}y	Ser	Glu	Arg	Ser
5		610)				615	i				620	1			
J	Tr	p Met	Asp	Asp	Tyr	Asp	Tyr	Val	His	Leu	Gln	Gly	Lys	Glu	Glu	Phe
	625	;				630					635					640
10	Glu	Arg	Gln	Gln	Lys	Glu	Leu	Leu	Glu	Lys	Glu	Asn	Ile	Met	Lys	Gln
					645					650					655	
15	Asn	Lys	Met	Gln	Leu	Glu	His	His	Gln	Leu	Ser	Gln	Phe	Gln	Leu	Leu
				660					665					670		
	Glu	Gln	Glu	lle	Thr	Lys	Pro	Val	Glu	Asn	Asp	He	Ser	Lys	Trp	Lys
20			675					680					685			
	Pro	Ser	Gln	Ser	Leu	Pro	Thr	Thr	Asn	Ser	Gly	Val	Ser	Ala	Gln	Asp
25		690	-				695					700				
	Arg	Gln	Leu	Leu	Cys	Phe	Туг	Tyr	Asp	Gln	Cys	Glu	Thr	His	Phe	Ile
30	.705					710					715					720
	Ser	Leu	Leu	Asn	Ala	He	Asp	Ala	Leu	Phe	Ser	Cys	٧al	Ser	Ser	Ala
					725					730					735	
35	Gln	Pro	Pro	Arg	Ile	Phe	Val	Ala	His	Ser	Lys	Phe	Yal	He	Leu	Ser
				740					745					750		
40	Ala	His	Lys	Leu	Val	Phe	He	Gly	Asp	Thr	Leu	Thr	Arg	Gln	Val	Thr
			755					760					765			
	Ala	Gln	Asp	He	Arg	Asn	Lys	Val	Met	Asn	Ser	Ser	Asn	Gln	Leu	Cys
45		770					775					780				
	Glu	Ģln	Leu	Lys	Thr	Ile	Val	Met	Ala	Thr	Lys	Met	Ala	Ala	Leu	His
50	785		•			790					795					800
•	Туг	Pro	Ser	Thr	Thr	Ala	Leu	Gln	Glu	Met	Val	His	Gln	Val	Thr	Asp
55					805	•				810					815	
	Leu	Ser	Arg	Asn	Ala	Gln	Leu	Phe	Lys	Arg	Ser	Leu	Leu	Glu	Met	Ąļa

Thr Phe (210) 19 (211) 567 <212> DNA <213 Homo sapiens <220> <221> CDS <222> (36).. (506) <400> 19 tgtgacgcct gcagggctgg gacctgacgg tgaag atg ctg gcg ggc aac gaa Met Leu Ala Gly Asn Glu ttc cag gtg tcc ctg agc agc tcc atg tcg gtg tca gag ctg aag gcg Phe Gln Val Ser Leu Ser Ser Ser Met Ser Val Ser Glu Leu Lys Ala cag atc acc cag aac att ggc gtg cac gcc ttc cag cag cgt ctg gct Gln Ile Thr Gln Asn Ile Gly Val His Ala Phe Gln Gin Arg Leu Ala gtc cac ccg agc ggt gtg gcg ctg cag gac agg gtc ccc ctt gcc agc Val His Pro Ser Gly Val Ala Leu Gln Asp Arg Val Pro Leu Ala Ser cag ggc ctg ggc cct ggc agc acg gic ctg ctg gtg gtg gac aaa tgc Gin Gly Leu Gly Pro Gly Ser Thr Val Leu Leu Val Val Asp Lys Cys gac gaa col cig ago ato cig gig agg aat aac aag ggo cgo ago ago

	Ası	Glu	Pro	Leu	Ser	He	Leu	Val	Årg	Asn	Asn	Lys	Gly	Arg	Ser	Ser	
5			•		75					80					85		
	acc	tac	gag	glg	cgg	ctg	acg	cag	acc	gtg	gcc	cac	ctg	aag	cag	caa	341
10	Thr	Tyr	Glu	Val	Arg	Leu	Thr	Gln	Thr	Val	Ala	His	Leu	·Lys	Gln	Gln	•
				90					95					100		•	
	glg	agc	ggg	ctg	gag	ggt	gtg	cag	gac	gac	ctg	ttc	l gg	ctg	acc	ttc	389
	Val	Ser	Gly	Leu	Glu	Gly	Val	Gln	Asp	Asp	Leu	Phe	Trp	Leu	Thr	Phe	
			105				·	110					115				
20	gag	ggg	aag	ccc	clg	gag	gac	cag	ctc	ccg	ctg	ggg	gag	tac	ggc	ctc	437
	Glu	Gly	Lys	Pro	Leu	Glu	Asp	Gln	Leu	Pro	Leu	Gly	Glu	Туг	Gly	Leu	
25		120	÷				125					130			•		
		ccc															485
	Lys	Pro	Leu	Ser	Thr	Val	Phe	Me t	Asn	Leu	Arg	Leu	Arg	Gly	Gly	Gly	
30	135					140					145					150	
		gag						taag	ggco	tc (cacca	agcai	tc c	gagc	agga	t	536
35	Thr	Glu	Pro	Gly		Arg	Ser										
					155												
40	caag	gggcc	gg a	ataa	laggo	t g	tgta	agag	g a								567·
40	<210)> 20)														
	<211	> 15	7												·		
45	<212	> PR	T														
	<213	> Но	mo s	apie	ns			•								•	
50	<400	> 20								•							
	Met	Leu	Ala	Gly	Asn	Glu	Phe	Gln	Val	Ser	Leu	Ser	Ser	Ser	Met	Ser	
55	1				5					10					15		
55	Val	Ser	Glu	Leu	Lys	Ala	Gln	lle	Thr	Gln	Asn	Ile	Gly	Val	His	Ala	

20 25 Phe Gln Gln Arg Leu Ala Val His Pro Ser Gly Val Ala Leu Gln Asp 40 35 45 Arg Val Pro Leu Ala Ser Gln Gly Leu Gly Pro Gly Ser Thr Val Leu 10 50 . 55 60 Leu Val Val Asp Lys Cys Asp Glu Pro Leu Ser Ile Leu Val Arg Asn 15 65 70 75 Asn Lys Gly Arg Ser Ser Thr Tyr Glu Val Arg Leu Thr Gln Thr Val 85 90 20 Ala His Leu Lys Gin Gin Val Ser Gly Leu Glu Gly Val Gin Asp Asp 100 105 Leu Phe Trp Leu Thr Phe Glu Gly Lys Pro Leu Glu Asp Gln Leu Pro 115 120 Leu Gly Glu Tyr Gly Leu Lys Pro Leu Ser Thr Val Phe Met Asn Leu 135 140 Arg Leu Arg Gly Gly Gly Thr Glu Pro Gly Gly Arg Ser 145 150 155 <210> 21 <211> 5095 <212> DNA <213> Homo sapiens <220> <221> CDS 50 <222> (14).. (2593) <400> 21 agaggetgeg age atg ggg ecc tgg gge tgg aaa ttg ege tgg acc gte.

			ì	Met	Gly 1	Pro "	Irp (Gly 1	[rp]	Lys I	Leu /	Arg (Trp '	Thr	Val	
5				1				5					10			٠
gc	c ttg	ctc	ctc	gcc	gcg	gcg	ggg	act	gca	gtg	ggc	gac	aga	tgt	gaa	97
10 Al	a Leu	Leu	Leu	Ala	Ala	Ala	Gly	Thr	Ala	Val	Gly	Asp	Arg	Cys	Ġlu	
		15					20					25				
aga	aac	gag	ttc	cag	tgc	caa	gac	ggg	aaa	tgc	atc	tcc	tac	aag	tgg	145
15 Arı	g Asn	Glu	Phe	Gin	Cys	Gln	Asp	Gly	Lys	Cys	lle	Ser	Tyr	Lys	Trp	
•	30					35					40					
20 gt(tgc	gat	ggc	agc	gct	gag	tgc	cag	gat	ggc	tct	ga t	gag	tcc	cag	193
Val	Cys	Asp	Gly	Ser	Ala	Glu	Cys	Gln	Asp	Gly	Ser	Asp	Glu	Ser	Gln	
45 25	i	_			50					55					60	
gag	acg	tgc	ttg	tct	gtc	acc	tgc	aaa	tcc	ggg	gac	ttc	agc	tgt	ggg	241
Glu	Thr	Cys	Leu		Val	Thr	Суѕ	Lys		Gly	Asp	Phe	Ser		Gly	
30				65					70					75		
	cgt															289
35 Gly	Arg	Val		Arg	Cys	He	Pro		Phe	Trp	Arg	Cys		Gly	Gln	
	6 22.0	t a o	80		~~~	t a a		85				222	90			227
	gac															337 -
	nap	95	nsp	ASII	019	501	100	010	0111	U1 y	0,3	105	110	LIS	1111	
lgc	tcc		gac	gag	ttt	CEC		cac	gat	ggg	aag		atc	tet	CEE	385
43	Ser															
	110		•			115		•		•	120	, •				
50 cag	ttc	gtc	lgi	gac	tca		cgg	gac	t gc	ttg	gac	ggc	tca	gac	gag	433
	Phe															
⁵⁵ 125					130				•	135					140	

	gco	tco	tgo	ccg	gtg	ctc	acc	tgt	ggt	ССС	gcc	agc	ttc	cag	t gc	aac	481
5	Ala	Ser	Cys	Pro	Val	Leu	Thr	Cys	Gly	Pro	Ala	Ser	Phe	Gln	Cys	Asn	
					145					150					155		
10	ago	tcc	acc	tgc	atc	ccc	cag	ctg	tgg	gcc	tgc	gac	aac	gac	ccc	gac	529
	Ser	Ser	Thr	Cys	lle	Pro	Gln	Leu	Trp	Ala	Cys	Asp	Asn	Asp	Pro	Asp	
				160					165	•				170	•		
15	tgc	gaa	gat	ggc	tcg	gat	gag	tgg	·ccg	cag	cgc	tgt	agg	ggt	ctt	tac	577.
	Cys	Glu	Asp	Gly	Ser	Asp	Glu	Trp	Pro	Gln	Arg	Cys	Arg	Gly	Leu	Туг	
20			175					180					185				
	gtg	ttc	caa	ggg	gac	agt	agc	ccc	tgc	tcg	gcc	ttc	gag	ttc	cac	tgc	625
	Val	Phe	Gln	Gly	Asp	Ser	Ser	Pro	Cys	Ser	Ala	Phe	Glu	Phe	His	Cys	
25		190	-			•	195					200					
	cta	agt	ggc	gag	tgc	atc	cac	tcc	agc	tgg	cgc	tgt	gal	ggt	ggc	CCC	673
30	Leu	Ser	Gly	Glu	Cys		His	Ser	Ser	Trp		Cys	Asp	Gly	Gly		
	205			•		210					215					220	
35				gac													721
	ASP	Cys	Lys	Asp		Ser	Asp	GIU	GIU		СУS	BIA	.Vai	Aia		Cys	
	000	201	700	7 00	225			101	an 1	230	200				235		
40				gaa													769
	VIR	110	vsh	G1 u 240	rne	, 0111	Cys	261	245	GIY	usii	Cys	116	250	GIY	261	•
45	roo	rag	tot	gac	roo	022	tát	gar		ลลฮ	gar	ate	3 g C		σαα	at t	817
				Asp								•					011
	0	•••	255	,		0.0	•,.	260	-,-	-,-			265	,	•••		
50	ggc	tgc	•	aat	gtg	aca	ctc		gar	gga	ccc	aac		ttc	aag	tgt	865
				Asn													
55	··,	270			- 		275	-,0		•		280		-	•	- , - -	
		J. U					J. U									• •	

•	cac	agc	ggc	gaa	tgc	atc	acc	cig	gac	aaa	gtç	l gc	aac	atg	gct	aga	913
5	His	Ser	Gly	Glu	Cys	He	Thr	Leu	Asp	Lys	Val	Cys	Asn	Met	Ala	Arg	
	285					290			•		295					300	
10	gac	t gc	cgg	gac	tgg	tca	gat	gaa	ccc	atc	aaa	gag	tgc	888	acc	aac	961
	Asp	Cys	Arg	Asp	Trp	Ser	Asp	Glu	Pŗro	He	Lys	Glu	Cys	Gly	Thr	Asn	
					305					310					315		
15 ·	gaa	t gc	ttg	gaic	aac	aac	ggc	ggc	tgt	tcc	cac	gtc	tgc	aat	gac	ctt	1009
	Glu	Cys	Leu	Asp	Asn	Asn	Gly	Gly	Cys	Ser	His	Yal	Cys	Asn	Asp	Leu	
20 ·				320					325					330			
	aag	atc	ggc	tac	gag	t gc	ctg	tgc	ccc	gac	ggc	ttc	cag	ctg	gtg	gcc	1057
•	Lys	He	Gly	Tyr	Glu	Cys	Leu	Cys	Pro-	Asp	Gly	Phe	Gln	Leu	Val	Ala	
25			335					340	•				345				
	cag	cga	aga	tgc	gaa	gat	atc	gat	gag	tgt	cag	gat	ccc	gac	acc	tgc	1105
30	Gln	Arg	Arg	Cys	Glu	Asp	lle	Asp	Glu	Cys	Gln	Asp	Pro	Asp	Thr	Cys	
		350					355					360				•	
35	agc	cag	ctc	tgc	gtg	aac	ctg	gag	ggt	ggc	tac	aag	tgc	cag	tgt	gag	1153
	Ser	Glń	Leu	Cys	Va l	Asn	Leu	Glu	Gly	Gly	Туг	Lys	Cys	Gln	Cys	Glu	
	365		•			370					375			•		380	•
40	gaa	ggc	ttc	cag	ctg	gac	ccc	cac	acg	aag	gcc	t gc	aag	gc t	gtg	ggc	1201
	Glu	Gly	Phe	Gln	Leu	Asp	Pro	His	Thr	Lys	Ala	Cys	Lys	Ala	Yal	Gly	
45	٠				385					390					395		
	tcc	atc	gcc	tac	clc	ttc	ttc	acc	aac	cgg	cac	gag	gtc	agg	aag	atg	1249
	Ser	He	Ala	Tyr	Leu	Phe _.	Phe	Thr	Asn	Arg	His	Glu	Val	Arg	Lys	Met	
50				400					405					410	•		
	acg	ctg	gac	cgg	agc	gag	tac	acc	agc	cic	atc	ССС	aac	ctg	agg	aac	1297
55	Thr	Leu	Asp	Arg	Ser	Glu	Туг	Thr	Ser	Leu	Ile	Pro	Asn	Leu	Arg	Asn	

			415					420					425				
5	gtg	gtc	gct	ctg	gac	acg	gag	gtg	gcc	agc	aat	aga	atc	tac	tgg	tct	1345
	Yal	Val	Ala	Leu	Asp	Thr	Glu	Val	Ala	Ser	Asp	Arg	lle	Туг	Trp	Ser	
		430					435					440	•				
	gac	ctg	tcc	cag	aga	atg	atc	tgc	agc	ącc	cag	ctt	gac	aga	gcc	cac	1393
	Asp	Leu	Ser	Gln	Arg	Me t	He	Cys	Ser	Thr	Gln	Leu	Asp	Arg	Ala	His	
15	445					450					455					460	
	ggc	gtc	tct	tcc	tat	gac	acc	gtc	atc	agc	agg	gac	atc	cag	gcc	ccc	1441
?0	Gly	Val	Ser	Ser	Туг	Asp	Thr	Val	He	Ser	Arg	Asp	lle	Gln	Ala	Pro	
					465					470					475		
	gac	ggg	ctg	gc t	gtg	gac	tgg	atc	cac	agc	aac _.	atc	tac.	tgg	acc	gac	1489
	Asp	Gly	Leu	Ala	Val	Asp	Trp	He	His	Ser	Asn	lle	Tyr	Trp	Thr	Asp	
				480					485					490			
30				ggc													1537
	Şer			Gly	Thr	Val	Ser		Ala	Asp	Thr	Lys		Val	Lys	Arg	
			495					500					505				
35				ttc													1585
	Lys		ren	rne	ALE	UIU	515	GIÀ	ser	LyS	PIO	520	МIЙ	116	Yaı	491	
10	gat	510	ai t	an t	aar	He		tar	taa	201	asc		002	act	000	acc.	1633
	•		_	His													1000
45	525	110	141	1113	0,,	530		•••	11.6	••••	535		0.,	****		540	
		atc	aag	aaa	ggg		ctg	aat	ggt	gig		atc	tac	tcg	ctg		1681
	Lys																
50	-,-				545					550					555		
	act	gaa	aac			tgg	ccc	aat	ggc		acc	cta	gat	clc		agt	1729
55	Thr	_											•			_	

				560					565				•	570			
5	ggc	cgc	ctc	lac	tgg	gtt	gac	tcc	aaa	ctt	cac	tcc	atc	tca	agc	atc	1777
	Gly	Arg	Leu	Tyr	Trp	Val	Asp	Ser	Lys	Leu	His	Ser	lle	Ser	Ser	He	
10			575					580		•		•	585				
	gat	gtc	aat	ggg	ggc	aac	cgg	aag	acc	atc	ttg	gag	gat	gaa	aag	agg	1825
	Asp	Val	Asn	Gly	Gly	Asn	Arg	Lys	Thr	Ile	Leu	Glu	Asp	Glu	Lys	Arg	
15		590					595			•	•	600					
	ctg	gcc	cac	ccc	ttc	tcc	ttg	gcc	gtc	ttt	gag	gac	aaa	gta	ttt	tgg	1873
20	Leu	Ala	His	Pro	Phe	Ser	Leu	Ala	Val	Phe	Glu	Asp	Lys	Val	Phe	Trp	
	605					610					615			•		620	
25	aca	gat	atc -	atc	aac	gaa	gcc	att	ttc	agt	gcc	aac	cgc	ctc	aca	ggt	1921
	Thr	Asp	Ile	He	Asn	Glu	Ala	He	Phe	Ser	Ala	Asn	Arg	Leu	Thr	Gly	
					625					630					635		
30				aac					•								1969
	Ser	Asp	Val	Asn	Leu	Leu	Ala	Glu		Leu	Leu	Ser	Pro		Asp	Met	
35				640					645					650			
				cac													2017
40	Val	Leu		His	ASD	Leu	inr		PFO	Arg	GIY	vai		irp	Cys	6111	•
-			655			1		660			4.4	-1-	665	-1-	201		0065
				ctg													2065
45	Arg		1111	Leu	361	พรแ	675	GIY	Cy5	0111	1 9 1	680	Cys	Leu	110	nia	
	225	670	210			020		000	220	111	200		acc	tac	cca	as c	2113
50				aac Asn													2110
		GIII	116	MSII			261	rio	Γλż	THE		UyS	ліа	Uy3	LIU		
66	685		_ 1	_ 1 =		690		. i -	• • •		695	. 4 -		85 -	7 - 1	700	9161
55	ggc ·	atg	cig	ctg	gcc	agg	gac	aig	agg	agc	igc	CIC	aca	gag	gCl	gag	2161

	Gly	Met	Leu	Leu	Ala	Arg	Asp	Met	Arg	Ser	Cys	Leu	Thr	Glu	Ala	Glu	
5					705					710					715	•	
	gc t	gca	gtg	gcc	acc	cag	gag	aca	tcc	acc	gtc	agg	cta	aag	gtc	agc	2209
	Ala	Ala	Val	Ala	Thr	Gln	Glu	Thr	Ser	Thr	Val	Arg	Leu	Lys	Val	Ser	
10				720	•				725					730			
	tcc	aca	gcc	gta	agg	aca	cag	cac	aca	acc	acc	cgg	cct	gtt	ccc	gac	2257
15	Ser	Thr	Ala	Val	Arg	Thr	Gln	His	Thr	Thr	Thr	Arg	Pro	Va]	Pro	Asp	
			735					740					7.45				
20	acc	tcc	cgg	ctg	cct	ggg	gcc	acc	cct	ggg	ctc	acc	acg	gtg	gag	ata	2305
•	Thr	Ser	Arg	Leu	Pro	Gly	Ala	Thr	Pro	Gly	Leu	Thr	Thr	Val	Glu.	Île	
		750					755					760					
25	gtg	aca	alg	tct	cac	caa	gct	ctg	ggc	gac	gtt	gct	ggc	aga	gga	aat	2353
	Val.	Thr	Me t	Ser	His	Gln	Ala	Leu	Gly	Asp	Val	Ala	Gly	Arg	Gly	Asn	
30	765					770					775			٠		780	٠.
	gag	aag	aag	ccc	agt	agc	gtg	agg	gct	ctg	tcc	att	gtc	ctc	ccc	atc	2401
	Glu	Lys	Lys	Pro	Ser	Ser	Val	Arg	Ala	Leu	Ser	He	Val	Leu	Pro	Ile	
35					785					790					795		
	gtg	ctc	ctc	gtc	ttc	ctt	tgc	ctg	ggg	gtc	ttc	ctt	cta	t gg	aag	aac	2449
40	Val	Leu	Leu	Val	Phe	Leu	Cys	Leu	Gly	Val	Phe	Leu	Leu	Тгр	Ļys	Asn	
				800					805					810			
45				aag													2497
•	Trp	Arg	Leu	Lys	Asn	He	Asn		He	Asn	Phe	Asp		Pro	Val	Tyr	
			815		٠			820					825				
50	cag	aag	acc	aca	gag	gat	gag	gtc	cac	att	tgc	cac	aac	cag	gac	ggc .	2545
	G] n	Lys	Thr	Thr	Glu	Asp	Glu	Val	His	Ile	Cys	His	Asn	Gln	Asp	Gly	
55		830					835					840					
	tac	agc _.	tac	ccc	tcg	aga	cag	atg	gtc	agt	ctg	gag	gat	gac	gtg	ačá	2593

	Tyr Ser Ty	r Pro Ser A	rg Gln Met V	'al Ser Leu	Glu Asp Asp	Yal Ala	
5	845	8!	50	855	•	. 860	
	tgaacatctg	cctggagtcc	cgccctgcc	cagaaccctt	cctgagacct	cgccggcctt	2653
	gttttattca	aagacagaga	agaccaaagc	attgcctgcc	agagcttigț	tttatatatt	2713
10	tattcatctg	ggaggcagaa	caggcttcgg	acagtgccca	tgcaatggct	tgggttggga	2773
	ttttggtttc	ttcctttcct	gtgaaggata	agagaaacag	gcccggggcg	accaggatga	2833
15	cacctccatt	tctctccagg	aagtitigag	tttctctcca	ccgtgacaca	atcctcaaac	2893
	atggaagatg	aaagggcagg	ggatgicagg	cccagagaag	caagtggclt	tcaacacaca	2953
20	acagcagatg	gcaccaacgg	gacccctgg	ccctgcctca	tccaccaatc	tctaagccaa	3013
	acccctaaac	tcaggagtca	acgtgtttac	ctcttctatg	caagccttgc	tagacagcca	3073
	ggttagcctt	tgccctgtca	ccccgaatc	atgacccacc	cagtgtcttt	cgaggtgggt	3133
25	tigtaccilc	cttaagccag	gaaagggatt	catggcgtcg	gaaatgatct	ggctgaatcc	3193
	gtggtggcac	cgagaccaaa	ctcattcacc	aaatgatgcc	acttcccaga	ggcagagcct	3253
30	gagtcaccgg	tcacccttaa	tatttattaa	gtgcctgaga	cacccggtta	ccttggccgt	3313
	gaggacacgt	ggcctgcacc	caggtgtggc	tgtcaggaca	ccagcctggt	gcccatcctc	3373
35	ccgaccccta	cccacttcca	ttcccgtggt	ctccttgcac	tttctcagtt	cagagtigta	3433
	cactgigiac	atttggcatt	tgtgttalta	ttttgcactg	ttttctgtcg	tgtgtgttgg	3493
	gatgggatcc	caggccaggg	aaagcccgtg	tcaatgaatg	ccggggacag	agaggggcag	3553
40	gttgaccggg	acticaaagc	cgtgatcgtg	aatatcgaga	actgccattg	tegtetttat	3613
	glccgcccac	ctagtgctic	cacttctatg	caaatgcctc	caagccattc	acttccccaa	3673
45	tcttgtcgtt	gatgggtalg	igittaaaac	atgcacggig	aggccgggcg	caglggcctc	3733
			•		gatcatgagg		
	gagaccatcc	tggctaacaa	ggtgaaaccc	cglctctact	aaaaatacaa	aaaatlagcc	3853
50	gggcgcggtg	gtgggcacct	gtagtcccag	ctactcggga	ggctgaggca	ggagaatggt	3913
i	gtgaacccgg	gaagcggagc	ttgcagtgag	ccgagaltgc	gccactgcag	tccgcagtct	3973
55	ggcctgggcg	acagagcgag	actccgtctc	aaaaaaaca	aaacaaaaa	aaaccatgca	4033

tggtgcatca gcagcccatg gcctctggcc aggcatggcg aggctgaggt gggaggatgg 4093 titigagetea ggeatitgag getgtegtga getatgatta tgccaetget ttccageetg 4153 ggcaacatag taagacccca totottaaaa aatgaatttg gccagacaca ggtgcctcac 4213 gootgiaato coagoaciti gggaggoiga goiggaicao iigagiicag gagiiggaga 4273 10 ccaggcetga gcaacaaage gagateecat etetacaaaa accaaaaagt taaaaaateag 4333 cigggtaigg tggcacgigc cigigalccc agctactigg gaggcigagg caggaggatc 4393 15 gcctgagccc aggaggtgga ggttgcagtg agccatgate gagccactge actccagcet 4453 gggcaacaca tgaagaccci atticagaaa tacaactata aaaaaaataa ataaatcctc 4513 cagtetggat egittgaegg gaetteaggt tettletgaa ategeegtgt taetgitgea 4573 20 ctgatgtccg gagagacagt gacagcctcc gtcagactcc cgcgtgaaga tgtcacaagg 4633 gatiggcaat tgiccccagg gacaaaacac igigiccccc ccagigcagg gaaccgigat 4693 25 aagcottict ggittoggag cacgiaaatg ogtocotgia cagatagigg ggattititg 4753 ttatgtttgc actitgtata ttggttgaaa ctgttatcac ttatatatat atatacacac 4813 atatatataa aatotattia ittiigoaaa oociggiigo igtattigii cagigactai 4873 30 tclcggggcc cigigiaggg ggttattgcc tctgaaatgc ctcttcttta tgtacaaaga 4933 ttattigcac gaaciggact gigtgcaacg cttttiggga gaatgaigtc cccgttgtat 4993 35 gtatgagtgg ctictgggag atgggtgtca ctttttaaac cactgtatag aaggittitg 5053 tagoctgaat gicitacigi gatcaattaa atticitaaa ig 5095 <210> 22 <211> 860 <212> PRT 45 <213> Homo sapiens <400> 22 50 Met Gly Pro Trp Gly Trp Lys Leu Arg Trp Thr Val Ala Leu Leu Leu 10 1 . 5 15

Ala Ala Ala Gly Thr Ala Val Gly Asp Arg Cys Glu Arg Asn Glu Phe

55

				20					25					30		
5	Gln	Cys	Gln	Asp	Gly	Lys	Cys	Ile	Ser	Tyr-	Lys	Trp	Val	Cys	Asp	Gly
J			35		•			40					45			
	Ser	Ala	Glu	Cys	Gln	Asp	Gly	Ser	Asp	Glu	Ser	Gln	Glu	Thr	Cys	Leu
10		50		•			55				•	60				
	Ser	Val	Thr	Cys	Lys	Ser	Gly	Asp	Phe	Ser	Cys	Gly	Gly	Arg	Val	Asn
15	65					70					75					80
	Arg	Cys	He	Pro	Gln	Phe	îrp	Arg	Çys	Asp	Gly	Gln	Val	Asp	Cys	Asp
20	•				85					90					95	
	Asn	Gly	Ser	Asp	Glu	Gln	Gly	Cys	Pro	Pro	Lys	Thr	Cys	Ser	Gln	Asp
	•			100					105					110		
25	Glu	Phe	Arg	Cys	His	`Asp	Gly	Lys	Cys	He	Ser	Arg	Gln	Phe	Val	Cys
			115					120					125			
30	Asp	Ser	Asp	Arg	Asp	Cys	Leu	Asp	Gly	Ser	Asp	Glu	Ala	Ser	Cys	Pro
		130					135			٠		140				
	Val	Leu	Thr	Cys	Gly	Pro	Ala	Ser	Phe	Gln	Cys	Asn	Ser	Ser	Thr	Cys
35	145					150					155					160
	Ile	Pro	Gln	Leu	Trp	Ala	Cys	Asp	Asn	Asp	Pro	Asp	Cys	Glu	Asp	Gly
40					165		•			170					175	
	Ser	Asp	Glu	Trp	Pro	Gin	Arg	Cys	Arg	Gly	Leu	Tyr	Val	Phe	Gln	Glý
4-				180					185	•				190		•
45	Asp	Ser	Ser	Pro	Cys	Ser	SIA		Glu	Phe	His	Cys	Leu	Ser	Gly	Glu
			195					200					205			
50	Cys	He	His	Ser	Ser	Trp	Arg	Cys	Asp	Gly	Gly	Pro	Asp	Cys	Lys	Asp
		210		•			215					220				
55	Lys	Ser	Asp	Glu	Glu	Asn	Cys	Ala	Val	Ala	Thr	Cys	Arg	Pro	Asp	Glu
J.J	225					230					235	•				240

	Phe	Gln	Cys	Ser	Asp	Gly	Asn	Cys	Lle	His	Gly	Ser	Arg	Gln	Cys	Asp
5					245					250					255	
	Arg	Glu	Tyr	Asp	Cys	Lys	Asp	Met	Ser	Asp	Glu	Val	Gly	Cys	Ya i	Asn
				260					265					270		
10	Va]	Thr	Leu	Cys	Glu	Gly	Pro	Asn	Lys	Phe	Lys	Cys	His	Şer	Gly	Glu
			275					280					285			
15	Cys	Ile	Thr	Leu	Asp	Lys	Val	Cys	Asn	Met	Ala	Arg	Asp	Cys	Arg	Asp
,		290					295					300				
20	Trp	Ser	Asp	Glu	Pro	He	Lys	Glu	Cys	Gly	Thr	Asn	Glu	Cys	Leu	Asp
	305					310					315					320
	Asn	.Asn	Gly	Gly	Cys	Ser	His	Val	Cys	Asn	Asp	Leu	Lys	He	Gly	Tyr
25			-		325					330					335	
	Glu	Cys	Leu	Cys	Pro	Asp	Gly	Phe	Gln	Leu	Val	Ala	Gln	Arg	Arg	Cys
30				340	•				345					350		
	Glu	Asp	lle	Asp	Glu	Cys	Gln	Asp	Pro	Asp	Thr	Cys	Ser	Gln	Leu	Cys
35			355					360					365			
33	Va I	Asn	Leu	Glu	Gly	Gly	Tyr	Lys	Cys	Gln	Cys	Glu	Glu	Gly	Phe	Gln
		370					375					380				
40	Leu	Asp	Pro	His	Thr	Lys	Ala	Cys	Lys	Ala	Val	Gly	Ser	Ile	Ala	Tyr
	385					390					395					400
45	Leu	Phe	Phe	Thr	Asn	Arg	His	Glu	Vai	Arg	Lys	Met	Thr	Leu	Asp	Arg.
					405					410					415	
	Ser	Glu	Tyr	Thr	Ser	Leu	He	Pro	Asn	Leu	Arg	Asn	Val	Val	Ala	Leu
50				420					425					430		
	Asp	Thr	Glu	Val	Ala	Ser	Asn	Arg	lle	Tyr	Trp	Ser	Asp	Leu	Ser	Gln
55			435					440					445			

	Arg	Me t	He	Cys	Ser	Thr	Gln	Leu	Asp	Arg	Ala	His	Gly	Val	Ser	Ser
5		450					455					460				
•	Tyr	Asp	Thr	Val	lle	Ser	Arg	Asp	He	Gln	Ala	Pro	Asp	Gly	Leu	Ala
	465					470					475			•		480
o	Val	Asp	Trp	He	His	Ser	Asn	Ile	Tyr	Trp	Thr	Asp	Ser	Val	Leu	Gly
				•	485					490					495	
5	Thr	Va l	Ser	Val	Ala	Asp	Thr	Lys	G] y	Val	Lys	Arg	Lys	Thr	Leu	Phe
				500					505		•			510		
20	Arg	Glu	Asn	Gly	Ser	Lys	Pro	Arg	Ala	He	Val	Val	Asp	Pro	Val	His
			515					520					525			
	Gly	Phe	Me t	Tyr	Trp	Thr	Asp	Trp	Gly	Thr	Рго	Ala	Lys	Ile	Lys	Lys
25		530	~				535					540				
	Gly	Gly	Leu	Asn	Gly	Val	Asp	Ile	Tyr	Ser	Leu	Val	Thr	Glu	Asn-	He.
30	545					550		•			555		•			560
	Gln	Trp	Pro	Asn	Gly	lle	Thr	Leu	Asp	Leu	Leu	Ser	Gly	Arg	Leu	Туг
					565					570					575	
35	Trp	Val	Asp		Lys	Leu	His	Ser		Ser	Ser	He	Asp		Asn	Gly
				580					585			•	_	590		_
40	Gly	Asn		Lys	Thr	He	Leu		Asp	Glu	Lys	Arg		Ala	His	Pro
		_	595			. .		600		** 1	ъ.		605	4 -	• •	
45	Phe	Ser	Leu	Ala	Val	Phe		ASP	Lys	Yaı	rne		101	ASP	116	116
		610		71.	DL.	C	615	A	4	100	ጥኤ	620		Ann	Va l	4
		Glu	Ala	lie	rne		AIZ	ASII	AIG	Leu	635	GIY	261	W2h	vai	
· ·	625		4.1	C1	4	630	1	C	D-4	Cl.		No.	Val	Lou	Dha	640
	ren	Leu	BIA	UIU		ren	reu	ser	LIO		wah	MCf	441	TCI		nis
55					645		٥,	37 1		650		C1-	A	T L -	655	1.
	Asn	Leu	Thr	Gln	rro	Arg	GJY	val	ASD	irp	Lys	GIU	Arg	ınr	inr	ren

			660					665					670		
Ser	Asn	Gly	Gly	Cys	Gln	Tyr	Ļeu	Cys	Leu	Pro	Ala.	Pro	Gln	lle	Asn
		675					680		•			685	•		
Pro	His	Ser	Pro	Lys	Phe	Thr	Cys	Ala	Cys	Pro	Asp	Gly	Me t	Leu	Leu
	690.					695					700				
Ala	Arg	Asp	Me t	Arg	Ser	Cys	Leu	Thr	Glu	Ala	Glu	Ala	Ala	Val	Ala
705					710					715					720
Thr	Gln	Glu	Thr	Ser	Thr	Va l	Arg	Leu	Lys	Va l	Ser	Ser	Thr	Ala	Val
				725					730					735	
Arg	Thr	Gln	His	Thr	Thr	Thr	Arg	Pro	Yal	Pro	Asp	Thr	Ser	Arg	Leu
			740					745					750		
Pro	Gly	Ala	Thr	Pro	Gly	Leu	Thr	Thr	Val	G) u	Ile	Val	Thr	Mėt	Ser
		755					760					765			
His	Gln	Ala	Leu	Gly	Asp	Val	Ala	Gly	Arg	Gly	Asn	Glu	Lys	Lys	Pro
	770					775									
Ser	Ser	Val	Arg	Ala	Leu	Ser	He	Vai	Leu	Pro	lle	Val	Leu	Leu	Val
785					790					795					800
Phe	Leu	Cys	Leu	Gly	Val	Phe	Leu	Leu			Asn	Trp	Arg		
				805										•	
Asn	He	Asn	Ser	lle	Asn	Phe	Asp			Val	Туг	Gln		Thr	Thr
							•							_	
Glu	Asp	Glu	Val	His	·Ile	Cys			Gln	Asp	Gly			Tyr	PIO
		835													
Ser	Arg	Gln	Met	Val	Ser			Asp	Asp	Val					
	850					855					860)			
<21	0> 2	3													
	Pro Ala 705 Thr Arg Pro His Ser 785 Phe Glu Ser	Pro His 690 Ala Arg 705 Thr Gln Arg Thr Pro Gly His Gln 770 Ser Ser 785 Phe Leu Asn Ile Glu Asp Ser Arg 850	## 675 Pro His Ser 690 Ala Arg Asp 705 Thr Gln Glu Arg Thr Gln Pro Gly Ala 755 His Gln Ala 770 Ser Ser Val 785 Phe Leu Cys Asn Ile Asn Glu Asp Glu 835 Ser Arg Gln	Ser Asn Gly Gly Pro His Ser Pro 690	Ser Asn Gly Gly Cys 675	Ser Asn Gly Gly Cys Gln 675	Ser Asn Gly Gly Cys Gln Tyr 675 675	Ser Asn Gly Gly Cys Gln Tyr Leu 675	Ser Asn Gly Gly Cys Gln Tyr Leu Cys Pro His Ser Pro Lys Phe Thr Cys Ala 690 695 695 Ala Arg Asp Met Arg Ser Cys Leu Thr 705 710 710 710 710 710 710 710 710 710 745 7	Ser Asn Gly Gly Cys Gln Tyr Leu Cys Leu 675 680 Pro His Ser Pro Lys Phe Thr Cys Ala Cys 690 695 695 695 695 695 695 Ala Arg Asp Met Arg Ser Cys Leu Thr Glu 705 710 710 710 730 730 730 730 730 745 730 745 7	Ser Asn Gly Gly Cys Gln Tyr Leu Cys Leu Pro 675 680 Pro His Ser Pro Lys Phe Thr Cys Ala Cys Pro 690 695 695 710 715 715 716 715 716 715 717 715 715 715 715 715 715 715 715 715 715 716 715 716 715 715 715 715 715 715 716 715 716 717 715 715 716 716 717 715 715 715 715 715 715 715 715 715 715 715 715 715 715 715 715 715 715 715 716 717 715 717 715 717 715 717 715 717 715 717 717 717 717 717 717 717 717 717 717 7	Ser Asn Gly Gly Cys Gln Tyr Leu Cys Leu Pro Ala 675 680 680 700 Pro His Ser Pro Lys Phe Thr Cys Ala Cys Pro Asp Asp Asp 695 700 700 715 710 715 716 716 716 716 716 7	Ser Asn Gly Gly Cys Gln Tyr Leu Cys Leu Pro Ala Pro 675 680 685 Pro His Ser Pro Lys Phe Thr Cys Ala Cys Pro Asp Gly 690 695 700 Ala Arg Asp Met Arg Ser Cys Leu Thr Glu Ala Glu Ala 710 715 Thr Gln Glu Thr Ser Thr Val Arg Leu Lys Val Ser Ser 725 730 Arg Thr Gln His Thr Thr Thr Arg Pro Val Pro Asp Thr 740 745 Pro Gly Ala Thr Pro Gly Leu Thr Thr Val Glu Ile Val 760 765 His Gln Ala Leu Gly Asp Val Ala Gly Arg Gly Asn Glu 770 775 Ser Ser Val Arg Ala Leu Ser Ile Val Leu Pro Ile Val 780 Ser Ser Val Arg Ala Leu Ser Ile Val Leu Trp Lys Asn Trp 805 810 Asn Ile Asn Ser Ile Asn Phe Asp Asp Pro Val Tyr Gln 820 825 Glu Asp Glu Val His Ile Cys His Asn Gln Asp Gly Tyr 835 840 845 Ser Arg Gln Met Val Ser Leu Glu Asp Asp Val Ala 860	Ser Asn Gly Gly Cys Gln Tyr Leu Cys Leu Pro Ala Pro Gln 680 685 Pro His Ser Pro Lys Phe Thr Cys Ala Cys Pro Asp Gly Met 690 695 700 Ala Arg Asp Met Arg Ser Cys Leu Thr Glu Ala Glu Ala Ala 705 710 715 Thr Gln Glu Thr Ser Thr Val Arg Leu Lys Val Ser Ser Thr 725 730 Arg Thr Gln His Thr Thr Thr Thr Arg Pro Val Pro Asp Thr Ser 740 745 750 Pro Gly Ala Thr Pro Gly Leu Thr Thr Val Glu Ile Val Thr 755 760 765 His Gln Ala Leu Gly Asp Val Arg Gly Arg Gly Arg Glu Lys 770 775 780 Ser Ser Val Arg Ala Leu Ser Ile Val Leu Pro Ile Val Leu 770 775 780 Ser Ser Val Arg Ala Leu Ser Ile Asn Phe Leu Leu Tro Lys Asn Tro Arg 805 810 Asn Ile Asn Ser Ile Asn Phe Asp Asn Pro Val Tyr Gln Lys 820 825 830 Glu Asp Glu Val His Ile Cys His Asn Gln Asp Gly Tyr Ser 835 840 845 Ser Arg Gln Met Val Ser Leu Glu Asp Asp Val Ala 850 840 845	Ser Asn Gly Gly Cys Gln Tyr Leu Cys Leu Pro Ala Pro Gln Ile 675 680 685 Pro His Ser Pro Lys Phe Thr Cys Ala Cys Pro Asp Gly Met Leu 690 695 700 Ala Arg Asp Met Arg Ser Cys Leu Thr Glu Ala Glu Ala Ala Val 705 710 715 Thr Gln Glu Thr Ser Thr Val Arg Leu Lys Val Ser Ser Thr Ala 725 730 735 Arg Thr Gln His Thr Thr Thr Arg Pro Val Pro Asp Thr Ser Arg 740 745 750 Pro Gly Ala Thr Pro Gly Leu Thr Thr Val Glu Ile Val Thr Met 755 760 765 His Gln Ala Leu Gly Asp Val Ala Gly Arg Gly Asn Glu Lys Lys 770 775 780 Ser Ser Val Arg Ala Leu Ser Ile Val Leu Pro Ile Val Leu Leu 780 80 Ser Ser Val Arg Ala Leu Ser Ile Val Leu Pro Ile Val Leu Leu 805 810 815 Asn Ile Asn Ser Ile Asn Phe Asp Asn Pro Val Tyr Gln Lys Thr 820 825 830 Glu Asp Glu Val His Ile Cys His Asn Gln Asp Gly Tyr Ser Tyr 835 840 845 Ser Arg Gln Met Val Ser Leu Glu Asp Asp Val Ala 860

	<21	1> 1	660														
5	<21	2> D	NA					•			:.						
	<21	3> H	omo :	sapi	ens												
10	<22	0>															
	<22	1> CI	DS							•							•
	<22	2> (50)	(52	9)												
15	<40	0> 2:	3														
	gcg	ctct	cct	cgcai	ggca	ga aa	actco	gcts	gago	agaa	ectt	gcc	gccag	ga a	lg ci	tc ctc	58
20														Me	et Le	eu Leu	
															1	•	
· 25	ctg	ttg	ctg	agt	atc	atc	gtc	ctc	cac	glc	gcg	gtg	clg	gtg	ctg	ctg	106
	Leu	Leu	Leu	Ser	lle	He	Val	Leu	His	Val	Ala	Val	Leu	Val	Leu	Leu	
		5					10					15					
30	ttc	gtc	tcc	acg	atc	gtc	agc	caa	tgg	atc	gtg	ggc	aa t	gga	cac	gca	154
	Phe	Val	Ser	Thr	lle	Val	Ser	Gln	Trp	Ile	Val	Gly	Asn	Gly	His	Ala	
35	20					25		•			30					35	
			ctc														202
40	Thr	Asp	Leu	Trp		Asn	Cys	Ser	Thr		Ser	Ser	Gly	Asn		His	
					40					.45					50		
		_	ttc							_							250
45	His	Cys	Phe		Ser	Ser	Pro	Asn		Trp	Leu	Gln	Ser		Gln	Ala	
				55					60					65			
50		•	atc														298
	Thr	Met	He	Leu	Ser	lle	lle		Ser	He	Leu	Ser	Leu	Phe	Leu	Phe	
			70					. 75					80				
55	ťtc	tgc	caa	ctc	ttc	acc	ctc	acc	aag	ggg	ggc	agg	ttt	tac	atc	act	346

	Phe Cys G	in Leu Phe	Thr Leu In	r Lys Gly Gly	Arg Phe Ty	r lle Thr	•
5	. 85		90		95		
	gga atc t	tc caa att	ctt gct gg	t ctg tgc gtg	atg agt gc	t gcg gcc	394
	Gly Ile P	he Gln Ile	Leu Ala Gl	y Leu Cys Yal	Met Ser Al	a Ala Ala	
10	100		105	. 110		115	
	atc tac a	cg gtg agg	cac ccg ga	g tgg cat ctc	acc lcg ga	t tac tcc	442
15	Ile Tyr T	hr Val Arg	His Pro Gl	1 Trp His Leu	Thr Ser As	p Tyr Ser	
		120		125		130	
20	tac ggt t	tc gcc tac	atc ctg gc	tgg gtg gcc	ttc ccc ct	g gcc ctt	490
	Tyr Gly Pl	he Ala Tyr	lle Leu Ala	Trp Val Ala	Phe Pro Le	u Ala Leu	
		135		140	14	5	
25	ctc agc g	gt gtc atc	tat gtg ato	ttg cgg aaa	cgc gaa tg	aggegeee	539
•	Leu Ser G	ly Val Ile	Tyr Val Ile	Leu Arg Lys	Arg Glu		
30 .	15	50	15!	i	160		
	agacggtctg	g totgagget	c (gagcgtad	a tagggaaggg	aggaagggaa	aacagaaagc	599
	agacaaagaa	a aaaagagct	a gcccaaaai	c ccaaactcaa	accaaaccaa	acagaaagca	659
35	gtggaggtgg	gggttgctg	t igatigaas	a igialalaat	alctccggtt	tataaaacct	719
				t agtatigiti			
40	gcctcgtgtt	gagoottaa	a gaaglagci	a aggaacttta	catcctaaca	gtataatcca	839
				g ittgittigt			
45				a agaagatacc			
				c asatgiccaa			
				g cccgaaccic			
50				c gaaaaacgcg			
				c atctaaalga			
55				c ilattaicac	•		
	tggaaatcca	attaacaat	t llataacat	a agatagaatg	gagaccigaa	taattctgtg	1319

	taatalaaat ggtttataac igciittgia colagolagg olgolattat taclataatg 1379	
5	agtabateat abageetteg teacteceae agtitietta eggleggage aleacaacaa 1439	
	gcgtctagac tccttgggac cgtgagttcc tagagcttgg ctgggtctag gctgttctgt 1499	
	gcctccaagg actgtctggc aatgactigt attggccacc aactgtagat gtatatatgg 1559	
10	tgcccttctg atgctaagac tccagacctt tigtttttgc tttgcatttt ctgatttata 1619	
	ccaactgigt ggactaagat gcattaaaat aaacatcaga g 1660	
15	·	
	<210> 24	
-	<211> 160	
20	<212> PRT	
•	<213> Homo sapiens	
25	<400> 24_	
	Met Leu Leu Leu Leu Ser Ile Ile Val Leu His Val Ala Val Leu	
	1 5 10 15	
30	Val Leu Leu Phe Val Ser Thr lie Val Ser Gln Trp Ile Val Gly Asn	
	20 25 30	
35	Gly His Ala Thr Asp Leu Trp Gln Asn Cys Ser Thr Ser Ser Gly	
•	35 40 45	
	Asn Val His His Cys Phe Ser Ser Ser Pro Asn Glu Trp Leu Gln Ser	
40 .	50 55 60	
	Val Gln Ala Thr Met Ile Leu Ser Ile Ile Phe Ser lle Leu Ser Leu	
45	65 70 · 75 80	
	Phe Leu Phe Phe Cys Gln Leu Phe Thr Leu Thr Lys Gly Gly Arg Phe	
50	85 90 95	
	Tyr lle Thr Gly lle Phe Gln lle Leu Ala Gly Leu Cys Val Met Ser	
	100 105 110	
55	Ala Ala Ala Ile Tyr Thr Val Arg His Pro Glu Trp His Leu Thr Ser	
	are are are the transfer and the transfer are the transfe	

	115	120	125
5	Asp Tyr Ser Tyr Gly P	he Ala Tyr lle Leu Ala T	rp Val Ala Phe Pro
	130	135	
10	Leu Ala Ļeu Leu Ser G	ly Val lie Tyr Val Ile Le	eu Arg Lys Arg Glu
,	145 1	50 . 155	160
	2010 \ 05		
15	<210> 25		
	<211> 3116		
20	<212> DNA		
20	<213> Homo sapiens		
	<220>		
25	<221> CDS		
	<222> (36) (2717)		
20	<400> 25		
30	ggagoccago aacttotgag	gaaagtiigg caccc aig gcg	tgg cgg tgc ccc 53
		Met Ala	Trp Arg Cys Pro
35		1	5
	agg atg ggc agg gtc co	cg ctg gcc tgg tgc ttg gc	g ctg tgc ggc tgg 101
40	Arg Met Gly Arg Val Pr	ro Leu Ala Trp Cys Leu Al	a Leu Cys Gly Trp
40	10	. 15	20
	gcg tgc atg gcc ccc ag	gg ggc acg cag gci gaa ga	a agt ccc ttc gtg 149
45	Ala Cys Met Ala Pro Ar	rg Gly Thr Gln Ala Glu Gl	u Ser Pro Phe Val
	. 25	30	35
50	ggc aac cca ggg aat at	c aca ggt gcc cgg gga ct	c acg ggc acc cit 197
	Gly Asn Pro Gly Asn II	e Thr Gly Ala Arg Gly Le	u Thr Gly Thr Leu
	40	45 5	0
55	cgg igi cag cic cag gi	t cag gga gag ccc ccc ga	g gla cal igg cti 245

	Arg	Cys	Gln	Leu	Gln	Val	Gln	Gly	Glu	Pro	Pro	Glu	Va I	His	Trp.	Leu	
5	55					60				•	65					70	•
,	cgg	gat	gga	cag	atc	clg	gag	ctc	gcg	gac	agc	acc	cag	acc	cag	gtg	293
	Arg	Asp	Gly	Gln	He	Leu	Glu	Leu	Ala	Asp	Ser	Thr	Gln	Thr	Gln	Val	
10					75					80				•	85		•
	ccc	ctg	ggt	gag	gat	gaa	cag	gal	gac	tgg	ata	gtg	gtc	agc	cag	ctc	341
15	Pro	Leu	Gly	Glu	Asp	Glu	Gln	Asp	Asp	Trp	Ile	Val	V,a 1	Ser	Gln	Leu	
				90					95					100			
20	aga	atc	acc	tcc	ctg	cag	ctt	tcc	gac	acg.	gga	cag	tac	cag	tgt	ttg	389
20	Arg	I1e	Thr	Ser	Leu	Gln	Leu	Ser	Asp	Thr	Gly	Gln	Tyr	Gln	Cys	Leu	
			105					110					115				
25	gtg	ttt	ctg	gga	cat	cag	acc	ttc	gtg	tcc	cag	cct	ggc	tat	gtt	ggg	437
	Val	Phe	Leu	Gly	His	Gln	Thr	Phe	Val	Ser	Gln	Pro	Gly	Tyr	Val	Gly	•
30		120					125				•	130					
	ctg	gag	ggc	ttg	cct	tac	ttc	ctg	gag	gag	ccc	gaa	gac	agg	act	gtg	485
35	Leu	Glu	Gly	Leu	Pro	Tyr	Phe	Leu	Glu	Glu	Pro	Glu	Asp	Arg	Thr	Val	
	135					140					145					150	
	, gcc	gcc	aac	acc	ccc	ttc	aac	ctg	agc	tgc	caa	gct	cag	gga	ccc	cca	533 -
40	Ala	Ala	Asn	Thr	Pro	Phe	Asn	Leu	Ser	Cys	Gln	Ala	Gln	Gly	Pro	Pro	
	·				155					160					165		
45	gag	ccc	gtg	gac	cta	ctc	t gg	ctc	cag	gat	gc t	gtc	ccc	ctg	gcc	acg	581
	. Gl u	Pro	Val	Asp	Leu	Leu	Trp	Leu	Gln	Asp	Ala	Val	Pro	Leu	Ala	Thr	
50·				170					175					180	٠		
	gct	cca	ggt	cac	ggc	ccc	cag	cgc	agc	ctg	ca t	gtt	cca	ggg	ctg	aac	629
	Ala	Pro	Gly	His	Gly	Pro	Gln	Arg	Ser	Leu	His	Val	Pro	Gly	Leu	Asn	
55			185					190			•		195				

	aa	gac	a tco	tct	ttc	tcc	tgc	gaa	gcc	cat	aac	gcc	aag	ggg	gtc	acc	677
5	Lys	s Th	r Sei	Ser	Phe	Ser	Cys	Glu	Ala	His	Asn	Ala	Lys	Glý	Val	Thr	
•		201)				205				•	210		•			•
	aca	a tc	cgc	aca	gcc	acc	atc	aca	gtg	ctc	ccc	cag	cag	ссс	cgt	aac	725
10	Thi	Sei	Arg	Thr	Ala	Thr	lle	Thr	Val	Leu	Pro	Gln	Gln	Pro	Arg	Asn	•
	215	i				220					225					230	
15	cto	cac	ctg	gtc	tcc	cgc	caa	ссс	acg	gag	ctg	gag	gţg	gc t	tgg	act	773
	Leu	His	Leu	Val	Ser	Arg	Gln	Pro	Thr	Glu	Leu	Glu	Ya i	Ala	Trp	Thr	
					235					240					245		
20	cca	ggc	ctg	agc	ggc	atc	tac	ccc	ctg	acc	cac	t gc	acc	ctg	cag	gct	821
	Pro	Gly	Leu	Ser	Gly	He	Tyr	Pro	Leu	Thr	His	Cys	Thr	Leu	Gln	Ala	
25			~	250					255					260			
	gtg	ctg	tca	gac	gat	ggg	atg	ggc	atc	cag	gcg	gga	gaa	cca	gac	ccc	869
30	Val	Leu	Ser	Asp	Asp	Gly	Met	Gly	He	Gln	Ala	Gly	Glu	Pro	Asp	Pro	
			265					270				•	275				
	cca	gag	gag	ccc	ctc	acc	tcg	caa	gca	tcc	gtg	ccc	CCC	cat	cag	ctt	917
35	Pro		Glu	Pro	Leu	Thr		Gln	Ala	Ser	Vai	Pro	Pro	His	Gln	Leu	
٠		280					285					290					
40					ctc.												965
		Leu	Gly	Ser	Leu		Pro _.	His	Pro	Pro		His	He	Arg	Va]		
45	295					300					305					310	
					cag												1013
	Cys	inr	261		Gln	GIY	Pro	261	261		ınr	nis	irp	Leu		Val	,
50					315	-4-				320				:	325		
					gga												1061
55	GIU	inr	110		Gly	Val	r10	ren		r10	rro	UIU	ASN		ser	Ala	
				330					335					340			

	acg cgg aat ggg agc cag gcc ttc gtg cat tgg caa gag ccc cgg gcg 1109
5	Thr Arg Asn Gly Ser Gln Ala Phe Val His Trp Gln Glu Pro Arg Ala
·	345 350 355
•	ccc ctg cag ggt acc ctg tta ggg tac cgg ctg gcg tat caa ggc cag 1157
10	Pro Leu Gln Gly Thr Leu Leu Gly Tyr Arg Leu Ala Tyr Gln Gly Gln
	360 365 370
15	gac acc cca gag gtg cta atg gac ata ggg cta agg caa gag gtg acc 1205
	Asp Thr Pro Glu Val Leu Met Asp Ile Gly Leu Arg Gln Glu Val Thr
20	375 380 385 390
	ctg gag ctg cag ggg gac ggg tct gtg tcc aat ctg aca gtg tgt gtg 1253
25	Leu Glu Leu Gln Gly Asp Gly Ser Val Ser Asn Leu Thr Val Cys Val
20	395 400 405
	gca gcc tac act gct gcg gat gga ccc tgg agc ctc cca gta ccc 1301
30	Ala Ala Tyr Thr Ala Ala Gly Asp Gly Pro Trp Ser Leu Pro Val Pro 410 415 420
	ctg gag gcc tgg cgc cca ggg gaa gca cag cca gtc cac cag ctg gtg 1349
35	Leu Glu Ala Trp Arg Pro Gly Glu Ala Gln Pro Val His Gln Leu Val
	425 430 435
40	aag gaa cct tca act cct gcc ttc tcg tgg ccc tgg tgg tat gta ctg 1397
	Lys Glu Pro Ser Thr Pro Ala Phe Ser Trp Pro Trp Trp Tyr Val Leu
45	440 445 450
	cta gga gca gtc gtg gcc gct gcc igt gtc ctc atc iig gct ctc itc 1445
	Leu Gly Ala Val Val Ala Ala Cys Val Leu Ile Leu Ala Leu Phe
50	455 460 465 470
	ctt gtc cac cgg cga aag aag gag acc cgt tat gga gaa gtg ttt gaa 1493
55	Leu Val His Arg Arg Lys Lys Glu Thr Arg Tyr Gly Glu Val Phe Glu

					475					480				•	485		
5	cca	aca	gtg	gaa	aga	ggt	gaa	ctg	gta	gtc	agg	tac	cgc	gtg	cgc	aag	1541
	Pro	·Thr	Val	Glu	Arg	Gly	Glu	Leu	Val	Val	Arg	Tyr	Arg	Val	Arg	Lys	
				490					495					500	•	•	
10	tcc	tac	agt	cgt	cgg	acc	act	gaa	gc.t	acc	ttg	áac	agc	ctg	ggc	atc	1589
	Ser	Tyr	Ser	Arg	Arg	Thr	Thr	Glu	Ala	Thr	Leu	Asn	Ser	Leu	Gly	lle	
15			505					510			•		515			•	
	agt	gaa	gag	ctg	aag	gag	aag	ctg	cgg	gat	gtg	atg	gtg	gac	cgg	cac	1637
20	Ser	Glu	G1 u	Leu	Lys	Glu	Lys	Leu	Arg	Asp	Val	Met	Val	Asp	Arg	His	
20		520					525					530					
	aag	gtg	gcc	ctg	ggg	aag	act	ctg	gga	gag	gga	gag	ttt	gga	gct	gtg	1685
25	Lys	Val	Αla	Leu	Gly	Lys	Thr	Leu	Gly	Glu	Gly	Glu	Phe	Gly	Ala	Val	
	535					540					545					550	
30	atg	gaa	ggc	cag	ctc	aac	cag	gac	gac	tcc	atc	ctc	aag	gtg	gct	gig	1733
	Met	Glu	Gly	Gln	Leu	Asn	Gln	Asp	Asp	Ser	He	Leu	Lys	Val	Aļa	Val	
	٠				555		•			560					565		
35	aag	acġ	atg	aag	att	gcc	atc	tgc	acg	agg	tca	gag	ctg	gag	gat	ttc	1781
	Lys	Thr	Met	Lys	Ile	Ala	He	Cys	Thr	Arg	Ser	Glu	Leu	Glu	Asp	Phe	
40	•			570					575					580	•		•
	ctg	agt	gaa	gcg	gtc	t gc	atg	aag	gaa	tit	gac	cat	CCC	aac	gitc	alg	1829
45	Leų	Ser	Glu	Ala	Val	Cys	Met	Lys	Glu	Phe	Asp	His	Pro	Asn	Val	Met	
			585				.•	590					595				
	agg	ctc	atc	ggt	gtc	tgt	tlc	cag	ggt	tct	gaa	cga	gag	agc	ttc	cca	1877
50	Arg	Leu	lle	Gly	Val	Cys	Phe	Gin	Gly	Ser	Glu	Arg	Glu	Ser	Phe	Pro	
		600				•	605					610					
55	gca	cct	gtg	gtc	atc	tta	cct	ttc	atg	aaa	cat	gga	gac	cta	cac	agc	1925
	Ala	Pro	Va l	Val	He	Leu	Pro	Phe	Met	Lys	His	Gly	Asp	Leu	His	Ser	

	615	•				620					625					630	
5	ttc	ctc	ctc	tat	tcc	cgg	ctc	ggg	ggc	cag	cca	gtg	tac	ctg	cċc	act	1973
	Phe	Leu	Leu	Tyr	Ser	Arg	Leu	Gly	Gly	Gln	Pro	Val	Tyr	Leu	Pro	Thr	
		.•			635					640					645		
10	cag	atg	cta	gtg	aag	ttc	atg	gça	gac	atc	gcc	agt	ggc	atg	gag	tat	2021
	Gln	Met	Leu	Val	Lys	Phe	Met	Ala	Asp	Ile	Ala	Ser	Gly	Met	Glu	Туг	
15				650				. (655					660			
	ctg	agt	acc	aag	aga	ttc	ata	cac	cgg	gac	ctg	gcg	gcc	agg	aac	tgc	2069
20	Leu	Ser	Thr	Lys	Arg	Phe	Ile	His	Arg	Asp	Leu	Ala	Ala	Arg	Asn	Cys	
			665					670					675				
45	atg	ctg	aa t	gag	aac	atg	tcc	gtg	tgt	gtg	gcg	gac	ttc	ggg	ctc	tcc	2117
25	Met	Leu	Asn	Glu	Asn	Met	Ser	Val	Cys	Val	Ala		Phe	Gly	Leu	Ser	
		680			٠		685					690					
30		aag								·							2165
		Lys	He	Tyr	Asn		Asp	Tyr	Tyr	Arg		Gly	Arg	He	Ala		٠.
35	695			•		700		- 4 4		•	705	~~!	~~~		a t a	710	2212
		cca							•								2213
40	Met	Pro	vai	LYS	715	116	Ala	116	GIU	720	reu	N I a	vsh		725	1 9 1	٠
40		200	220	200		ato	100	tcc	ttc		gtg	aca	atg			att	2261
	acc	Ser	lve									•		•			
45	1111	261	LJS	730	пор	,,,,			735	0.,		• • • •		740			
	gr.c	aca	202		caa	acc	cca	tat		ggc	gtg	gag	aac			att	2309
50																lle	
	1110	4411	745					750		. •		_	755			•	
55	t a f	gac		ctg	cgc	cag	gga			clg	aag	cag			gac	tgt	2357
		900		0	-0.5				•	_					-	-	

	Tyr	Asp	Туг	Leu	Arg	Gln	Gly	Asn	Arg	Leu	Lys	Gln	Pro	Ala	Asp	Cys	
5		760					765		٠			770			•		
	ctg	gat	gga	clg	tat	gcc	itg	alg	.tcg	cgg	1gc	tgg	gag	cta	aat	ccc	2405
	Leu	Asp	Gly	Leu	Tyr	Ala	Lev	Met	Ser	Arg	Cys	Trp	Glu	Leu	Asn	Pro	
10	775					780					785				•	.790	
	cag	gac	cgg	cca	agt	ttt	aca	gag	ctg	cgg	gaa	gat	tig	gag	aac	aca	2453
15	Gln	Asp	Arg	Pro	Ser	Phe	Thr	Glu	Leu	Arg	Glu	Asp	Leu	Glu	Asn	Thr	
					795					800					805		
20	ctg	aag	gcc	ttg	cct	cct	gcc	cag	gag	cct	gac	gaa	atc	ctc	tat	gtc	2501
	Leu	Lys	AÌa	Leu	Pro	Pro	Ala	Gln	Glu.	Pro	Asp	Glu	He	Leu	Tyr	Va 1	
				810					815					820			
25	aac	atg.	gat	gag	ggt	gga	ggt	tat	cct	gaa	ccc	cct	gga	gct	gca	gga	2549
	Asn	Met		Glu	Gly	Gly	Gly		Pro	Głu	Pro	Pro		Ala	Ala	Gly	
30			825					830					835				
					cca												2597
35	Gly		ASP	110	Pro	Thr		Pro	Asp	Pro	Lys		Ser	Cys	Ser	Cys	
	oto	840	aca	ac t	gag.	ate	845	cot	no t	777	0.00	850	ato	oto	1.00		0645
					gag Glu-												2645
40	855					860				••,	865	**;		200	0,0	870	
		aca	acc	cct	agc		gct	cag	cct	gct		agg	ggc	tcc	cca		2693
45					Ser							·					
					875					880		•		-	885		
50	gcc	cca	ggg	cag	gag	gat	ggt	gcc	tgag	acaa	icc c	tcca	cctg	g ta	ctcc	ctct	2747
	Ala	Pro	Gly	Gln	Glu	Asp	Gly	Ala									
				890													
55	cagg	atcc	aa g	claa	gcac	t go	cact	gggg	gaa	acto	cac	cttc	ccac	tt t	CCCa	cccca	2807

cgccttatcc ccactigcag ccctgtctic ctacctatcc cacciccatc ccagacaggt 2867 ccciggccit cicigigcag tagcatcacc tigaaaagcag tagcatcacc atcigiaaaa 2927 ggaaggggtt ggattgcaat atctgaagcc ctcccaggig ttaacattcc aagactctag 2987 agiccaaggi tiaaagagic tagaticaaa ggiictaggi ticaaagaig cigigagic: 3047 10 tiggiictaa ggaccigaaa ticcaaagic ictaaticta tiaaagigci aaggiictaa 3107 ggcctaaaa 3116 (210) 26 <211> 894 20 <212> PRT <213 Homo sapiens <400> 26 25 Met Ala Trp Arg Cys Pro Arg Met Gly Arg Val Pro Leu Ala Trp Cys 1 10 30 Leu Ala Leu Cys Gly Trp Ala Cys Met Ala Pro Arg Gly Thr Gin Ala 20 25 30 Glu Glu Ser Pro Phe Val Gly Asn Pro Gly Asn Ile Thr Gly Ala Arg 35 35 40 45 Gly Leu Thr Gly Thr Leu Arg Cys Gin Leu Gin Val Gin Gly Glu Pro 40 50 55 60 Pro Glu Val His Trp Leu Arg Asp Gly Gln Ile Leu Glu Leu Ala Asp 45 65 70 · 75 80 Ser Thr Gin Thr Gin Val Pro Leu Gly Glu Asp Glu Gin Asp Asp Trp 85 90 lle Val Val Ser Gln Leu Arg lle Thr Ser Leu Gln Leu Ser Asp Thr 100 105 110 Gly Gln Tyr Gln Cys Leu Val Phe Leu Gly His Gln Thr Phe Val Ser

			115					120					125			
5	Gln	Pro	Gly	Tyr	Val	Gly	Leu	Glu	Gly	Leu	Pro	Tyr	Phe	Leu	Glu	Glu
		130	•			•	135					140				
	Pro	Glu	Asp	Arg	Thr	Val	Ala	Ala	As'n	Thr	Pro	Phe	Asn	Leu	Ser	Cys
10 :	145					150					155					160
	Gln	Ala	Gln	Gly	Pro	Pro	Glu	Pro	Val	Asp	Leu	Leu	Trp	Leu-	Gln	Asp
15			•		165					170					175	
	Ala	Va 1	Pro	Leu	Ala	Thr	Ala	Pro	Gly	His	Gly	Pro	Gln	Arg	Ser	Leu
20 ′				180					185		•			190		
	His	Val	Рго	Gly	Leu	Asn	Lys	Thr	Ser	Ser	Phe	.Ser	Cys,	Glu	Ala	His
			195					200					205			
25	Asn	Ala	Lys	Gly	Val	Thr	Thr	Ser	Arg	Thr	Ala	Thr	Ile	Thr	Val	Leu
		210					215					220				
30	Pro	Gln	Gln	Pro	Arg	Asn	Leu	His	Leu	Val	Ser	Arg	Gln	Pro	Thr	Glu
	225					230					235					240.
35	Leu	Glu	Val	Ala	Trp	Thr	Pro	Gly	Leu	Ser	Gly	He	Tyr	Pro	Leu	Thr
					245					250					255	
	His	Cys	Thr		Gln	Ala	Val	Leu		Asp	Asp	Gly	Met		He	Gln
40				260					265			•		270		
	Ala	Gly		Pro	Asp	P10	Pro		Glu	Pro	Leu	Thr		G)n	Ala	Ser
45			275			٠.		280					285			
	Val	Pro	Pro	His	Gln	Leu		Leu	Gly	Ser	Leu		Pro	His	Pro	Pro
50		290					295					300				
	Туг	His	Ile	Arg	Val	Ala	Cys	Thr	Ser	Ser	Gln	Gly	Pro	Ser	Ser	Trp
	305					310					315					320
55	Thr	His	Trp	Leu	Pro	Val	Glu	Thr	Pro	Glu	Gly	Val	Pro	Leu	Gly	Pro

					325					330					335	
5	Pro	Glu	Asn	lle	Ser	Ala	Thr	Arg	Asn	Gly	Ser	Gln	Ala	Phe	Val	His
				340					345					350	•	
	Trp	Gln	Glu	Pro	Arg	Ala	Pro	Leu	Gln	Gly	Thr	Leu	Leu	Gly	Туг	Arg
10			355					360					365			
	Leu	Ala	Tyr	Gln	Gly	Gin	Asp	Thr	Pro	Glu	Val	Leu	Me t	Asp	He	Gly
15		370					375			•		380				
	Leu	Arg	Gln	Glu	Val	Thr	Leu	Glu	Leu	Gln	Gly	Asp	Gly	Ser	Val	Ser
	385					390					395					400
20		Leu	Thr	Val	Cvs		Ala	Ala	Tvr	Thr		Ala	Glv	Asp	Glv	
		200	••••	;-•	405				-,-	410				,	415	
25	Tro	Ser	Leu	Pro		Pro	Leu	Glu	Ala		Arg	Pro	Glv	Glu	•	Gln
			200	420					425					430		
	Pro	Val	His		Len	Val	Lve	Gln		Set	Thr	Pro	Ala		Ser	Trn
. · · · · · · · · · · · · · · · · · · ·	110	•••	435		Det		<i>D</i> , 5	440		501	****		445			
	Pro	Trn	Trp		Val	Î en	l en		Δla	Val	Val	Ala		412	ſνς	Val
35	110	450	117	191	101	nca	455	017	nia	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		460	A, a	A I U	013	701
	Lau		Lou	410	T au	Dho		Val	ніс	Δεα		-	Lve	Clu	The	Ara
		116	Leu	nia	Leu	470	Leu	Vai	1112	ліб	475	Lys	Lys	010	1111	480
40	465 T	C1	C1	W = 1	Dh.		D=0	The	Va I	Cl.		Clu	C1	Lau	V-1	
	1) [GIY	Glu	Vai		GIU	rio	1111	441		NIR	OIY.	Ulu	rea		Val
45				• •	485	1	C	T	C	490	4	Th -	TL_	C1	495	TL _
	Arg	iyr	Arg		Arg	LYS	261	lyr		ALR	RIE	187	101		A!a	101
				500					505					510		
50	Leu	AŚn	Ser	Leu	Gly	He	Ser		Glu	Leu	Lys	Glu		Leu	Arg	Asp
			515					520					525			
E E	Val	Met	Val	Asp	Arg	His	Lys	Val	Ala	Leu	Gly	Lys	Thr	Leu	Gly	Glu
55		530					535					540				

	Gly	Glu	Phe	Gly	Ala	Va l	Me t	Glu	Gly	Gln	Leu	Asn	Gln	Asp	Asp	Ser
5	545					550					555					560
	lle	Leu	Lys	Val	Ala	Val	Lys	Thr	Met	Lys	He	Ala	Ile	Cys	Thr	Arg
					565					570				•	575	
10	Ser	Glu	Leu	Glu	Asp	Phe	Leu	Ser	Glu	Ala	Val	Cys	Met	Lys	Glu	Phe
				580					585					590		
15	Asp	His	Pro	Asn	Val	Met	Arg	Leu	lle	Gly	Val	Cys	Phe	Gln	Gly	Ser
			595					600					605			
20 .	Glu	Arg	Glu	Ser	Phe	Pro	Ala	Pro	Val	Val	He	Leu	Pro	Phe	Met	Lys
		610					615					620				
25	His	Gly	Asp	Leu	His	Ser	Phe	Leu	Leu	Tyr	Ser	Arg	Leu	Gly	Gly	Gln
	625	,	-			630					635					640
	Pro	Val	Tyr	Leu	Pro	Thr	Gln	Met	Leu	Val	Lys	Phe	Met	Ala	Asp	lle
30					CAC					454						
					645			•		650					655	
	Ala	Ser	Gly	Me t		Tyr	Ļeu	Ser	Thr	Lys	Arg	Phe	Ile	His		Asp .
35	Ala	Ser	Gly	Me t 660		Tyr	Ļeu	Ser	Thr 665		Arg	Phe	Ile	His 670		Asp .
*				660	Glu				665					670	Arg	•
35				660	Glu				665	Lys				670	Arg	•
*	Leu	Ala	Ala 675	660 Arg	Glu Asn	Cys	Net	Leu 680	665 Asn	Lys	Asn	Met Gly	Ser 685	670 Val	Arg Cys	Va I
35	Leu	Ala	Ala 675	660 Arg	Glu Asn	Cys	Net	Leu 680	665 Asn	Lys Glu	Asn	Me t	Ser 685	670 Val	Arg Cys	Va I
35	Leu Ala	Ala Asp _. 690	Ala 675 Phe	660 Arg Gly	Glu Asn Leu	Cys Ser Lys	Met Lys 695	Leu 680 Lys	665 Asn	Lys Glu	Asn Asn	Met Gly 700	Ser 685 Asp	670 Val	Arg Cys Tyr	Val Arg Ser
<i>35</i>	Leu Ala Gln 705	Ala Asp 690 Gly	Ala 675 Phe	660 Arg Gly	Glu Asn Leu	Cys Ser Lys 710	Met Lys 695 Met	Leu 680 Lys Pro	665 Asn Ile Val	Lys Glu Tyr Lys	Asn Asn Trp 715	Met Gly 700 lle	Ser 685 Asp	670 Val Tyr	Arg Cys Tyr Glu	Val Arg Ser 720
<i>35</i>	Leu Ala Gln 705	Ala Asp 690 Gly	Ala 675 Phe	660 Arg Gly	Glu Asn Leu Ala	Cys Ser Lys 710	Met Lys 695 Met	Leu 680 Lys Pro	665 Asn Ile Val	Lys Glu Tyr Lys Ser	Asn Asn Trp 715	Met Gly 700 lle	Ser 685 Asp	670 Val Tyr	Arg Cys Tyr Glu	Val Arg Ser 720
<i>35 40</i>	Leu Ala Gln 705	Ala Asp 690 Gly	Ala 675 Phe	660 Arg Gly	Glu Asn Leu	Cys Ser Lys 710	Met Lys 695 Met	Leu 680 Lys Pro	665 Asn Ile Val	Lys Glu Tyr Lys	Asn Asn Trp 715	Met Gly 700 lle	Ser 685 Asp	670 Val Tyr	Arg Cys Tyr Glu	Val Arg Ser 720
<i>35 40</i>	Leu Ala Gin 705 Leu	Ala Asp _. 690 Gly	Ala 675 Phe Arg	660 Arg Gly Ile	Glu Asn Leu Ala Yal 725	Cys Ser Lys 710 Tyr	Met Lys 695 Met . Thr	Leu 680 Lys Pro	665 Asn Ile Val	Lys Glu Tyr Lys Ser	Asn Asn Trp 715 Asp	Gly 700 lle	Ser 685 Asp Ala	670 Val Tyr Ile Ser	Arg Cys Tyr Glu Phe 735	Val Arg Ser 720 Gly

	Yal	Glu	Asn	Ser	Glu	He	Tyr	Asp	Tyr	Leu	Arg	Gln	Gly	Asn	Arg	Leu
5			755					760					765			
	Lys	Gln	Pro	Ala	Asp	Cys	Leu	Asp	Gly	Leu	Tyr	Ala	Leu	Met	Ser	Arg
		770	•		,		775					780				
10	Cys	Trp	Glu	Leu	Asn	Pro	Gln	Asp	Arg	Pro	Ser	Phe	Thr	Glu	Leu	Arg
	785	•				790	•				795					800
15	Glu	Asp	Leu	Glu	Asn	Thr	Leu	Lys	Ala	Leu	Pro	Pro	Ala	Gln	Glu	Pro
					805					810					815	
20	Asp	Glu	Ile	Leu	Tyr	Val	Asn	Met	Asp	Glu	Gly	Gly	Gly	Tyr	Pro	G1u
				820					825					830		
	Pro	Pro	Gly	Ala	Ala	Gly	Gly	Ala	Asp	Pro	Pro	Thr	Gln	Pro	Asp	Pro
25			-835					840					845			
	Lys	Asp	Ser	Cys	Ser	Cys	Leu	Thr	Ala	Ala	Glu	Val	His	Pro	Ala	Gly
30		850					855			•	•	860				
	Arg	Tyr	Val	Leu ·	Cys	Pro	Ser	Thr	Thr	Pro	Ser	Pro	Ala	Gln	Pro	Ala
35	865					870					875					880
33	Asp	Arg	Gly	Ser		Ala	Ala	Pro	Gly		Glu	Asp	Gly	Ala		
		•			885					890	•					
40	<210)> 27	7			•										
	<211	> 37	781													
45	<212	!> D1	NA													•
	<213	3> Ho	omo s	sapie	ens											
	<220)>					,					·				
	<221	> CI	S													
	<222	?> (4	4)	(2994	4)											
55	<400)> 21	7													

	gcc	atg	gag	aac	gcg	cac	acc	aag	acg	gtg	gag	gag	gtg	ctg	ggc	cac	48
		Me t	G} u	Asn	Ala	His	Thr	Lys	Thr	Yal	Glu	Glu	Val	Leu	Gly	His	
5		1				5					10					15	
	ttc	ggc	gtc	aac	gag	agt	acg	ggg	ctg	agc	ctg	gaa	cag	gtc	aag	aag	96
10	Phe	Gly	Val	Asn	Glu	Ser	Thr	Gly	Leu	Ser	Leu	Glu	Gln	Val	Lys	Lys	
					20					25					30		
. 15	ctt	aag	gag	aga	lgg	ggc	tcc	aac	gag.	tta	ccg	gct	gaa	gaa	gga	aaa	144
	Leu	Lys	Glu	Arg	Trp	Gly	Ser	Asn	Glu	Leu	Pro	Ala	Glu	Glu	Gly	Lys	
				35					40					45			
20	acc	ttg	ctg	gaa	ctt	gtg	att	gag	cag	ıtt	gaa	gac	ttg	cta	gtt	agg	192
	Thr	Leu	Leu	Glu	Leu	Val	He	Glu	Gln	Phe	Glu	Asp	Leu	Leu	Val	Arg	
25			- 50					55					60				
	att	tta	lta	ctg	gca	gca	tgt	ata	tct	ttt	gţţ	ttg	gc t	tgg	ttt	gaa	240
30	lle	Leu	Leu	Leu	Ala	Ala	Cys	Ile	Ser	Phe	Val	Leu	Ala	Trp	Phe	Glu	
		65					70		•			75					
	gaa	gg t	gaa	gaa	aca	att	aca	gcc	ttt	gta	gaa	cct	ttt	gta	att	tta	288
35		Gly	Glu	Glu	Thr		Thr	Ala	Phe	Val		Рго	Phe	Val	lle		
	80					85					90					95	
40				gta													336
	Leu	lle	Leu	Val		Asn	Ala	lle	Val		Val	Тгр	Gln	Glu		Asn	
					100					105					110		
45				gcc													384
	Ala	Glu	Asn		Ile	Glu	Ala	Leu		Glu	Tyr	Glu	Pro		Met	Gly	
50				115					120					125			
	aaa																432
55	Lys	Val		Arg	GIn	Asp	Arg		Ser	Val	Gln	Arg		Lys	Ala	Lys	
			130					135					140				

	gao	cata	gti	cci	gg	gal	att	gla	gaa	att	gct	gtt	ggt	gac	aaa	git	480
5	Asp	lle	. Val	Pro	Gly	/ Asp	Ile	Val	Glu	Ile	Ala	Val	Gly	Asp	Lys	r Val	
		145	i				150					155					
10	cct	gct	gat	ata	. agg	t t a	act	tcc	atc	aaa	tct	acc	aca	cta	aga	gtt.	528
	Pro	Ala	Asp	lle	Arg	Leu	Thr	Ser	Ile	Lys	Ser	Thr	Thr	Leu	Arg	Val	
	160	}				165					170					175	
	gac	cag	tca	att	ctc	aca	ggt	gaa	tct	gtc	tct	gtc	atc	aag	cac	act	576
	Asp	Gln	Ser	`lle	Leu	Thr	Gly	Glu	Ser	Val	Ser	Val	He	Lys	His	Thr	
20			•	•	180					185				•	190		
	gat	ccc	gtc	cc t	gac	cca	cga	gc t	gtc	aac	caa	gat	aaa	aag	aac	atg	624
25	Asp	Pro	Val	Pro	Asp	Pro	Arg	Ala	Val	Asn	Gln	Asp	Lys	Lys	Asn	Met	
.5				195		•			200					205			
	ctg	ttt	tct	ggt	aca	aac	att	gc t	gct	ggg	aaa	gct	atg	gga	gtg	gtg	672
30	Leu	Phe	Ser	Gly	Thr	Asn	He	Ala	Ala	Gly	Lys	Ala	Met	Gly	Val	Val	
			210					215					220				
35 _.		gca															720
	Val	Ala	Thr	Gly	Val	Asn		Glu	He	Gly	Lys		Ārg	Asp	Glu	Met	
40		225					230					235					
•0		gca															768
		Ala	inr	GIU	GIN		Arg	INT	Pro	Leu		GIN	Lys	Leu	Asp		
45	240	455		005		245			010	100	250			-11		255	010
		ggg		٠			•				•						816
50	rne	Gly		0111	260	361	LY3	141	116	265	Leu	116	CA2.	116		ASI	
	taa	212	212			~~~	000	110	a a i			~!!			270		004
ee		atc													•		864
55	HD	He	116	٧ŞII	116	OIA	u 1 2	rne	V2II	vzb	110	Yal	uis	υĮΫ	uly	96L	

				275					280					285			
5	tgg	atc	aga	ggt	gct	att	tac	tac	ttt	aaa	att	gca	gtg	gcc	ctg	gct	912
	Trp	Ile	Arg	Gly	Ala	Ile	Tyr	Tyr	Phe	Lys	He	Ala	Val	Ala	Leu	Ala	
			290					295					300				
10	gta	gca	gcc	att	cct	gaa	ggt	ctg	cc t	gca	gtc	atc	acc	acc	tgc	ctg	960
	Val	Ala	.Ala	He	Pro	Glu	Gly	Leu	Pro	Ala	Yal	Ile	Thr	Thr	Cys	Leu .	
15		305					310	٠				315					
	gct	ctt	gga	act	cgc	aga	atg	gca	aag	aaa	aat	gcc	att	gtt	cga	agc	1008
20	Ala	Leu	Gly	Thr	Arg	Arg	Met	Ala	Lys	Lys	Asn	Ala	He	Val	Arg	Ser	
	320					325					330					335	
	ctc	ccg	tct	gtg	gaa	acc	ctt	ggt	tgt	ac t	tct	gtt	atc	t gc	tca	gac	1056
25	Leu	Pro	_Se r	Val	Glu	Thr	Leu	Gly	Cys	Thr	Ser	Val	Ile	Cys	Ser	Asp	
					340					345		:			350		·
30	aag	act	ggt	aca	ctt	aca	aca	aac	cag	atg	tca	glc	tgc	agg	atg	ttc	1104
	Lys	Thr	Gly		Leu	Thr	Thr	Asn		Met	Ser	Val	Cys		Met	Phe	
				355				•	.360					365			
35			gac					•									1152
	11e	Leu	Asp	Arg	vai	GIU	GIY		IDT	Cys	Ser	Leu		Glu	Phe	Thr	
40		+	370				222	375		~	~~~	-1-	380		1		1200
			gga												•		1200
45	116	385	Uly	261	1111	1 9 1	390	110		Gly	010	395	1113	Lys	лзр	voh	
	222		gtg	aat	tgt	cac		tat	gat	ggt	ctg	•	gaa	tta	gca	aca	1248
			Val														
50	400	.,,			-,-	405				•••	410					415	
		tot	gct	cti	tgt		gac	lct	gct	tig		tac	aat	gag	gca		1296
55		_	Ala														
		<i>-,</i> ,										- , .		-:-			

		420)	425	430
5	ggt gtg	tat gaa aaa	a gtt gga gaa	a gct aca gag act	gct ctc act tgc 1344
	Gly Val	Tyr Glu Lys	s Val Gly Glu	u Ala Thr Glu Thr	Ala Leu Thr Cys
		435		440	445
10	cta gta	gag aag atg	g aat gta tti	t gat acc gaa tig	aag ggt ctt tct 1392
	Leu Val	Glu Lys Met	Asn Val Phe	e Asp Thr Glu Leu	Lys Gly Leu Ser
15		450	455	5	460
	aaa ata	gaa cgt gca	aat gcc tgc	c aac tca gtc att	aaa cag ctg atg 1440
20	Lys Ile	Glu Arg Ala	Asn Ala Cys	s Asn Ser Val Ile	Lys Gin Leu Met
	465		470	475	•
	aaa aag	gaa tic act	cta gag tt	t tca cgt gac aga	aag tca atg tcg 1488
25	Lys Lys	Glu Phe Thr	Leu Glu Pho	e Ser Arg Asp Arg	Lys Ser Met Ser
	480		485	490	495
30	gtt tac	tgt aca cca	aat aaa cca	a agc agg aca tca	atg agc aag atg 1536
	Val Tyr	Cys Thr Pro	Asn Lys Pro	o Ser Arg Thr Ser	Met Ser Lys Met
35		500	1	505	510
	ttt gtg	aag ggt gct	cct gaa gg	t gic att gac agg	tgc acc cac att 1584
	Phe Val	Lys Gly Ala	Pro Glu Gly	y Val lle Asp Arg	Cys Thr His Ile
40		515		520	525
	cga gtt	gga agt act	aag git co	t alg acc tct gga	gtc aaa cag aag 1632
45	Arg Val	Gly Ser Thr	Lys Val Pro	o Met Thr Ser Gly	Val Lys Gln Lys
		530	53	5	540 .
	atc atg	tct gtc att	cga gag tg	g ggt agt ggc agc	gac aca ctg cga 1680
50	lle Met	Ser Val Ile	Arg Glu Tr	p Gly Ser Gly Ser	Asp Thr Leu Arg
	545		550	. 555	
55	tgc ctg	gcc cig gcc	act cat ga	c aac cca ctg aga	aga gaa gaa atg 1728

	Cys	Leu	Ala	Leu	Ala	Thr	His	Asp	Asn	Pro	Leu	Arg	Arg	Glu	Glu	Met		
5	560					565		•			570					575		
	cac	ctt	gag	gac	tçt	ġcc	aac	ttt	att	aaa	tat	gag	acc	aat	ctg	acc	1776	
10	His	Leu	Glu	Asp	Ser	Ala	Asn	Phe	lle	Lys	Tyr	Glu	Thr	Asn	Leu	Thr		
70					580	•				585	•				590		,	
	ttc	gtt	ggc	tgc	ġtg	ggc	atg	ctg	gat	cct	ccg	aga	atc.	gag	gig	gcc	1824	
15	Phe	Val	Gly	Cys	Val	Gly	Me t	Leu	Asp	Pro	Pro	Årg	He	Glu	Val	Ala	•	
				595					600					605				
20	tcc	tcc	gtg	aag	ctg	tgc	cgg	caa	gca	ggc	atc	cgg	gtc	atc	atg	atc	1872	
	Ser	Ser	Val	Lys	Leu	Cys	Arg	Gln	Ala	Gly	lle	Arg	Val	Ile	Met	Ile		
			610					615					620					
25				aac													1920	
	Thr		Asp	Asn	Lys	Gly		Ala	Va]	Ala	Ile		Arg	Arg	lle	Gly.		
30		625					630					635		•				
				cag													1968	
35	640	гце	GIY	Gln	ASP		ASP	vai	. Inr	261		АІа	rne	ınr	GLy			
		***	as t	(T 2 2	oto	645	000	too	gc0	000	650	700	~~~	•		655	2010	
	gag																2016	
40	0.0		пор		660	71311	110	001	nia	665	W1 6	лэр	V10		670	ASII		
	gcc	CRC	tet			cga	git	gaa	ccc		cac	สลฐ	tet	aaa		σta	2064	
45	Ala																2004	
				675					680			-,-		685	•••	•		
	gaa	ttt			tcl	ttt	gat			aca	gct	atg		•	gat	ggc.	2112	
50	Glu																21.15	
			690		-			695		:•			700	,	P	J.,		
55	gtg			gcl	cct	gct	cte		aaa	goo	gap			att	gct	atø.	2160	
	9.9						0	0		800	0.40		990	4.1	0 · i		P100	

	٧al	Asn	Asp	Ala	Pro	Ala	Leu	Lys	Lys	Ala	Glu	He	Gly	He	Ala	Met	
5		705					710					715					
	ggc	tct	ggc	act	gcg	gtg	gct	aaa	acc	gcc	tct	gag	atg	gtc	ctg	gcg	2208
40	Gly	Ser	Gly	Thr	Ala	Val	Ala	Lys	Thr	Ala	Ser	Glu	Met	Val	Leu	Ala	•
10	720					725					730					735	•
	gat	gac	aac	tlc	tcc	acc	att	gtg	gc t	gcc	gt t	gag	gag	ggg	cgg	gca	2256
15	Asp	Asp	Asn	Phe	Ser	Thr	lle	Val	Ala	Ala	Val	Glu	Glu	Gly	Arg	Ala	•
					740					745					750		
20	atc	tac	aac	aac	atg	aaa	cag	ttc	atc	cgc	tac	ctc	atc	tcg	tcc	aac	2304
	Île	Tyr	Asn	Asn	Met	Lys	Gln	Phe	lle	Arg	Tyr	Leu	He	Ser	Ser	Asn	
25				755					760					765			
25	gtc	ggg	gaa	gtt	gtc	tgt	att	ttc	ctg	aca	gca	gcc	ctt	gga	ttt	ccc	2352
	Val	Gly	Glu	Val	Val	Cys	He	Phe	Leu	Thr	Ala	Ala	Leu	Gly	Phe	Pro	
30			770	•				775					780				
	gag	gc t	ttg	att	cct	gtt	cag	ctg	ctc	tgg	gtc	aat	ctg	gtg	aca	gat	2400
35	Glu	Ala	Leu	lle	Pro	Val	Gln	Leu	Leu	Trp	Val	Asn	Leu	Val	Thr	Asp	•
		785					790					795					
	ggc	ctg	cct	gcċ	ac t	gca	ctg	ggg	tlc	aac	cct	cct	gat	ctg	gac	atc	2448 ·
40	Gly	Leu	Pro	Ala	Thr	Ala	Leu	Gly	Phe	Asn	Pro	Pro	Asp	Leu	Asp	lle	
	800	•				805					810					815	
45	alg	aat	aaa	cct	ccc	cgg	aac	cca	aag	gaa	cca	ttg	atc	agc	ggg	t gg	2496
	Met	Asn	Lys	Pro	Pro	Arg	Asn	Pro	Lys	Glu	Pro	Leu	He	Ser	Gly	Trp	
·50					820					825					830		
	ctc	ttt	ttc	cgt	tac	tlg	gct	att	ggc	tgt	t ac	glc	ggc	gct	gc t	acc	2544
	Leu	Phe	Phe	Arg	Tyr	Leu	Ala	Ile	Gly	Cys	Tyr	Val	Gly	Ala	Ala	Thr	
55				835					840					845			

	gtg	ggt	gc t	gc t	gca	tgg	tgg	ttc	att	gct	gct	gac	ggt	ggt	cca	aga	2592
5	Val	Gly	Ala	Ala	Ala	Trp	Trp	Phe	He	Ala	Ala	Asp	Gly	Gĺy	Pro	Arg	
			850					855					860			٠	•
10	gtg	tcc	ttc	tac	cag	ctg	agt	cat	ttc	cta	cag	tgt	aaa	gag	gac	aac	2640
70	Val	Ser	Phe	Туг	Gln	Leu	Ser	His	Phe	Leu	Gln	Cys	Lys	Glu	Asp	Asn	
		865					870					875					
15	ccg	gac	ttt	gaa	ggc	gtg	gat	tgt	gca	atc	ttt	gaa	tcc	cca	tac	ccg	2688
. •	Pro	Asp	Phe	Glu	Gly	Val	Asp	Cys	Ala	He	Phe	Glu	Ser	Pro	Туг	Pro	
20	880					885					890					895	
	atg	aca	atg	gcg	ctc	tct	git	cta	gta	act	ata	gaa	atg	tgt	aac	gcc	2736
	Met	Thr	Me t	Ala	Leu	Ser	Val	Leu	Val	Thr	He	Glu	Met	Cys	Asn	Ala	
25			-		900					905				•	910		
	ctc	aac	agc	ttg	tcc	gaa	aac	cag	tcc	ttg	ctg	agg	atg	cċc	ccc	t gg	2784
<i>30</i>	Leu	Asn	Ser	Leu	Ser	Glu	Asn	Gln	Ser	Leu	Leu	Arg.	Met	Pro	Pro	Ţŗp	
				915					920					925			•
95	gag																2832
35	Glu			Trp	Leu	Val	Gly		lle	Cys	Leu	Ser	•	Ser	Leu	His	
			930			•		935					940				•
40	ttc							•									2880
	Phe		11e	Leu	lyr	Yaj		PTO	Leu	Pro	Leu		Phe	GIn	ile	Thr	
45		945		_4_			950		- 4	-4-	-4-	955	- 4 -				0000
	ccg.														_		2928
	Pro	ren	ASN	raı			111	ren	мец	vai		LYS	116	261			
50	960	- 4 4				965		-4-			970					975.	0000
	glg																2976
55	Val	116	Leu			OIU	1111	ren	rà2		184	BIA	AIE	ASN			
					980					985					990		

gaa cct gca ata ctg gag taaccgcttc ctaaaccatt ttgcagaaat 3024
Glu Pro Ala Ile Leu Glu

995

5

10

15

20

25

30

35

40

45

50

55

gtaagggtgi teggitgegt geatgtgegt tittageaac acatetacea accetgigea 3084
tgacigatgi tggggaaaaa gaaaagtaaa aaaciteeea acteactitg tgitaigtgg 3144
aggaaatgig tattaceaat ggggitgita geittiaaat caaaatactg attacagatg 3204
tacaatitag citaateaga aageetetee agaagagtit ggittetitg etgeaagagg 3264
aatgaggete igtaacetta tetaagaact tggaageegt cageeaagte gecacatite 3324
tetgeaaaat gicatagett atataaatgi acagiattea attgiaatge atgetteggi 3384
tgtaagtage cagateeete teeagtgaca ttggaacatg etactitita attggeeetg 3444
tacagitige ttaittataa atteattaaa aacactacag gigitgaatg gitaaaatgi 3504
aggeeteeag ticattitea gitaititet gagtgigeag acagetatit egeactgiat 3564
taaatgtaac ttaittaatg aaateagaag eagtagaeag atgitggige aatacaaata 3624
titggaatgea titatettaa taaaatgeta aatgeeaatt taiteactgeg catgittgae 3684
titagaetgi aaatagagat eagtitgiti ettietigge tggtaacaat gagegtegea 3744
cagacatggt ticaggtaaa taaatetatt etatgat

<210> 28

<211> 997

<212> PRT

<213> Homo sapiens

<400> 28

Met Glu Asn Ala His Thr Lys Thr Val Glu Glu Val Leu Gly His Phe

1 5 10 15

Gly Val Asn Glu Ser Thr Gly Leu Ser Leu Glu Gln Val Lys Lys Leu

20 25 30

Lys Glu Arg Trp Gly Ser Asn Glu Leu Pro Ala Glu Glu Gly Lys Thr

			35					40					45			
5	Leu	Leu	Glu	Leu	Va)	Ile	Glu	"G] n	Phe	Glu	Asp	Leu	Leu	Val	Arg	lle
		50					55					60				
10	Leu	Leu	Leu	Ala	Ala	Cys	He	Ser	Phe	Val	Leu	Ala	Trp	Phe	Glu	Glu
	65			,		70					75					. 80
	Gly	Glu	Glи	Thr	Ile	Thr	Ala	Phe	Val	Glu	Ьtó	Phe	Val	lle	Leu	Leu
15					85					90					95	
	He	Leu	Val	Ala	Asn	Ala	He	Val	Gly	Val	Trp	Gln	Glu	Arg	Asn	Ala
20				100					105		•			110		
	Glu	Asn	Ala	lle	Glu	Ala	Leu	Lys	Glu	Tyr	Glu	Pro	Glu	Met	Gly	Lys
25			115					120					125			
	Val	Tyr	Arg	Gln	Asp	Arg	Lys	Şer	Val	Gln	Arg	lle	Lys	Ala	Lys	Asp
		130					135					140				
30	Ile	Va]	Pro	Gly	Asp	11e	Val	Glu	He	Ala	Val	Gly	Asp	Lys	Val	Pro
	145					150					155					160
35	Ala	Asp	Ile	Arg	Leu	Thr	Ser	Ile	Lys	Ser	Thr	Thr	Leu	Arg	Val	Asp
					165					170					175	
	Gln	Ser	Ile	Leu	Thr	Gly	Glu	Ser	Val	Ser	Val	He	Lys	His	Thr	Asp
40				180					185					190		
	Pro	Val	Pro	Asp	Pro	Arg	Ala	Val	Asn	Gln	Asp	Lys	Lys	Asn	Met	Leu
45			195					200					205			•
	Phe	Ser	Gly	Thr	Asn	Ile	Ala	Ala	Gly	Lys	Ala	Met	Gły	Val	Val	Val
50		210					215				•	220				
30	Ala	Thr	Gly	Val	Asn	Thr.	Glu	He	Gly	Lys	Ile	Arg	Asp	Glu	Met	Val
	225					230					235					240
55	Ala	Thr	Glu	Gln	Glu	Arg	Thr	Pro	Leu	Gln	Gln	Lys	Leu	Asp	Glu	Phe

					245					250			•		255	
5	Gly	/ Glu	Gln	Leu	Ser	Lys	Val	He	Ser	Leu	lle	Cys	He	Ala	Va l'	Trp
				260					265					270		
	He	Ile	Asn	· Ile	Gly	His	Phe	Asn	Asp	Pro	Val	His	Gly	Gly	Ser	Trp
10			275					280					285			
	Ile	Arg	Gly	Ala	Ile	Tyr	Туг	Phe	Lys	He	Ala	Yal	Ala	Leu	Ala	Yal
15		290					295					300				
	Ala	Ala	He	Pro	Glu	Gly	Leu	Pro	Ala	Yal	Ile	Thr	Thr	Cys	Leu	Ala
20	305					310					315					320
	Leu	Gly	Thr	Arg	Arg	Met	Ala	Lys	Lys	Asn	Ala	Ile	Val	Arg	Şer	Leu
					325					330					335	
25	Pro	Ser	¥al	Glu	Thr	Leu	Gly	Cys	Thr	Ser	Val	Ile	Cys	Ser	Asp	Lys
				340					345					350		
30	Thr	Gly	Thr	Leu	Thr	Thr	Asn	Gln	Met	Ser	Val	Cys	Arg	Met	Phe	He
			355					360					365			
35	Leu		Arg	Val	Glu	Gly		Thr	Cys	Ser	Leu		Glu	Phe	Thr	He
		370			_		375		•			380				
		Gly	Ser	Thr	Tyr			116	Gly	Glu		His	Lys	Asp	Asp	
40	385 Bas	V-1	4	C	11: -	390		4	C1	1	395	C1				400
	710	vaı	ASII	Cys	n15	GIII	ıyr	ASP	, (1)	410	ASI	610	ren	Ala		11e
45	Cue	A12	Lan	Cys		4 cn	Sar	دا۵	lan		Tur	Acn	Clu	A1.	415	Clv.
	033	ліа	Ten	420	voit	nsp	261	ліа	425	лор	1 9 1	, ven	010		LYS	
50	ادV	Tur	Clu	Lys	Val	Clv	Glo	Δla		Clu	The	412	Lau	430	C	Lau
30	101		435	nys	741	Uly	Olu	440	1111		1111	ліа	445	1111	CYS	. Leu
	V 2 1			No t	Acn	Val	Dha		Th-	Cl.	יים ז	Ive		I a	C:a =	t
55			L y S	Me t	u911	141		voh	1111	מוט			UIY	ren	261	ГÀ2
		450					455				•	460				

	Ile	Glu	Arg	Ala	Asn	Ala	Cys	Asn	Ser	Val	Ile	Lys	Gln	Leu	Met	Lys
5	465	i				470					475					480
	Lys	Glu	Phe	Thr	Leu	Glu	Phe	Ser	Arg	Asp	Arg	Lys	Ser	Met	Ser	Val
10					485					490	•				495	
	Tyr	Cys	Thr	Pro	Asn	Lys	Pro	Ser	Arg	Thr	Ser	Net	Ser	Lys	Net	Phe
	,			500					505					510		
15	Val	Lys	G1 y	Ala	Pro	Glu	Gly	Val	lle	Asp	Arg	Cys	Thr	His	Ile	Arg
			515					520					525			
20	Val	Gly	Ser	Thr	Lys	Yal	Pro	Met	Thr	Ser	Gly	Va l	Lys	Gln	Lys	lle
		530					535					540				
25		Ser	Val -	He	Arg		Trp	Gly	Ser	Gly		Asp	Thr	Leu	Arg	Cys
	545					550			,		555					560
	Leu	Ala	Leu	Ala		His	Asp	Asn	Pro		Arg	Arg	Glu	Glu	Met	His
30					565					570					575	
	Leu	Glu	Asp		Ala	Asn	Phe	Ile		Tyr	Glu	Thr	Asn		Thr	Phe
35		•		580					585					590		
•	Val	Gly	Cys	Val	Gly	Met	Leu		Pro	Pro	Arg	He		Val	Ala	Ser
40			595			•		600	•	٠			605			
40	Ser		Lys	Leu	Cys	Arg		Ala	Gly	Ile	Arg		lle	Met	He	Thr
		610					615					620				
45	Gly	Asp	Asn	Lys	Gly	Thr	Ala	Val	Ala	lle	Cys	Arg	Arg	Ile	Gly	He
	625		•			630				•	635					640
50	Phe	Gly	Gln	Asp	Glu	Asp	Va l	Thr	Ser	Lys	Ala	Phe	Thr	Gly	Arg	Glu
					645					650					655	
	Phe	Asp	GIu	Leu	Asn	Рго	Ser	Ala	Gln	Arg	Asp	Ala	Cys	Leu	Asn	slA
55				660					665					670		

	Arg	; Cys	Phe	Ala	Arg	Val	Glu	Pro	Ser	His	Lys	Ser	Lys	He	Yal	Glu
5			675					680					685			
•	Phe	Leu	Gln	Ser	Phe	Asp	Glu	He	Thr	Ala	Met	Thr	Gly	Asp	Gly	Val
		690		٠			695					700				
10	Asn	Asp	Ala	Pro	Ala	Leu	Lys	Lys	Ala	Glu	He	Gly	İle	Ala	Met	Gly
	705			•	•	710					715					720
15	Ser	Gly	Thr	Ala	Val	Ala	Lys	Thr	Ala	Ser	Glu	Met	Ýal	Leu	Ala	Asp
	٠				725					730		٠.			735	
	Asp	Asn	Phe	Ser	Thr	He	Va]	Ala	Ala	Yal	Glu	Glu	Gly	Arg	Ala	He
20				740					745					750		
	Tyr	Asn	Asn	Me t	Lyś	Gln	Phe	lle	Arg	Tyr	Leu	Ile	Ser	Ser	Asn	Val
25			755					760					765			•
	Gly	Głu	Va]	Vai	Cys	lle	Phe	Leu	Thr	Ala	Ala	Leu	Gly	Phe	Рго	Glu
30		770					775					780				
50	Ala	Leu	Ile	Pro	Val	Gln	Leu	Leu	Trp	Va I	Asn	Leu	Val	Thr	Asp	Gly
	785					790					795					800
35	Leu	Pro	Ala	Thr	Ala	Leu	Gly	Phe	Asn	Pro	Pro	Asp	Leu	Asp.	He	Met
		•		•	805					810					815	
40	Asn	Lys	Pro	Pro	Arg	Asn	Pro	Lys	Glu	Pro	Leu	He	Ser	Gly	Trp	Leu
				820					825					830		
	Phe	Phe	Arg	Tyr	Leu	Ala	Ile	Gly	Cys	Tyr	Val	Gly	Ala	Ala	Thr	Val
45			835					840					845			
	Gly	Ala	Ala	Ala	Trp	Trp	Phe	He	Ala	Ala	Asp	Gly	Gly	Pro	Arg	Val
50		850					855					860	•			
	Ser	Phe	Tyr	Gln	Leu	Ser	His	Phe	Leu	Gln	Cys	Lys	Glu	Asp	Asn	Pro
55	865		٠			870					875					880
	Asp	Phe	Glu	Gly	Val	Asp	Cyś	Ala	He	Phe	Glu	Ser	Pro	Tyr	Pro	Met

		885	890	895
5	Thr Met Ala I	.eu Ser Val Leu	Val Thr Ile Glu Met	Cys Asn Ala Leu
	9	000	905	910
	Asn Ser Leu S	Ser Glu Asn Gln	Ser Leu Leu Arg Met	Pro Pro Trp Glu
10	915		920	925
	Asn Ile Trp L	eu Val Gly Ser	Ile Cys Leu Ser Met	Ser Leu His Phe
15	930	935	940	
	Leu Ile Leu T	yr Val Glu Pro	Leu Pro Leu Ile Phe	Gln Ile Thr Pro
	945	950	955	960
20	Leu Asn Val T	hr Gln Trp Leu	Met Val Leu Lys Ile	Ser Leu Pro Val
		965	970	975
25	Ile Leu Met A	sp Glu Thr Leu	Lys Phe Val Ala Arg	Asn Tyr Leu Glu
	9	80	985	990 ·
30	Pro Ala Ile L	eu Glu		
	995			
				,
35	⟨210⟩ 29			
	⟨211⟩ 1103			
40	<212> DNA			
	<213> Homo say	piens		
45	<220>			
45	<221> CDS			
	<222> (133)	(834)		•
50	<400> 29			
	cttcggtcct gct	igtagigc citcig	scgcc aggcccggtt caate	cagogg coacaactgt 60
55 .	ctagggctca gad	caccacca gccaat	gagg gagggcacgt ggagg	ecgegt etgggetege 120
	ggctcctgac ca	atg ggg aag ig	g cat gtg gga ggg cgc	c cgg ggt tcc_ccc 171

Met Gly Lys	Trp His	Val Gly	Gly Arg	Arg Gly	Ser Pr	.0
-------------	---------	---------	---------	---------	--------	----

5					1				5 .]	10			
	cgc	caa	t gg	gga	gct	acg	gcg	cgc _.	ggc	cgg	gac	itg	gag	gcg	gtg	cgg	219
10	Arg	Gln	Trp	Gly	Ala	Thr	Ala	Arg	Gly	Arg	Asp	Leu	Glu	Ala	Val	Arg	
		15					20					25					
15	cgc	ggc	ggg	tgc	ggt	tca	glc	ggt	cgg	cgg	cgg	cag	cgg	agg	agg	agg	267
15	Arg	Gly	Gly	Cys	Gly	Ser	Val	Gly	Arg	Arg	Arg	Gln	Arg	Arg	Arg	Arg	
	30	•				35					40					45	
20	agg	agg	agg	agg	atg	agg	agg	atg	agg	agg	atg	tgg	gcc	acg	cag	ggg	315
	Arg	Arg	Arg	Arg	Met	Arg	Arg	Met	Arg	Arg	Me t	Trp	Ala	Thr	Gln	Gly	
25			~		50					55					60		
	cţg	gcg	gtg	cgc	gtg	gct	ctg	agc	gtg	ctg	ccg	ggc	agc	cgg	gcg	ctg	363
	Leu	Ala	Val	Arg	Val	Ala	Leu	Ser	Val	Leu	Pro	Gly	Ser	Arg	Ala	Leu	
30	•			65					70		•			75			
	cgg	ccg	ggc	gac	tgc	gaa	gtt	tgt	att	tct	tat	ctg	gga	aga	ttt	tac	411
35	Arg	Pro		Asp	Cys	Glu	Val		lle	Ser	Tyr	Leu	Gly	Arg	Phe	Tyr	
			80					. 85		•			90			•	
40						aga											459-
40	Gln		Leu	Lys	Asp	Arg		Val	Thr	Phe	Ser		Ala	Thr	lle	Glu	
	•	95					100					105					
45						ttc	•										507
	•	Glu	Leu	lle	Lys	Phe	Cys	Arg	Glu	Ala		Gly	Lys	Glu	Asn		
50	110					115					120					125	
				•		ggg					•						555
	Leu	Cys	Tyr	Туг		Gly	Ala	Thr	λsp		Ala	Ala	Thr	Lys		lle	
55		·			130					135					140		

	aa	t gag	gta	tca	aag	cct	ctg	gcc	cac	cac	atc	cct	gtg	gag	aag	atc	603
5	As	n Glu	Va]	Ser	Lys	Pro	Leu	Ala	His	His	Ile	Pro	`Va1	Glu	Lys	He	
				145					150					155			ē
	tg	l gag	aag	ctt	aag	aag	aag	gac	agc	cag	ata	tgt	gag	ctt	aag	tat	651
10	Cy	s Glu	Lys	Leu	Lys	Lys	Lys	Asp	Ser	Gln	Ile	Cys	Glu	Leu	Lys	Tyr	
			160					165					170				
15	gao	aag	cag	atc	gac	ctg	agc	aca	gtg	gac	ctg	aag	aag	ctc	cga	gtt	699
	Ass	Lys	Gln	Ile	Asp	Leu	Ser	Thr	Val	Asp	Leu	Lys	Lys	Leu	Arg	Val.	
20		175					180					185					
	. aaa	gag	ctg	aag	aag	att	cig	gat	gac	tgg	ggg	gag	aca	tgc	aaa	ggc	747
	Lys	Glu	Leu	Lys	Lys	Ile	Leu	Asp	Asp	qıT	Gly	Glu	Thr	Cys	Lys	Gly	
25	190		-			195					200				•	205	
	tgt	gca	gaa	aag	tet	gac	tac	atc	cgg	aag	ata	aat	gaa	ctg	atg	cct	795
30	Cys	Ala	Glu	Lys	Ser	Asp	Tyr	He	Arg	Lys	Ile	Asn	Glu	Leu	Met	Pro	
					210				•	215					220		
	asa	tat	gcc	ccc	aag	gca	gcc	agt	gca	ccg	acc	gat	ttg	tagt	ctgo	tc .	844
35	Lys	.Tyr	Ala	Pro	Lys	Ala	Ala	Ser	Ala	Pro	Thr	Asp	Leu				
	}		_	225					230								
40	aato	ctctg	tt g	cacc	tgag	g gg	gaaa	aaac	agt	tcaa	ctg	ctta	cicc	ca a	aaca	gcctt	904
	ttt	gtaat	tt a	ttt	ttaa	g tg	ggc t	cctg	aca	atac	tgt	atca	gatg	tg a	agcc	tggag	964
	·ctt	cctg	at g	atgc	tggc	c ct	acag	tacc	ccc	atga	ggg	galt	ccct	tc c	ttct	gitgc	1024
15	tgg	glac	tc t	agga	cttc	a aa	gtgt	gtct	ggg	attt	ttţ	tatt	aaag	aa a	aaaa	attic	1084
	t ago	tgtc	aa a	aaaa	aaaa					•							1103
50	/210	> 30					٠										
			4														
55		> 23															
	\212	> PR'	l														

	<21	3> 1	Homo	sapi	iens								•			
5	<40	0> 3	30								. •					
	Met	Gly	/ Lys	Trp	His	Val	Gly	Gly	Arg	Arg	.Gly	Ser	Pro	Arg	Gln	Trp
	-1				5	; .				10					15	
10	Gly	Ala	Thi	r Ala	Are	Gly	Arg	Asp	Leu	Glu	Ala	Val	Arg	Arg	Gly	Gly
				20)				25					· 30	٠	
15	Cys	Gly	Ser	·Va)	Gly	Aŗg	Arg	Arg	Gln	Arg	Arg	Arg	Arg	Arg	Arg	Arg
			35	i				40					45			
20	Arg	Met	Arg	Arg	Met	Arg	Arg	Met	Trp	Ala	Thr	Gln	Gly	Leu	Ala	Val
		50					55					60				
	Arg	Va 1	Ala	Leu	Ser	Val	Leu	Pro	Gly	Ser	Arg	Ala	Leu	Arg	Pro	Gly
25	65		-			70			•	•	75					80
	Asp	Cys	Glu	Val	Cys	lle	Ser	Tyr	Leu	Gly	Arg	Phe	Tyr	GIn	Asp	Leu
30					85					90					95	
	Lys	Asp	Arg	Asp	Val	Thr	Phe	Ser		Ala	Thr	Ile	Glu		Glu	Leu
	• •			100					105					110		
35	Ile	Lys		Cys	Arg	Glu	Ala		G]y	Lys	Glu	Asn		Leu	Cys	Tyr
	•	••	115					120		•			125			
40	Tyr		Gly	Ala	Ihr	Asp		Ala	Ala	Inr	Lys		116	Asn	Glu	Val
		130	n -	•	41.	11.	135	71.	D	W- 1		140	71.	0		,
45	Ser :	LYS	PFO	ren	Ala		nis	116	rio	Yaı	•	Lys	116	Cys	GIU	
45	145	1	1	I	4	150	Cl-	114	C	C1	155		T	4	1	160
	Leu	LÄS	Lys	Lys		26L	GIN	116	LYS	•	ren	LYS	lyr	ASP		GIN
50	T1.	4	1	C	165	1/ - 1	4	1	1	170	1		V. I	1	175	• :
	Ile /	ASP	ren		ınr	val	ASP	ren		LYS	ren	Arg	Y A I		GIU	Leu
55				180			_		185	•				190		
	Lys I	Lys	He	Leu	Asp	Asp	Trp	Gly	Glu	Thr	Cys	Lys	Gly	Cys	Ala	Glu

200 195 205 Lys Ser Asp Tyr lle Arg Lys lle Asn Glu Leu Met Pro Lys Tyr Ala 210 215 220 Pro Lys Ala Ala Ser Ala Pro Thr Asp Leu . 10 230 225 <210> 31 15 (211) 1860 <212> DNA <213> Homo sapiens ⟨220⟩ <221> CBS 25 <222> (94).. (1266) <400> 31 cgtgaacggt cgttgcagag attgcgggcg gctgagacgc cgcctgcctg gcacctagga 60 gcgcagcgga gccccgacac cgccgccgcc gcc atg gag tcc gag acc gaa ccc 114 Met Glu Ser Glu Thr Glu Pro 35 1 gag ccc gic acg clc ctg gtg aag agc ccc aac cag cgc cac cgc gac 40 Glu Pro Val Thr Leu Leu Val Lys Ser Pro Asn Gln Arg His Arg Asp 10 15 20 tig gag cig agt ggc gac cgc ggc igg agt gig ggc cac cic aag gcc 45 210 Leu Glu Leu Ser Gly Asp Arg Gly Trp Ser Val Gly His Leu Lys Ala 25 30 35 50 cac clg age ege gie lac ece gag egi eeg egi eca gag gae eag agg 258 His Leu Ser Arg Val Tyr Pro Glu Arg Pro Arg Pro Glu Asp Gln Arg 55 40 45 50 55

5	tta	att	tat	tct	ggg	aag	ctg	ttg	itg	gat	cac	caa	tġt	ctc	agg	gac	306	
,	Leu	lle	Tyr	Ser	Gly	Lys	Leu	Leu	Leu	Asp	His	Gln	Cys	Leu	Arg	Asp		
					60					65				•	70			
0	ttg	ctt	cca	aag	cag	gaa	aaa	cgg	cat	gtt	ttg	cat	ctg	gtg	tgc	aat	354	
	Leu	Leu	Pro	Lys	Gln	Glu	Ļys	Arg	His	Val	Leu	His	Leu	Val	Cys	Asn		
15				75					80					85				
3	gtg	aag	agt	cct	tca	aaa	atg	сса	gaa	atc	aac	gcc	aag	gtg	gct	gaa	402	
	Val	Lys	Ser	Pro	Ser	Lys	Met	Pro	Glu	Ile	Asn	Ala	Lys	Va l	Ala	Glu	•	
20			90					95					100					
	tcc	aca	gag	gag	cct	gct	ggt	tct	aat	cgg	gga	cag	tat	cct	gag	gat	450	
25	Ser	Thr	Glu	Glu	Pro	Ala	Gly	Ser	Asn	Arg	G} y	Gln	Tyr	Pro	Glu	Asp		
		105	-				110					115						
	tcc	tca	agt	gat	ggt	tta	agg	caa	agg	gaa	gtt	ctt	cgg	aac	ctt	tct	498	
80	Ser	Ser	Ser	Asp	Gly	Leu	Arg	Gin	Arg	Glu	Val	Leu	Arg	Asn	Leu	Ser		
	120					125					130				•	135		
35	tcc	cct	gga	tgg	gaa	aac	atc	tca	agg	cct	gaa	gct	gcc	cag	cag	gca	546	
	Ser	Pro	Gly	Trp	Glu	Asn	Ile	Ser	Arg	Pro	Glu	Ala	Ala	Gln	Gln	Ala		
					140					145					150			
	ttc	caa	ggc	clg	ggt	cct	ggt	ttc	tcc	ggt	tac	aca	ccc	tat	ggg	tgg	594	
	Phe	Gln	Gly	Leu	Gly	bio'	Gly	Phe	Ser	Gly	Tyr	Thr	Pro	Tyr	Gly	Trp		
15				155		٠			160					165				
	ctt	cag	ctt	tcc	tgg	ttc	cag	cag	ata	tat	gca	cga	cag	tac	tac	atg	642	
	Leu	Gln	Leu	Ser	Trp	Phe	Gln	Gln	Ile	Tyr	Ala	Arg	Gln	Туг	Tyr	Me t		
50			170					175					1,80					
	caa	tat	tta	gca	gcc	act	gc t	gca	tca	ggg	gct	ttt	gtt	cca	cca	cca	690	
55	Gln	Tyr	Leu	Ala	Ala	Thr	Ala	Ala	Ser	Gly	Ala	Phe	Val	Pro	Pro	Pro		

		185)				190)				195	i				
5	agi	l gca	caa	gag	ata	cct	gtg	gto	tct	gca	cct	gct	cca	gco	cct	att	738
	Sei	Ala	Gln	Glu	Ile	Рго	Val	Va I	Ser	Ala	Pro	Ala	Pro	Ala	Pro	He	
	200					205	i				210					215	
10	cac	aac	cag	ttt	cca	gct	gaa	aac	cag	cct	gcc	aat	cag	aat	gct	gct	786
	His	Ásn	Gln	Phe	Pro	Ala	Glu	Asn	Gln	Pro	Ala	Asn	Gln	Asn	Ala	Ala	
15					220				4.	225	•				230		
	cct	caa	gtg	gtt	gtt	aat	cct	gga	gcc	aat	caa	aat	ttg	cgg	atg	aat	834
20	Pro	Gln	Va 1	Yal	Yal	Asn	Pro	Gly	Ala	Asn	Gln	Asn	Leu	Arg	Met	Asn	
20				235					240					245			
	gca	caa	ggt	ggc	ccţ	att	gtg	gaa	gaa	gat	gat	gaa	ata	aat	cga	gat	882
25	Ala	Gln	Gly	Gly	Pro	Ile	Val	Glu	Glu	Asp	Asp	Glu	Ile	Asn	Arg	Asp	
			250					255					260				
30	tgg	ttg	gat	tgg	acc	tat	tca	gca	gc t	aca	ttt	tct	gtt	ttt	ctc	agt	930
	Trp	Leu	Asp	Trp	Thr	Tyr	Ser	Ala	Aŀa	Thr	Phe	Ser	Val	Phe	Leu	Ser	
		265					270					275		•			
35	atc	ctc	tac	ttc	tac	tcc	tcc	cig	agc	aga	ttc	ctc	atg	gtc	atg	ggg	978
	Ile .	Leu	Tyr	Phe	Туг	Ser	Ser	Leu	Ser	Arg	Phe	Leu	Met	Va]	Met	Gly	
40	280					285					290					295	
		acc															1026
	Ala	Thr	Val	Va 1		Туг	Leu	His	His	Val	Gly	Trp	Phe	Pro	Phe	Arg	
45					300					305					310		
	ccg															•	1074
50	Pro	Arg 1	Pro	Val	GIn	Asn	Phe	Pro	Asn	Asp	Gly	Pro	Рго	Pro	Asp	Val	
				315					320				•	325			
66	gta	aat	cag	gac	ccc	aac	aat	aac	tta	cag	gaa	ggc	act	gat	cct	gaa	1122
55	Ya]	Asn (Gln.	Asp	Pro	Asn	Asn	Asn	Leu	Gln	Glu	Gly	Thr	Asp	Pro	Glu	

		330	335	,	340	
5	act gaa	gac ccc aac	cac ctc cct	cca gac agg	gat gta cta gat	ggc - 1170
	Thr Glu	Asp Pro Asn	His Leu Pro	Pro Asp Arg	Asp Val Leu Asp	Gly、
10	345		. 350		355	
	gag cag	acc agc ccc	tcc ttt atg	agc aca gca	tgg ctt gtc ttc	aag 1218
	Glu Gln	Thr Ser Pro	Ser Phe Met	Ser Thr Ala	Trp Leu Val Phe	Lys
15	360		365	370		375
	act ttc	ttt gcc tct	ctt.ctt cca	gaa ggc ccc	cca gcc atc.gca	aac 1266
20	Thr Phe	Phe Ala Ser	Leu Leu Pro	Glu Gly Pro	Pro Ala lle Ala	Asn
	•	380		385	390	
25	tgatggtg	tt igigotgia	ag cigiiggagg	ctttgacagg	aalggacigg atca	cctgac 1326
25	tccagcta	ga ttgcctctd	c tggacatgg	aatgatgagt	ttttaaaaaa cagt	gtggat 1386
	gatgatat	gc tittgigag	c aagcaaaago	. agaaacgtga	agccgtgata caaa	ttggtg 1446
30	aacaaaaa	at gcccaaggo	t tctcatgtgt	ttattctgaa	gagcitiaat atai	actcta 1506
	tgtagttta	aa taagcactg	t acgtagaags	ccttaggtgt	tgcatgtcta tgct	tgagga 1566
35	acttttcca	aa atgtgtgtg	t ctgcatgtgt	gtttgtacat	agaagtcata gatgo	cagaag 1626
	tggttctgd	t ggtaagatt	t gattcctgt1	ggaatgttta	aattacacta agtg	tactac 1686
·	tttatataa	it caatgaaat	t gctagacate	tillagcagg	actiticing ganas	gactta 174 <u>6</u>
40	tgtataatt	g cittitaaa	a tgcagtgctt	tactttaaac	taaggggaac tttg	eggagg 1806
	tgaaaacct	t tgctgggtt	t tetgilcaat	aaagtttac	tatgaatgac cctg	· 1860
45	<210> 32			•		•
	<211> 391					
50	<212> PRT	•				
50	<213> Hom	o sapiens				
	<400> 32					
55		er Glu Thr	Glu Pro Glu	Pro Val Thr	Leu Leu Val Lvs	Ser

	l				5			•		10			•		15		
5	Pro	Asn	Gln	Arg	His	Arg	Asp	Leu	Glu	-Leu	Ser	Gly	Asp	Arg	Gly	Trp	
				20					25	•				30	٠.	•	
10	Ser	Val	Gly	His	Leu	Lys	Ąla	His	Leu	Ser	Arg	Val	Tyr	Pro	Glu	Arg	
			35					40					45				
	Pro	Arg	Pro	Glu	Asp	Gln	Arg	Leu	Ile	Tyr	Ser	Gly	Lys	Leu	Leu	Leu	
	•	50	•				55					60					
	Asp	His	Gln	Cys	Leu	Arg	Asp	Leu	Leu	Pro	Lys	Gln	Glu	Lys	Arg	His	
20	65					70					75					80	
	Val	Leu	His	Leu	Val	Cys	Asn	Va l	Lys	Ser	Pro	Ser	Lys	Met	Pro	Glu	
25					85					90					95		
	Ile	Asn	Ala	Lys	Val	Ala	Glu	Ser	Thr	Glu	Glu	Pro	Ala	Gly	Ser	Asn -	
				100					105					110			
30	Arg	Glý	Gln	Туг	Pro	Glu	Asp	Ser	Ser	Ser	Asp	Gly	Leu	Arg	Gln	Arg	
			115					120					125				
35	Glu		Leu	Arg	Asn	Leu		Ser	Pro	Gly	Trp		Asn	He	Ser	Arg	
		130	•				135	- .			_	140					
10		Glu	Ala	Ala	Gln		Ala	Phe	GIn	Gly		Gly	Pro	Gly	Phe		
	145	_			_	150	_		٥.		155			•		160	
	Gly	Туг	Thr	Pro		Gly	Trp	Leu	GIn		Ser	Тгр	Phe	Gin	Gln	He	
15	T			C1-	165	T	N-4	C1	7	170	41.	411	Th	41.	175	0.	
	IYI		Arg		IYF	TAL	Met	GIN		Ten	AIA	Ala	1111		Ala	Ser	
50	C)	41.	Dho	180	D=0	D-0	Dea	٠	185	Cln	C1	I i a	Dua	190	V-1	C	
•	UIY	WIG		val	110	110	L10		RIA	0111	GIU	116		Yäl	Val	261	
	41-	D	195	D = 4	41 -	D=-	11-	200	10-	C1-	Db	D	205	C1	.	C1	
55	Ala	r10	AIA	r10	BIA	r10	116	піѕ	ASI	GIN	riie	rro	Ala	010	ASD	GID	

		210	ì				215					220				
5	Pro	Ala	Asn	Gln	Asn	Ala	Ala	Pro	Gln	Val	Yal	Val	Asn	Pro	Gly	Ala
	225					230					235					240
10	Asn	Gln	Asn	Leu	Arg	Met	Asn	Ala	Gln	Gly	Gly	Pro	lle	Val	Glu	Glu
					245					250		•			255	
	Asp	Ásp	Glu	Ile	Asn	Arg	Ąsp	Trp	Leu	Asp	Trp	Thr	Tyr	Ser	Ala	Ala
15				260					265					270		
	Thr	Phe	Ser	Va l	Phe	Leu	Ser	Ile	Leu	Tyr	Phe	Tyr	Ser	Ser	Leu	Ser
20			275					280					285	·	٠	
	Arg	Phe	Leu	Me t	Val	Me t	Gly	Ala	Thr	Val	Val	Met	Tyr	Leu	His	His
•		290					295					300				
25	Val	Gly	Jrp	Phe	Pro	Phe	Arg.	Pro	Arg	Pro	Val	Gln	Asn	Phe	Pro	Asn
	305					310					315					320
30	Asp	Gly	Pro	Pro	Pro	Asp	Val	Val	Asn	Gln	Asp	Pro	Asn	Asn	Asn	Leu
					325					330	•				335	
35	Gln	Glu	Gly	Thr	Asp	Рго	Glu	Thr	Glu	Asp	P.ro	Asn	His	Leu	Pro	Pro
				340					345		•			350		
	Asp	Arg	Asp	Va I	Leu	Asp	Gly	Glu	Gln	Thr	Ser	Рго	Ser	Phe	Met	Ser
40			355					360					365			
	Thr	Ala	Trp	Leu	Val	Phe	Lys	Thr	Phe	Phe	Ala	Ser	Leu	Leu	Pro	Glu
45		370					375					380				
	Gly	Pro	Pro	Ala	He	Ala	Asn									
	385					390		•				•				
50	<210	> 33	ı											•		
	<211															•
55	<212											•		•		

<213> Homo sapiens <220> <221> CDS <222> (812).. (1138) 10 <400> 33 cttgaatett ggggeaggaa eteagaaaac tteeageeeg ggeagegege gettggtgea 60 agactcagga gctagcagcc cgtccccic cgactctccg gtgccgccgc tgcctgctcc 120 15 cgccacccta ggaggcgcgg tgccacccac tactctgtcc tctgcctgtg ctccgtgccc 180 gaccetatee eggeggagte tecceateet cettigetti eegactgeee aaggeaetti 240 20 tototototo goagggtggg gggaagaga ggaggaatto titococgco taacattica 360 25 agggacaena ticaciccaa gicicticce titccaagec geticegaag igeteeeggt 420 gcccgcaact cctgatccca acccgcgaga ggagcctctg cgacctcaaa gcctctcttc 480 cttctccctc gcttccctcc tcctcttgct acctccacct ccaccgccac ctccacctcc 540 ggcacccace caccgccgcc gccgccaccg gcagcgcctc ctcctctct cctcctctc 600 ccctclictc tilitiggcag ccgclggacg iccggtgttg alggtggcag cggcggcagc 660 35 ctaagcaaca gcagccctcg cagcccgcca gctcgcgctc gccccgccgg cgtccccagc 720 cctatcacct catctcccga aaggtgctgg gcagctccgg ggcggtcgag gcgaagcggc 780 832 tgcagcggcg gtagcggcgg cgggaggcag g atg agc gca cgc ggt gag ggc 40 Met Ser Ala Arg Gly Glu Gly 45 gcg ggg cag ccg tcc act tca gcc cag gga caa cct gcc gcc cca gcg 880 Ala Gly Gln Pro Ser Thr Ser Ala Gln Gly Gln Pro Ala Ala Pro Ala 10 15 20 928

35

Pro Gln Lys Arg Gly Arg Gly Arg Pro Arg Lys Gln Gln Glu Pro

30

55

25

	acc ggt	gag ccc tct	cct aag aga	ccc agg gga aga	a ccc aaa ggc agc	976
5	Thr Gly	Glu Pro Ser	Pro Lys Arg	Pro Arg Gly Arg	g Pro Lys Gly Ser	
	40		45	50	. 55	
10	aaa aac	aag agt .ccc	tct aaa gca	gct caa aag aaa	gca gaa gcc act	1024
	Lys Asn	Lys Ser Pro	Ser Lys Ala	Ala Gin Lys Lys	Ala Glu Ala Thr	
		60		65	70	
15	gga gaa	aaa cgg cca	aga ggc aga	cct agg aaa tgg	cca caa caa gtt	1072
	`Gly Glu	Lys Arg Pro	Arg Gly Arg	Pro Arg Lys Trp	Pro Gln Gln Val	
20		75	٠.	80	85	
	gti cag	aag aag cct	gct cag gag	gaa act gaa gag	aca tcc tca caa	1120
25	Val Gln	Lys Lys Pro	Ala Gln Glu	Glu Thr Glu Glu	Thr Ser Ser Gln	
	•	90	. 95		100	
	gag tot	gcc gaa gag	gac taggggg	egc aacgttegat t	tctacctca	1168
30	Glu Ser	Ala Glu Glu	Asp			•
	105					,
35	gcagcagt	tg gatettttg	a agggagaaga	cactgcagtg acc	actiati cigiatigce	1228
					gggaggg gggggtgggg	•
40					cticiti giaatcccti	
					cacagot taacaatgoa	
					tgttgat ctgataagca	
45			•		ctgcact gcatgcaaac	
					gaacgcg gigigiaaca	
50					aatcctc tgtttagaac	
					tetigia gacactiact	
55					atgtate ctiteatica	
33	gclaacaaa	c tagaaaagg	ı talgilcali	titcaaaaag gga	agtaagc aaacaaatat	1828

t	gccaactc	t totatttati	g gatalcacac	: atalcagcag	: gagtaataa	tttactcaca	1888
ġ	cacttgit	t tcaggacaa	acttcatttt	caggaaatct	acticciaca	gagccaaaat	1948
g	ccatttag	c aataaataac	actigicago	ctcagagcat	ttaaggaaac	tagacaagta	2008
а	aattatcc	t ctttgtaati	taatgaaaag	gtacaacaga	ataatgcatg	atgaactcac	2068
С	taattatg	a ggtgggagga	gcgaaatcta	aatttettt	gctatagtta	tacatcaatt	2128
t	aaaagca:	a aaaaaaaag	gggggggcaa	tctctctg	tgicttictc	tetetete	2188
C	ctctccct	ctctctttca	igigiaicag	tttccatgaa	agaccigaat	accacttacc	2248
te	caaattaag	g catatgtgtt	acttcaagta	atacgttttg	acataagatg	gttgaccaag	2308
gi	gctttci	tcggcttgag	ttcaccatct	cttcattcaa	actgcacttt	tagccagaga	2368
te	caalalat	cccactact	caatactacc	tctgaatgtt	acaacgaatt	tacagtctag	2428
t a	icttattac	atgctgctat	acacaagcaa	tgcaagaaaa	aaacttactg	ggtaggtgat	2488
to	taatcatc	tgcagttctt	itigiacact	taattacagt	taaagaagca	atctccttac	2548
t g	tgtttcag	catgactatg	tatttttcta	tgttttttta	attaaaaatt	tttaaaatac	2608
t t	gttlcagc	ttctctgcta	gatttctaca	ttaacttgaa	aatttttaa	ccaagtcgct	2668
CC	taggtict	taaggataat	tttcctcaat	cacactacac	atcacacaag	atttgactgt	2728
aa	tatttaaa	tattaccctc	caagicigia	cctcaaatga	attetttaag	gagatggact	2788
aa	ttgacttg	caaagaccta	cctccagact	tcaaaaggaa	tgaacttgtt	acttgcagca	2848
t t	catttgtt	ttttcaatgt	tigaaatagi	tcaaactgca	gctaacccta	gtcaaaacta	2908
t t	tttgtaaa	agacatttga	tagaaaggaa	cacgititia	catactitig	caaaataagt	2968
aa.	ataataaa	taaaataaag	ccaaccttca	aagaacttga	agctttgtag	gtgagatgca	3028
ac.	aagcccig	cttttgcata	atgcaatcaa	aaatatgtgt	ttttaagatt	agitgaatat	3088
aa	gaaaatgc	ttgacaaata	tttlcatgta	ttltacacaa	atgtgatttt	lgtaatatgt	3148
ct	caaccaga	tttattttaa	acgctlctta	tglagagttt	ttatgccttt	ctctcctagt	3208
ga	gigigcig	acttttaac	alggtattat	caactgggcc	aggaggtagt	ticicatgac	3268
gg(ttttgtc	agtatggctt	ttagtactga	agccaaatga	aactcaaaac	catctctctt	3328
cca	igctgctt	cagggaggta	giticaaagg	ccacatacct	cicigagaci	ggcagatcgc	3388
tca	ctgtlgt	gaalcaccaa	aggagctatg	gagagaalla	aaactcaaca	ttactgttaa	3448

ctgtgcgtta aataagcaaa taaacagtgg ctcataaaaa taaaagtcgc attccatatc 3508 ttiggalggg ccititagaa accicatigg ccagcicata aaatggaagc aattgcicat 3568 5 gttggccaaa catggtgcac cgagtgattt ccatctctgg taaagttaca cttttatttc 3628 ctgtatgttg tacaatcaaa acacactact acctcttaag tcccagtata cctcattttt 3688 10 catactgaaa aaaaaagctt gtggccaatg gaacagtaag aacatcataa aattttata 3748 tatatagitt attitigigg gagataaatt itataggact gitctitgct gitgitggic 3808 gcagctacat aagactggac atttaacttt tctaccattt ctgcaagtta ggtatgtttg 3868 caggagaaaa gtatcaagac gittaactgc agttgacttt ciccctgttc ciitgagtgt 3928 citctaacii taticiiigi iciitatgia gaatigcigi claigatigi aciitgaatc 3988 20 gctigctigt igaaaatall teletagigt attateacig telgiteige acaataaaca 4048 taacagccic igigatccc 4067 <210> 34 <211> 109 30 <212> PRT <213> Homo sapiens <400> 34 Met Ser Ala Arg Gly Glu Gly Ala Gly Gln Pro Ser Thr Ser Ala Gln 1 5 10 15 40 Gly Gln Pro Ala Ala Pro Ala Pro Gln Lys Arg Gly Arg Pro 20 25 30 Arg Lys Gin Gin Gin Giu Pro. Thr Gly Giu Pro Ser Pro Lys Arg Pro 35 40 45 Arg Gly Arg Pro Lys Gly Ser Lys Asn Lys Ser Pro Ser Lys Ala Ala 50 50 55 60 Gln Lys Lys Ala Glu Ala Thr Gly Glu Lys Arg Pro Arg Gly Arg Pro 65 70

75

80

	Arg Lys Trp Pro Gln Gln Val Val Gln Lys Lys Pro Ala Gln Glu Glu											
5	85 90 95 _.											
	Thr Glu Glu Thr Ser Ser Gln Glu Ser Ala Glu Glu Asp											
10	100 105											
-	<210> 35											
15	<211> 4228 ·											
	<212> DNA											
	<213> Homo sapiens											
20	<220>											
	<221> CDS											
25	<222> (148) (1032)											
	<400> 35											
30	ggcgcagtag cagcgagcag cagagtccgc acgctccggc gagggggcaga agagcgcgag 60											
	ggagcgcggg gcagcagaag cgagagccga gcgcggaccc agccaggacc cacagccctc 120											
	cccagcigcc caggaagagc cccagcc aig gaa cac cag cic cig igc igc gaa 174											
35	Met Glu His Gln Leu Leu Cys Cys Glu											
	1 5											
40	gtg gaa acc atc cgc cgc gcg tac ccc gal gcc aac clc ctc aac gac 222											
	Val Glu Thr Ile Arg Arg Ala Tyr Pro Asp Ala Asn Leu Leu Asn Asp											
	10 15 20 . 25											
45	cgg gig ctg cgg gcc atg ctg aag gcg gag acc tgc gcg ccc tcg 270											
	Arg Val Leu Arg Ala Met Leu Lys Ala Glu Glu Thr Cys Ala Pro Ser											
50	30 35 40											
	gig icc lac itc aaa igi gig cag aag gag gic cig ccg icc aig cgg 318											
55	Val Ser Tyr Phe Lys Cys Val Gin Lys Glu Val Leu Pro Ser Met Arg											
55	45 50 55											

		aa	g at	c gio	c gc	acc	tgg	alg	ctg	gag	glo	tgc	gag	gaa	cag	aag	tgc	366
5		Ly	s II	e Val	l Ala	Thr	Trp	Met	Leu	Glu	Val	Cys	Glu	Glu	Gln	Lys	Cys	
				60)				65					. 70	1			
10		ga	g ga	g gag	ggto	ttc	ccg	ctg	gcc	atg	aac	tac	ctg	gac	cgc	tto	ctg	414
		GI	u Gli	ı Glu	ı Val	Phe	Pro	Leu	Ala	Met	Asn	Tyr	Leu	Asp	Arg	Phe	Leu	
			7	5				80					85					•
15		tc	g ctg	gag	ccc	gtg	aaa	aag	agc	cgc	ctg	cag	ctg	ctg	ggg	gcc	act	462
		Sei	r Lei	Glu	Pro	Val	Lys	Lys	Ser	Arg	Leu	Gln	Leu	Leu	Gly	Ala	Thr	
20		90)				95					100					105	•
		tgo	atg	ttc	gtg	gcc	tct	aag	atg	aag	gag	acc	atc	ссс	ctg	acg	gcc	510
25	Cys	Met	Phe	Val	Ala	Ser	Lys	Met	Lys	Glu	Thr	Ile	Pro	Leu	Thr	Ala		
				~		110					1,15					120		
		gag	aag	ctg	tgc	atc	tac	acc	gac	aac	tcc	atc	cgg	ccc	gàg	gag	ctg	558
30	•	Glu	Lys	Leu	Cys	He	Tyr	Thr	Asp	Asn	Ser	Ile	Arg	Pro	Glu	Glu	Leu	
					125					130					135			
35						ctg												606
		Leu	Gln		Glu	Leu	Leu	Leu		Asn	Lys	Leu	Lys	Trp	Asn	Leu	Ala	
10				140					145					150				
10	•					cac												654
		Ala		Thr	Pro	His	Asp		lle	Glu	His	Phe		Ser	Lys	Ne t	Pro	
15			155				•	160					165		•			
						aac												702
50			Ala	GIU	611	Asn		GIN	116	116	Arg		His	Ala	Gln	Thr		
		170					175					180			-		185	
						gcc												750
55		Val	Ala	Leu	Cys	Ala	Inr	ASP	val	Lys	Phe	He	Ser	Asn	Pro	Pro	Ser	

					190					195				200			
5	atı	ggtg	gca	gcg	ggg	agc	glg	gtg	gcc	gca	gtg	caa	ggc	ctg	aac	ctg	798
	Me	t Val	Ala	Ala	Gly	Ser	Val	Val	Ala	Ala	Val	Gln	Gly	Leu	Asn	Leu	•
				205					210					215	•		
10	agg	gago	ccc	aac	aac	ttc	ctg	tcc	tac	tac	cgc	ctc	aca	cgc	ttc	ctc	846
	Arg	Ser	Pro	Asn	Aśn	Phe	Leu	Ser	Tyr.	Туг	Arg	Leu	Thr	Arg	Phe	Leu	•
15			220					225					230				
	tcc	aga	gtg	atc	aag	tgt	gac	cca	gac	tgc	ctc	cgg	gcc	t gc	cag	gag	894
20	Ser	Arg	Val	Ile	Lys	Cys	Asp	Pro	Asp	Cys	Leu	Arg	Ala	Cys	Gln	Glu	
		235					240					245					
	cag	atc	gaa	gcc	ctg	cig	gag	tca	agc	ctg	cgc	cag	gcc	cag	cag	aac	942
25	Gln	Ile	Glu	Ala	Leu	Leu	Glu	Ser	Ser	Leu	Arg	Gln	Ala	Gln	Gln	Asn	
	250					255					260	•			•	265	
30	atg	gac	ccc	aag	gcc	gcc	gag	gag	gag	gaa	gag	gag	gag	gag	gag	gtg	990
	Met	Asp	Рго	Lys	Ala	Ala	Glu	Glu	Glu	Glu	Glu	Glu	Glu	G] u	Glu	Val	
					270			• ,		275					280		
35	gac	ctg	gc t	tgc	aca	ccc	acc	gac	gtg	cgg	gac	gtg	gac	atc	•		1032
	Asp	Leu	Ala	Cys	Thr	Pro	Thr	Asp	Va l	Arg	Asp	Val	Asp	Ile			
40				285					290	•				295			
																cccag	
4 5									•							ttcat	
••																taagc	
																atagt	
50																tttta	
																atagg	
55																taaaa	
	aaaa	gcat	aa a	aaca	tttt	a aa	aaca	taga	aaa	attc	agc	aaac	catt	tt t	aaag	tagaa	1512

	gagggtttt	a ggtagaaaaa	catalicits	Igctiticct	gataaagcac	agcigiagig	1572
	gggttctagg	g catcicigia	ctttgcttgc	tcatatgcat	gtagtcactt	tataagtcat	1632
	tgtatgttat	tataticcgi	aggtagatgt	gtaacctctt	caccttattc	atggctgaag	1692
	tcacctcttg	gitacagiag	cgtagcgtgg	ccgtgtgcat	gtcctttgcg	cctgtgacca	1752
	ccaccccaac	aaaccatcca	gtgacaaacc	atccagtgga	ggtttgtcgg	gcaccagcca	1812
	gcgtagcagg	gtcgggaaag	gccacctgtc	ccactcctac	gatacgctac	tataaagaga	1872
	agacgaaata	gtgacataat	atatictatt	tttatactct	tcctatttt	gtagtgacct	1932
	gtttatgaga	tgctggtttt	ctacccaacg	gccctgcagc	cagctcacgt	ccaggitcaa	1992
	cccacagcta	cttggtttgt	gttcttcttc	atattetaaa	accattccat	ttccaagcac	2052
	tttcagtcca	alaggigiag	gaaatagcgc	igititigit	gtgtgtgcag	ggagggcagt	2112
•	ttictaatgg	aatggtttgg	gaatatccat	glactigiti	gcaagcagga	ctttgaggca	2172
	agtgtgggčc	actgtggtgg	cagtggaggt	ggggtgtttg	ggaggctgcg	tgccagtcaa-	2232
	gaagaaaaag	gittgcatic	tcacattgcc	aggatgataa	gttcctttcc	ttttctttaa	2292
	agaagttgaa	gtttaggaat	cctttggtgc	caaciggigi	ttgaaagtag	ggacctcaga	2352
	ggtttaccta	gagaacaggt	ggtttttaag	ggttatctta	gatgtttcac	accggaaggt	2412
	ttttaaacac	taaaatatat	aatttatagt	taaggctaaa	aagtatattt	attgcagagg	2472
	atgttcataa	ggccagtatg	atttataaat	gcaatctccc	ctigatttaa	acacacagat	2532
	acacacaca	acacacacac	acacacaaac	cttctgcctt	igaigitaca	gatttaatac	2592
	agtttatttt	taaagataga	tccttttata	ggtgagaaaa	aaacaatctg	gaagaaaaaa	2652
	accacacaaa	gacattgatt	cagcctgttt	ggcgiticcc	agagicatet	gattggacag	2712
	gcatgggtgc	aaggaaaatt	agggtactca	acctaagttc	ggllccgatg	aattettate	2772
	ccctgcccct	tcctttaaaa	aacttagtga	caaaatagac	aaittgcaca	tcttggctat	2832
	gtaaticttg	taattttat	ttaggaagtg	l tgaagggag	gtggcaagag	tgtggaggct	2892
	gacgigigag	ggaggacagg	cgggaggagg	tgtgaggagg	aggctcccga	gggaagggg	2952
	cggtgcccac	accggggaca	ggccgcagct	ccattttctt	attgcgctgc	taccgligac	3012
	llccaggcac	ggtliggaaa	tattcacatc	gclicigigi	atcictitca	catigitiec	3072

	tgctattgga	ggatcagttt	ttigittiac	aatgtcatat	actgccatgt	actagtttta	3132
5	gtttictctt	agaacattgt	attacagatg	ccttttttgt	agttttttt	ttttttatgt	3192
	gátcaatttt	gacttaatgt	gattactgct	ctattccaaa	aaggttgctg	tttcacaata	325 2
	cctcatgctt	cacttagcca	tggtggaccc	agcgggcagg	ttctgcctgc	titggcgggc	3312
10	agacacgcgg	gcgcgatccc	acacaggotg	gcgggggccg	gccccgaggc	cgcgtgcgtg	3372
	agaaccgcgc	cggtgtcccc	agagaccagg	ctgtgtccct	cttctcttcc	actagittia 3132 tittitatgi 3192 titcacaata 3252 titggcgggc 3312 cgcgtgcgtg 3372 ctgcgcctgt 3432 cagctgtgit 3492 taacaagigt 3552 attggaatag 3612 tgtictgitt 3672 tctcaatgaa 3732 aaagaattig 3792 ctgtgctcgg 3852 tcacgcttac 3912 ggacgcttig 3972 aggccaaagg 4032 tctgaggic 4092 cccagcacca 4152 tctagaata 4212 4228	
15	gatgctgggc	acttcatctg	atcgggggcg	tagcatcata	gtagttttta	cagcigigit	3492
-	atwettigeg	tgtagctatg	gaagttgcat	aattattatt	attattatta	taacaagtgt	3552
20	gicttacgtg	ccaccacggc	gtigtacctg	taggactete	attcgggatg	attggaatag	3612
20	citciggaat	ttgttcaagt	tttgggtatg	tttaatctgt	tatgtactag	tgttctgttt	3672
	gttattgttt	tgttaattac	accataat gc	taatttaaag	agactccaaa	tctcaatgaa	3732
25	gccagctcac	agtgctgtgt	gccccggtca	cctagcaagc	tgccgaacca	aaagaatttg	3792
	caccccgctg	cgggcccacg	tggttggggc	cctgccctgg	cagggtcatc	ctgtgctcgg	3852
30							
15 & E		•			•		
26							
33	·						
			•				
40	_		cagcagaaga	caaaaagaca	aacatgaaag	tctagaaata	
	aaactggtaa	aacccc					4228
45	<210> 36						
	(211) 295		٠.		•		

55

<212> PRT

<213> Homo sapiens

⟨400⟩ 36

Met Glu His Gln Leu Leu Cys Cys Glu Val Glu Thr Ile Arg Arg Ala

		l			5	j				10)				15	5
	Ту	r Pr	o Asj	Ala	a Asn	Lei	Leu	Ası	Asp	Arg	. Val	Leu	Are	, Ala	Met	Leu
5				20)				25	j				30		
	Ly	s Ala	a Glu	Glu	Thr	Cys	Ala	Pro	Se I	Val	Ser	Tyr	Phe	Lys	Cys	Val
10			35					40					45			
	Gli	ı Lys	Glu	Val	Leu	Pro	Ser	Met	.Arg	Lys	He	Va]	Ala	Thr	Trp	Met
15		50	1				55					60				
	Leu	Glu	Val	Cys	GÌu	Glu	Gln	Lys	Cys	Glu	Glu	Glu	Val	Phe	Pro	Leu
·	65	i				70					75					80
20	Ala	Net	Asn	Туг	Leu	Asp	Arg	Phe	Leu	Ser	Leu	Glu	Pro	Val	Lys	Ļys
					85					90					95	
25	Ser	Arg	Leu	Gln	Leu	Leu	Gly	Ala	Thr	Cys	Met	Phe	Val	Ala	Ser	Lys
				100		•			105	·				110		
30	Met	Lys	Glu	Thr	He	Pro	Leu	Thr	Ala	Glu	Lys	Leu	Cys	Ile	Tyr	Thr
			115					120					125	•		
	·Asp		Ser	ΙΙe	Arg	Pro	Glu	Glu	Leu	Leu	Gln	Met	Glu	Leu	Leu	Leu
35		130					135					140				
		Asn	Lys	Leu	Lys		Asn	Leu	Ala	Ala		Thr	Pro	His	Asp	Phe
40	145				_	150					155					160
	lle	Glu	His	Phe		Ser	Lys	Met	Pro		Ala	Glu	Glu	Asn	Lys	Gln
45					165					170			_		175	
	116	11e	Arg		HIS	Ala	GIn			Val	Ala	Leu	Cys		Thr	Asp
	w 1			180	•		_		185					190		
50	val		Phe	ile	Ser	ASN			Ser	me t	Yal	Ala		Gly	Ser	Val
			195		-			200				_	205			
55			Ala '	Val	Gln			Asn	Leu	Arg	Ser		Asn	Asn	Phe	Leu
		210					215					220				

Ser Tyr Tyr Arg Leu Thr Arg Phe Leu Ser Arg Val Ile Lys Cys Asp .. 225 230 235 Pro Asp Cys Leu Arg Ala Cys Gln Glu Gln Ile Glu Ala Leu Leu Glu 245 250 10 255 Ser Ser Leu Arg Gln Ala Gln Gln Asn Net Asp Pro Lys Ala Ala Glu 260 265 270 15 Glu Glu Glu Glu Glu Glu Glu Val Asp Leu Ala Cys Thr Pro Thr 275 280 285 Asp Val Arg Asp Val Asp Ite 290 295 25 (210) 37. <211> 5007 <212> DNA 30 <213> Homo sapiens -⟨220⟩ 35 <221> CDS <222> (436).. (3402) <400> 37 ggggcgcccg cgggccggag ccgggggggg ggccggggcc taggcgcgcg gacctgcgag 60 cggacccgag aggcggcggc ggcgcagcgg aacggcagag cgggccggag gcggccgagg 120 cgcccggcgc aggcacccgt gcctcccctc tgccaggaac cttggggcct tgtgtgtgac 180 caggacetgg tggccccgg gcggtggcag ageccetgte ccaagetget teetgeegge 240 accictgate aagtgeetag agggatgigt gigecageee teggiecagt geeegeteet 300 50 gagetgacte etgetgggee ecgacagett geegtgttte etgtgeetgt ageteeetgg 360 tiggalaget geogeoeggg agaggigace egggegeect gelagggiga aggeoecige 420 55 cctcggcccg ggatc atg aaa ggc clc ggt gac agc cgc ccc cgc cac clc 471

							٥,				•		_			_	
		•			Me	i Ly	's GI	y Le	u GI	y As	p Se	r Ar	g Pr	O Ar	g Hi	s Leu	
5						!				5				1	0		
	tcc	gao	cago	cta	gac	cca	ccc	cac	gag	ccc	ctg	ttt	gca	ggg	acc	gac	519
10	Ser	Ası	Ser	Leu	Asp	Pro	Pro	His	Glu	Pro	Leu	Phe	Ala	Gly	Thr	Asp	
			15					20			٠		25				
	cgc	aac	ccc	tac	ctg	ctg	tcg	ccc	acg	gag	gcc	ttc	gcc	CEC	gag	gcc	567
15			Pro								•						
	11.0	30		1,1	Dea	Dea	35	110	1411	010	7112		N1 a	116	010	via	
20								- 4 -			4	40					
20			CCC						-								615
	•	Phe	Pro	Gly	Gin		Thr	Leu	Pro	Gly		Gly	Leu	Phe	Pro	Leu	
25	45		~			50					55					60	
	aac	aac	cag	ctg	ccc	ccg	CCC	agc	agc	acc	tţt	ccc	cgc	atc	cac	tac	663
	Asn	Asn	Gln	Leu	Pro	Pro	Pro	Ser	Ser	Thr	Phe	Pro	Arg	lle	His	Tyr	
30					65					70					75		
	aac	tcc	cac	lic	gag	gtg	cca	gag	gag	agc	ccc	ttc	ccc	agc	cat	gcc	711
35	Asn	Ser	His	Phe	Glu	Val	Pro	Glu	Glu	Ser	Pro	Phe	Pro	Ser	His	Ala	
				80					85					90			
	caa	gcc	acc	aag	atc	aac	cgg	ctg	ссс	gcc	aac	ctc	ctg	gac	cag	ttt	759.
40	Gln	Ala	Thr	Lys	He	Asn	Arg	Leu	Pro	Ala	Asn	Leu	Leu	Asp	Gln	Phe	
			95					100					105				
45	gag	aag	cag	ctg	ccc	atc	cac	cgt	gat	ggc	tic	agc	acc	ctc	caa	ttt	807
	Glu						•	٠.									
		110		-•-			115	0		•••		120	• • • •	200	·		
50			770	a. a	000			001	aa1								055
	CCC				•												855
£ £	Pro .	Arg	Gly	GIU	AJa		Ala	Arg	Gly	Glu	Ser	Pro	Gly	Arg	lle	Arg	
55	125					130					135					140	

	cac ctg gtc cac tca gtc cag cgg cit ttc ttc acc aag gca ccc tca 903	
5	- His Leu Val His Ser Val Gln Arg Leu Phe Phe Thr Lys Ala Pro Ser	
	145 150 155	
	ctg gag ggc aca gcg ggc aag gtc ggt ggc aat ggc agc aag aag ggt 951	
10	Leu Glu Gly Thr Ala Gly Lys Val Gly Gly Asn Gly Ser Lys Lys Gly,	
	160 165 170	
15	ggc atg gag gac ggc aag ggc cgg agg gcc aaa agc aag gag cgg gcc 999	
	Gly Met Glu Asp Gly Lys Gly Arg Arg Ala Lys Ser Lys Glu Arg Ala	
20	175 180 185	
	aag got ggg gag coc aaa ogg ogc ago ogc toc aac ato toa ggo tgg 1047	
	Lys Ala Gly Glu Pro Lys Arg Arg Ser Arg Ser Asn Ile Ser Gly Trp	
25	190 195 200	
	tgg age tee gat gae aac tig gae gge gag gee gge gee tte ege age 1095	
30	Trp Ser Ser Asp Asp Asn Leu Asp Gly Glu Ala Gly Ala Phe Arg Ser 205 210 215 220	
	agt ggc cca gcc tct ggg ctg atg ata cta ggc cgc cag gca gaa cgc 1143	ŀ
35	Ser Gly Pro Ala Ser Gly Leu Met Ile Leu Gly Arg Glm Ala Glu Arg	
	225 230 235	
	age cag cea ege tae tie aig cae gee tae aac ace ate agi ggg cae 1191	
40	Ser Gln Pro Arg Tyr Phe Met His Ala Tyr Asn Thr Ile Ser Gly His	
	240 245 250	
45	atg ctc aaa acc acc aag aac aac act act gag ctg act gcc cca cca 1239	ł
	Met Leu Lys Thr Thr Lys Asn Asn Thr Thr Glu Leu Thr Ala Pro Pro	
50	255 260 265	
•	ccc ccg ccc gca ccc cca gcc acc tgc ccc agc ctt ggg-gtg ggc act 1287	,
Ω	Pro Pro Pro Ala Pro Pro Ala Thr Cys Pro Ser Leu Gly Val Gly Thr	
55	270 275 280	

	gao	aco	aac	tac	glc	aaa	a cgg	ggc	ICC	ιgg	tcc	acı	CIB	acc	CIC	agc	1335
5	Ası	The	Asn	Tyr	Val	Lÿs	Arg	Gly	Ser	Trp	Ser	Thr	Leu	Thr	Leu	Ser	
	285	j				290) .				295					300	
10	cac	gco	cac	gag	glc	lgo	cag	aag	acc	tca	gcc	acc	ttg	gat	aag	agc	1383
	His	Ala	His	Glu	Va]	Cys	Gln	Lys	Thr	Ser	Ala	Thr	Leu	Asp	Lys	Ser .	
					305					310					315		
15	ctg	ctc	aag	tcc	aaa	tcc	tgc	cac	cag	ggt	cta	gcc	tac	cat	tac	ctg	1431
	Leu	Leu	Lys	Ser	Lys	Ser	Cys	His	Gln	Gly	Leu	Ála	Tyr	His	Tyr	Leu	
20				320					325					330			
	cag	glg	ccc	ggc	ggc	ggc	ggc	gag	tgg	agc	acc	acg	ctg	clg	tcc	cca	1479
25	Gln	Val	Pro	Gly	Gly	Gly	Gly	Glu	Trp	Ser	Thr	Thr	Leu	Leu	Ser	Pro	
:5			335					340					345				
	cgc	gag	acg	gat	gcc	gcg	gcc	gag	ggc	cct	atc	ccg	t gc	cgg	CgC	atg	1527
30	Arg	Glu	Thr	Asp	Ala	Ala	Ala	Glu	Gly	Pro	Ile	Pro	Cys	Arg	Arg	Met	
		350					355					360					
35	cgc	agc	ggc	agc	tac	atc	aag	gcc	atg	ggc	gac	gag	gac	agc	gac	gag	1575
	Arg	Ser	Gly	Ser	Tyr	lle	lys	Ala	Met	Gly	Asp	Glu	Asp	Ser	Asp	Glu	
	365					370					375				•	380	
10	tcc	ggc	ggc	agc	ccc	aag	CCC	tca	ccc	aag	acc	gcg	gcg	cgg	CgC	cag	1623
	Ser	Gly	Gly	Ser	Pro	Lys	Pro	Ser	Pro	Lys	Thr	Ala	Ala	Arg	Arg	Gln	
15					385					390					395		
	agc	tat	ctg	agg	gcc	acg	cag	cag	tcg	ctg	gga	gag	cag	agc	aac	ccc ·	1671
50	Ser	Туг	Leu	Arg	Ala	Thr	Gln	Gln	Ser	Leu	Gly	Glu	Gln	Ser	Asn	Pro .	
	•			400				•	405					410			
	cgc	agg	agt	ctg	gac	cgc	cig	gat	tca	gtg	gac	atg	ctg	ctg	ccc	tcc	1719
55	Arg	Arg	Ser	Leu	Asp	Arg	Leu	Asp	Ser	Val	Asp	Met	Leu	Leu	Pro	Ser	

			415	5 .				420	l				425	j			
5	aaı	g tgt	ccg	gago	tgg	gaa	a gag	gac	tac	acc	ccc	gtc	ago	gac	agc	ctc	1767
J	Lys	s Cys	Pro	Ser	Trp	Glu	Glu	Asp	Tyr	Thr	Pro	Val	Ser	Asp	Ser	Leu	
		430)				435				•	440					
10	aad	gac	tcc	agc	tgc	atc	ago	cag	at t	ttt	gga	cag	gcc	tcc	ctg	atc	1815
	Asn	Asp	Ser	Ser	Cys	He	Ser	Gln	Ile	Phe	Gly	Gln	Ala	Ser	Leu	Ile	
15	445			•		450					455			•		460	
	ccc	cag	ttg	ttt	ggc	cat	gag	cag	cag	gta	cgg	gag	gca	gag	ctg	agt	1863
	Pro	Gln	Leu	Phe	Gly	His	Glu	Gln	Gln	Val	Arg	GIи	Ala	Glu	Leu	Ser	
20					465					470					475		
	gac	cag	tat	gag	gcg	gcc	tgc	gag	tca	gcc	tgc	agt	gaa	gcg	gag	tcc	1911
25	Asp	Gln	Југ	Glu	Ala	Ala	Cys	Glu	Ser	Ala	Cys	Ser	Glu	Ala	Glu	Ser	
				480					485					490			
30	aca	gcg	gca	gag	acg	ctt	gac	ttg	cca	ctg	ccc	agc	tac	ttc	cgc	tcc	1959
	Thr	Ala	Ala	Glu	Thr	Leu	Asp	Leu	Pro	Leu	Pro	Ser	Tyr	Phe	Arg	Ser	
ę			495					500					505				
35				agc													2007
	Arg		His	Ser	Tyr	Leu	Arg	Ala	Ile	Gln	Ala	Gly	Cys	Ser	Gln	Glu	
40		510					515					520					•
				gtc													2055
		Asp	Ser	Val	Ser		Gln	Ser	Leu	Sėt		Pro	Pro	Ser	Thr	Gly	
45	525	•				530	٠				535					540	
•				aat													2103
50	Ser	Leu	Ser	Asn		Arg	Thr	Leu	Pro	Ser	Ser	Ser	Cys	Leu	Val	Ala	
					545					550					555		
55	tat	aag	aag	acc	ccg	cca	ccg	gtc	cct	cca	cgc	acc	act	lca	aag	ccg	2151
55	Tyr	Lys	Lys	Thr	Pro	Pro	Pro	Val	Рго	Pro	Arg	Thr	Thr	Ser	Lys	Pro	

	56)	565	570
5	tic atc tca gi	c aca glc cag ag	gc agt act gag tot go	cc cag gac acc 2199
	Phe Ile Ser Va	l Thr Val Gln Se	er Ser Thr Glu Ser Al	la Gin Asp Thr
10	575	58	30 58	35 .
10	tac ctg gac ago	cag gac cac aa	ng ago gag gig act ag	gc cag tcg ggc 2247
	Tyr Leu Asp Sei	Gln Asp His Ly	s Ser Glu Val Thr Se	er Gln Ser Gly
15	590	595	. 600	
	ctg agc aac tcg	tcg gac agc ct	g gac agc agt acc ca	ga ccg ccc agc 2295
20	Leu Ser Asn Ser	Ser Asp Ser Le	eu Asp Ser Ser Thr Ai	g Pro Pro Ser
	605	610	615	620
05	gtg aca cgg ggt	gga gtc gcc cc	a gcc cct gag gcc co	a gag cca ccc 2343
25	Val Thr Arg Gly	Gly Val Ala Pr	o Ala Pro Glu Ala Pr	o Glu Pro Pro
		625	630	635
30	cca aaa cat gca	gct ctg aaa ag	t gaa caa ggg acg ct	g acc age tet 2391
	•		r Glu Gln Gly Thr Le	eu Thr Ser Ser
35	640		645	650 .
•			c aaa agg aaa ctg to	
			o Lys Arg Lys Leu Se	•
40	655	66		
			c ggt tcc cac ctc tc	•
45		675	n Gly Ser His Leu Se 680	er GIU ASP ASN
	670			a age age ate. 9595
50			g gca ccc tcc tca ga	
	•	690	t Ala Pro Ser Ser Gl	
	685		695	700
55	ccc ici cac agi	arg too too ck	a cgg gac aca gac tc	g gat acc cag 2583

	Pro Ser His	Ser Met Ser Ser	Arg Arg Asp Thr As	p Ser Asp Thr Gln
		705	710	715
5	gat gcc aat	gac tca agc tgt	aag tca tct gag ag	g agc clc ccg gac 2631
	Asp Ala Asn	Asp Ser Ser Cys	Lys Ser Ser Glu Ar	g Ser Leu Pro Asp
10	•	720	725	730
	tgt acc cct	cac ccc aac tcc	atc agc atc gat gc	c ggt ccc cgg cag 2679
15	Cys Thr Pro	His Pro Asn Ser	Ile Ser Ile Asp Al	a Gly Pro Arg Gln
	735		740	745
	gcc ccc aag	att gcc cag atc	aag cgc aac ctc tc	c tat gga gac aac 2727
20	Ala Pro Lys	lle Ala Gln Ile	Lys Arg Asn Leu Se	r Tyr Gly Asp Asn
	750	755	76	0
25	age gae eet	gcc cta gag gcg	tcc tcg ctg ccc cc	a ccc gac ccc tgg 2775
	Ser Asp Pro	Ala Leu Glu Ala	Ser Ser Leu Pro Pr	Pro Asp Pro Trp
20	765	770	775	780
30	ctc gag acc	tcc tcc agc tcc	cca gca gag ccg gc	a cág cca ggg gcc 2823
	Leu Glu Thr	Ser Ser Ser Ser	Pro Ala Glu Pro Al	a Gln Pro Gly Ala
35		785	790	795
	tgc cgc cga	gac ggc tac tgg	tic cta aag cta ct	g cag gca gaa aca 2871
40			Phe Leu Lys Leu Le	Gln Ala Glu Thr
		800	805	. 810
	gag cgg ctg	gaa ggc tgg tgc	tgc cag atg gac aa	g gag acc aaa gag 2919
45	Glu Arg Leu	Glu Gly Trp Cys	Cys Glm Met Asp Ly	
	815		820	825
50	aac aac ctc	tct gaa gaa gtc	tta gga aaa gtc ct	c agt gct gtg ggc 2967
	Asn Asn Leu	Ser Glu Glu Val	Leu Gly Lys Val Le	ı Ser Ala Val Gly
	830	835	84)
55	agt gcc cag	cta ctg atg tcc	cag aaa itc cag ca	s tic cgg ggc cic 3015

	Se	r Ala	a Glr	Leu	Leu	Met	Ser	Gln	Lys	Phe	Gln	Gln	Phe	Arg	Gly	Leu	
5	845	5				850					855					860	
	tgt	gag	g caa	aac	ttg	aac	cct	gat	gcc	aac	cca	cgc	ccc	aca	BCC	cag	3063
10	Cys	Glu	Gln	Asn	Leu	Asn	Pro	Asp	Ala	Asn	Pro	Arg	Pro	Thr	Ala	Gln	
10					865					870					875		
	gac	ctg	gca	ggg	ttc	tgg	gac	clg	cta	cag	ctg	tcc	atc	gag	gat	atc	3111
15	Asp	Leu	Ala	Gly	Phe	Trp	Asp	Leu	Leu	Gln	Leu	Ser	He	Glu	Asp	lle	
				880					885			•		890			
20	agc	atg	aag	ttc	gat	gaa	ctc	tac	cac	ctc	aag	gcc	aac	agc	tgg	cag	3159
	Ser	Ne t		Phe	Asp	Glu	Leu		His	Leu	Lys	Ala		Ser	Trp	Gln	
25			895					900			•		905				
	ctg	gtg	gag	acc	ccc	gag	aag	agg	aag	gaa	gag	aag	aaa	cca	cċc	cct	3207
	Leu	Val	Glu	Thr	Pro	Glu	Lys	Arg	Lys	Glu	Glu	Lys	Lys	Pro	Pro	Pro	
30		910					915					920			٠		•
	ccg	gtc	cca	aag	aag	cca	gcc	aaa	tcc	aag	ccg	gca	gtg	agc	cgc	gac	3255
35	Pro	Val	Pro	Lys	Lys	Pro	Ala	Lys	Ser	Lys	Рго	Ala	Val	Ser	Arg	Asp	
	925					930					935	•				940	
	aag	gcc	tca	gac	gcc	agc	gac	aag	cag	cgc	cag	gag	gcc	cgc	aag	aga	3303
40	Lys	Ala	Ser	Asp	Ala	Ser	Asp	Lys	Gln	Arg	Gln	Glu	Ala	Arg	Lys	Arg	
					945					950					955		
45	ctc	ctg	gcg	gcc	aag	cgg	gca	gct	tct,	gtg	cgg	cag	aaċ	tca	gcc	acc	3351
	Leu	Leu	Ala	Ala	Lys	Arg	Ala	Ala	Ser	Val	Arg	Gln	Asn	Ser	Ala	Thr	
		•		960					965				•	970		•	
50	gag	agc	gca	gac	agc	atc	gag	ati	tat	gtc	ccg	gag	gcc	cag	acc	agg	3399
	Glu	Ser	Ala	Asp	Ser	He	Glu	Ile	Туг	Val	Pro	Glu	Ala	Gln	Thr	Arg	
55			975					980					985				

	ctc tgagac	catg caggag	gaaa gaaacg	atti taaatc	atta aaaaca	caaa	3452
5	. Leu						
•	aactaagtgc	gaacggaaca	gagttttctc	aacctttgct	atggitatic	tgtctagaga	3512
	ccctgagcca	actttcaaat	tgacgcatac	aagggctcac	aatttggctt	ttttgggtcc	3572
10	ctcccagctt	taggttatga	agattttact	cacaaaaaaa	atcaacaaaa	atcacgaaac	3632
	lagaaaactt	tttttttcct	cttgctggcc	gtggtggact	agatagatgg	acgtcggcaa	3692
15	ctcccggccc	agcctccata	ctgcggtctt	tttactcgtt	ctatctgatg	agaactcaca	3752
	ctagcttgtt	tacaagatga	cgacagtcca	agggcagcct	tgggcacctg	ccatgtccct	3812
20	cctttcccca	gctatccccg	ctctgacctt	gatittcatt	cttatgitit	tctcttttcc	3872
	cttcagagct	cacacagtgg	tcaccaitgt	ggcaagcggc	ttictgggtc	tcagccctct	3932
	ctgcggttga	gggcccagag	gacagagaga	tggacatgcg	tcccctccct	cccccgcca	3992
25	agtgctcaca	cacaacctca	cgcgcacaca	cacacacgca	gatggaggcg	cctcactggg	4052
	aggtgccccg	ccagccctgg	gcagtgtcag	gcaggactca	ctcaccgctg	agcagatgag	4112
30	agaagttta	gtcttggcgg	gtggaaalga	gacgaagcca	cagitatcac	actccagact	4172
	cctgcccttt	tattitctcc	agccccttct	tccttcagca	aaatctagga	clcccgagtg	4232
						gggcgggcgg	
35	cgglgicigi						
	cccatctgct			·			
40	ggaggcgggt		•				
	gtgtgtgtaa						
	ccctccccc						
45	attttttt						
	gtgtcacgag						
50	ggctcagccc						
	tctggcatcc						
55	cccaggtgaa						
	ttgggcaagt	cacttgacct	cigigigaci	caacticcic	ctctgtaaaa	cggggacagt	4952

	ccctgcccct cc	ctacctca caggo	aigit gigagaataa	atgaggtaac gtgta	5007
5	<210> 38				
				- 17	
	⟨211⟩ 989				
	<212> PRT				
	· <213> Homo sa	piens			
15	<400> 38				
	Met Lys Gly L	eu Gly Asp Ser	Arg Pro Arg His	Leu Ser Asp Ser Leu	
	1	5	10	15	
20	Asp Pro Pro H	is Glu Pro Leu	Phe Ala Gly Thr	Asp Arg Asn Pro Tyr	
		20	25	30	
25	Leu Leu_Ser P	ro Thr Glu Ala	Phe Ala Arg Glu	Ala Arg Phe Pro Gly	
	35		40	45	
30	Gln Asn Thr L	eu Pro Gly Asp	Gly Leu Phe Pro	Leu Asn Asn Gln Leu	
<i>30</i>	50	55		60	
			Pro Arg Ile His	Tyr Asn Ser His Phe	
35	65	70	75	80	
				Ala Gln Ala Thr Lys	
	GIU VAI TIO G				
40	*	85	90	95	
				Phe Glu Lys Gln Leu	
45	10	00	105	110	
45	Pro Ile His A	g Asp Gly Phe	Ser Thr Leu Gln	Phe Pro Arg Gly Glu	
	115		120 .	125	
50	Ala Lys Ala Ai	g Gly Glu Ser	Pro Gly Arg Ile	Arg His Leu Val His	
·	130	135		140	
	Ser Val Gln Ai	g Leu Phe Phe	Thr Lys Ala Pro	Ser Leu Glu Gly Thr	
55	145	150	155	160	

	Ala	Gly	Lys	Val	Gly	Gly	Asn	Gly	Ser	Lys	Lys	Gly	Gly	Met	Glu	Asp
5					165					170					175	
	Gly	Lys	Gly	Arg	Arg	Ala	Lys	Ser	Lys	Glu	Arg	Ala	Lys	Ala	Gly	Glu
10				180					185					190		
	Pro	Lys	Arg	Arg	Ser	Årg	Ser	Asn	He	Ser	Gly	Trp	Trp	Ser	Ser	Asp
			195					200					205			
15	Asp	Asn	Leu	Asp	Gly	Glu	Ala	Gly	Ala	Phe	Arg	Ser	Ser	Gly	Pro	Ala
		210					215	•			_	220				
20	Ser	Gly	Ī e II	Me i	He	Len		Arg	Gln	Ala	Glu		Ser	Gln	Pro	Ατσ
	225	0.,	LCU	шес	110	230	0.,		01.11	,,,,	235			0111		240
		Phe	Mot	Uic	ΔΙα		4 cn	The	110	Sar		Ніс	Mat	T an	lve	
25	1 9 1	THE	- mc i	1113	245	171	ASH	1111	110	250	Uly	1113	III C C	Leu	255	1111
	Th-	Luc	A a b	400		Th-	C)	Lau	ፕե-		Dro	Dro	Dro	Dec		410
30	1111	Lys	W211		1111	1111	GIU	ren		NIA	rio	710	FIU		110	нια
	D	n	:	260	0	D	C	1	265	17 - 1	C1	Th _		270	A	т
	PIO	Pro		ınr	LYS	Pro	261		GIY	Val	игу	inr			ASN	171
35	17 1		275	01.	٥		•	280	•	m 1	,	^	285			•
	Val	Lys	Arg	Gly	Ser	Trp	Ser	Ihr	Leu	Inr	Leu	Ser	HIS	Ala	His	Glu
40		290					295				_	300				
40		Cys	Gln	Lys	Thr			Thr	Leu	Asp			Leu	Leu	Lys	
40	305	Cys				310	Ala				315	Ser				320
45	305					310	Ala				315	Ser				320
	305	Cys				310	Ala				315	Ser				320
45	305 Lys	Cys	Cys	His	Gln 325	310 Gly	Ala Leu	Ala	Tyr	His 330	315 Tyr	Ser Leu	Gln	Val	Pro 335	320 Gly
	305 Lys	Cys Ser	Cys	His	Gln 325	310 Gly	Ala Leu	Ala	Tyr	His 330	315 Tyr	Ser Leu	Gln	Val	Pro 335	320 Gly
45	305 Lys Gly	Cys Ser	Cys	His Glu 340	Gln 325 Trp	310 Gly Ser	Ala Leu Thr	Ala	Tyr Leu 345	His 330 Leu	315 Tyr Ser	Ser Leu Pro	Gln Arg	Val Glu 350	Pro 335 Thr	320 Gly Asp

	Tyı	r Ile	e Lys	Ala	Met	Gly	Asp	Glu	Asp	Ser	Asp	Glu	Ser	Gly	Gly	Ser
· 5	•	370)				375					380				
	Pro	Lys	Pro	Ser	Pro	Lys	Thr	Ala	Ala	Arg	Arg	Gln	Ser	Ţ.yr	Leu	Arg
	385	; }				390					395					400
10	Ala	Thi	Gln	Gln	Ser	Leu	Gly	Glu	Gln	Ser	Asn	Pro	Arg	Arg	Ser	Leu
					405					410		•			415	
15	Asp	Arg	Leu	Asp	Ser	Val	Ásp	Met	Leu	Leu	Pro	Ser	Lys	Cys	Pro	Ser
				420					425					430		
20	Trp	Glu	Glu	Asp	Туг	Thr	Pro	Va]	Ser	Asp	Ser	Leu	Asn	Asp	Ser	Ser
			435					440					445			
	Cys	Ile	Ser	Gln	He	Phe	Gly	Gln	Ala	Ser	Leu	He	Pro	Gln	Leu	Phe
25		450	_				455					460				
	Gly	His	Glu	Gln	Gln	Val	Ārg	Glu	Ala	Glu	Leu	Ser	Asp	Gln	Tyr	Glu
30	465					470	•				475					480
	Ala	Ala	Cys	Glu	Ser	Ala	Cys	Ser	Glu	Ala ·	Glu	Ser	Thr	Ala	Ala	Glu
					485					490					495	
35	Thr	Leu	Asp	Leu	Pro	Leu	Pro	Ser	Tyr	Phe	Arg	Ser	Arg	Ser	His	Ser
				500					505					510		•
40	Tyr	Leu	Arg	Ala	He	Gln	Ala	Gly	Cys	Ser	Gln	Glu	Glu	Asp	Ser	Val
			515					520					525			
	Ser		Gln	Ser	Leu	Ser		Pro	Pro	Ser	Thr		Ser	Leu	Ser	Asn
45		530				_	5.35					540				
		Arg	Thr	Leu			Ser	Ser	Cys	Leu		Ala	Туг	Lys	Lys	
50	545		د			550				_	555					560
	Рго	Pro	Pro			Pro	Arg	Thr	Thr		Lys	Pro	Phe	He	Ser	Val ·
55					565					570					575	
	Thr	Ya]	GIn	Ser	Ser	Thr	Glu	Ser	Ala	Gln	Asp	Thr	Туг	Leu	Asp	Ser

				580					585					590)	
5	Gli	ı Ası	His	Lys	Ser	Glu	Val	Thr	Ser	Gln	Ser	Gly	Leu	Ser	Asn	Ser
			595	j				600	•	•			605			
10	Sej	Ası	Ser	Leu	Asp	Ser	Ser	Thr	Arg	Pro	Pro	Se r	Val	Thr	Arg	Gly
		610)				615					620				
45	Gly	v Val	Ala	Pro	Ala	Pro	Glu	Ala	Pro	Glu	Pro	Pro	Pro	Lys	His	Ala
15	625	i				630					635			•		640
	Ala	Leu	Lys	Ser	Glu	Gln	Gly	Thr	Leu	Thr	Ser	Ser	Glu	Ser	His	Pro
20					645					650					655	•
	Glu	Ala	Ala	Pro	Lys	Arg	Lys	Leu	Ser	Ser	lle	Gly	He	Gln	Glu	Arg
25				660					665					670		
	Thr	Arg	Arg	Asn	Gly	Ser	His	Leu	Ser	Glu	Asp	Asn	Gly	Pro	Lys	Ala
			675					680					685			
30	Ile	Asp	Val	Met	Ala	Pro	Ser	Ser	Glu	Ser	Ser	Va l	Pro	Ser	His	Se.r
		690		•			695					700	•			
35		Ser	Ser	Arg	Arg	Asp	Thr	Asp	Ser	Asp	Thr	Gln	Asp	Ala	Asn	Asp
	705					710					715					720
40	Ser	Ser	Cys	Lys		Ser	Glu	Arg	Ser		Pro	Asp	Cys	Thr	Pro	His
					725					730					735	
	Pro	Asn	Ser	Ile	Ser	He	Asp	Ala		Pro	Arg	Gin	Ala		Lys	lle
45	41.	01	• •	740					745	٥.			•	750	_	
	Ala	GIN		Lys	Arg	Asn	Leu		Туг	Gly	ASP	ASN		ASD	Pro	Ala
50		01	755	•	•		_	760			•	_	765			
			Ala	Ser	Ser	Leu		Pro	Рго	Asp	Pro		Leu	G1 u	Thr	Ser
		770	_	_			775			_		780				
55	Ser	Ser	Ser	Рго	Ala	Glu	Pro	Ala	Gln	Рго	Gly	Ala	Cys	Arg	Arg	Asp

	785					790					795			•		800
•	Gly	Tyr	Trp	Phe	Leu	Lys	Leu	Leu	Gln	Ala	Glu	Thr	Glu	Arg	Leu	Glu
			•		805					810					815	
	Gly	Trp	Cys	Cys	Gln	Met	Asp	Lys	Glu	Thr	Lys	Glu	Asn	Asn	Leu	Ser
·				820					825					830		
	Glu	Glu	Val	Leu	Gly	Lys	Val	Leu	Ser	Ala-	Val	Gly	Ser	Ala	Gln	Leu
			835					840					845	٠		
	Leu	Met	Ser	Gln	Lys	Phe		Gln	Phe	Arg	Gly		Cys	Glu	Gln	Asn
		850					855					860				
	Leu	Asn	Pro	Asp	Ala	Asn	Pro	Arg	Pro	Thr	Ala	Gln	Asp	Leu	Ala	Gly
	865					870					875				•	880
	Phe	Trp	Asp	Leu	Leu	Gln	Leu	Ser	He	Glu	Asp	Ile	Ser	Met	Lys	Phe
					885					890					895	
	Asp	Glu	Leu	Туг	His	Leu	Lys	Ala	Asn	Ser	Trp	Gln	Leu	Val	Glu	Thr
				900					905				,	910		
	P.ro	Glu	Lys	Arg	Lys	Glu	Glu	Lys	Lys	Pro	Pro	Pro	Pro	Val	Pro	Lys
•			915			•		920					925	•		
	Lys	Pro	Ala	Lys	Ser	Lys	Pro	Ala	Va J	Ser	Arg	Asp	Lys	Ala	Ser	Asp
		930					935					940				
	Ala	Ser	Asp	Lys	Gln	Arg	Gln	Glu	Ala	Arg	Lys	Arg	Leu	Leu	Ala	Ala
	945					950				٠	955		٠,			960
	Lys	Arg	Ala	Ala	Ser	Val	Aŗg	Gin	Asn	Ser	Ala	Thr	Glu	Ser	Ala	Asp
					965					970					975	
	Ser	He	Glu	He	Ţyr	Val	Pro	Glu	Ala	Gln	Thr	Arg	Leu			
				980					985							
8	<210	> 39														
		Gly Gly Glu Leu 865 Phe Asp Pro Lys Ala 945 Lys Ser	Gly Tyr Gly Trp Glu Glu Leu Met 850 Leu Asn 865 Phe Trp Asp Glu Pro Glu Lys Pro 930 Ala Ser 945 Lys Arg Ser Ile	Gly Tyr Trp Gly Trp Cys Glu Glu Val 835 Leu Met Ser 850 Leu Asn Pro 865 Phe Trp Asp Asp Glu Leu Pro Glu Lys 915 Lys Pro Ala 930 Ala Ser Asp 945 Lys Arg Ala Ser Ile Glu	Gly Trp Cys Cys 820 Glu Glu Val Leu 835 Leu Met Ser Gln 850 Leu Asn Pro Asp 865 Phe Trp Asp Leu Asp Glu Leu Tyr 900 Pro Glu Lys Arg 915 Lys Pro Ala Lys 930 Ala Ser Asp Lys 945 Lys Arg Ala Ala Ser Ile Glu Ile 980	Gly Tyr Trp Phe Leu 805 Gly Trp Cys Cys Gln 820 Glu Glu Val Leu Gly 835 Leu Met Ser Gln Lys 850 Leu Asn Pro Asp Ala 865 Phe Trp Asp Leu Leu 885 Asp Glu Leu Tyr His 900 Pro Glu Lys Arg Lys 915 Lys Pro Ala Lys Ser 930 Ala Ser Asp Lys Gln 945 Lys Arg Ala Ala Ser 965 Ser Ile Glu Ile Tyr 980	Gly Tyr Trp Phe Leu Lys 805 Gly Trp Cys Cys Gln Met 820 Glu Glu Val Leu Gly Lys 835 Leu Met Ser Gln Lys Phe 850 Leu Asn Pro Asp Ala Asn 865 870 Phe Trp Asp Leu Leu Gln 885 Asp Glu Leu Tyr His Leu 900 Pro Glu Lys Arg Lys Glu 915 Lys Pro Ala Lys Ser Lys 930 Ala Ser Asp Lys Gln Arg 945 950 Lys Arg Ala Ala Ser Val 965 Ser Ile Glu Ile Tyr Val	Gly Tyr Trp Phe Leu Lys Leu 805 Gly Trp Cys Cys Gln Met Asp 820 Glu Glu Val Leu Gly Lys Val 835 Leu Met Ser Gln Lys Phe Gln 850 855 Leu Asn Pro Asp Ala Asn Pro 865 870 Phe Trp Asp Leu Leu Gln Leu 885 Asp Glu Leu Tyr His Leu Lys 900 Pro Glu Lys Arg Lys Glu Glu 915 Lys Pro Ala Lys Ser Lys Pro 930 935 Ala Ser Asp Lys Gln Arg Gln 945 950 Lys Arg Ala Ala Ser Val Arg 965 Ser Ile Glu Ile Tyr Val Pro 980	Gly Tyr Trp Phe Leu Lys Leu Leu 805 Gly Trp Cys Cys Gln Met Asp Lys 820 Glu Glu Val Leu Gly Lys Val Leu 835 840 Leu Met Ser Gln Lys Phe Gln Gln 850 855 Leu Asn Pro Asp Ala Asn Pro Arg 865 870 Phe Trp Asp Leu Leu Gln Leu Ser 885 Asp Glu Leu Tyr His Leu Lys Ala 900 Pro Glu Lys Arg Lys Glu Glu Lys 915 920 Lys Pro Ala Lys Ser Lys Pro Ala 930 935 Ala Ser Asp Lys Gln Arg Gln Glu 945 950 Lys Arg Ala Ala Ser Val Arg Gln 965 Ser 11e Glu Ile Tyr Val Pro Glu	Gly Tyr Trp Phe Leu Lys Leu Leu Gln 805 Gly Trp Cys Cys Gln Met Asp Lys Glu 820 825 Glu Glu Val Leu Gly Lys Val Leu Ser 835 840 Leu Met Ser Gln Lys Phe Gln Gln Phe 850 855 Leu Asn Pro Asp Ala Asn Pro Arg Pro 865 870 Phe Trp Asp Leu Leu Gln Leu Ser Ile 885 Asp Glu Leu Tyr His Leu Lys Ala Asn 900 905 Pro Glu Lys Arg Lys Glu Glu Lys Lys 915 920 Lys Pro Ala Lys Ser Lys Pro Ala Val 930 935 Ala Ser Asp Lys Gln Arg Gln Glu Ala 945 950 Lys Arg Ala Ala Ser Val Arg Gln Asn 965 Ser Ile Glu Ile Tyr Val Pro Glu Ala 980 985	Gly Tyr Trp Phe Leu Lys Leu Leu Gln Ala 805 810 Gly Trp Cys Cys Gln Met Asp Lys Glu Thr 820 825 Glu Glu Val Leu Gly Lys Val Leu Ser Ala 835 840 Leu Met Ser Gln Lys Phe Gln Gln Phe Arg 850 855 Leu Asn Pro Asp Ala Asn Pro Arg Pro Thr 865 870 Phe Trp Asp Leu Leu Gln Leu Ser Ile Glu 885 890 Asp Glu Leu Tyr His Leu Lys Ala Asn Ser 900 905 Pro Glu Lys Arg Lys Glu Glu Lys Lys Pro 915 920 Lys Pro Ala Lys Ser Lys Pro Ala Val Ser 930 935 Ala Ser Asp Lys Gln Arg Gln Glu Ala Arg 945 950 Lys Arg Ala Ala Ser Val Arg Gln Asn Ser 965 970 Ser Ile Glu Ile Tyr Val Pro Glu Ala Gln 980 985	Gly Tyr Trp Phe Leu Lys Leu Leu Gln Ala Glu 805 810	Gly Tyr Trp Phe Leu Lys Leu Leu Gln Ala Glu Thr 805 810 Gly Trp Cys Cys Gln Met Asp Lys Glu Thr Lys Glu 820 825 Glu Glu Val Leu Gly Lys Val Leu Ser Ala Val Gly 835 840 Leu Met Ser Gln Lys Phe Gln Gln Phe Arg Gly Leu 850 855 860 Leu Asn Pro Asp Ala Asn Pro Arg Pro Thr Ala Gln 865 870 885 Phe Trp Asp Leu Leu Gln Leu Ser Ile Glu Asp Ile 885 890 Asp Glu Leu Tyr His Leu Lys Ala Asn Ser Trp Gln 900 905 Pro Glu Lys Arg Lys Glu Glu Lys Lys Pro Pro Pro 915 920 Lys Pro Ala Lys Ser Lys Pro Ala Val Ser Arg Asp 930 935 940 Ala Ser Asp Lys Gln Arg Gln Glu Ala Arg Lys Arg 945 950 Ser Ile Glu Ile Tyr Val Pro Glu Ala Gln Thr Arg 980 985	Gly Tyr Trp Phe Leu Lys Leu Leu Gln Ala Glu Thr Glu 805 810 Gly Trp Cys Cys Gln Met Asp Lys Glu Thr Lys Glu Asn 820 825 Glu Glu Val Leu Gly Lys Val Leu Ser Ala Val Gly Ser 835 840 845 Leu Met Ser Gln Lys Phe Gln Gln Phe Arg Gly Leu Cys 850 855 860 Leu Asn Pro Asp Ala Asn Pro Arg Pro Thr Ala Gln Asp 865 870 875 Phe Trp Asp Leu Leu Gln Leu Ser Ile Glu Asp Ile Ser 885 890 Asp Glu Leu Tyr His Leu Lys Ala Asn Ser Trp Gln Leu 900 905 Pro Glu Lys Arg Lys Glu Glu Lys Lys Pro Pro Pro Pro 915 920 925 Lys Pro Ala Lys Ser Lys Pro Ala Val Ser Arg Asp Lys 930 935 940 Ala Ser Asp Lys Gln Arg Gln Glu Ala Arg Lys Arg Leu 945 950 955 Lys Arg Ala Ala Ser Val Arg Gln Asn Ser Ala Thr Glu 965 970 Ser Ile Glu Ile Tyr Val Pro Glu Ala Gln Thr Arg Leu 980 985	Gly Tyr Trp Phe Leu Lys Leu Leu Gln Ala Glu Thr Glu Arg 805 810 Gly Trp Cys Cys Gln Met Asp Lys Glu Thr Lys Glu Asn Asn 820 825 830 Glu Glu Val Leu Gly Lys Val Leu Ser Ala Val Gly Ser Ala 835 840 845 Leu Met Ser Gln Lys Phe Gln Gln Phe Arg Gly Leu Cys Glu 850 855 860 Leu Asn Pro Asp Ala Asn Pro Arg Pro Thr Ala Gln Asp Leu 865 870 875 Phe Trp Asp Leu Leu Gln Leu Ser Ile Glu Asp Ile Ser Met 885 880 Asp Glu Leu Tyr His Leu Lys Ala Asn Ser Trp Gln Leu Val 900 905 910 Pro Glu Lys Arg Lys Glu Glu Lys Lys Pro Pro Pro Pro Val 915 920 925 Lys Pro Ala Lys Ser Lys Pro Ala Val Ser Arg Asp Lys Ala 930 935 940 Ala Ser Asp Lys Gln Arg Gln Glu Ala Arg Lys Arg Leu Leu 945 950 955 Lys Arg Ala Ala Ser Val Arg Gln Asn Ser Ala Thr Glu Ser 965 970 Ser Ile Glu Ile Tyr Val Pro Glu Ala Gln Thr Arg Leu	Gly Tyr Trp Phe Leu Lys Leu Leu Gln Ala Glu Thr Glu Arg Leu 805

	<21	1> 2	522														
5	<21	2> D	NA			•				•							
•	<21	3> H	ото	sapi	ens											••	
·	<22	0>											٠	•	•		
10	<22	1> C	DS		•												
	<22	2> (1)	(154	5)												•.
15	<40	0> 3	9						•								•
	ac t	gct	ctc	agt	gag	aag	cgc	acg	ctg	gag	ggc	gag	ctg	cạt	gat	ctg	48
on.	Thr	Ala	Leu	Ser	Glu	Lys	Arg	Thr	Leu	Glu	Gly	Glu	Leu	His	Asp	Leu	
	1				5					10					15		
	cgg	ggc	cag	gtg	gcc	aag	ctt	gag	gca	gcc	cta	ggt	gag	gcc	aag	aag	96
25 .	Arg	Gly	Gln	Val	Ala	Lys	Leu	Glu	Ala	Ala	Leu	Gly	Glu	Ala	Lys	Lys	
				20					25					30			
30				gat												•]44
	Gln	Leu		Asp	Glu	Met	Leu		Arg	Val	Asp	Ala		Asn	Arg	Leu	
05			35					40					45				
35				aag													192
	GIII	50	Wer	Lys	GIU	Giu	55 55	изр	rne	.0111	r y S	60 80	116	1 7 1	261	GIU	
40	äsa		cat	gag	200	220		roi	cat	σ2σ	acc		ctø	oto	020	att	240
				Glu													230
45	65	. 200	0		••••	70	0				75	0	200			80	
		aat	ggg	aag	cag	•	gag	ttt	gag	agc		ctg	gcg	gat	gcg		288
50				Lys	-							•					
50					85					90					95		
	cag	gaa	clg	cgg	gcc	cag	cat	gag	gac	cag	gtg	gag	cag	tat	aag	aag	336
55				Arg													

				100					105					110			
5	gag	ctg	gag	aag	act	tat	tct	gcc	aag	ctg	gac	aat	gcc	agg	cag	tct	384
	Glu	Leu	Glu	Lys	Thr	Tyr	Ser	Ala	Lys	Leu	Asp	Asn	Ala	Arg	Gln	Ser	•
10			115					120					125				
	gct	gag	agg	aac	agc	aac	ctg	gtg	ggg	gct	gcc	cac	gag	gag	c.tg	cag	432
15	Ala	Glu	Arg	Asn	Ser	Asn	Leu	Val	Gly	Ala	Ala	His	Glu	Glu	Leu	Gln	
		130					135					140					
	cag	tcg	cgc	atc	cgc	atc	gac	agc	ctc	tct	gcc	cag	ctc	agc	cag	cic	480
20	Gln	Ser	Arg	He	Arg	Ile	Asp	Ser	Leu	Ser	Ala	Gln	Leu	Ser	Gln	Leu	
	145				•	150		•			155					160	
25	cag	aag	cag	ctg	gca	gcc	aag	gag	gcg	aag	ctt	cga	gac	ctg	gag	gac	528
	Gln	Lys	~Gln	Leu	Ala	Ala	Lys	G1 u	Ala	Lys	Leu	Arg	Asp	Leu	Glu	Asp	
					165					170					175		
30	tca	ctg	gcc	cgt	gag	cgg	gac	acc	agc	cgg	cgg	ctg	ctg	gcg	gaa	aag	576
	Ser	Ĺeu	Ala	Arg	Glu	Arg	Asp	Thr	Ser	Arg	Arg	Leu	Leu	Ala	Glu	Lys	
35				180					185					190			
	gag	cgg	gag	atg	gcc	gag	aig	cgg	gca	agg	atg	cag	cag	cag	ctg	gac	624
40	Glu	Arg	Glu	Me t	Ala	Glu	Met	Arg	Ala	Arg	Met	Gln	Gln	Gln	Leu	Asp	
			195					200					205		•		
	gag	tac	cag	gag	ctt	ctg	gac	atc	aag	ctg	gcc	ctg	gac	alg	gag	atc	672
45	·Glu	Tyr	Gln	Glu	Leu	Leu		lle	Lys	Leu	Ala	Leu	Asp	Met	Glu	lle	
		210					215					220					
50	cac	gcc	lac	cgc	aag	clc	ttg	gag	ggc	gag	gag	gag	agg	cla	cgc	ctg	720
	His	Ala	Tyr	Arg	Lys	Leu	Leu	Glu	Gly	Glu	Glu	Glu	Arg	Leu	Arg	Leu	
	225					230					235					240	
55	tcc	ccc	agc	cct	acc	tcg	cag	cgc	agc	cgt	ggc	cgt	gcl	tcc	tct	cac	768

	Sei	Pro	Ser	Pro	Thr	Ser	Gln	Arg	Ser	Arg	Gly	Arg	Ala	Ser	Ser	His	
5					245					250					255		
	tca	tco	cag	aca	cag	ggt	ggg	ggc	agc	gtc	acc	aaa	aag	cgc	aaa	clg	816
	Ser	Ser	Gln	Thr	Gln	Gly	Gly	Gly	Ser	Val	Thr	Lys	Lys	Arg	Lys	Leu	
10			•	260					265					270			
	gag	tcc	act	gag	agc	cgc	agc	agc	ttc	tca	cag	cac	gca	cgc	act	agc	864
15	Glu	Ser	Thr	Glu	Ser	Arg	Ser	Ser	Phe	Ser	Gln	His	Ala	Arg	Thr	Ser	
			275					280					285				
20	ggg	cgc	gtg	gcc	gtg	gag	gag	gtg	gat	gag	gag	ggc	aag	ttt	gtc	cgg	912
	Gly	Arg	Val	Ala	Va l	Glu	Glu	Val	Asp	Glu	Glu	Gly	Lys	Phe	Va 1	Arg	
		290					295					300				•	
25			aac -														960
		Arg	Asn	Lys	Ser		Glu	Asp	Gln	Ser	Met	Gly	Asn	Trp	Gln	He	
30	305					310					315					320	
			cag											Ť			1008
35	Lys	Arg	Gln	Asn		Asp	Asp	Pro	Leu		Thr	Tyr	Arg			Pro	
33		44.		- 4 -	325				_4_	330					,335		
			acc														1056
40	Lys	rne	Thr	340	TÀS	AIA	ĠīÀ	GIN	345	Yaı	101	116	irp		AIA	GIA	
	act	aaa	gcc		cac	250	ccc	cct		gar	cta	ata	100	350	ge a	000	1104
45			Ala													_	1104
	win		355	1111	1113		11,0	360	1111	nsp	Dea		365	L)3	ЛІС	G111	
	aac		tgg	PPC	tgc	900	aac		cte	rat	acg	ør t		aic	220	tee	11.52
50			Trp														1102
		370	117	013	.,s	013	375	201	Deu	n 1 6	• 411	380	DC II	116	nəll	061	
55			~ ^ ^	a a a	at ~	gee		0.00	227	o i a	at a		100	a 1 a	004	a 1 a	1000
	act	RRR	gaa	gad	RIR	ጀርር	aıg	cRC	adg	CIR	RIE	CRC	ıca	RIR	act	gig	1200

5	Thr	Gly	Glu	Glu	Va 1	Ala	Met	Arg	Lys	Leu	Val	Arg	Ser	Val	Thr	Val	
3	385					390					395					400	
	gtt	gag	gac	gac	gag	gat	gag	gat	gga	gat	gac	ctg	ctc	cat	cac	cac	1248
10	Val	Glü	Asp	Asp	Glu	Asp	Gļu	Asp	Gly	Asp	Asp	Leu	Leu	His	His	His	
·					405					410					415		
15	cac	ggc	tcc	cac	tgc	agc	agc	tcg	ggg	gac	ccc	gct	gag	tac	aac	ctg	1296
	His	Gly	Ser	His	Cys	Ser	Ser	Ser	Gly	Asp	Pro	Ala	Glu	Туг	Asn	Leu	
				420					425					430			
20	cgc	tcg	cgc	acc	gtg	ctg	tgc	ggg	acc	tgc	ggg	cag	cct	gcc	gac	aag	1344
	Arg	Ser	Arg	Thr	Val	Leu	Cys	Gly	Thr	Cys	Gly	Gln	Pro	Ala	Asp	Lys	
25			435					440					445				
•	gca	tct	gcc	agc	ggc	tca	gga	gcc	cag	gtg	ggc	gga	ccc	atc	tcc	tct	1392
30	Ala	Ser	Ala	Ser	Gly	Ser	Gly-	Ala	Gln	Val	Gly	Gly	Pro	He	Ser	Ser	
30		450					455					460					
	ggc	tct	tct	gcc	tcc	agt	gtc	acg	gtc	act	cgc	agc	tac	cgc	agt	gtg .	1440
35	Gly	Ser	Ser	Ala	Ser	Sei	Val	Thr	Val	Thr	Arg	Ser	Tyr	Arg	Ser	Val	
	465					470					475					480	
40	ggg	ggc	agt	ggg	ggt	ggc	agc	tic	ggg	gac	aat	ctg	gtc	acc	CgC	tcc	1488
	Gly	Gly	Ser	Gly	Gly	Gly	Ser	Phe	Gly	Asp	Asn	Leu	Val	Thr	Arg	Ser ·	
					485					490	•				495		
45		ctc															1536
	Туг	Leu			Asn	Ser	Ser	Pro		Thr	Gln	Ser	Рго	Gln	Asn	Cys	•
50				500					505			•		510	•		•
	agc	atc	alg	taat	ctgg	ga c	ctgo	cage	C 88	gggt	BESS	glg	gage	sc t t			1585
	Ser	He	Met							٠							
55			515														

	cotsostoct cotcacotca tscccacco ciscoctsca esteatsssa sssssotisa	1645
5	agccaaagaa aaataaccci tiggitiitt icticigtat tittittict aagagaagit	. 1705
	attitictaca giggittiai acigaaggaa aaacacaagc aaaaaaaaaa aaaaagcaic	-1765
	tatotoatot atotoaatoo taattiotoo locottoott tioootgott coaggaaact	1825
10	ccacatcigo citaaaacca aagagggoti coiciagaag ccaagggaaa ggggigotii	1885
	tatagagget agettetget titletgeeet ggetgetgee ceaceeeggg gaeeetgtga	1945
15	catggtgcct gagaggcagg catagaggct tctccgccag cctcctctgg acggcaggct	2005
	cactgccagg ccagcctccg agagggagag agagagagag aggacagctt gagccgggcc	2065
20	cctggcttgg cctgctgtga ticcactaca cctggctgag gttcctctgc ctgccccgcc	2125
20	cccagtcccc acccctgccc ccagccccgg ggtgagtcca ttctcccagg taccagctgc	2185
	gcttgctttt ctglatttta tttagacaag agatgggaal gaggtgggag gtggaagaag	2245
25	ggagaagaaa ggtgagtttg agctgccttc cctagcttta gaccctgggt gggctctgtg	2305
	cagtcactgg aggttgaagc caagtggggt gctgggagga gggagggga ggtcactgga	2365
30	aaggggagag cctgctgcac ccaccgtgga ggaggaaggc aagagggggt ggaggggtgt	2425
30	ggcagitggt tilggcaaac gcttaaagag cccttgcctc cccatttccc atctgcaccc	2485
	clictcicci ccccaaatca alacactagi igittci	2522
35	·	
	(211) 515	
40	<212> PRT	•
	<213> Homo sapiens	
	·<400> 40	
45	Thr Ala Leu Ser Glu Lys Arg Thr Leu Glu Gly Glu Leu His Asp Leu	
	1 5 10 15	
50	Arg Gly Gln Val Ala Lys Leu Glu Ala Ala Leu Gly Glu Ala Lys Lys	
	20 25 30	
	Gln Leu Gln Asp Glu Met Leu Arg Arg Val Asp Ala Glu Asp Arg Leu	

			3	5				40)				45	5		
5	GI	n Th	r Me	t Ly	s Gli	u Gli	u Lei	u Ası	Phe	Gln	Lys	Asi	n 11e	e Tyr	Sei	Gli
		5	0				5	5				60)			
10	GI	u Le	u Ar	g Glu	ı Thi	r Lys	Arg	g Arg	His	Glu	Thr	Arg	z Leu	ı Val	Glu	Ile
	6	5	•			. 70)				75	,				80
	As	p Ası	n Gly	y Lys	Glm	Arg	Glu	Phe	Glu	Ser	Arg	Leu	Ala	Asp	Ala	Leu
15	•				85	j				90					95	
	Gli	n Glu	ı Lei	ı Arg	Ala	Gln	His	Glu	Asp	Gln	Val	Glu	Gln	Туг	Lys	Lýs
20				100					105					110		
	Glu	Let	Glu	Lys	Thr	Tyr	Ser	Ala	Lys	Leu	Asp	Asn	Ala	Arg	Gln	Ser
25			115					i 20					125			
25	Ala	·G1u	Arg	Asn	Ser	Asn	Leu	Val	Gly	Ala	Ala	His	Glu	Glu	Leu	Gln
		130		•			135					140				
30		Ser	Arg	He	Arg		Asp	Ser	Leu	Ser		GIn	Leu	Ser	Gln	Leu
	145		٥.			150					155					160
35	GIN	Lys	Gin	Leu		Ala	Lys	Glu	Ala		Leu	Arg	Asp	Leu		qzA
	Sar	1	Ala	4	165	1	4	TL _	C	170	•	•			175	_
	261	Leu	MIG	Arg 180	610	AIR	ASP	101		Arg	Arg	ren	Leu		GJu	Lys
	Glu	Aro	Glu		410	Glu	Mat	Ara	185	A = G	Not	Cin	Cla	190	1	
	0.0	*** 6	195	Met	nia			200	nia	VIR	MEL		205	UID	Leu	ASP
15	Glu	Tvr		Glu	Leu	Leu	Aso		Lvs	l.eu	Ala	Len		Wat	Clu	110
		210		0.0		204	215			DCu	<i>.</i>	220	nap	mci		116
50			Tyr	Arg :	Lys	Leu		Glu	Glv	Glu	Glu		Arg	Len	Δτσ	lan
	225					230					235		0	DCG		240
		Рго	Ser	Pro 1			Gln	Arg	Ser			Arg	Ala	Ser		
5			-		245	-				250	,	0	u		255	
															- 44	

	Ser	Ser	Gln	Thr	Gln	Gly	Gly	Gly	Ser	Val	Thr	Lys	Lys	Arg	Lys	Leu
5				260					265					270		
	Glu	Ser	Thr	Glu	Ser	Arg	Ser	Ser	Phe	Ser	Gln	His	Ala	Arg	Thr	Ser
10			275					280		*			285			
	Gly	Arg	Val	Ala	Val	Glu	Glu	Val	Asp	Glu	.G1 u	Gly	Lys	Phe	Val	Arg
15	•	290					295		•	•		300				
13	Leu	Arg	Asn	Lys	Ser	Asn	Glu	Asp	Gln	Ser	Me t	Gly	Asn	Trp	Gln	Ile
	305					310					315					320
20	Lys	Arg	Gln	Asn	Gly	Asp	Asp	Pro	Leu	Leu	Thr	Tyr	Arg	Phe	Pro	Pro
					325					330					335	
25	Lys	Phe	Thr	Leu	Lys	Ala	Gly	Gln	Val	Val	Thr	Ile	Trp	Ala	Ala	Gly
	٠		-	340					345					350		
	Ala	Gly	Ala	Thr	His	Ser	Pro	Pro	Thr	Asp	Leu	Yal	Trp	Lys	Ala	Gln
			355					360					365			
	Asn		Trp	Gly	Cys	Gly		Ser	Leu	Arg	Thr		Leu	Ile	Asn	Ser
35		370		01	,, ,		375				., ,	380	•			
		Gly	GIU	Glu	Yaı		Met	Arg	Lys	Leu		Arg	Ser	Val	Thr	
40	385	C1	4	۸	C1	390	C1	4.00	Clu	400	395	Lan	1	11:-		400
	441	GIU	ASP	Asp		ASP	610	ИSЪ	GIY		ASP	ren	reu	піѕ		nis
	Ui c	Clv	Sar	His	405	Sa.	Sar	Sar	Clv	410	Dro	410	Cl.	Tur	415	Lau
45	піз	υιу		420	Cys	261		SEI	425	VSh	rio	VIG	oiu	430	VZII	Leu
	4.50	Co.		Thr	Va I	lan	Cuc	Clv		Cue	Clv	Gln	D.o.		den	l vo.
50	nig		435	1111	741	∴c u	cys	440	1111	Cys	U1 y	0111	445	ліф	vsh	LYS
	4 i a			Ser	Clu	Cor.	Glu		Gln	Val	Gly	Glv		Ila	Sar	Sa+
			WIS	261	uly	SEL		MId		191	GIY		110	116	SEL	SEL
55		450					455					460				

	Gly Ser Ser Ala Ser Ser	Val Thr Val Thr	Arg Ser Tyr Arg Ser	Val
5	465 470		475	480
	Gly Gly Ser Gly Gly Gly	Ser Phe Gly Asp	Asn Leu Val Thr Arg	Ser
	485	490	495	
10	Tyr Leu Leu Gly Asn Ser	Ser Pro Arg Thr	Gln Ser Pro Gln Asn	Cys
	500	505	510	
15	Ser Ile Met			
	515			
20	<210> 41			
	<211> 3474			
25	<212> DNA			
23	<213> Homo sapiens			
	<220>			
30	<221> CDS			
	<222> (78) (2813)		•	
35	<400> 41			
	gcgcgccggc ggctcgggca g	aggggcggg agctgag	gcg ggagcggaca ggct	ggtggg 60
40	cgagcgagag gcgcgga atg	gtg gac tac cac g	cg gcg aac cag tcg	tac 110
			la Ala Asn Gln Ser	Tyr
		5	10	
45	cag tac ggc ccc agc agc			
	Gln Tyr Gly Pro Ser Ser			Met
50	15	20	25	
	ggc gac tac atg gcc cag			
55	Gly Asp Tyr Met Ala Gln			ren
	30	35	40	

	į	gac	cci	g gc	c tg	gga	3 2 2 2	g cag	cag	cgc	aag	acc	tto	ace	gca	tge	a a gc	254
5	· 1	ls p	Pro	Al:	a Tri	Gli	l Lys	Gln	Gln	Αιġ	Lys	Thr	Phe	Thi	Ala	Tr	Ser	
			48	j				50					55					-
	· a	ac	tco	cac	cte	cgg	äag	gca	ggc	aca	cag	atc	gag	aac	att	gat	gag	302
10	A	sn	Ser	His	Let	Arg	Lys	Ala	Gly	Thr	Gln	He	Glu	Asn	lle	Asp	Glu	
	·	60					65					70					75	
15	g	ac	ttc	ċga	gac	ggg	ctc	aag	ctc	atg	ctg	ctc	ctg	gag	gtc	ata	tca	350
	. A	sp	Phe	Arg	Asp	Gly	Leu	Lys	Leu	Met	Leu	Leu	Leu	Glu	Val	He	Ser	
20						80					85					90		
20	g	gg	gag	cgg	tta	cct	aag	ccg	gag	cgg	ggg	aag	atg	aga	glg	cac	aaa	398
	G.	ÌУ	Glu	Arg	Leu	Pro	Lys	Pro	Glu	Arg	Gly	Lys	Met	Arg	Val	His	Lys	
25				-	95					100					105			
	. a	c	aac	aat	gtg	aac	aaa	gcg	ctg	gac	t t·t	att	gcc	agc	aaa	ggg	atc	446
30	11	е	Asn		Val	Asn	Lys	Ala		Asp	Phe	lle	Ala	Ser	Lys	Gly	Ile	
				110					115					120				
								gca										494
35	Ly			ASP	Phe	HIS	Aŗg	Ala	Glu	Glu	He	Val		Gly	Asn	Ala	Lys	
			125	cts	902	210	210	130				- 4 4	135	* * -				• • •
40								tgg										542
•	14		1111	Deu	017	mc t	145	Trp	1111	116		150	YIE	rne	Ala	116		
45			atc	tee	gig	gaa		acc	teg	acc.			¢ p g	ctc	ctt	ctc	155	590
			•					Thr										330
				•••		160			٠.		165		0 ,,	Dou	DCU	170		
50	tgo	: 0	ag	aga			gcc	cca	tat			głc	aat	ata	cag		11c	638
								Pro '										000
55	3 ,.				175	•	-	- • •		180					185	· to II	1 116	
					•													

	cac	ato	ago	tgg	aag	gat	ggt	ctt	gcc	ttc	aat	gcc	ctg	atc	cac	cgg	686
5 .	His	He	Ser	Trp	Lys	Asp	Gly	Leu	Ala	Phe	Asn	Ala	Leu	Ile	His	Arg	
		٠	190					195					200				
10	cac	aga	cca	gag	ctg	att	gag	tat	gac	aag	clg	agg	aag	gac	gac	cct	734
	His	Arg	Pro	Glu	Leu	I l _. e	Glu	Tyr	Asp	Lys	Leu	Arg	Lys	Asp	Asp	Pro	•
		205					210					215			٠		
15	gic	acc	aac	ctg	aac	aat	gcc	ttc	gaa	gtg	gc t	gag	aaa	tac	ctc	gac	782
	Val	Thr	Asn	Leu	Asn	Asn	Ala	Phe	Glu	Val	Ala	Glu	Lys	Tyr	Leu	Asp	
20	220					. 225					23.0					235	
	atc	ccc	aag	atg	cig	gat	gca	gag	gac	atc	gtg	aac	acg	gcc	cgg	ccc	830
25	Ile	Pro	Lys	Met	Leu	Asp	Ala	Glu	Asp	Ile	Val	Asn	Thr	Ala	Arg	Pro	
			~		240				•	245					250		
				gcc													878
30	Asp	Glu	Lys	Ala	Ile	Met	Thr	Tyr		Ser	Ser	Phe	Tyr		Ala	Phe	
				255	•				260					265			
35				cag													926
	Ser	Gly		Gln	Lys	Ala	Glu		Glu	Thr	Ala	Ala		Arg	Ile	Cys	
40		<u></u>	270		_4			275		1			280				
				gct		•							•				974
	LÄS		ren	Ala	vaı	ASII		610	ASD	cys	261		26L	me (GIU	ASD.	
45	•	285		-1-			290	- 4 -			4	295					
				clg													1022
50		GIU	LYS	Leu	Ala		ASP	rea	ren	610		116	Arg	AIg	Inr		
	300					305		•			310		·			315	
55	ccc																1070
	Pro	Trp	Leu	Glu	Asp	Arg	Val	Pro	Gln	Lys	Thr	ile	Gln	Glu	Met	Gln	

		320	325	330
5	cag aag cig gag	gac ttc cgc gac	tac cgg cgt gtg cac a	ag ccg ccc 1118
	Gln Lys Leu Glu	Asp Phe Arg Asp	Tyr Arg Arg Val His Ly	ys Pro Pro .
	· 335		340 · 34	45
10	aag gtg cag gag	aag tgc cag ctg	gag atc aac ttc aac ag	gc gtg cag 1166
	Lys Vai Gin Glu	Lys Cys Gln Leu	Glu Ile Asn Phe Asn Se	er Val Gin
15	350	355	360	
	acc aag ctg cgc	ctc agc aac cgg	ccc gcc ttc atg ccc to	cc gag ggc 1214
20	Thr Lys Leu Arg	Leu Ser Asn Arg	Pro Ala Phe Met Pro Se	er Glu Gly
20	365	370	375	
	aag atg gic tcg	gac atc aac aat	ggc tgg cag cac ttg gg	ag cag gct 1262
25	Lys Met Val Ser	Asp Ile Asn Asn	Gly Trp Gln His Leu G	lu Gln Ala
	380	385	390	395
30	gag aag ggc tac	gag gag tgg ctg	ctg aat gag att cgc ag	gg ctg gag 1310
	Glu Lys Gly Tyr	Glu Glu Trp Leu	Leu Asn Glu Ile Arg Ai	rg Leu Glu
		400	405	410 .
35			tic cgg cag aaa gcc to	
			Phe Arg Gln Lys Ala Se	
40	415		420 42	
			gcc atg ctg aag cac cg	
45			Ala Met Leu Lys His Ar	g asp lyr
	430	435	440	1454 and and 1454
٠	•	•	aaa gcc cic att cgc aa Lys Ala Leu Ile Arg Ly	•
50		450	455	2 112 OIU
	445	•		ua coa ote 1500
55			Cac cag gac cgc glg ga	
	via tue din 261	Wah ren wig wig	His Gln Asp Arg Val Gl	u GIII 116

	46	0				46	5				470) .				475	;
5	gc	c gc	c tc	c gc	c ca	g ga	g ct	c aad	c gag	cts	g gal	tac	tac	ga	c tc	c cac	1550
	AJ	a Al	a Se	r Al	a G]	n G1	u Le	ı Ası	Glu	Lei	ı Asp	Туг	Tý	As	p Se	r His	
10					48	0				485	5				490)	
	aa	t glo	c aac	ac	c cg	gtg	c cas	3 228	ato	t gt	gac	cag	tgg	ga	C gc	ctc	1598
	Ası	ı Yal	Ası	1 Th	r Arg	g Cys	s Gli	Lys	·Ile	Cys	Asp	Gln	Trp	Ası	Ala	Leu	
15				49	5				500				•	505	i		
	ggo	tet	ctg	aca	a cat	agt	cgo	agg	gaa	gcc	ctg	gag	aaa	aca	gag	aag	1646
20	Gly	Ser	Leu	Thi	His	Ser	Arg	Arg	Glu	Ala	Leu	Glu	Lys	Thr	Glu	Lys	
			510					515					520				
25											ctg						1694
	GIn		-Glu	Ala	lle	Ile	•	Gln	Leu	His	Leu		Туг	Ala	Lys	Pro ·	
30		525		110			530	- 4				535					
55											gcc Ala						1742
	540				,,,,,	545	115	met	010	261	550	шес	010	изр	Leu	555	
35		atg	itc	atc	gtc		acc	atc	gag	gag	att	gag	ggc	ctg	atc		1790
											lle						
40					560					565					570		•
	gcc	cat	gac	cag	ttc	aag	tcc	acc	ctg	ccg	gac	gcc	gat	agg	gag	cgc	1838
45	Ala	His	Asp	Gln	Phe	Lys	Ser	Thr	Leu	Pro	Asp	Ala	Asp	Arg	Glu	Arg	
				575			•		580					585			
50	gag	gcc	atc	ctg	cat	cca	caa	gga	ggc	cag	agg	atc	gcl	gag	agc	aac	1886
	Glu	Ala	He	Leu	His	Pro	Gln	Gly	Gly	Gln	Arg	lle .	Ala	GÌu	Ser	Asn	
			590					595					600				
55	cac	atc	aag	ctg	tcg	ggc	agc	аас	ccc	tac	acc	acc	gtc	acc	ccg	caa	1934

	Hi	s Ile	Lys	Lei	Ser	Gly	Ser	Asn	Pro	Tyr	Thr	Thr	Yal	Thr	Pro	Gln	
5	٠	605	i				610					615					
	ate	c ato	aac	tco	aag	igg	gag	aag	gtg	cag	cag	ċlg	gtg	cca	aaa	cgg	.1982
	П	e Ile	Asn	Ser	Lys	.Trp	Glu	Lys	Val	Gln	Gln	Leu	Val	Pro	Lys	Arg	
10	620	0				625					630					635	
	gao	cat	gcc	ctc	ctg	gag	gag	cag	agc	aag	cag	cag	cag	tcc	aac	gag	2030
15	Ası	His	Ala	Leu	Leu	Glu	Glu	Gln	Ser	Lys	Gln	Gln	Gln	Ser	Asn	Glu	
					640					645					650		
20	cac	ctg	cgc	cgc	cag	ttc	gcc	agc	cag	gcc	aat	gtt	gtg	ggg	ccc	tgg	2078
	His	Leu	Arg	Arg	Gln	Phe	Ala	Ser	Gln	Ala	Asn	Val	Val	Gly	Pro	Trp	
				655					660					665			
	ato	cag	acc -	aag	atg	gag	gag	atc	gcg	atc	tcc	att	gag	alg	aac	ggg	2126
	Ile	Gln		Lys	Met	Glu	Glu		Ala	Ile	Ser	Ile	Glu	Met	Asn	Gly	
30			670					675					680				
		ctg									•						2174
35	inr	Leu	GIU	ASD	Gin	Leu		HIS	Leu	Lys	GIn		Glu	Arg	Ser	He	
	a t a	685	tac	226	000	224	690	620	015	015	70 7	695	222			-4-	0000
		gac Asp															2222
40	700	,	.,.	2,0		705		пор	DCG	DCG	710	0111	0111	1113	GIII	715	•
	atc	cag	gag	gcc	ctc		itc	gac	aac	aag		acc	aac	tat	acc		2270
45		Gln														_	
					720		•			725					730		
50	gag	cac	atc	cgc	gtg	ggc	tgg	gag	cag	ctg	ctc	acc	acc	att		cgc	2318
	Glu	His	He	Arg	Yal	Gly	Trp	Glu	Ġln	Leu	Leu	Thr	Thr	Ile	Ala	Arg	
				735					740					745			
55	acc	atc	aac	gag	gitg	gag	aac	cag	atc	ctl	acc	cgc	gac	gcc	aag	ggc	2366

	Thr	lle	Asn	Glu	Val	Glu	Asn	Gln	He	Leu	Thr	Arg	Asp	Ala	Lys	Gly	
5			750					755					760				
	atc	agc	cag	gag	cag	atg	cag	gag	ttc	cgg	gcg	tcc	ttc	aac	cac	ttc	2414
10	Ile	Ser	Gln	Glu	Gin	Met	Gln	Glu	Phe	Arg	Ala	Ser	Phe	Asn	His	Phe	
		765					770					775					
	gac	aag	gat	cat	ggc	ggg	gcġ	ctg	ggg	cga	gga	gtt	caa	ggc	ctg	ċct	2462
15	Asp	Lys	Asp	His	Gly	Gly	Ala	Leu	Gly	Arg	Gly	Val	Gln	Gly	Leu	Pro	
	780					785					790					795	•
20	cat	cag	cct	ggg	cta	cga	cgt	gga	gaa	cga	ccg	gca	ggt	gag	gcc	gag	2510
	His	Gln	Pro	Gly	Leu	Arg	Arg	Gly	Glu	Arg	Pro	Ala	Gly	Glu	Ala	Glu	
25					800					805					810		
	ttc	aac	-cgc	atc	atg	agc	ctg	gtc	gac	ccc	aac	cat	agc	ggc	ctt	gtt	2558
	Phe	Asn-	Arg	lle	Met	Ser	Leu	Val	Asp	Pro	Asn	His	Ser	Gly	Leu	Yal	
30				815					820					825			
	acc	ttç	caa	gcc	ttc	atc	gac	ttc	alg	tcg	cgg	gag	acc		gac	acc	2606
35		·	Gln					Phe					Thr	acc		acc Thr ·	2606
35	Thr	Phe	Gln 830	Ala	Phe	lle	Asp	Phe 835	Met	Ser	Arg	Glu	Thr 840	acc Thr	Asp	Thr ·	2606
<i>35</i>	Thr	Phe	Gln 830 gct	Ala	Phe cag	lle gta	Asp atc	Phe 835 act	Met tcc	Ser ttc	Arg aag	Glu gtc	Thr 840 cta	acc Thr	Asp	Thr ·	2606 2654
	Thr	Phe acg	Gln 830 gct	Ala	Phe cag	lle	Asp atc Ile	Phe 835 act	Met tcc	Ser ttc	Arg aag	Glu gtc Val	Thr 840 cta	acc Thr	Asp	Thr ·	
	Thr gac Asp	Phe acg Thr 845	Gln 830 gct Ala	Ala gac Asp	Phe cag Gln	lle gta Val	Asp atc Ile 850	Phe 835 act Thr	Met tcc Ser	Ser ttc Phe	Arg aag Lys	Glu gtc Val 855	Thr 840 cta Leu	acc Thr gca Ala	Asp ggg Gly	Thr · gac	2654
	Thr gac Asp	Phe acg Thr 845 aac	Gln 830 gct Ala	Ala gac Asp	Phe cag Gln aca	Ile gta Val	atc Ile 850 gag	Phe 835 act Thr	Met tcc Ser	Ser ttc Phe	Arg aag Lys	Glu gtc Val 855 gag	Thr 840 cta Leu	acc Thr gca Ala	Asp ggg Gly ccc	Thr · gac Asp	
40	Thr gac Asp	Phe acg Thr 845 aac	Gln 830 gct Ala	Ala gac Asp	Phe cag Gln aca	Ile gta Val gct	Asp atc lle 850 gag Glu	Phe 835 act Thr	Met tcc Ser	Ser ttc Phe	Arg aag Lys aga Arg	Glu gtc Val 855 gag	Thr 840 cta Leu	acc Thr gca Ala	Asp ggg Gly ccc	Thr · gac Asp	2654
40	Thr gac Asp	Phe acg Thr 845 aac	Gln 830 gct Ala	Ala gac Asp	Phe cag Gln aca	Ile gta Val	Asp atc lle 850 gag Glu	Phe 835 act Thr	Met tcc Ser	Ser ttc Phe	Arg aag Lys	Glu gtc Val 855 gag	Thr 840 cta Leu	acc Thr gca Ala	Asp ggg Gly ccc	Thr · gac Asp	2654
40 45	Thr gac Asp aag Lys	Phe acg Thr 845 aac Asn	Gln 830 gct Ala ttc Phe	Ala gac Asp atc Ile	Phe cag Gln aca Thr	Ile gta Val gct Ala 865	Asp atc Ile 850 gag Glu	Phe 835 act Thr gag Glu	Met tcc Ser ctg Leu	Ser ttc Phe cgg Arg	Arg aag Lys aga Arg 870	Glu gic Val 855 gag Glu	Thr 840 cta Leu ctg	acc Thr gca Ala ccc Pro	Asp ggg Gly ccc Pro	Thr · gac Asp gac Asp 875	2654
40 45	Thr gac Asp aag Lys 860 cag	Phe acg Thr 845 aac Asn	Gln 830 gct Ala ttc .Phe	Ala gac Asp atc Ile	Phe cag Gln aca Thr	Ile gta Val gct Ala 865	Asp atc Ile 850 gas Glu	Phe 835 act Thr gag Glu	Met tcc Ser ctg Leu atg	Ser ttc Phe cgg Arg	Arg aag Lys aga Arg 870 cca	gic Val 855 gag Glu	Thr 840 cta Leu ctg Leu	acc Thr gca Ala ccc Pro	Asp ggg Gly ccc Pro	Thr · gac Asp gac Asp 875 gac	2654

ggc gtg cgc ggt gcc ctc gac tac aag tcc ttc tcc acg gcc ttg tat Gly Val Arg Gly Ala Leu Asp Tyr Lys Ser Phe Ser Thr Ala Leu Tyr 900 895 905 ggc gag agc gac clg tgaggcccca gagacctgac ccaacacccc cgacgcctcc 2853 10 Gly Glu Ser Asp Leu 910 15 aggageetgg cageeccaca gleecaltee tecacleigi atelatgeaa ageacteict 2913 cigcagicic cggggiggt gggigggcag ggaggggcig gggcaggcic iciccictic 2973 ctctttgigg gttggccagg aggitccccc gaccaggttg gggagacttg gggccagcgc 3033 20 ttclggtctg gtaaatatgt atgatgtgtt gtgctttttt aaccaaggag gggccagtgg 3093 atteceacag cacaaceggt cecitecatg ceetgggatg ceteaceaea eccaggiete 3153 ttccttigct cigaggiccc ttcaaggcct ccccaatcca ggccaaagcc ccatgigcct 3213 tgiccaggga actgcciggg ccaigcgagg ggccagcaga gggcgccacc acctgacggc 3273 tgggacccac ccagccccic tccccicict gctccagact cacttgccat tgccaggaga 3333 30 tggccccaac aagcaccccg cittigcagc agaggagcig agitggcaga ccgggccccc 3393 ctgaaccgca ccccatccca ccagccccgg ccttgctttg tctggcctca cgtgtctcag 3453 attictaag aaccaaaaaa a 3474 <210> 42 40 <211> 912 <212> PRT <213 Homo sapiens 45 <400> 42 Met Val Asp Tyr His Ala Ala Asn Gln Ser Tyr Gln Tyr Gly Pro Ser 50 5 10 15 Ser Ala Ala Met Ala Trp Arg Arg Gly Ser Met Gly Asp Tyr Met Ala 20 25 30

	Glr	ı Glu	ı Asp	Asp	Trp	Asp	Arg	Asp	Leu	Leu	Leu	Asp	Рго	Ala	Trp	Glu	
5			35					40					· 45				
	Lys	Gln	Gln	Arg	Lys	Thr	Phe	Thr	Ala	Trp	Ser	Asn	Ser	His	Leu	Arg	
		50	1				55					60					
10	Lys	Ala	Gly	Thr	Gln	Ile	Glu	Asn	He	Asp	Glu	Asp	Phe	Arg	Asp	Gly	
	65					70					75					80	
15	Leu	Lys	Leu	Met	Leu	Leu	Leu	Glu	Val	He	Ser	Gly	Glu	Arg	Leu	Pro	
					85					90					95		
20	Lys	Pro	Glu	Arg	Gly	Lys	Met	Arg	Va 1	His	Lys	lle	Asn	Asn	Yal	Asn	
				100					105					110			
	Lys	Ala	Leu	Asp	Phe	Ile	Ala	Ser	Lys	Gly	He	Lys	Leu	Asp	Phe	His	
25			115					120					125				
	Arg	Ala	Glu	Glu	lle	Val	Asp	Gly	Asn	Ala	Lys	Net	Thr	Leu	Gly	Met	
30		130					135					140					
		Trp	Thr	He	Ile	•	Arg	Phe	Ala	He	Gln	Asp	He	Ser	Val	Glu	
25	145					150		:			155					160	
35	Glu	Thr	Ser	Ala		Glu	Gly	Leu	Leu		Trp	Cys	Gln	Arg		Thr	
	41.	n		, .	165	17 - 1		., .	01	170	D 1	•••		_	175		
10	AIA	Pro	Туг		ASN	Yaı	ASN	Yai		ASD	rne	HIS	He		Trp	Lys	
	100	C1	Leu	180	Dha	A 0 =	41.	1	185	Uia	4	11: 0		190 D=-	C1	y	
15	ASP	GIÀ	195	HIA	rne	NSII	Ala	200	116	nıs	AIR	ліѕ	A78 205	PTO	610	ren	
	مدا	C) 11	Tyr	Acn	lve	I An	Ara		Acn	Acn	Dro	Va 1		Acn	1	l on	
	116	210	1 7 1	nsp	Lys	ren	215	Lys	vsh	ush	110	220	1111	V2II	reu	YZII	
50	Acn		Phe	Cln	Va 1	Δla		Ive	Tue	[an	4 cn		Pro	Lve	Vat	Lou	
	225	vi q	1 11 C	916	1 2 1	230	010	r)3	1 7 1	ren	235	116	110	r)2	ac i		
55		A 1 a	C1	A 0.5	114		400	Th -	A 1 a	A = =		A = =	C1	ī	A 1 =	240	
	νah	vig	Glu	νoh	116	ral	นวแ	1111	vig	VIR	riu	νoh	UIU	r y S	MIB	116	

					245					250			•		255	
5	Me t	Thr	Tyr	Val	Ser	Ser	Phe	Tyr	His	Ala	Phe	Ser	Gly	Ala	Gln	Lys
•				260					265					270		•
10	Ala	Glu	Thr	Glu	Thr	Ala	Ala	Asn	Arg	He	Cys	Lys	Val	Leu	Ala	Val
			275					280				•	285			
	Asn	Gln	Glu	Asn	Cys	Ser	Thr	Ser	Met	Glu	Asp	Tyr	Glu	Lys	Leu	Ala
15		290					295					300				
	Ser	Asp	Leu	Leu	Glu	Trp	He	Arg	Arg	Thr	Ile	Pro	Trp	Leu	Glu	Asp
20	305		•			310					315					320
	Arg	Va l	Pro	Gln	Lys	Thr	lle	Gln	Glu	Me t	Gln	Gln	Lys	Leu	Glu	Asp
25					325					330					335	
	Phe	Arg	Asp	Tyr	Arg	Arg	Val	His	Lys	Pro	Pro	Lys	Val	Gln	Glu	Lys
				340					345	•				350		٠
30	Cys	Gln	Leu	Glu	Ile	Asn	Phe	Asn	Ser	Val	Gln	Thr	Lys	Leu	Arg	Leu
			355					360					365			
35	Ser	Asn	Arg	Pro	Ala	Phe		Pro	Ser	Glu	Gly		Met	Val	Ser	Asp
•		370					375					380				
	He	Asn	Asn	Gly	Trp	Gln	His	Leu	Glu	Gln	Ala	Glu	Lys	Gly	Tyr	Glu
40	385					390					395					400
	Glu	Trp	Leu	Leu	Asn	Glu	Ile	Arg	Arg	Leu	Glu	Arg	Leu	Asp	His	Leu
45					405					410					415	
	Ala	Glu	Lys	Phe	Arg	Gln	Lýs	Ala	Ser	lle	His	Glu	Ala	Trp	Thr	Asp
				420					425				•	430		
50	Gly	Lys	Glu	Ala	Met	Leu	Lys	His	Arg	Asp	Туг	Glu	Thr	Ala	Thr	Leu
			435					440			-		445			
55	Ser	Asp	He	Lys	Ala	Leu	He	Arg	Lys	His	Glu	Ala	Phe	Glu	Ser	Asp

		450)				455	i				460)	•		
5	Lei	ı Ala	Ala	His	Gln	Asp	Arg	Val	Glu	Gln	11e	Ala	Ala	Ser	Ala	Gln
	465	i			••	470	ł				475					480
	Gli	Leu	Asn	Glu	Leu	Asp	Tyr	Tyr	Asp	Ser	His	Asn	Yal	Asn	Thr	Arg
10					485					490					495	
	Cys	Gln	Lys	Ile	Cys	Asp	Gìn	Trp	Asp	Ala	Leu	Gly	Ser	Leu	Thr	His
15				500					505					510		
	Ser	Arg	Arg	Glu	Ala	Leu	Glu	Lys	Thr	Glu	Lys	Gln	Leu	Glu	Ala	He
20			515					520					525			
	Ile	Asp	Gln	Leu	His	Leu	Glu	Tyr	Ala	Lys	Pro	Ala	Ala	Pro	Phe	Asn
		530					535					540				
25	Asn	Trp	Me t	Glu	Ser	Ala	Me t	Glu	Asp	Leu	Gln	Asp	Met	Phe	Ile	Val
	545					550					555					560
30	His	Thr	Ile	Glu	Glu	lle	Glu	Gly	Leu	Ile	Ser	Äla	His	Asp	Gln	Phe
		. •			565					570					575	
05	Lys	Ser	Thr	Leu	Pro	Asp	Ala	Asp	Arg	Glu	Arg	Glu	Ala	He	Leu	His
35				580					585·					590		
	Pro	Gln	Gly	Gly	Gln	Arg	Ile	Ala	Gĺπ	Ser	Asn	His	lle	Lys	Leu	Ser
40			595					600					605			
	Gly	Ser	Asn	Pro	Tyr	Thr		Val	Thr	Рго	Gln	lle	He	Asn	Ser	Lys
45		610					615					620				
		Glu	Lys	Val	GIn	Gln	Leu	Val	Pro	Lys	Arg	Asp	His	Ala	Leu	Leu
	625					630			•		635					640
50	. Glu	Glu	Gln :	Ser :	Lys	Gln	Gln	Gln	Ser	Asn	Glu	His	Leu	Arg	Arg	Gln
					645					650					655	
55	Phe	Ala	Ser (Gln .	Ala	Asn	Val	Val	Gly	Рго	Trp	He	Gln	Thr	Lys	Met
			(660					665					670		

	Glu	Glu	He	Ala	lle	Ser	lle	Glu	Met	Asn	Gly	Thr	Leu	Glu	Asp	Gln
5			675					680				•	685			
	Leu	Ser	His	Leu	Lys	Gln	Tyr	Glu	Arg	Ser	He	Val	Asp	Tyr	Lys	Pro
10		690					695					700				
	Asn	Leu	Asp	Leu	Leu	Glu	Gln	Gln	His.	Gln	Leu	Ile	Gln	Glu	Ala	Leu
	705					710					715					720
15	He	Phe	Asp	Asn	Lys	His	Thr	Asn	Туг	Thr	Met	Glu	His	He	Arg	Val
					725					730					735	
20	Gly	Trp	Glu	Gln	Leu	Leu	Thr	Thr	Ile	Ala	Arg	Thr	lle	Asn	Glu	Val
				740					745					750		
25	Glu	Asn	Gln	lle	Leu	Thr	Arg	Asp	Ala	Lys	Gly	He	Ser	Gln	Glu	Gln
			<i>J</i> 55	. ·				760					765			
	Met		Glu	Phe	Arg	Ala		Phe	Asn	His	Phe		Lys	Asp	His	Gly
30		770	_				775					780				
		Ala	Leu	Gly	Arg		Val	GIn	Gly			His	Gla	Pro		
35	785					790					795					800
	Arg	Arg	Gly	Glu		Pro	Ala	Gly	Glu		Glu	Phe	Asn	Arg		Met
40	0	,	37. 1		805				01	810		•	D .	٥.	815	
	26L	Leu	Val	Asp	110	ASN	HIS	26L		Leu	Val	Thr	Phe		Ala	Phe
			DL.	820	C	1	C1	TL	825	1	TL-	•	Th	830	4	01
45	116			Met	2e L	A rg			1111	ASP	ınr	ASP		AIS	ASP	GIN
	V. I		835	C	DL.	7	V- 1	840	41-	ct.	4	1	845	D 1	• • •	•
50	Val		inr	261.	rne	Lys		ren	жіа	GIÀ	ASP		ASN	rne	116	ınr
		850	01	•	•		855	, :	n	D		860		٥.	•	•
	Ala	UIU	GIU	ren	AIZ		UIU	ren	110	r10		UIN	AIA	GIU	lyr	
55	865					870					875					880

	lle Ala Arg Met Ala Pro Tyr Gln Gly Pro Asp Gly Val Arg Gly Ala	
5	885 890 895	
	Leu Asp Tyr Lys Ser Phe Ser Thr Ala Leu Tyr Gly Glu Ser Asp Leu	
	900 905 910	
10		
•	⟨210⟩ 43	
15	(211) 8971	
	<212> DNA	
	<213> Homo sapiens	
20	<220> ·	
	<221> CDS	
25	<222> (110) (8224)	
	<400> 43-	
	ageccaaace geggeeetag ecceggeege acceeeagee egegeeagea tgatgaacaa 60	
30	cageggetae teagaegeeg geeteggeet gggegatgag acagaegag atg eeg tee 118	
	Met Pro Ser	
35	Met Pro Ser	
 35	Met Pro Ser	
35	Met Pro Ser I acg gag aag gac ctg gcg gag gac gcg ccg tgg aag aag atc cag cag 166	
	Met Pro Ser I acg gag aag gac ctg gcg gag gac gcg ccg tgg aag aag atc cag cag 166 Thr Glu Lys Asp Leu Ala Glu Asp Ala Pro Trp Lys Lys Ile Gln Gln	
	Met Pro Ser I acg gag aag gac ctg gcg gag gac gcg ccg tgg aag aag atc cag cag 166 Thr Glu Lys Asp Leu Ala Glu Asp Ala Pro Trp Lys Lys Ile Gln Gln 5 10 15	
40	Met Pro Ser I acg gag aag gac ctg gcg gag gac gcg ccg tgg aag aag atc cag cag 166 Thr Glu Lys Asp Leu Ala Glu Asp Ala Pro Trp Lys Lys Ile Gln Gln 5 10 15 aac aca ttc acg cgc tgg tgc aat gag cac ctc aag tgc gtg ggc aag 214	
40	Met Pro Ser I acg gag aag gac ctg gcg gag gac gcg ccg tgg aag aag atc cag cag 166 Thr Glu Lys Asp Leu Ala Glu Asp Ala Pro Trp Lys Lys Ile Gln Gln 5 10 15 aac aca ttc acg cgc tgg tgc aat gag cac ctc aag tgc gtg ggc aag 214 Asn Thr Phe Thr Arg Trp Cys Asn Glu His Leu Lys Cys Val Gly Lys	
40	Met Pro Ser I acg gag aag gac ctg gcg gag gac gcg ccg tgg aag aag atc cag cag 166 Thr Glu Lys Asp Leu Ala Glu Asp Ala Pro Trp Lys Lys Ile Gln Gln 5 10 15 aac aca ttc acg cgc tgg tgc aat gag cac ctc aag tgc gtg ggc aag 214 Asn Thr Phe Thr Arg Trp Cys Asn Glu His Leu Lys Cys Val Gly Lys 20 25 30 35	
40 .	Met Pro Ser I acg gag aag gac ctg gcg gag gac gcg ccg tgg aag aag atc cag cag 166 Thr Glu Lys Asp Leu Ala Glu Asp Ala Pro Trp Lys Lys Ile Gln Gln 5 10 15 aac aca ttc acg cgc tgg igc aat gag cac ctc aag tgc gtg ggc aag 214 Asn Thr Phe Thr Arg Trp Cys Asn Glu His Leu Lys Cys Val Gly Lys 20 25 30 35 cgc ctg acc gac ctc agc ggg ctc cgg ctc atc 262	
40 .	Met Pro Ser 1 acg gag aag gac ctg gcg gag gac gcg ccg igg aag aag atc cag cag 166 Thr Glu Lys Asp Leu Aia Glu Asp Aia Pro Trp Lys Lys Ile Gln Gln 5 10 15 aac aca ttc acg cgc igg igc aat gag cac ctc aag igc gig ggc aag 214 Asn Thr Phe Thr Arg Trp Cys Asn Glu His Leu Lys Cys Val Gly Lys 20 25 30 35 cgc ctg acc gac ctg cag cgc gac ctc agc gac ggg ctc cgg ctc atc 262 Arg Leu Thr Asp Leu Gin Arg Asp Leu Ser Asp Gly Leu Arg Leu Ile	

	Al	a Lei	u Lei	ı Glu	Val	Leu	Ser	Gln	Lys	Arg	Met	Туг	Arg	Lys	Phe	His	
5				55					60					65			
	CC	g cg	ccc	aac	ttc	cgc	caa	aig	aag	cťg	gag	aac	gtg	tcc	gtg	gcc	358
	Pro) Ar	g Pro	Asn	Phe	Arg	Gln	Met	Lys	Leu	Glu	Asn	Va l	Ser	Val	Ala	
10			70	ı				75				•	80				
	cto	gag	tto	ctc	gag	cgc	gag	cac	atc	aag	ctc	gtg	tcc	ata	gac	agc	406
15	Lei	Glu	Phe	Leu	Glu	Arg	Glu	His	He	Lys	Leu	Val	Ser	He	Asp	Ser	
		85	·				90					95					
20	aag	gcc	atc	gtg	gat	ggg	aac	ctg	aag	ctg	atc	ctg	ggc	ctg	atc	t gg	454
20	Lys	Ala	Ile	Va l	Asp	Gly	. Asn	Leu	Lys	Leu	He	Leu	Gly	Leu	He	Trp	
	100					105					110					115	
25	acg	clg	atc -	ctg	cac	tac	tcc	atc	tcc	atg	ccc	atg	tgg	gag	gat	gaa	502
	Thr	Leu	He	Leu	His	Tyr	Ser	He	Ser	Me t	Pro	Met	Trp	Glu	Asp	Glu	
30					120					125					130		
				gat											•		550
	Asp	Asp	Glu	Asp	Ala	Arg	Lys	Gln		Pro	Lys	Gln	Arg		Leu	Gly	
35	100			135		~+~			140		_ 4 _			145			
•				aac Asn													598
40		116	150	VSII	Lys	141	110	155	ren		116	1111	160	rne	ASII.	Arg	•
	gac	igg		gac	ggr	222	get		ggr	gr.c	rto	ala		220	tac	gaa	646
45				Asp					·								040
	,	165		,	,	-,-	170		.,			175	,		0,3	nia	
	ccc		ctc	l gc	ccc	gac		gag	gcc	tgg	gat		aac	cag.	ccc	gig	694
50				Cys													
	1.80					185					190					195	
55	gag	aac	tcc	cgg	gag		alg	cag	cag	gcc	gac	gac	tgg	ctt	ggg		742

		Glu	ı Ası	i Sei	Are	g Glu	Ala	Met	Gln	Gln	Ala	Asp	Asp	Trp	Leu	Gly	Val	
5						200	}				205					210		
		ccc	cag	gto	att	gcc	cct	gag	gag	att	gtg	gac	ссс	aac	gtg	gat	gag	790
10	:	Pro	Gln	·Val	He	Ala	Pro	Glu	G) u	lle	Val	Asp	Pro	Asn	Val	Asp	Glu	•
					215					220			•		225			
15		cat	tct	gtt	atg	acc	ťac	ctg	tcc	cag	ttc	ccc	aag	gcc	aag	ctc	aaa	838
		His	Ser	Va J	Me t	Thr	Туг	Leu	Ser	Gln	Phe	Рго	Lys	Ala	Lys	Leu	Lys	·
				230					235					240				
20		cct	ggt	gcc	cct	gtt	cga	tcc	aag	cag	ctg	.aac	ссс	aag	aaa	gcc	atc	886
		Pro	Gly	Ala	Pro	Val	Arg	Ser	Lys	Gin	Leu	Asn	Pro	Lys	Lys	Ala	Ile	
25			245					250					255					
		gcc	tat	-ggg	cct	ggc	atc	gag	cca	cag	ggc	aac	acc	gtg	ctg	cag	cct	934
		Ala	Tyr	Gly	Pro	Gly	Ile	Glu	Pro	Gln	Gly	Asn	Thr	Val	Leu	Gln	Pro	•
30		260	•				265					270					275	
		gcc	cac	ttc	acc	gtg	cag	acg	gtg	gac	gcg	ggc	gtg	ggc	gag	gtg	ctg	982
35		Ala	His	Phe	Thr	Val	Gln	Thr	Va I	Asp	Ala	Gly	Va]	Gly	Glu	Val	Leu	
						280					285					290		
40		gtc	tac	atc	gag	gac	cct	gaa	ggc	cac	acc	gag	gag	gct	aag	gtg	git	1030
10		Val	Tyr	He		Asp	Рго	Glu	Gly	His	Thr	Glu	Glu	Ala	Lys	Val	Val	
					295					300					305			
45				aat														1078
		Pro		Asn	Asp	Lys	Asp	Arg	Thr	Tyr	Ala	Val	Ser	Tyr	V a j	Pro	Lys	
50				310				٠	315					320	•			
		gtc	gct	ggg	tta	cac	aag	gig	acc	gtg	ctc	ttt	gct	ggc	cag	аас	att	1126
		Val	Ala	Gly	Leu	His	Lys	Val	Thr	Val	Leu	Phe	Ala	Gly	Gln	Asn	Ile	
55			325					330					335					

	gaa	cgo	agt	ccc	itt	gag	gtg	aac	gtg	ggc	atg	gcc	ctg	gga	gat	gcc	1174
5	Gli	Arg	Ser	Pro	Phe	Glu	Val	Asn	Val	Gly	Met	Ala	Leu	Gly	Asp	Ala	
	340)		•		345					350					355	
	.aac	aag	gtg	tca	gcc	cgt	ggc	cct	ggc	ctg	gaa	cct	gtg	ggc	aat	gtg	1222
10	Asn	Lys	Val	Ser	Ala	Arg	Gly	Pro	Gly	Leu	Glu	Pro	Val	Gly	Asn	Val	
					360					365					370		
15	gcc	aac	aaa	ccc	acc	tac	ttt	gac	atc	tac	act	gcg	ggg	gcc	ggc	act	1270
	Ala	Asn	Lys	Pro	Thr	Tyr	Phe	Asp	He	Tyr	Thr	Ala	Gly	Ala	Gly	Thr	
20				375					380					385			
	ggc	gat	gtt	gct	gtg	gtg	atc	gtg	gac	cca	cag	ggc	cgg	cgg	gac	aca	1318
	Gly	Asp	Val	Ala	Yal	Val	lle	Val	Asp	Pro	Gln	Gly	Arg	Arg	Asp	Thr	
25			390 -					395					400			•	
	gtg	gag	gtg	gcc	ctg	gag	gac	aag	ggt	gac	agc	acg	ttc	cgc	tgc	aca	1366
30	Val	Glu	Val	Ala	Leu	Glu	Asp	Lys	Gly	Asp	Ser	Thr	Phe	Arg	Cys	Thr	
		405					410					415					
05		aga															1414
35		Arg	Pro	Ala	Met		Gly	Pro	His	Thr		His	Val	Ala	Phe	Ala	
	420					425					430					435	
40		gcc															1462
	GIY	Ala	PIO	116		Arg	Ser	PTO	rne		Agi	HIS	Yaı	Ser		Ala	
45					440			~~~		445					450		
		aac					•										1510
	Cys	Asn		455	VIS	Cys	AIR	Ald	460	GIY	Alg	ыу			Pro	Lys	
50	aat	at t				~~~	ata	no l		***		~! ~		465			1550
		gtt															1558
55		Val		184	гà2	GIÜ	181		ASP	rne	Γλ2			111	LYS	Gly	
			470					475					480				

	gc	c gg	c ago	c ggg	gag	cto	2 a a §	gtc	acg	gto	aag	ggg	cca	aag	ggc	aca	1606
5	Ala	a GI:	y Se	r Gly	G) u	Let	ı Lys	Val	Thr	Va l	Lys	Gly	Pro	Lys	Gly	Thr	
		48	5				490	1				495					
10	gag	ggag	g cca	gtg	aag	gte	g cgg	gag	gc t	ggg	gat	ggt	gtg	ttc	gag	tgc	1654
	Glu	ı G) ş	Pro	Val	Lys	Val	Arg	Glu	Ala	Gly	Asp	Gly	Va J	Phe	Glu	Cys	
15	500					505					510					515	
,	gag	tac	tac	ccg	gtg	gtg	cct	ggg	aag	tat	gtg	gtg	acc	atc	acg	tgg	1702
	Glu	Tyr	Туг	Pro	Va 1	Val	Pro	Gly	Lys	Tyr	Val	Val	Thr	Ile	Thr	Trp	
20					520					525					530		
	ggc	ggc	tac	gcc	atc	cct	cgc	agc	ссс	ttt	gag	gta	cag	gİg	agc	cca	1750
25	Gly	Gly	Tyr	Ala	lle	Pro	Arg	Ser	Pro	Phe	Glu	Val	Gln	Val	Ser	Pro	
			•	535					540					545			
	gag	gca	gga	gtg	caa	aag	gtc	cgg	gcc	tgg	ggţ	cct	ggt	tig	gag	ac t	1798
30	Glu	Ala	Giy	Val	Gln	Lys	Val	Arg	Ala	Trp	Gly	Pro	Gly	Ĺeu	Glu	Thr	
			550					555					560				
35	ggc	cag	gtg	ggc	aag	tca	gcc	gat	ttt	gtg	gtg	gaa	gcc	at t	ggc	acc	1846
	Gly	Gln	Val	Gly	Lys	Ser	Ala	Asp	Phe	Val	Val	Glu	Ala	He	Gly	Thr	
		565					570					575					
	gag	glg	ggg	aca	ctg	ggc	ttc	tcc	atc	gag	ggg	ccc	tca	caa	gcc	aag	1894
	Glu	Val	Gly	Thr	Leu	Gly	Phe	Ser	He	Glu	Gly	Pro	Ser	Gln	Ala	Lys	
45	580.					585					590					595	
	atc	gaa	tgt	gac	gat	aag	ggg	gat	ggc	lcc	t gc	gat	gtg	cgg	tac	tgg	1942
50	lle	Glu	Cys	Asp	Asp	Lys	Gly	Asp	Gly	Ser.	Cys	Asp '	Val	Arg	Tyr	Trp	
					600					605					610		
	ccc	acg	gag	cc t	ggg	gag	tac	gct	gig	cac	gtc	atc	igi	gac	gat	gag	1990
55	Pro	Thr	Glu	Pro	Gly	Glu	Tyr	Ala	Val	His	Va l	lle (Cys .	Asp.	Asp	Glu '	

				615					620					625			
5	gac	atc	cga	gac	tca	ccc	ttc	att	gcc	cac	atc	ctg	ccc	gcc	cca	cct	2038
	Asp	He	Arg	Asp	Ser	Pro	Phe	He	Ala	His	He	Leu	Pro	Ala	Pro	Pro	•
			630					635					640				
10	gac	tgc	ttc	cca	gat	aag	gtg	aag	gcc	ttt	ggg	cct	ggc	ctg	gag	cct	2086
	Asp	Cys	Phe	Pro	Asp	Lys	Val	Lys	A la	Phe	Gly	Pro	Gly	Leu	Glu	Pro	
15		645					650					655					
	acc	ggc	t gc	atc	gtg	gac	aag	ccc	gct	gag	ttc	acc	a t t	gat	gct	cgt	2134
20	Thr	Gly	Cys	lle	Val	Asp	Lys	Pro	Ala	Glu	Phe	Thr	lle	Asp	Ala	Arg	
	660					665					670					675	
	gca	gct	ggc	aag	gga	gac	ctg	aag	ctc	tat	ġcc	cag	gac	gcc	gac	ggc	2182
25	Ala	Ala	Gly -	Lys		Asp	Leu	Lys	Leu		Ala	Gln	Asp	Ala	Asp	Gly	
					680					685					690		
30			atc														2230
	Cys	Pro	He		He	Lys	Val	He		Asn	Gly	Asn	Gly		Phe	Arg	
25	4		4	695					700				- 4 -	705			0.070
35			tac														2278
	Cys	261	Tyr 710	Val	FIU	1111	LY2	715	116	L)3	U12	1111	720	116	116	261	
40	100	001	ggc	gta	aac	ote	ccc		agc	ccc	ttc	ር g g			oto	gar	2326
			Gly														2020
45		725	•			. •	730					735	•			,	
	gag		agc	cac	ccc	gag	•	gla	aag	gtg	tac		ccc	gga	gtg	gag	2374
50			Ser														•
50	740					745.					750					755	
		aca	ggc	ctc	aag	gcc	aat	gag	ccc	acc	tac	ttc	acg	gtg	gac	lgc	2422
55			Gly	•													

		760	765	770
5	agc gag gcg gg	g caa ggc gac gt	g.agc atc ggc atc a	ag tgc gcc cca 2470
	Ser Glu Ala Gl	y Gln Gly Asp Va	l Ser Ile Gly Ile L	ys Cys Ala Pro .
10	77	5	780	785
	ggc gtg gtg gg	c cct gca gag gc	t gac all gac itc g	ac atc atc aag 2518
15	Gly Val Val Gl	y Pro Ala Glu Ala	a Asp Ile Asp Phe A	sp lie lie Lys
	790	795	5 8	
	aat gac aac ga	c acc ttc acc gto	c aag tac acg cca c	ca ggg gcg ggc 2566
20	Asn Asp Asn Ası	p Thr Phe Thr Val	l Lys Tyr Thr Pro P	ro Gly Ala Gly
	805	810	815	
25	cgc tac acc ato	c atg gtg ctg ttt	t gcc aac cag gag a	tc ccc gcc agc 2614
	Arg Tyr Thr Ile	e Met Val Leu Phe	e Ala Asn Gln Glu I	le Pro Ala Ser
20	820	825	830	835
30	ccc ttc cac ato	c aag gtg gac cca	a tee cae gat gee a	gc aaa gtc aag 2662
	Pro Phe His Ile		o Ser His Asp Ala So	er Lys Val Lys
35		840	845	850
			c aca ggt gtg gaa g	
40			Thr Gly Val Glu Va	
	855		860	865
			g gga gcc ggc aag go	
45		· 875	Gly Ala Gly Lys Al	• • •
	870			
50			g ggc gag git gig cg Gly Glu Val Val A	•
			895	s asp rne Giu
55	885	890		
- -	atc ata gac aac	cat gac tac icc	tac act glc aag ta	acc gct glc 2854

	II	e II	e Ası	n Ası	His	Asp	Туг	Ser	Tyr	Thr	Val	Lys	Tyr	Thr	Ala	Val	
-	90	0				905	i				910					915	
5	ca	g ca	g gg(e aac	atg	gca	gtg	aca	gtg	act	tat	ggc	ggg	gac	cct	gtc	2902
	. G1	n Gli	Gly	/ Asn	Met	Ala	Val	Thr	Val	Thr	Tyr	Gly	Glý	Asp	Pro	Val	
10					920					925					930		
	CC	c aag	gago	ccic	ttt	gtg	gtg	aat	gig	gċa	ccc	ccg	ctg	gac	ctc	agc	2950
15	Pro	Lys	Ser	Pro	Phe	Val	Val	Asn	Val	Ala	Pro	Pro	Leu	Asp	Leu	Ser	
				935					940					945			
	aaa	atc	: aaa	gtt	cag	ggc	ctt	aat	agc	aag	gtg	gc t	gtg	gga	cag	gaa	2998
20	Lys	lle	Lys	Val	Gln	Gly	Leu	Asn	Ser	Lys	Val	Ala	Val	Gly	Gin	Glu	
			950					955					960				
25	саа	gca	t t c	tct	gtg	aac	aca	cga	ggg	gct	ggc	gg t	cag	ggc	caa	ctg	3046
	Gln	Ala	Phe	Ser	Val	Asn	Thr	Arg	Gly	Ala	Gly	Gly	Gln	Gly	Gin	Leu	
30		965					970					975					
	gat	gtg	cgg	alg	act	lcg	CCC	tct	cgc	cgg	ccc	atc	ccc	t gc	aag	ctg	3094
	Asp	Val	Arg	Met	Thr	Ser	Pro	Ser	Arg	Arg	Pro	Ile	Pro	Cys	Lys	Leu	
35	980					985					990					995	
				ggt													3142
40	Glu	Pro	Gly	Gly		Ála	Glu	Ala			Val	Arg	Tyr			Pro	
					.000					1005					010		
45	. gag																3190
40	GIU	Glu		Pro	Гуг	Lys	Va I			Thr	Tyr	Asp · .			Pro	Val	
				015					020					025			
50				ccg													3238
	Pro			Pro	rne	Ala			Gly	Val	Leu			Asp	Pro	Ser	
55			030					035					040				
	aag	glc	tgt	gct	lat	BBC	CCg	ggt	clc	aag	ggt	gga	ctg	gta	ggc	асс	3286

	Lys Val Cys	Ala Tyr Gly Pr	o Gly Leu Lys Gly	Gly Leu Val Gly Thr	
5	1045	105	0 10	055	
	ccc gcg cca	tic tcc atc ga	c acc aag ggg gct ;	ggc aca ggt ggc ctg	3334
10	Pro Ala Pro	Phe Ser Ile As	p Thr Lys Gly Ala (Gly Thr Gly Gly Leu	
	1060	1065	1070	1075	•
15	ggg ctg acc	gta gag ggc cc	tgc gag gcc aag a	atc gag tgc cag gac	3382
13	Gly Leu Thr	Val Glu Gly Pr	Cys Glu Ala Lys	lle Glu Cys Gln Asp	
		1080	1085	1090	
20	aat ggt gat	ggc tca tgt gc	t gtc agc tac ctg o	ecc acg gag cct ggc	3430
	Asn Gly Asp	Gly Ser Cys Ala	a Val Ser Tyr Leu F	ro Thr Glu Pro Gly	
25	3	095	1100	1105	
	gag tac acc	atc aac atc cts	ttt gct gag gcc o	ac atc cct ggc tcg	3478
	Glu Tyr Thr	lle Asn Ile Leu	Phe Ala Glu Ala H	lis Ile Pro Gly Ser	
30	1110	. •	1115	1120	
	ccc ttc aaa	gcc acc alt cgg	cct gtg ttt gac c	cg agc aag gtg cgg	3526
	•				
35	Pro Phe Lys	Ala Thr Ile Are	Pro Val Phe Asp P	ro Ser Lys Val Arg	
35	Pro Phe Lys	Ala Thr Ile Ara		ro Ser Lys Val Arg 35	
	1125 gcc agt gga	1130	. II	35 gt gag gca gcc acc	3574
40	1125 gcc agt gga Ala Ser Gly	1130 ccg ggc cig gag Pro Gly Leu Glu	. II	35	3574
	gcc agt gga d Ala Ser Gly 1	1130 ccg ggc cig gag Pro Gly Leu Glu 1145	cgc ggc aag gtc g Arg Gly Lys Val G 1150	35 gt gag gca gcc acc ly Glu Ala Ala Thr 1155	3574
	gcc agt gga a Ala Ser Gly 1 1140 ttc act gtg a	1130 ccg ggc ctg gag Pro Gly Leu Glu 1145 gac tgc tca gag	cgc ggc aag gtc g Arg Gly Lys Val G 1150 gca ggc gag gcg g	gt gag gca gcc acc ly Glu Ala Ala Thr 1155 ag ctg acc att gag	3574
40	gcc agt gga a Ala Ser Gly 1 1140 ttc act gtg a	1130 CCG ggc ctg gag Pro Gly Leu Glu 1145 gac tgc tca gag Asp Cys Ser Glu	cgc ggc aag gtc g Arg Gly Lys Val G 1150 gca ggc gag gcg g Ala Gly Glu Ala G	35 gt gag gca gcc acc ly Glu Ala Ala Thr 1155	·
40	gcc agt gga and Ala Ser Gly 1140 ttc act gtg and Phe Thr Val	1130 CCE EEC CTE EAE Pro Gly Leu Glu 1145 EAC TEC TCA EAE ASP Cys Ser Glu 1160	cgc ggc aag gtc g Arg Gly Lys Val G 1150 gca ggc gag gcg g Ala Gly Glu Ala G	gt gag gca gcc acc ly Glu Ala Ala Thr 1155 ag ctg acc att gag lu Leu Thr Ile Glu 1170	·
40	gcc agt gga and Ala Ser Gly 1140 ttc act gtg and Ala Ser Gly 1140 atc act gtg and Ala Ser Gly 1140	ccg ggc cig gag Pro Gly Leu Glu 1145 gac tgc tca gag Asp Cys Ser Glu 1160 gat gcc ggg gtc	cgc ggc aag gtc g Arg Gly Lys Val G 1150 gca ggc gag gcg g Ala Gly Glu Ala G 1165 aag gcc gag gtg c	gt gag gca gcc acc ly Glu Ala Ala Thr 1155 ag ctg acc att gag lu Leu Thr Ile Glu 1170 tg atc cac aac aac	·
40	gcc agt gga and Ala Ser Gly 1140 ttc act gtg and Ala Ser Gly 1140 atc act gtg and Ala Ser Gly 1140	ccg ggc cig gag Pro Gly Leu Glu 1145 gac tgc tca gag Asp Cys Ser Glu 1160 gat gcc ggg gtc	cgc ggc aag gtc g Arg Gly Lys Val G 1150 gca ggc gag gcg g Ala Gly Glu Ala G 1165 aag gcc gag gtg c	gt gag gca gcc acc ly Glu Ala Ala Thr 1155 ag ctg acc att gag lu Leu Thr Ile Glu 1170	3622

	gc	g ga	t ggo	aco	tac	cac	atc	acc	tac	agc	cct	gcc	tto	cct	ggc	acc	3718
5	Al	a Ası	o GI'y	Thr	Tyr	His	Ile	Thr	Туг	Ser	Pro	Ala	Phe	Pro	Gly	Thr	
3			1190					1195					1200	•	•		
	·ta	aco	att	acc	atc	aag	tat	ggc	ggg	cal	ccc	gtg	ccc	aaa	tlc	ссс	3766
10	Ty	Thr	lle	Thr	He	Lys	Tyr	Gly	Gly	His	Pro	Yal	Pro	Lys	Phe	Pro	
		1205	i				1210					1215			•		•
15	acc	cgt	gtc	cat	gtg	cag	cct	gcg	gtc	gat	acc	agt	ggc	gtc	aag	gtc	3814
	_ Thi	Arg	Val	His	Yal	Gln	Pro	Ala	Val	Asp	Thr	Ser	Gly	Val	Lys	Val	
20	122	20				1225				1	1230					1235	
20	tca	ggg	cct	ggt	gtt	gag	cca	cac	ggt	gtc	ctg	cgg	gag	gtġ	acc	ac t	3862
•	Ser	Gly	Pro	Gly	Val	Glu	Рго	His	Gly	Val	Leu	Arg	Glu	Val	Thr	Thr	
25	·		_		1240					1245					1250		
		ttc		•													3910
30	Glu	Phe			Asp	Ala	Arg			Thr	Ala	Thr			Asn	His	
				1255					1260					1265			
		acg															3958
35	Yaı	Thr		Arg	Val	Leu			Ser	Gly	Ala			Asp	Thr	Tyr	
	ata		1270	221	ana	400		1275	too	000	~+~		280				4000
40		aca Thr	•														4006
		1285	лор	non	019		290	1111	1 9 1	ліБ		295	1 7 1	1111	Ala	lyl	
45		gag	ggc	gig	cat			gag	gtc	ctg			gag	gtc	gct	oto	4054
		Glu					•										
	1300	•		•	•	305				•	310	•	7			315	
50	ccc	aag	agc	ccc	ttc	cga	gtg	ggc	gtg			ggc	tgt	gat			4102
		Lys															
55		•			320	-		-		325		•	,		330		
														•			

5	cgo	gto	c cga	gco	tto	ggg	cca	ggo	cig	gag	ggt	ggc	t t g	gtc	aac	aag	4150
5	Arg	Val	Arg	Ala	Phe	GIY	Pro	Gly	Leu	Glu	Gly	Gly	Leu	Val	Asn	Lys	
				1335					1340					1345			
10	gcc	aac	cga	ttc	act	gtg	gag	acc	agg	gga	gcg	ggc	acc	ggg	ggc	ctt	4198
	Ala	Asn	Arg	Phe	Thr	Yal	Glu	Thr	Arg	Gly	Ala	Gly	Thr	Gly	Gly	Leu	•
15			1350					1355		•			1360				
	ggc	cta	gcc	atc	gag	ggt	ccc	tcg	gaa	gcc	aag	atg	tcc	t gc	aag	gac	4246
	Gly	Leu	Ala	lle	Glu	Gly	Pro	Ser	Glu	Ala	Lys	Met	Ser	Cys	Lys	Asp	
20		1365					1370					1375					
	aac	aag	gat	ggt	agc	tgc	acc	gtg	gag	tac	atc	ccc	ttc	act	cct	gga	4294
25			Asp	Gly			Thr	Val	Glu			Pro	Phe	Thr	Pro	Gly	
	1380		~			1385					1390					1395	
30			gac						•								4342
	ASP	ıyr	Asp		ASN 400	116	inr	rne			Arg	Pro	He			Ser	
	CCG	ttc	cgc			ata	225	as t		1405	620	cat	~~~		1410		4200
35			Arg														4390
				415			2,5		1420		nsp	110		1425	141	LYS	
40	1 gc	tca	ggg		ggg	ctg	ggg			gtc	agg	gcc			cct	cag.	4438
	Cys																1,00
45			430					435					440				
	acc	ttc	aca	gtg	gac	t gc	aġt	caa	gct	ggc	cgg	gcg	ccc	ctg	cag	gtg	4486
	Thr	Phe	Thr	Val	Asp	Cys	Ser	Gln	Ala	Gly	Arg	Alá	Pro	Leu	Gln	Yal	-
50	1	445				ì	450				1	455					
	gct	gtg	ctg	ggc	ccc	aca	ggt	gtg	gcc	gag	cct	gtg	gag	gtg	cgg	gac	4534
55	Ala '	Va]	Leu	Gly.	Pro	Thr	Gly	Val	Ala	Glu	Pro	Va I	G) u	Yal	Arg	Asp	

	146	0				1465	٠				1470					1475	
5	aat	gga	gat	ggc	acc	cac	ac t	gtc	cac	tac	acc	cca	gcc	act	gac	ggg	4582
	Asn	Gly	Asp	Gly	Thr	His	Thr	Val	His	Tyr	Thr	Pro	Ala	Thr	Asp	Gly	
					1480	•			,	1485					1490		
10	ccc	tac	acg	gta	gcc	gtc	aag	tat	gct	gac	cag	gag	gtg	cca	cgc	agc	4630
	Pro	Tyr	Thr	Val	Ala	Val	Lys	Tyr	Ala	Asp	Gln	Glu	Val	Pro	Arg	Ser	
15				1495					1500				C.	1505			
	ccc	ttc	aag	atc	aag	gtc	ctc	cca	gct	cat	gat	gcc	agc	aag	glg	cgg	4678
20	Pro	Phe	Lys	Ile	Lys	Val	Leu	Pro	Àla	His	Asp	Ala	Ser	Lys	Val	Arg	
20			1510					1515					520				•
	gcc	agc	ggg	cca	ggc	ctc	aac	gcc	tcţ	ggc	atc	cct	gcc	agc	ctg	cct	4726
25	Ala	Ser	Gly -	Pro	Gly	Leu	Asn	Ala	Ser	Gly			Ala	Ser	Leu	Pro	
		1525					1530					1535			•		
30	gtg	gag	ttc	acc	atc	gac	gca	cgg	gac	gcg	ggc	gag	ggg	ttg	ctc	act	4774
	Val	Glu	Phe	Thr	He	Asp	Ala	Arg	Asp	Ala	Gly	Glu	Gly	Leu	Leu	Thr	
	1540)				1545					1550]	1555	
35	gtc	cag	atc	ttg	ggc	ccc	gag	ggt	aag	ccc	aag	aag	gcc	aac	atc	cgg	4822
	Val	Gln	He			Pro	Glu	Ģly			Lys	Lys	Ala	Asn	Ile	Arg	
40				1	560				1	565			٠		1570	•	•
	gac	aat	ggg.	gat	ggc	acg	tac	gct	glg	tcc	tac	clg	ccg	gac	atg	agt	4870
	Asp	Asn	Gly		Gly	Thr	Tyr			Ser	Tyr	Leu			Met	Ser	
45			. 1	1575			•	Ì	1580				j	1585			
	ggc	cgg	tac	acc	atc	acc	atc	aag	tat	ggc	ggt	gat	gag	atc	CCC	tac	4918
50	Gly	Arg	Tyr	Thr	Ile	Thr	Ile	Lys	Туг	Gly	Gly	Asp	Glu	lle	Pro	Tyr	
		1	590					1595]	600				
55	tcg	ccc	ttc	cgc	atc	cat	gct	ctg	ccc	act	ggg	gat	gcc	agc	aag	igc	4966
55	Ser	Pro	Phe	Arg	lle	His	Ala	Leu	Pro	Thr	Gly	Asp	Ala	Ser	Lys	Cys	

	1605	1610	. 1615	
5	ctc gtc aca gtg	tcc att gga ggc cat	ggc ctg ggt gcc tgc ctg	ggc 5014
	Leu Val Thr Val	Ser Ile Gly Gly His	Gly Leu Gly Ala Cys Leu	G]y
10	1620	1625	1630 1	635
	cct cga atc cag	att ggg cag gag acg	gig atc acg gig gat gcc	aag 5062
15	Pro Arg Ile Gln	Ile Gly Gln Glu Thr	Val lie Thr Val Asp Ala	Lys
	1	640	1645 1650	
	gca gcc ggt gag	ggg aag gtg aca tgc	acg gtg tcc acg ccg gat	ggg 5110
20	Ala Ala Gly Glu	Gly Lys Val Thr Cys	Thr Val Ser Thr Pro Asp	Gly
	1655	1660	1665	
25	gca gag ctc gat	gtg gat gtg gtt gag	aac cat gac ggt acc ttt	gac 5158
	Ala Glu Łeu Asp	Val Asp Val Val Glu	Asn His Asp Gly Thr Phe	Asp
30	1670	1675	1680	
30	atc tac tac aca g	gcg ccc gag ccg ggc	aag tac gtc atc acc atc o	gc 5206
	lle Tyr Tyr Thr /	Ala Pro Glu Pro Gly	Lys Tyr Val Ile Thr Ile /	Arg
35	1685	1690	1695	
			ccc ttc cac gtg ctg gcg i	
40		His Ile Pro Asn Ser	Pro Phe His Val Leu Ala (Cys
	1700	1705	1710 17	715
	gac ccc ctg ccg c	cac gag gag gag ccc	tot gaa gtg cca cag ctg c	gc 5302
45	Asp Pro Leu Pro H	His Glu Glu Glu Pro	Ser Glu Val Pro Gln Leu A	irg .
	. 17	720 1	725 1730	
50	cag ccc tac gct o	cct ccc cgg ccc ggc	gcc cgc ccc aca cac tgg g	scc 5350
	Gln Pro Tyr Ala P	Pro Pro Arg Pro Gly	Ala Arg Pro Thr His Trp A	la
	1735	1740	1745	
55	aca gag gag cca g	glg glg ccl glg gag	cca aig gag icc aig cig a	gg 5398

	Thr Glu Glu Pro	o Val Val Pro Val	Glu Pro Met Glu	Ser Met Leu Arg	
5 .	1750	1755)	1760	
•	ccc ttc aac ct	g gtc atc ccc ttc	gcg gtg cag aaa	ggg gag ctc aca	5446
	Pro Phe Asn Lei	ı Val Ile Pro Phe	Ala Val Gln Lys	Gly Glu Leu Thr	
10	1765	1770	1775	•	
	gga gag gtg cgg	atg ccc tcg ggg	aag acg gca cgg	ccc aac atc acc 5	494
15	Gly Glu Val Arg	Met Pro Ser Gly	Lys Thr Ala Arg	Pro Asn Ile Thr	
	1780	1785	1790	1795	
20	gac aac aag.gac	ggc acc atc acg	gtg agg tat gca	ccc act gag aaa 5	542
	Asp Asn Lys Asp	Gly Thr Ile Thr	Val Arg Tyr Ala	Pro Thr Glu Lys	
		1800	1805	1810	
25	ggc ctg cac cag	atg ggg atc aag	tat gac ggc aac	cac atc cct ggg 5	590
			Tyr Asp Gly Asn	His Ile Pro Gly	
30	1815		1820	1825	
		•	gcc alc aac agc	•	638
as.			Ala Ile Asn Ser		
35	1830	1835		1840	
			ggc atg gtc aac Gly Met Val Asn		686
40	1845	1850	1855°	ras Lio via illi	•
			gga gaa ggg ggt	ctg toa ctg gcc 5	5734
45			Gly Glu Gly Gly		,,,,,
	1860	1865	1870	1875	•
			atc acc tgt aag		782
50			Ile Thr Cys Lys		•
		1880	1885	1890	
55			ccg act gcg cct	•	830

	Gly Thr Cys Th	r Val Ser Tyr Leu	Pro Thr Ala Pro G	ly Asp Tyr Ser
5	189	5	1900	1905
	atc atc gtg cg	c tic gat gac aag	cac atc ccg ggg ag	sc ccc ttc aca 5878
10	lle lle Val Ar	g Phe Asp Asp Lys	His Ile Pro Gly Se	er Pro Phe Thr
	1910	1915	192	20
15	gcc aag atc ac	a ggt gat gac tcc	atg agg acc tca ca	ng ctg aat gtg 5926
	Ala Lys Ile Th	r Gly Asp Asp Ser	Met Arg Thr Ser Gl	In Leu Asn Val
	1925	1930	1935	
20	ggc acc tcc ac	g gac gtg tca çtg	aag atc acc gag ag	gt gat ctg agc 5974
	Gly Thr Ser Th	r Asp Val Ser Leu	Lys Ile Thr Glu Se	er Asp Leu Ser
25	1940	1945	1950	1955
	cag ctg-acc gc	c agc atc cgt gcc	ccc tcg ggc aac ga	ng gag ccc tgc 6022
30	Gln Leu Thr Ala	a Ser Ile Arg Ala	Pro Ser Gly Asn Gl	lu Glu Pro Cys
	·	1960	1965	. 1970
		c ctg ccc aac cgg	cac att ggg atc to	cc ttc acc ccc 6070
35	Leu Leu Lys Ar	c ctg ccc aac cgg g Leu Pro Asn Arg	cac att ggg atc to	er Phe Thr Pro
	Leu Leu Lys Ar	c ctg ccc aac cgg g Leu Pro Asn Arg	cac att ggg atc to His Ile Gly Ile Se	er Phe Thr Pro
	Leu Leu Lys Ar 1973 aag gag gic gg	c ctg ccc aac cgg g Leu Pro Asn Arg 5 g gag cac gtg gtg	cac att ggg atc to His Ile Gly Ile Se 1980 agc gtg cgc aag ag	er Phe Thr Pro 1985 st ggc aag cat 6118
35	Leu Leu Lys Ar 1979 aag gag gic gg Lys Glu Val Gly	c ctg ccc aac cgg g Leu Pro Asn Arg 5 g gag cac gtg gtg y Glu His Val Val	cac att ggg atc to His lle Gly lle Se 1980 agc gtg cgc aag ag Ser Val Arg Lys Se	er Phe Thr Pro 1985 31 ggc aag cat 6118 er Gly Lys His
35 40	Leu Leu Lys Arr 1975 aag gag gic gg Lys Glu Val Gly 1990	c ctg ccc aac cgg g Leu Pro Asn Arg 5 g gag cac gtg gtg y Glu His Val Val 1995	cac att ggg atc to His lle Gly lle Se 1980 agc gtg cgc aag ag Ser Val Arg Lys Se 200	er Phe Thr Pro 1985 Bit ggc aag cat 6118 Er Gly Lys His
35	Leu Leu Lys Arr 1973 aag gag gic gg Lys Glu Val Gly 1990 gic acc aac age	c ctg ccc aac cgg g Leu Pro Asn Arg g gag cac gtg gtg y Glu His Val Val 1995 c ccc ttc aag atc	cac att ggg atc to His lle Gly lle Se 1980 agc gtg cgc aag ag Ser Val Arg Lys Se 200 ctg gtg ggg cca to	er Phe Thr Pro 1985 81 ggc aag cat 6118 87 Gly Lys His 100 81 gag atc ggg 6166
35 40	Leu Leu Lys Arr 1973 aag gag gic gg Lys Glu Val Gly 1990 gtc acc aac ag Val Thr Asn Se	c ctg ccc aac cgg g Leu Pro Asn Arg g gag cac gtg gtg y Glu His Val Val 1995 c ccc ttc aag atc	cac att ggg atc to His Ile Gly Ile Se 1980 agc gtg cgc aag ag Ser Val Arg Lys Se 200 ctg gtg ggg cca to Leu Val Gly Pro Se	er Phe Thr Pro 1985 81 ggc aag cat 6118 87 Gly Lys His 100 81 gag atc ggg 6166
35 40	Leu Leu Lys Arr 1973 aag gag gic gg Lys Glu Val Gly 1990 gtc acc aac ag Val Thr Asn Se 2005	c ctg ccc aac cgg g Leu Pro Asn Arg g gag cac gtg gtg y Glu His Val Val 1995 c ccc ttc aag atc r Pro Phe Lys Ile	cac att ggg atc to His Ile Gly Ile Se 1980 agc gtg cgc aag ag Ser Val Arg Lys Se 200 ctg gtg ggg cca to Leu Val Gly Pro Se 2015	er Phe Thr Pro 1985 gl ggc aag cat 6118 er Gly Lys His 00 et gag atc ggg 6166 er Glu Ile Gly
35 40 45	Leu Leu Lys Arr 1973 aag gag gic gg Lys Glu Val Gly 1990 gic acc aac ag Val Thr Asn Se 2005 gac gcc agc aas	c ctg ccc aac cgg g Leu Pro Asn Arg g gag cac gtg gtg y Glu His Val Val 1995 c ccc ttc aag atc r Pro Phe Lys Ile 2010 g gtg cgg gtc tgg	cac att ggg atc to His lle Gly lle Se 1980 agc gtg cgc aag ag Ser Val Arg Lys Se 200 ctg gtg ggg cca to Leu Val Gly Pro Se 2015 ggc aag ggg ctt to	er Phe Thr Pro 1985 31 ggc aag cat 6118 27 Gly Lys His 200 21 gag atc ggg 6166 27 Glu Ile Gly 22 gag gga cac 6214
35 40 45	Leu Leu Lys Arr 1973 aag gag gic gg Lys Glu Val Gly 1990 gic acc aac ag Val Thr Asn Se 2005 gac gcc agc aas	c ctg ccc aac cgg g Leu Pro Asn Arg g gag cac gtg gtg y Glu His Val Val 1995 c ccc ttc aag atc r Pro Phe Lys Ile 2010 g gtg cgg gtc tgg	cac att ggg atc to His Ile Gly Ile Se 1980 agc gtg cgc aag ag Ser Val Arg Lys Se 200 ctg gtg ggg cca to Leu Val Gly Pro Se 2015	er Phe Thr Pro 1985 31 ggc aag cat 6118 27 Gly Lys His 200 21 gag atc ggg 6166 27 Glu Ile Gly 22 gag gga cac 6214

	aca	ttc	cag	glg	gca	gag	ttc	atc	gtg	gac	act	cgc	aat	gca	ggt	tat	6262
5	Thr	Phe	Gln	Va 1	Ala	Glų	Phe	He	Val	Asp	Thr	Arg	Asn	Ala	Gly	Tyr	
					2040				1	2045				į	2050		·
	ggg	ggc	ttg	ggg	ctg	agt	att	gaa	ggc	cca	agc	aag	gtg	gac	atc	aac	6310
10	Gly	Gly	Leu	Gly	Leu	Ser	He	Glu	Gly	Pro	Ser	Lys	Val	Asp	Ile	Asn	
				2055				. 8	2060				1	2065			
15	tgt	gag	gac	atg	gag	gac	ggg	aca	tgc	aaa	gtc	acc	tac	tgc	ccc	acc ·	6358
	Cys	Glu	Asp	Met	Glu	Asp	Gly	Thr	Cys	Lys	Val	Thr	Туг	Cys	Pro	Thr	
20		1	2070				í	2075				:	2080				
	gag	ccc	ggc	acc	iac	atc	atc	aac	atc	aag	ttt	gct	gác	aag	cac	gtg	6406
	Glu	Pro	Gly	Thr	Tyr	lle	He	Asn	He	Lys	Phe	Ala	Asp	Lys	His	Val	
25	7	2085	-			2	2090				2	2095					
	cct	gga	agc	ccc	ttc	act	gtg	aag	gtg	acc	ggc	gag	ggc	cgc	atg	aag	6454
30	Pro	G1 y	Ser	Pro	Phe	Thr	Yal	Lys	Yal	Thr	Gly	Glu	Gly	Arg	Met	Lys	
	2100)			7	2105					2110				2	2115	
		agc															6502
35	Glu	Ser	Ile			Aŗg	Arg	GIn			Ser	lle	Ala			Gly	
					120					125					2130		
40		acc					•										6550
	Ser	Thr			Leu	Asn	Leu			Pro	Gly	Asn			Gln	Met	
45				135					140			·		145			
43	gtg						•										6598
	Val			Gln	Glu	Arg			Arg	Thr	Phe			Ser	Ser	His	
50			150					155					160				
		tac															6646
55	Thr	Туг	Thr	Arg	Thr	Glu	Arg	Thr	Glu	lle	Ser	Lys	Thr	Arg	Gly	Gly'	
	2	165				2	170				2	175					

	gag	aca	aag	ccc	gag	gtg	cgg	gţg	gag	gag	tcc	acc	cag	gto	ggc	ggg	6694
5	Glu	Thr	Lys	Pro	G,l u	Val	Arg	Val	Glu	Glu	Ser	Thr	Gln	Val	Gly	Gly	
	2180)				2185					2190					2195	•
10	gac	ccc	ttc	cct	gc t	gtg	ttt	ggg	gac	ttc	ctg	ggc	cgg	gag	cgc	ctg	6742
•	Asp	Pro	Phe	Pro	Ala	Val	Phe	Gly	Asp	Phe	Leu	Gly	Arg	Glu	Arg	Leu	
					2200			_	1	2205					2210		
15	gga	tcc	ttc	ggc	agc	atc	acc	cgg	cag	cag	gag	ggt	gag	gcc	agc	tct	6790
	Gly	Ser	Phe	Gly	Ser	Ile	Thr	Ārg	Gln	Gln	Glu	Gly	Glu	Ala	Ser	Ser	
20			2	2215		•		:	2220					2225		` .	
	cag	gac	atg	act	gca	cag	gtg	acc	agc	cca	tcg	ggc	aag	gtg	gaa	gcc	6838
25	Gln.	Asp	Met	Thr	Ala	Gln	Val	Thr	Ser	Pro	Ser	Gly	Lys	٧al	Glu	Ala	
		2	230				1	2235				:	2240				
	gca	gag	atc	gtc	gag	ggc	gag	gac	agc	gcc	tac	agc	gtc	cgc	ttt	gtg	6886
30	Ala	Glu	Ile	Val	Glu	Gly	Glu	Asp	Ser	Ala	Tyr	Ser	Val	Arg	Phe	Val	
	. 2	245				2	2250			٠	3	2255					
35	ccc	cag	gaa.	atg	ggg	ccc	cat	acg	gtc	gct	gtc	aag	tac	cgt	ggc	cag	6934
	Pro (Gln	Glu	Me t	Gly	Pro	His	Thr	Val	Ala	Val	Lys	Tyr	Arg	Gly	Gln	
40	2260			•	2	265				2	270				2	275	•
40	cac g	gtg	ccc	ggc	agc	ccc	ttt	cag	ttc	act	gtg	ggg	ccg	ctg	ggt	gaa	6982
	His V	/a i	Pro	Gly	Ser	Pro	Phe	Gln	Phe	Thr	Va l	Gly	Pro	Leu	Gly	Glu	
45			•	2	280				2	285				2	290		
	ggt g	gt	gcc	cac	aag	gtg	cġg	gcc	gga	cga.	gca	ggg	ctg	gag	cga	ggt	7030
50	Gly 6	Sly .	Ala	His	Lys	Val	Arg	Ala	Gly _.	Arg	Ala	Gly	Leu	Glu	BIA	Gly	
			. 2	295				2	300				2	305			
	gtg g	CC (ggc	gtg	cca	gcc	gag	lic	agc	atc	tgg	acc	cgg	gag	gct	ggc.	7078
55	Val A	la	Gly	Va l	Pro	Ala	G) u	Phe	Ser	Ile	Trp	Thr	Arg	Glu	Ala	Gly	

	2310	2315	2320	
	gct ggg ggc ctg t	icc att gct gtg gag	ggt cct agc aaa gcg gag att 7	7126
5	Ala Gly Gly Leu S	Ser Ile Ala Yal Glu	Gly Pro Ser Lys Ala Glu lle .	
	2325	2330	2335	
10	gca itt gag gat c	ege aaa gat gge tee	tgc ggc gic tcc tat gtc gtc 7	174
	Ala Phe Glu Asp A	Arg Lys Asp.Gly Ser (Cys Gly Val Ser Tyr Val Val	
15	2340	2345	2350 2355	
	cag gaa cca ggt g	ac tat gag gic icc a	atc aag ttc aat gat gag cac 7	222
٠	Gln Glu Pro Gly A	sp Tyr Glu Val Ser l	lle Lys Phe Asn Asp Glu His	
20	23	60 23	365 2370	
	atc cca gac agc c	cc tit gig gig cci g	gtg gcc tcc ctc tcg gat gac 7	270
25	lle Pro Asp Ser Pr	ro Phe Val Val Pro V	Val Ala Ser Leu Ser Asp Asp	
	2375	- 2380	2385	
30			•	318
		•	Gln Glu Thr Gly Leu Lys Val	
	2390	2395	2400	
35				366
•	•		Leu Asn Gly Ala Arg Gly Val	
40	2405	2410	2415	•
				414
			Gly Ala Val Glu Glu Cys Tyr	
45	2420	2425	2430 2435	
				462
50			Thr Ile Arg Phe lle Pro His	
	244		145 2450	
55				510
33	Glu Asn Gly Val Hi	s Ser lle Asp Val L	ys Phe Asn Gly Ala His lle	

				2455				:	2460					2465			
5	cct	gga	agt	ccc	ttc	aag	atc	cgc	gtt	ggġ	gag	cag	agc	cag	gct	ggg	7558
	Pro	Gly	Ser	Pro	Phe	Lys	Ile	Arg	Val	Gly	Glu	Gln	Ser	Gln	Ala	Gly	
10		,	2470					2475				:	2480		•		
	gac	cca	ggc	ttg	gtg	tca	gcc	tac	ggt	cct	ggg	ctc	gag	gga	ggc	act	7606
15	Asp	Pro	Gly	Leu	Val	Ser	Ala	Tyr	Gly	Pro	Gly	Leu	Glu	Gly	Gly	Thr	
	1	2485					2490				;	2495					
	acc	ggt	gtg	tca	tca	gag	ttc	atc	gtg	aac	acc	ctġ	aat	gcc	ggc	tcg	7654
20	Thr	G]y	Val	Ser	Ser	Glu	Phe	He	Val			Leu	Asn	Ala	Gly	Ser	
	2500)		•		2505				7	2510					2515	
25	ggg	gcc	ttg	tct	gtc	acc	att	gal	ggc	ccc	tcc	aag	gtg	cag	ctg	gac	7702
	Gly	Ala	Leu	Ser	Val	Thr	He	Asp	Gly	Pro	Ser	Lys	Val	Gln	Leu	Asp	
				2	2520				2	2525				2	2530		
30	tgt	cgg	gag	tgt	cct	gag	ggc	cat	gtg	gtc	act	tat	act	ccc	atg	gcc	7750
	Cys	Arg.	Glu	Cys	Pro	Glu	Gly	His	Val	Val	Thr	Tyr	Thr	Pro	Met	Ala	•
35			2	2535				1	2540				:	2545		•	
	cct	ggc	aac	tac	ctc	att	gcc	atc	aag	tac	ggt	ggc	CCC	cag	cac	atc	7798
	Pro	Gly	Asn	Tyr	Leu	He	Ala	He	Lys	Tyr	Gly	Gly	Pro	Gln	His	lle	
40		2	550				2	2555				1	2560				
	gtg	ggc	agc	ccc	ttc	aag	gcc	aag	gtc	act	ggt	ccg	agg	ctg	lcc	gga	7846
45	Val	Gly	Ser	Pro	Phe	Lys	Ala	Lys	Val	Thr	Gly	Pro	Arg	Leu	Ser	Gly	
	2	565				1	2570				,	2575					•
50	ggc	cac	agc	ctt	cac	gaa	aca	tcc	acg	glt	ctg	gtg	gag	act	gtg	acc	7894
50	Gly	His	Ser	Leu	His	Glu	Thr	Ser	Thr	Val	Leu	Yal	Glu	Thr	Val	Thr	
	2580	1			2	2585				2	2590				:	2595	
55	aag	tcc	tcc	tca	agc	cgg	ggc	tcc	agc	lac	agc	tcc	atc	ccc	aag	ttc	7942

	Lys	Ser	Ser	Ser	Ser	Arg	Gly	Ser	Ser	Tyr	Ser	Ser	Ile	Pro	Lys	Phe	
5					2600					2605					2610		
3	tcc	tca	gat	gcc	agc	aag	gtg	gtg	act	cgg	ggc	cct	ggg	ctg	tcc	cag	.7990
	Ser	Ser	Asp	Ala	Ser	Lys	Val	Val	Thr	Arg	Gly	Pro	Gly	Leu	Ser	Gln	•
10				2615				;	2620					2625			
	gcc	ttc	gtg	ggc	cag	aag	aac	tcc	ttc	acc	gtg	gac	tgc	agc	aaa	gca	8038
15	Ala	Phe	Val	Gly	Gln	Lys	Asn	Ser	Phe	Thr	Val	Asp	Cys	Ser	Lys	Ala	
		;	2630					2635				. :	2640				
20	ggc	acc	aac	atg	atg	atg	gtg	ggc	gtg	cac	ggc	ccc	aag	acc	ccc	tgt	8086
20	Gly	Thr	Asn	Met	Met	Me t	Val	Gly	Val	His	Gly	Pro	Lys	Thr	Pro	Cys	
	2	645					2650				2	2655					
25	gag	gag	gtg -	tac	gtg	aag	cac	atg	ggg	aac	cgg	gtg	tac	aat	gtc	acc	8134
	·Glu		Val	Tyr			His	Met	Gly	Asn	Arg	Val	Tyr	Asn	Val	Thr	
30	2660				•	2665					2670					2675	
							ggg								•		8182
25	lyr	lhr	Yai			Lys	Gly	ASP			Leu	ile	Val		-	Gly	
35	720	maa	a ar t		080 cct	aa a	200	000		2685	mt c	007	ato		2690		0004
							agc Ser										8224
40	NOP	0.4		695		017	561		700	LJS	741	D 3		705			·
	tgaa	tccc			ccto	c cc	agco			ccac	ctc	cago			acat	tacac	8284
45																tacaa	
							•				•					ggggt	
50	t gga.	ggac	ct t	gtct	glgl	Cag	acag	tgtc	cct	ccct	gga	atgt	gaca	tg a	ggcc	gactg	8464
30	gggc	cagg	ct c	aggg	gcag	a gg	ctgg	gaca	caa	gggg	ctg	gcga	gggc	lg c	gagg	ccagg	8524
	gaag	ccct	ga g	tttc	tggc	g gg	gctg	agca	glg	8888	agc	attg	lgti	gtg	gglg	tctgt	8584
55	glgt	gagg	tc a	ccct	caaa	c lg	cacc	gccg	gcc	agat	acc	ctcc	tgac	cc c	gagg	acitg	8644

gtctggtctc tctggtggct acaaccccag agttttaagg acttggaaag gaagcacaat 8704 cagagaagaa aacagcccc aaccagcagg agcggcctgg cacatggacc ggcctgagcg 8764 atgigcacte cacceaagee aggeteecag ggggeetgat tictetetea etgictetti 8824 ttttaaaatg gttgcacggc tctgccccat ggggggcctt ttttacacac tgcgaggccc 8884 10 agctitctag gggacttilg cacaigicat gcagctcagc tgggagctgc ttaggtggaa 8944 aactccaaat aaagtgcgcc tgtcgcc 8971 15 <210> 44 <211> 2705 20 <212> PRT (213) Homo sapiens <400> 44 Met Pro Ser Thr Glu Lys Asp Leu Ala Glu Asp Ala Pro Trp Lys Lys 1 5 15 10 30 Ile Gln Gln Asn Thr Phe Thr Arg Trp Cys Asn Glu His Leu Lys Cys 20 25 30 Val Gly Lys Arg Leu Thr Asp Leu Gln Arg Asp Leu Ser Asp Gly Leu 35 Arg Leu Ile Ala Leu Leu Glu Val Leu Ser Gln Lys Arg Met Tyr Arg 40 50 55 Lys Phe His Pro Arg Pro Asn Phe Arg Gln Met Lys Leu Glu Asn Val 65 70 75 Ser Val Ala Leu Glu Phe Leu Glu Arg Glu His Ile Lys Leu Val Ser 85 90 50 lle Asp Ser Lys Ala Ile Val Asp Gly Asn Leu Lys Leu Ile Leu Gly 100 105 110 Leu Ile Trp Thr Leu Ile Leu His Tyr Ser Ile Ser Met Pro Met Trp

			118	5				120					125			
5	Glu	ı Ası	Glu	J Asp	Asp	Glu	Asp	Ala	Arg	Lys	Gln	Thr	Pro	Lys	Gln	Arg
		130)	•			135),				140				
10	Lei	ı Let	Gly	/ Trp	Ile	Gln	Asn	Lys	Val	Pro	Gln	Leu	Pro	Ile	Thr	Asn
	145	j				150					155					160
	Phe	Asn	Arg	Asp	Trp	Gln	Asp	Gly	Lys	Ala	Leu	Gly	Ala	Leu	Val	Asp
15					165					170					175	
	Asn	Cys	Ala	Рго	Gly	Leu	Cys	Pro	Asp	Trp	Glu	Ala	Trp	Asp	Pro	Asn
20				180					185	•				190		
	Gln	Pro	Val	Glu	Asn	Ser	Arg	Glu	Ala	Met	Gln	Gln	Ala	Asp	Asp	Trp
25			195					200					205			
	Leu	Gly	¥a1	Pro	Gln	۷al	He	Ala	Pro	Glu	Glu	Ile	Va)	Asp	Pro	Asn
		210					215					220				
30	Va l	Asp	Glu	His	Ser	Val	Met	Thr	Tyr	Leu	Ser	Gln	Phe	Pro	Lys	Ala
	225		•			230			•		235					240
35	Lys	Leu	Lys	Pro	Gly	Ala	Pro	Val	Arg	Ser	Lys	Gln	Leu	Asn	Pro	Lys
•					245					250					255	
	Lys	Ala	He	Ala	Tyr	Gly	Pro	Gly	lle	Gl _, u	Pro	Gln	Gly	Asn	Thr	Val
10				260					265					270		
	Leu	Gln		Ala	His	Phe	Thr		Gln	Thr	Val	Asp	Ala	Gly	Val	Gly
45			275					280					285		•	
	Glu		Leu	Val	Туг	He		Asp	Pro	Glu	Gly	•	Thr	Glu	Glu	Ala
50		290					295					300				
		Val	Val	Pro			Asp	Lys	Asp	Arg		Туг	Ala	Val	Ser	Туг
	305					310					315					320
55	Val	Pro	Lys	Val	Ala	Gly	Leu	His	Lys	Val	Thr	Yal	Leu	Phe	Ala	Gly

					325					330)				335	
5	Gli	n Asi	n Ile	Glu	Arg	Ser	Pro	Phe	Glu	Val	Asn	Va)	Gly	Met	Ala	Leu
		•		340					345					350		•
	Gly	/ Asp	Ala	Asn	Lys	Val	Ser	Ala	Arg	Gly	Pro	Gly	Leu	Glu	Pro	Val
10			355					360					365		•	
•	Gly	Asn	Val	Ala	Ásn	Lys	Pro	Thr	Tyr	Phe	Asp	He	Tyr	Thr	Ala	Gly
15		370)				375					380				
	Ala	Gly	Thr	Gly	Asp	Val	Ala	Val	Val	Ile	Val	Asp	Pro	Gln	Gly	Arg
	385					390					395					400
20	Arg	Asp	Thr	Val	Glu	Val	Ala	Leu	Glu	Asp	Lys	Gly	Asp	Ser	Thr	Phe
		•			405					410					415	
25	Arg	Cys	Thr	Tyr	Arg	Pro	Ala	Met	Glu	Gly	Pro	His	Thr	Yal	His	Val
			-	420					425					430	•	
30	Ala	Phe	Ala	Gly	Ala	Pro	He	Thr	Arg	Ser	Pro	Phe	Pro	Val	His	Val
			435					440					445			
	Ser	Glu	Ala	Cys	Asn	Pro	Asn	Ala	Cys	Arg	Ala	Ser	Gly	Arg	Gly	Leu
35		450					455					460		·		
	Ġln	Pro	Lys	Gly	Vai	Arg	Va}	Lys	Glu	Val	Ala	Asp	Phe	Lys	Val	Phe
40	465					470					475					480
	Thr	Lys	Gly	Ala	Gly	Ser	Gly	Glu	Leu	Lys	Val	Thr	Val	Lys	Gly	Pro
					485					490					495	
45	Lys	Gly	Thr	Glu	Glu	Pro	Ya l	Lys	Val	Arg	Glu	Ala	Gly	Asp	Gly	Val
	•			500					505			•		510		
50	Phe	Glu	Cys	Glu	Tyr	Tyr	Pro	Val	Val	Pro	Gly	Lys	Tyr	Val	۷a ۱۰	Thr
			515					520					525			
55	lle	Thr	Trp	Gly	Gly	Туг	Ala	Ile	Pro	Arg	Ser	Рто	Phe	Glu	Val	Gln
		530					535					540				

	۷a	Sei	Pro	Glu	Ala	Gly	Val	Gln	Lys	Val	Arg	Ala	Trp	Gly	Pro	Gly
5	545	5				550) .				555					560
	Let	Glu	Thr	Gly	Gln	۷ai	Gly	Lys	Ser	Ala	Asp	Phe	Val	Val	Glu	Ala
10					565					570					575	
	He	Gly	Thr	Glu	Val	Gly	Thr	Leu	Gly	Phe	Ser	He	Glu	Gly	Pro	Ser
45				580					585		٠			590		
15	Gin	Ala	Lys	Ile	Glu	Cys	Asp	Asp	Lys	Gly	Asp	Gly	Ser	Cys	Asp	Va]
			595					600					605			
20	Arg	Туг	Trp	Pro	Thr	Glu	Pro	Gly	GJu	Tyr	Ala	Val	His	Val	He	Cys
		610					615					620				•
25	Asp	Asp	Glu	Asp	Ile	Arg	Asp	Ser	Pro	Phe	He	Ala	His	lle	Leu	Pro
	625		-		•	630					635					640
	Ala	Pro	Pro	Asp	Cys	Phe	Pro	Asp	Lys	Val	Lys	Ala	Phe	Gly	Pro	Gly
30					645					650					655	
	Leu	Ģlu	Pro	Thr	Gly	Cys	He	Val	Asp	Lys	Pro	Ala	Glu	Phe	Thr	lle
35				660					665					670		
	Asp	Ala	Arg	Ala	Ala	Gly	Lys	Gly	Asp	Leu	Lys	Leu	Tyr	Ala	Gln	Asp
			675	•				680					685			
40	Ala	Asp	Gly.	Cys	Pro	Ile	Asp	lle	Lys	Val	He	Pro	Asn	Gly	Asn	Gly
		690					695					700				
45	Thr	Phe	Arg	Cys	Ser	Tyr	Val	Рго	Thr	Lys	Pro	He	Lys	His	Thr	He
	705					710	•				715	•		•		720
	lle	He	Ser	Trp	Gly	Gly	Va 1	Asn	Val	Pro	Lys	Ser	Pro	Phe	Arg	Val
50	•				725					730					735	
	Asn	٧aj	Gly	Glu	Gly	Ser	His	Pro	Glu	Arg	Val	Lys	Val	Туг	Gly	Pro
55				740					745					750	•	

	Gl	y Va	J Gl	u Lys	s Thi	r Gly	/ Lei	ı Lys	Ala	Asn	Glu	Pro	Thi	Tyı	Phe	Thr
5			75	5				760					765	1		
	٧a	l As	р Су:	s Sei	r Gli	ı Ala	Gly	Gln	Gly	Asp	Yal	Ser	lle	Gly	He	Lys
10		77	0				775	j			٠	780	•			
,,	Cy:	s Ala	a Pro	Gly	v Val	Val	Gly	Pro	Ala	Glu	Ala	Asp	Ile	Asp	Phe	Asp
•	785	5				790					795					800
15	116	lle	. Lys	Asn	Asp	Asn	Asp	Thr	Phe	Thr	Ya]	Lys	Tyr	Thr	Pro	Pro
					805					810					815	
20	Gly	/ Ala	Gly	Arg	Tyr	Thr	He	Met	Va I	Leu	Phe	Ala	Asn	Gln	Glu	He
				820					825					830	•	
	Pro	Ala	Ser	Pro	Phe	His	Ile	Lys	Va l	Asp	Pro	Ser	His	Asp	Ala	Ser
25			835					840					845			
	Lys	Val	Lys	Ala	Glu	Gly	Pro	Gly	Leu	Asn	Arg	Thr	Gly	Val	Ġlu	Val
30		850					855					860				
		Lys	Pro	Thr	His		Thr	Vaj	Leu	Thr	Lys	Gly	Ala	Gly	Lys	Ala
35	865					870					875					880
	Lys	Leu	Asp	Val		Phe	Ala	Gly	Thr		Lys	Gly	Glu	Val		Arg
		חו			885			•••		890					895	_
40	ASP	rne	GIU	He	116	ASP	ASN	HIS		Tyr	Ser	Tyr	Thr		Lys	Туг
	T b	41.0	Va l	900	C1-	Cl	4	Mad	905	V. I	ጥኒ	V - 1	Th	910	C)	01
45	1111	MIS	915	GIII	GIN	GIY	ASII	920	BIR	Yaı	ınr	Yaı	925	ıyr	GIY	Gly
	Aen	Pro		Pro	Ive	ra?	Dro		Val	Val	A c n	Vai		Dro	D = 0	T au
50	лар	930	141	110	r13 _.	261	935	1 116	141	¥ a 1		940	VIG	rio	FIU	Leu
	4 c n		Sor	lve	I la	Lve		Cln	Clu	Lau			1.10	V-1	A 1 -	Val
	945	rea	061	Lys		950	va 1	GIII	GIÀ			SCI	r A 2	тај	RIA	
55		Cln	C) u	Gin			So-	Vo 1	Acn		955	C1	مالد	CI»	C1	960
	GIV	0111	OIL	0111	wia	1 IIC	761	101	พรแ	1111	ΛIΚ	ΛΙΥ	MIG	UIY	UIY	นเน

•		965	970	· · :	975
5	Gly Gln Le	u Asp Yal Arg	Net Thr Ser Pro	Ser Arg Arg Pro	Ile Pro
		980	985	990)
10	Cys Lys Le	u Glu Pro Gly	Gly Gly Ala Glu	Ala Gin Ala Val	Arg Tyr
	99	5	1000	. 1005	•
	Met Pro Pr	o Glu Glu Gly	Pro Tyr Lys Val	Asp lle Thr Tyr	Asp Gly
15	. 1010		1015	1020	
	His Pro Va	l Pro Gly Ser	Pro Phe Ala Val	Glu Gly Val Leu	Pro Pro
20	1025	103	0 .	1035	1040
	Asp Pro Se	r Lys Val Cys	Ala Tyr Gly Pro	Gly Leu Lys Gly	Gly Leu
25		1045	105	0	1055
23	Val Gly~Th	Pro Ala Pro	Phe Ser Ile Asp	Thr Lys Gly Ala	Gly Thr
		1060	1065	107	0
30	Gly Gly Let	Gly Leu Thr	Val Glu Gly Pro	Cys Glu Ala Lys	lle Glu
	107	5	1080	1085	
35	Cys Gln Asp	Asn Gly Asp	Gly Ser Cys Ala	Val Ser Tyr Leu	Pro Thr
	1090		1095 .	1100	
	Glu Pro Gly	Glu Tyr Thr	lle Asn Ile Leu	Phe Ala Glu Ala	His Ile
40	1105	111		1115	1120
	Pro Gly Ser	Pro Phe Lys	Ala Thr lle Arg		Pro Ser
45		1125	1130		1135
	Lys Val Arg		Pro Gly Leu Glu	Arg Gly Lys Val	Gly Glu
	•	1140	1145	1150	0
50	Ala Ala Thr	Phe Thr Val	Asp Cys Ser Glu	Ala Gly Glu Ala	Glu Leu
	115	5	1160	1165	
55	Thr Ile Glu	lle Leu Ser	Asp Ala Gly Val	Lys Ala Glu Val	Leu lle

			117	0				117	5				118	0			
5		His	Asn	Asn	·Ala	Asp	Gly	Thr	Tyr	His	He	Thr	Tyr	Ser	Pro	Ala	Phe
		118	5				119	0		٠.		119	5				1200
		Pro	Gly	Thr	Tyr	Thr	Ile	Thr	[le	Lys	Tyr	Gly	Gly	His	Pro	Val	Pro
10						120	5				121	0				12]	5
		Lys	Phe	Pro	Thr	Arg	Val	His	Val	Gln	Pro	Ala	Val	Asp	Thr	Ser	Gly
15					122	0	•			.122	5				123	0	
		Val	Lys	Val	Ser	Gly	Pro	Gly	Val	Glu	Pro	His	Gly	Val	Leu	Arg	Glu
20				123	5				124	0				124	5		
		Val	Thr	Thr	Glu	Phe	Thr	'Val	Asp	Ala	Arg	Ser	Leu	Thŕ	Ala	Thr	Gly
			1250)				125	5				1260)			
25		Gly	Asn	His -	Val	Thr	Ala	Arg	Val	Leu	Asn	Pro	Ser	Gly	Ala	Lys	Thr
		126	5				1270)				127	5				1280
30		Asp	Thr	Туг	Val	Thr	Asp	Asn	Gly	Asp	Gly	Thr	Tyr	Arg	Val	Gln	Туг
						-1285	ō				1290)				1295	5
05		Thr	Ala	Tyr	Glu	Glu	Gly	Va]	His	Leu	Val	Glu	Val	Leu	Tyr	Asp	Glu
<i>35</i>					1300)				1305	,				1310	}	
		Val	Ala	Val	Pro	Lys	Ser	Pro	Phe	Arg	Val	Gly	Va l	Thr	Glu	Gly	Cys
40				1315					1320					1325			
		Asp	Pro	Thr	Arg	Val	Arg	Ala	Phe:	Gly	Pro	Gly	Leu	Glu	Gly	Gly	Leu
45	•		1330					1335	i				1340				
		Val	Asn	Lys	Ala	Asn	Arg	Pḥe	Thr	Val	Glu			Gly	Ala	Gly	Thr
		1345	1				1350	}				1355	j				1360
50		Gly	Gly	Leu	Gly	Leu	Ala	He	Glu	Gly	Pro	Ser	Glu	Ala	Lys	Me t	Ser
						1365					1370					1375	i
55		Cys	Lys	Asp	Asn	Lys	Asp	Gly	Ser	Cys	Thr	Val	Glu	Tyr	Ile	Pro	Phe
					1380					1385					1390	١	

	Thr	Pro	Gly	Asp	Туг	Asp	Val	Asn	He	Thr	Phe	Gly	G1 y	Arg	Pro	Ile
5			139	5				140	0 -				140	5		
	Pro	Gly	Ser	Pro	Phe	Arg	Val	Pro	Val	Lys	Asp	Val	Val	Asp	Pro	Gly
10		1410	0				141	5				142	0			
	Lys	Val	Lys	Cys	Ser	Gly	Pro	Gly	Leu	Gly	Ala	Gly	٧a١	Arg	Ala	Arg
	1425					143	0				143	5				1440
15	Val	Pro	Gln	Thr	Phe	Thr	Val	Asp	Cys	Ser	Gln	Ala	Gly	Arg	Ala	Pro
				•	144	5				1451	0				145	5
20	Leu	Gln	Val	Ala	Val	Leu	Gly	Pro	Thr	Gly	Val	Ala	Glu	Pro	Val	Glu
				1460)				146	5				147)	
25	Val	Arg	Asp	Asn	Gly	Asp	Gly	Thr	His	Thr	Val	His	Туг	Thr	Pro	Ala
			-1475	5				1480)				1485	5		
	Thr	Asp	Gly	Pro	Tyr	Thr	Val	Ala	Val	Lys	Tyr	Ala	Asp	Gln	Glu	Val
30		1490)				149	5		•		1500)			
30	Pro /			Pro	Phe	Lys			Val	Leu	Рго			Asp	Ala	Ser
35				Pro		Lys .151(Ile		Val	Leu	Рго 1515	Ala		Asp	Ala	Ser 1520
	Pro I	Arg	Ser			.151(Ile)	Lys	•		1515	Ala	His	•		1520
	Pro /	Arg	Ser			.151(Gly	Ile)	Lys	•		1515 Ala	Ala	His	•		1520 Ala
	Pro /	Arg Val	Ser Arg	Ala	Ser 1525	.151(Gly	Ile) Pro	Lys Gly	Leu	Asn 1530	1515 Ala	Ala	His	I 1 e	Pro 1535	1520 Ala
35	Pro A 1505 Lys V Ser I	Arg /a) .eu	Ser Arg Pro	Ala Val	Ser 1525 Glu	Gly Phe	Ile Pro Thr	Lys Gly Ile	Leu Asp	Asn 1530 Ala	1518 Ala) Arg	Ala Ser Asp	His Gly Ala	Ile Gly 1550	Pro 1535 Glu	1520 Ala Gly
35	Pro 1 1505 Lys V	Arg /a) .eu	Ser Arg Pro	Ala Val	Ser 1525 Glu	Gly Phe	Ile Pro Thr	Lys Gly Ile	Leu Asp	Asn 1530 Ala	1518 Ala) Arg	Ala Ser Asp	His Gly Ala	Ile Gly 1550	Pro 1535 Glu	1520 Ala Gly
35 40	Pro A 1505 Lys V Ser I	Arg /al .eu	Ser Arg Pro	Val	Ser 1525 Glu	Gly Phe	Ile Pro Thr	Lys Gly Ile	Leu Asp 1545 Pro	Asn 1530 Ala	1518 Ala) Arg	Ala Ser Asp	His Gly Ala	Ile Gly 1550 Lys	Pro 1535 Glu	1520 Ala Gly
35 40	Pro A 1505 Lys V Ser I	Arg /al	Ser Arg Pro Thr	Ala Val 1540 Val	Ser 1525 Glu Gln	Gly Phe	Ile Pro Thr	Lys Gly Ile Gly 1560	Leu Asp 1545 Pro	Asn 1530 Ala Glu	Ala Ala Arg	Ala Ser Asp	His Gly Ala Pro	Ile Gly 1550 Lys	Pro 1535 Glu) Lys	1520 Ala Gly
35 40	Pro A 1505 Lys N Ser I Leu I Asn I	Arg /al	Ser Arg Pro Thr 1555 Arg	Ala Val 1540 Val	Ser 1525 Glu Gln	Gly Phe	Ile Pro Thr	Lys Gly Ile Gly 1566 Gly	Leu Asp 1545 Pro	Asn 1530 Ala Glu	Ala Ala Arg	Ala Ser Asp	His Gly Ala Pro 1565 Ser	Ile Gly 1550 Lys	Pro 1535 Glu) Lys	1520 Ala Gly
35 40	Pro A 1505 Lys N Ser I Leu I Asn I	Arg Val Leu leu 570	Ser Arg Pro Thr 1555 Arg	Ala Val 1540 Val	Ser 1528 Glu Gln Asn	Gly Phe Ile	Ile Pro Thr Leu Asp	Lys Gly Ile Gly 1560 Gly	Asp 1545 Pro	Asn 1530 Ala Glu	Ala Arg Gly	Ala Ser Asp Lys Val	His Gly Ala Pro 1565 Ser	Ile Gly 1550 Lys Tyr	Pro 1535 Glu Lys	1520 Ala Gly Ala

	Ile, Pro Ty	r Ser Pro Phe	Arg lle His	Ala Leu Pro Thi	r Gly Asp Ala
5		1605		1610	1615
	Ser Lys Cy	s Leu Val Thi	Val Ser Ile	Gly Gly His Gly	leu Gly Ala
		1620	1625		1630
10	Cys Leu Gly	Pro Arg Ile	Gln Ile Gly	Gln Glu Thr Val	lle Thr Val
	163	35	. 1640	. 164	15
15	Asp Ala Lys	: Ala Ala Gly	Glu Gly Lys	Val Thr Cys Thr	Val Ser Thr
	1650		1655	1660	
20	Pro Asp Gly	Ala Glu Leu	Asp Val Asp	Val Val Glu Asn	His Asp Gly
	1665	167	0	1675	1680
	Thr Phe Asp	Ile Tyr Tyr	Thr Ala Pro	Glu Pro Gly Lys	Tyr Val Ile
.25	•	1685		1690	1695
	Thr lie Arg	Phe Gly Gly	Glu His Ile	Pro Asn Ser Pro	Phe His Val
30		1700	1705		1710
	Leu Ala Cys	Asp Pro Leu	Pro His Glu	Glu Glu Pro Ser 、	Glu Val Pro
or.	171		1720	. 172	
35		Gln Pro Tyr		Arg Pro Gly Ala	Arg Pro Thr
	1730		1735	1740	
40				Pro Val Glu Pro	
	1745	175		1755	1760
45	Met Leu Arg			Pro Phe Ala Val	
	Clu Lau The	1765	•	1770 Ser Gly Lys Thr	1775
	GIU LEU IIII	1780	1785	ser Gry Lys IIII	
50	Asp Ilo The			, [le Thr Val Arg	1790
55 .	1795		1800	180! 	
	IUL OID TAS	Old ren ulz	oin met GIA	lle Lys Tyr Asp	OLY ASD HIS

	1810	·	1815	1820	
5	lle Pro Gly	Ser Pro Le	u Gln Phe Tyr	Val Asp Ala İle	e Asn Ser Arg
	1825	18	30	1835	1840
10	His Val Ser	Ala Tyr Gl	y Pro Gly Leu	Ser His Gly Met	t Val Asn Lys
		1845		1850	1855
	Pro Ala Thr	Phe Thr II	e Val Thr Lys	Asp Ala Gly Glu	Gly Gly Leu
		1860	1865		1870
	Ser Leu Ala	Val Glu Gl	y Pro Ser Lys	Ala Glu lie Thr	Cys Lys Asp
20	187	5	1880	188	15
	Asn Lys Asp	Gly Thr Cy	s Thr Val Ser	Tyr Leu Pro Thr	Ala Pro Gly
25	1890		1895	1900	
	Asp Tyr-Ser	Ile Ile Val	Arg Phe Asp	Asp Lys His Ile	Pro Gly Ser
	1905	191	10	1915	1920
30	Pro Phe Thr	Ala Lys Ile	Thir Gly Asp	Asp Ser Met Arg	Thr Ser Gln
		1925		1930	1935
35	Leu Asn Val	Gly Thr Ser	Thr Asp Val	Ser Leu Lys Ile	Thr Glu Ser
		1940	1945		1950
40				Arg Ala Pro Ser	Gly Asn Glu
40	. 1955		1960	196	
		Leu Leu Lys		Asn Arg His Ile	Gly Ile Ser
45	1970			. 1980	
				Val Val Ser Val	Arg Lys Ser
50	1985	199		1995	2000
	Gly Lys His '		Ser Pro Phe	Lys Ile Leu Val	Gly Pro Ser
		2005		2010	2015
55	Glu Ile Gly A	Asp Ala Ser	Lys Val Arg	Val Trp Gly Lys	Gly Leu Ser

				202	20				202	5				203	0	
5	Gli	1 G)	y His	Thi	Phe	Gln	Val	Ala	Glu	Phe	He	Yal	Asp	Thr	Arg	Asn
			203	5				204	0				204	5		
10	Ala	Gly	/ Tyr	Gly	Gly	Leu	Gly	Leu	Ser	Ile	G] u	Gly	Pro	Ser	Lys	Val
10		205	0				205	5				206	0			
	Asp	Ile	Asn	Cys	Glu	Asp	Met	Glu	Asp	Gly	Thr	Cys	Lys	Val	Thr	Туг
15	206	5				207	0				207	5				2080
	Cys	Pro	Thr	Glu	Pro	Gly	Thr	Tyr	Ile	He	Asn	Ile	Lys	Phe	Ala	Asp
20					208	5				209	0				209	5
	Lys	His	Val	Pro	Gly	Ser	Pro	Phe	Thr	Va l	Lys	Val	Thr	Gly	Glu	Gly
				210	0				210	5				2110)	
25	Arg	Met	Lys -	Glu	Ser	He	Thr	Arg	Arg	Arg	Gln	Ala	Pro	Ser	He	Ala
			211	5				2120	}				2125	5		
30	Thr		Gly	Ser	Thr	Cys			Asn	Leu	Lys			Gly	Asn	Trp
		213					213					2140				
35			Met	Val	Ser		•	Glu	Arg	Leu			Thr	Phe	Thr	
	214		77.		•	2150					2155					2160
	26L	261	His	inr			Arg	Thr	GIU			Glu	lle	Ser		
40		61	0 1	61	2165			01.	., .	2170		•			2175	
	Arg	ыу	Gly			LYS	Pro	GIU			Yaı	Glu				Gln
45	Val	Clar	Clu	2180		Dha	Dro	410	2185		C1	4		2190		
	141	шу	Gly 2195		rio	rne	Lin	2200		rne	Uly	ASP	2205		GIA	Arg
	Cl.	1			°	Dho	C1	•		Th-	4 ~	C1-	•		C1	C1
		2210	Leu	GIY	261				116	101			•	GIU	ч	6111
				Cin	100		2215 Th-		CI-	Vo t		2220 5		C	C1	1
55	Ala		or!	Gill				AIZ	GID				210	ser		
	2225	ł				2230					2235					2240

	₹₫.	ı Git	Ala	Ala	GIU	1116	Ya!	GIU	Gly	Glu	Asp	3er	Ala	Tyr	Ser	Val
5					224	5				225	0				225	5
	Are	? Phe	Val	Pro	Gln	Glu	Met	Gly	Pro	His	Thr	Val	Ala	Yal	Lys	Tyr
10				226	0				226	5				227	0	
	Arg	Gly	Gln	Нis	Val	Pro	Gly	Ser	Pro	Phe	Gln	Phe	Thr	Va l	Gly	Pro
			227	5				228	0				228	5		
15	Leu	Gly	Glu	Gly	Gly	Ala	His	Lys	Val	Arg	Ala	Gly	Arg	Ala	Gly	Leu
		229	0				229	5				230	0			
20	Glu	Arg	Gly	Val	Ala	Gly	Val	Pro	Ala	Glu	Phe	Ser	Ile	Trp	Thr	Arg
	230	5				231	0				231	5		•		2320
05	Glu	Ala	Gly	Ala	Gly	Gly	Leu	Ser	Ile	Ala	Val	Glu	Gly	Pro	Ser	Lys
25			-		232	5				2336	0				233	5
	Ala	Glu	He	Ala	Phe	Glu	Asp	Arg	Lys	Asp	Gly	Ser	Cys	Gly	Val	Ser
30				0040	n					-						
				2340	,	_			234)				2350)	
	Tyr	Val	Val			Pro	Gly	Aśp			Val	Ser	Ile			Asn
35	Tyr	Val	Val 2355	Gln		Pro	Gly	Asp 2360	Tyr		Val	Ser	Ile 2365	Lys		Asn
			2355	Gln	Glu			2360	Туг)	Glu			2365	Lys	Phe	Asn Leu
			2355 His	Gln	Glu			2360 Pro	Туг)	Glu			2365 Val	Lys	Phe	
	Asp	Glu	2355 His	Gln i	Glu Pro	Asp	Ser 2375	2360 Pro	Tyr) Phe	Glu Val	Val	Pro 2380	2365 Val	Lys ; Ala	Phe Ser	Leu _.
35	Asp	Glu 2370 Asp	2355 His	Gln i	Glu Pro	Asp	Ser 2375 Leu	2360 Pro	Tyr) Phe	Glu Val	Val	Pro 2380 Leu	2365 Val	Lys ; Ala	Phe Ser	Leu _.
35	Asp Ser 2385	Glu 2370 Asp	2355 His Asp	Gln i Ile Ala	Glu Pro	Asp Arg 2390	Ser 2375 Leu	2360 Pro Thr	Tyr) Phe Val	Glu Val Thr	Val Ser 2395	Pro 2380 Leu	2365 Val Gln	Lys S Ala Glu	Phe Ser Thr	Leu. Gly 2400
<i>35</i>	Asp Ser 2385	Glu 2370 Asp	2355 His Asp	Gln Ile Ala	Glu Pro	Asp Arg 2390 Pro	Ser 2375 Leu	2360 Pro Thr	Tyr) Phe Val	Glu Val Thr	Val Ser 2395 Val	Pro 2380 Leu	2365 Val Gln	Lys Glu	Phe Ser Thr	Leu. Gly 2400 Ala
35 40 45	Asp Ser 2385 Leu	Glu 2370 Asp	2355 His Asp Val	Gln i Ile Ala	Glu Pro Arg Gln 2405	Asp Arg 2390 Pro	Ser 2375 Leu) Ala	2360 Pro Thr	Tyr) Phe Val	Glu Val Thr Ala 2410	Val Ser 2395 Val	Pro 2380 Leu Gln	236 Val Gln Leu	Lys Ala Glu Asn	Phe Ser Thr Gly 2415	Leu Gly 2400 Ala
<i>35</i>	Asp Ser 2385 Leu	Glu 2370 Asp Lys	2355 His Asp Val	Gln i Ile Ala	Glu Pro Arg Gln 2405	Asp Arg 2390 Pro	Ser 2375 Leu) Ala	2360 Pro Thr	Tyr) Phe Val	Glu Val Thr Ala 2410 Thr	Val Ser 2395 Val	Pro 2380 Leu Gln	236 Val Gln Leu	Lys Ala Glu Asn	Phe Ser Thr Gly 2415 Val	Leu Gly 2400 Ala
35 40 45	Asp Ser 2385 Leu	Glu 2370 Asp Lys	2355 His Asp Val	Gln i Ile Ala Asn Ile	Glu Pro Arg Gln 2405	Asp Arg 2390 Pro	Ser 2375 Leu) Ala 	2366 Pro Thr Ser	Tyr) Phe Val Phe His	Glu Val Thr Ala 2410 Thr	Val Ser 2395 Val Pro	Pro 2380 Leu Gln	2365 Val Gln Leu	Lys S Ala Glu Asn Ala	Phe Ser Thr Gly 2415 Val	Leu Gly 2400 Ala Glu

	П	? Pro	His	Glu	Asn	Gly	/ Val	His	Ser	lle	Asp	Val	Lys	Phe	Asn	Gly
5		245	0		•	•	245	5				246	0			
	Ala	His	lle	Pro	Gly	Ser	Pro	Phe	Lys	He	Arg	Val	Gly	Glu	G) n	Ser
40	246	15				247	0				247	5 .				2480
10	Gln	Ala	Gly	Asp	Pro	G) y	Leu	Val	Ser	Ala	Tyr	Gly	Pro	Gly	Leu	Glu
					248	5				249	0				249	5
15	Gly	Gly	Thr	Thr	Gly	Va l	Ser	Ser	Glu	Phe	He	Yal	Asn	Thr	Leu	Asn
		•		250	0				250	5				251	0	
20	Ala	Gly	Ser	Gly	Ala	Leu	Ser	Yal	Thr	11e	Asp	Gly	Pro	Ser	Lys	Ya 1
			251	5				2520)				252	5		
	Gln	Leu	Asp	Cys	Arg	Głu	Cys	Pro	Glu	Ġly	His	Val	Val	Thr	Tyr	Thr
25		2530) -				253	5				2540	0	•		
	Pro	Met	Ala	Pro	Gly	Asn	Tyr	Leu	He	Ala	Île	Lys	Tyr	Gly	Ġly	Pro
30	254	5				255	0				2555	j				2560
	Gln	His	lle	Val	Gly	Ser	Pro	Phe	Lys	Ala	Lys	Val	Thr	Gly	Pro	Arg
35					2565					2570					2575	
33	Leu	Ser	Gly			Ser	Leu	His	Glu	Thr	Ser	Thr	Val	Leu	Val	Glu
				2580					2585					2590		
40	Thr	Val			Ser	Ser	Ser			Gly	Ser	Ser			Ser	He
	_		2595 -					2600					2605	-		
45	Pro	Lys		Ser	Ser	Asp			Lys	Val				Gly	Pro	Gly
	•	2610					2615		_	_		2620				
		Ser	Gln	Ala			•	Gln	Lys	Asn			Thr	Val		
50	2625					2630		• •			2635					2640
	Ser	Lys i	Ala				Met	Met				Val	His			
55					2645					2650					2655	
	Thr	Pro (Cys	Glu	G) u	Val	Tyr	Val	Lys	His	Met	Gly	Asn	Arg	Va]	Туг

		2660 .	2665	2670
5	Asn Val Thr	Tyr Thr Val Lys	Glu Lys Gly Asp Ty	r Ile Leu Ile Val
	267		2680	2685
10	Lys Trp Gly	Asp Glu Ser Val	Pro Gly Ser Pro Pho	e Lys Val Lys Val
	2690	269	5 270	00
	Pro			
15	2705			
	(0.10)		,	
20	⟨210⟩ 45			
	(211) 2016			
	<212> DNA			
25	(213) Homo s	apiens		•
	<220>			
30	<221> CDS	(1250)		
	<222> (210). <400> 45	. (1352)		
35		22222222	tenge genttateng on	gggaccic gagcgaaaga 60
33		•		caccege cegecacee 120
				ggcgtctt cgtcgccgcg 180
40			caca alg ago loc ogo	
	,		Met Ser Ser Arg	
45	•		1	5
	ete gee tta	ate off ace eff	ctc cac itg acc agg	
	•		Leu His Leu Thr Arg	
50	10	15	20	
55			igc ccc cig gag gcg	
	INT CYS PTO	AIR AIR CAS HIS	Cys Pro Leu Glu Ala	I LIO TAZ CAZ WIS

	25		30	35		40
5	ccg	gga gic ggg	ctg gtc cgg	gac ggc tgc ggc	tgc tgt aag gt	c tgc 377
	Pro	Gly Val Gly	Leu Val Arg	Asp Gly Cys Gly	Cys Cys Lys Va	l Cys
10			45 .	50	. 5	5
	gcc	aag cag cic	aac gag gac	tgc agc aaa acg	cag ccc tgc ga	c cac 425
15	Ala	Lys Gln Leu	Asn Glu Asp	Cys Ser Lys Thr	Gln Pro Cys As	p His
		60		65	70	
	acc	aag ggg ctg	gaa tgc aac	tic ggc gcc agc	tcc acc gct ct	g aag 473
20	Thr	Lys Gly Leu	Glu Cys Asn	Phe Gly Ala Ser	Ser Thr Ala Le	u Lys
		75		80	85	
25	ggg	atc tgc aga	gct cag tca	gag ggc aga ccc	tgt gaa tat aa	c tcc 521
	Gly		Ala Gln Ser	Glu Gly Arg Pro	Cys Glu Tyr Aş	n Ser
30		90	95		100	
				agt ttc cag.ccc		
		lle Tyr Gln		Ser Phe Gln Pro	Asn Cys Lys Hi	
35	105	4-4 -44	110	115		120
				gtg ggc tgc att (
40	Cys	INI CAZ IIE	125	Val Gly Cys Ile 1 130	rro Leu Cys Pr 13	
	722	cta let ete		ggc tgt ccc aac (
45				Gly Cys Pro Asn 1		
43		140		145	150	,3
	git	•	tgc tgc gag	gag igg gic igi i		t atc 713
50			•	Glu Trp Val Cys A		
		155		160	165	
55	aag			gac ggc ctc ctt s		g gga 761

	Lys Asp Pr	o Met Glu As	sp Gln Asp Gly L	eu Leu Gly Lys Gl	u Leu Gly
5	170		175	180	•
	tic gat go	c tcc gag gt	tg gag ttg acg a	iga aac aat gaa tt	g att gca 809
	Phe Asp Al	a Ser Glu Va	al Glu Leu Thr A	arg Asn Asn Glu Le	u Ile Ala
10	185	19	90	195	200
	gti gga aa	a ggc agc tc	ca ctg aag cgg c	tc cct gtt ttt gg	a atg gag 857
15	Val Gly Ly	s Gly Ser Se	er Leu Lys Arg L	eu Pro Val Phe Gl	y Met Glu
		205		10	215
20	. cct cgc at	c cta tac aa	ac cct tta caa g	gc cag aaa tgt at	t gtt caa 905
	Pro Arg II	e Leu Tyr As	sn Pro Leu Gln G	ly Gln Lys Cys Il	e Val Gln
		220	225	23	0
25	aca act to	a tgg tcc ca	ag tgc tca aag a	cc tgt gga act gg	t atc tcc 953
				hr Cys Gly Thr Gl	y Ile Ser
30	23		240	245	
				gc cgc ctt gtg aa	
35		I IDT ASD AS		ys Arg Leu Val Ly	s Glu Thr
	250	asa ata ca	255	260 ag cca gtg tac ago	
				In Pro Val Tyr Se	
40	265	270		275	280
			•	ag aaa too coo gaa	
45	Lys Lys Gly	Lys Lys Cys	s Ser Lys Thr L	ys Lys Ser Pro Gli	
		285	2	90	295
50	agg tit act	tac gct ggs	ga igi itg agi g	Ig aag aaa tac cgg	s ccc aag 1145
	Arg Phe Thi	Tyr Ala Gly	y Cys Leu Ser V	al Lys Lys Tyr Arg	s Pro Lys
		300	305	310)
55	tac igc ggt	tcc tgc gts	g gac ggc cga t	gc tgc acg ccc cag	ctg acc 1193

	Tyr Cys Gly Ser Cys Val Asp Gly Arg Cys Cys Thr Pro Gln Leu Thr	
5	315 320 325	
	agg act gtg aag atg cgg ttc cgc tgc gaa gat ggg gag aca ttt tcc 124	11
10	Arg Thr Val Lys Met Arg Phe Arg Cys Glu Asp Gly Glu Thr Phe Ser	
	330 335 340	
45	aag aac gtc atg atg atc cag icc igc aaa igc aac iac aac igc ccg 128	9
15	Lys Asn Val Met Met Ile Gln Ser Cys Lys Cys Asn Tyr Asn Cys Pro	
	345 350 355. 360	
20	cat gcc aat gaa gca gcg tit ccc tic tac agg cig tic aat gac att 133	7
	His Ala Asn Glu Ala Ala Phe Pro Phe Tyr Arg Leu Phe Asn Asp lle	
25	365 370	
	cac aaa jit agg gac taaatgctac cigggittee agggeacace tagacaaaca 139	2
	His Lys Phe Arg Asp	
30	380	
	agggagaaga gigicagaat cagaalcaig gagaaaaigg gcgggggigg igigggigat 145	2
35	gggactcatt gtagaaagga agccttgctc attcttgagg agcattaagg tatttcgaaa 151	2
	cigccaaggg tgciggigcg gaiggacact aaigcagcca cgaiiggaga atactiigci 157	
40	tcatagtatt ggagcacatg ttactgctic attitiggagc tigiggagtt gaigactitc 163	
40	igititeigi tigiaaatta tiigelaage alattitete laggetiitt teettiiggg 169	
	gtictacagi cgiaaaagag alaataagai tagtiggaca giitaaagci tilaticgic 1757	
45	ctttgacaaa agtaaatggg agggcaticc atcccttcct gaagggggac actccatgag 1812	
	tgicigigag aggcagcial cigcacicla aacigcaaac agaaalcagg igititaaga 1872	
50 ·	cigaatgitt tatttatcaa aatgtagott tiggggaggg aggggaaatg taatacigga 1932	
	ataatiigia aatgatiita atiitalati cagigaaaag aititaltta iggaattaac 1992	3
	cattlaataa agaaalaiit acct 2018	j
55	(210) 46	

	<2	11> 3	381													
5	<2	12> 1	PRT													
	<2	13> }	Iomo	sapi	ens											•
10	<41	00> 4	16													
70	Me	l Ser	Sei	Arg	Ile	Ala	Агв	Ala	Leu	Ala	Leu	Val	Val	Thr	Leu	Leu
]	l		•	5					. 10				·	15	
15	His	Leu	Thr	Arg	Leu	Ala	Leu	Ser	Thr	Cys	Pro	Ala	Ala	Cys	His	Cys
				20					25			•		30		
20	Pro	Leu	Glu	Ala	Pro	Lys	Cys	Ala	Pro	Gly	Val	Gly	Leu	Val	Arg	Asp
			35					.40					45			
05	Gly	Cys	Gly	Cys	Cys	Lys	Val	Cys	Ala	Lys	Gln	Leu	Asn	Glu	Asp	Cys
25		50	-				55					60				
	Ser	Lys	Thr	Gln	Pro	Cys	Asp	His	Thr	Lys	Gly	Leu	Glu	Cys	Asn	Phe
30	65			•		70					75					80
	Gly	Ala	Ser	Ser	Thr	Ala	Leu	Lys	Gly	He	Cys	Arg	Ala	Gln	Ser	Glu
35					85	٠	•			90					95	
	Gly	Arg	Pro	Cys	Glu	Tyr	Asn	Ser	Arg	lle	Tyr	Gln	Asn	Gly	Glu	Ser
				100					105					110		•
40	Phe	Gin		Asn	Cys	Lys	His		Cys	Thr	Cys	He		Gly	Ala	Val
	•		115					120					125			
45	Gly		He	Pro	Leu	Cys		GIn	Glu	Leu	Ser		Pro	Asn	Leu	Gly
	0	130	•				135			•	٥,	140				
50		Pro	ASD	Pro	Arg		Val	Lys	Vai	Ihr		Gin	Cys	Cys	Glu	
	145	37. 1	0.		01	150	•	•			155		•			160
	irp	Yal	UYS	Asp		ASP	ser.	116	Lys		Pro	Met	GII	Asp		Asp
55					165					170					175	

	Gl	y Le	u Le	u Gl	Lys	Glu	Leu	Gly	Phe Phe	Asp	Ala	Ser	Glu	Val	Glu	Leu
5				180)				185	i				-190		
	Thi	Are	ızA g	n Asr	Glu	Leu	He	Ala	Yal	Gly	Lys	Gly	Sei	Ser	Leu	Lys
			198	5				200)				205	•		
10	Arg	Lei	Pro	Val	Phe	Gly	Net	Glu	Pro	Arg	lle	Leu	Tyr	Asn	Pro	Leu
		210)				215			•		220				
15	Gln	Gly	Gln	Lys	Cys	He	Val	Gln	Thr	Thr	Ser	Trp	Ser	Gln	Cys	Ser
	225	•				230					235					240
20	Lys	Thr	Cys	Gly	Thr	Gly	He	Ser	Thr	Arg	Val	Thr	Asn	Asp	Asn	Pro
					245					250					255	
	Glu	Cys	Arg	Leu	Val	Lys	Glu	Thr	Arg	Ile	Cys	Glu	Val	Arg	Pro	Cys
25			-	260					265					270		
	Gly	Gln		Val	Туг	Ser	Ser		Lys	Lys	Gly	Lys	Lys	Cys	Ser	Lys
30			275		_			280					285			
	Thr		Lys	Ser	Pro	Glu		Val	Arg	Phe	Thr		Ala	Gly	Cys	Leu
35	Cor	290	I	I	T	1	295 D	Y	T	0	•	300				
55	305	Vai	Lys	Ly5	1 9 1	310	rro	LYS	ıyr	Cys		761	Cys	Val	Asp	
		Cvs	Cvs	Thr	Pro		i en	Thr	Ara	The	315 Val	1 110	Not	Arg	Dh.	320
40		V, 5	0,0	****	325	0111	DCu	1111	V1 P	330	74,	LYS	met	MIR	335	AIR
	Cys	Glu	Asp	Glv		Thr	Phe	Ser	ī.vs		Va 1	Met	Met	lle		Sar
45	•			340					345				1400	350	0111	261
	Cys	Lys	Cys		Туг	Asn	Cys	Рго		Ala	Asn	Glu	Ala		Phe	Pro
			355					360		•			365		0	
50	Phe	Туг	Årg	Leu	Phe	Asn	Asp	He	His	Lys	Phe	Arg				
		370					375					380				
55																

	<210> 47	•		
5	<211> 2743			
	<212> DNA			
	<213> Homo s	apiens		
10	<220>			. •
	<221> CDS			
15	<222> (240)	(2387)		
	<400> 47			
20	gaatteegea gg	gececegec acceges	cgc gggcagggct cgg	agccacc gcgcaggtcc 60
	tagggccgcg go	cgggcccc gccacgc	gcg cacacgcccc lcg	atgacti icciccgggg 120
	cgcgcggcgc tg	agcccggg gcgaggg	ctg icliccegga gac	ccgaccc cggcagcgcg 180
25	gggcggccac it	ctcctgtg cctccgc	ccg ctgctccact ccc	cgccgcc gccgcgcgg 239
			to cot loc aag tit	
30			al Pro Ser Lys Phe	Pro Leu Gly Pro
	1.	5	10	15
35			ga gaa act tig ggg	
		ar rhe Gry Arg Gr 20	y Glu Thr Leu Gly 25	•
			eg gag gaa gaa cac	30
40			a Glu Glu Glu His	
	35		0	45
45	tcc tcc aac g		g ccg ctc ccc acg	·
		•	u Pro Leu Pro Thr	
50	50	. 55	. 60	
	cig ccg gcc co	eg tgc cac aac ct	t cag acc tcc aca	ccg ggc atc atc 479
	Leu Pro Ala Pi	o Cys His Asn Le	u Gln Thr Ser Thr	Pro Gly Ile Ile
55	65	. 70	. 75	80

	cc	g cc	g gc	g ga	t ca	c ccc	tca	ggg	tac	gga	gca	gc1	tts	g ga	c ggi	ggg	527
5	Pr	o Pr	o Al	a As	p Hi	s Pro	Sei	Gly	7 Туі	Gly	/ Ala	a Ala	Lei	J Asj	p Gly	/ Gly	
			•		8	5				90	I				95	,	
10	CC	c gc	g gg	c tac	c tto	cto	tco	tcc	ggc	cac	acc	agg	cci	gat	ggg	gcc	575
	Pro	Ala	a Gly	/ Tyı	r Phe	Leu	Ser	Ser	Gly	His	Thr	Arg	Рго	Asp	Gly	Ala	
				100)				105					110)		
15	cci	gco	cte	gag	g agt	cct	cgc	atc	gag	ata	acc	tcg	tgc	ttg	ggc	ctg	623
	Pro	A)a	Leu	G] u	Ser	Pro	Arg	He	Glu	Ile	Thr	Ser	Cys	Leu	Gly	Leu	
20			115					120					125	•			
	tac	cac	aac	aat	aac	cag	ttt	ttc	cac	gat	gtg	gag	gtg	gaa	gac	gtc	671
25	Tyr	His	Asn	Asn	Asn	Gln	Phe	Phe	His	Asp	Va I	Glu	Val	Glu	Asp	Val	
		130	-	•			135					140					
	ctc	cc t	agc	tcc	aaa	cgg	tcc	ccc	tcc	acg	gcc	acg	ctg	agt	ctg	ccc	719
30	Leu	Pro	Ser	Ser	Lys	Arg	Ser	Pro	Ser	Thr	Ala	Thr	Leu	Ser	Leu	Pro	
	145					150					-155					160	
35	agc	ctg	gag	gcc	tac	aga	gac	ccc	icg	tgc	ctg	agc	ccg	gcc	agc	agc	. 767
	Ser	Leu	Glu	Ala	Tyr.	Arg	Asp	Pro	Ser	Cys	Leu	Ser	Pro	Ala	Ser	Ser	
					165				٠	170					175		
	ctg	tcc	tcc	cgg	agc	tgc	aac	tca	gag	gcc	tcc	tcc	tac	gag	tcc	aac	815
	Leu	Ser	Ser	Arg	Ser	Cys	Asn	Ser	Glu	Ala	Ser	Ser	Tyr	Glu	Ser	Asn	
15				180					185					190			
						gcg											863
5 0	Tyr	Ser		Pro	Туг	Ala	Ser	Pro	Gln	Thr	Ser	Pro	Тгр	Gln	Ser	Pro	
•			195					200					205			•	
						acc											911
5	Cys	Va 1	Ser	Pro	Lys	Thr	Thr	Asp	Pro	Glu	Glu	Gly	Phe	Pro	Arg	Gly	

	21	0		215		220	
5	ctg gg	g gcc tgo	caca cts	g ctg ggt	tcc ccg cag	cac tcc ccc tcc	acc 959
	Leu Gl	y Ala Cys	s Thr Lev	ı Leu Gly	Ser Pro Gln	His Ser Pro Sër	Thr .
	225		230)	235		240
10	tcg cc	c cgc gcc	agc gto	act gag	gag agc tgg	ctg ggt gcc cgc	tcc 1007
	Ser Pr	o Arg Ala	ser Val	Thr Glu	Glu Ser Trp	Leu Gly Ala Arg	: Ser
15			245		250	255	
	tcc aga	a ccc gcg	tee eet	tgc aac	aag agg aag	tac ago oto aac	ggc 1055
20	Ser Ara	g Pro Ala	Ser Pro	Cys Asn	Lys Arg Lys	Tyr Ser Leu Asn	Gly
		260	1		265 .	270	
	cgg cas	ccg ccc	tac tca	ccc cac	cac tcg ccc	acg ccg tcc ccg	cac 1103
25	Arg Glr	Pro Pro	Tyr Ser	Pro His	His Ser Pro	Thr Pro Ser Pro	His
		275		280		285	
30	•					tgg ttg ggc aac	
			Val Ser		Asp Asp Ser	Trp Leu Gly Asn	Thr
<i>35</i>	290			295		300	•
33						atc aac gcg ctg	•
		lyr inr		Ala ile		lle Asn Ala Leu	
40	305	000 000	310	01 E 660	315	ant =10 nn to-	320 .
						cct gtc aag tcc Pro Val Lys Ser	
45	ini vah	SEI SEI	325	Ten Già	330	335	AIR
	228 200	acc ctg				ctc aag gtg gag	ccc 1295
50		•		•	•	Leu Lys Val Glu	
- 50	<i>D</i> , <i>0</i>	340	010 011		345	350	
	gtc ggg		CIE EEC			gcc gac ttc gcg	ccc 1343
55						Ala Asp Phe Ala	
		010 nop		50. 110		min unh tur uta	110

			355					360					365				
5	gaa	gac	tac	tcc	tct	ttc	cag	cac	atc	agg	aag	ggc	ggc	ttc	tgc	gac	1391
	Glu	Asp	Tyr	Ser	Ser	Phe	Gln	His	Ile	Arg	Lys	Gly	Gly	Phe	Cys	Asp	•
10		370					375	•			•	380					
	cag	tac	ctg	gcg	gtg	ccg	cag	cac	ССС	tac	cag	tgg	gcg	aag	ccc	aag	1439
15	Gln	Tyr	Leu	Ala	Val	Pro	Gln	His	Pro	Tyr	Gln	Trp	Ala	Lys	Pro	Lys	
	385					390					395					400	
	.ccc	ctg	tcc	cct	acg	tcc	tac	atg	agc	ccg	acc	clg	ccc	gcc	ctg	gac	1487
20	Pro	Leu	Ser	Pro	Thr	Ser	Tyr	Met	Ser	Pro	Thr	Leu	Pro	Ala	Leu	Asp	
					405					410					415		
25	tgg	cag	ctg	ccg	tcc	cac	tca	ggc	ccg	tat	gag	ctt	cgg	att	gag	gtg	1535
	Trp	Gln	Leu	Pro	Ser	His	Ser	Gly	Pro	Tyr	Glu	Leu	Arg	He	Glu	Val	
				420					425		•			430			
30	cag	ccc	aag	tcc	cac	cac	cga	gcc	cac	tac	gag	acg	gag	ggc	agc	cgg	1583
	Gln	Pro	Lys	Ser	His	His	Arg	Ala	His	Tyr	Glu	Thr	Glu	Gly	Ser	Arg	
35			435					440					445				
	ggg	gcc	gtg	aag	gcg	tcg	gcc	gga	gga	cac	ccc	atc	gtg	cag	ctg	cat	1631
40	Gly		Val	Lys	Ala	Ser		Gly	Gly	His			Val	Gln	Leu	His	
		450					455					460					
															ggg		1679
45		Tyr	Leu	Glu	Asn	•	Pro	Leu	Met	Leu		Leu	Phe	lle	Gly		
	465					470					475	•	٠.			480	
50													•		cac		1727
	Ala	Asp	Asp	Arg		Leu	Arg	Pro	His		Phe	Tyr	Gln	Val		Arg	
					485					490					495		
55	atc	aca	ggg	aag	acc	gtg	tcc	acc	acc	agc	cac	gag	gcl	atc	ctc	tcc	1775

	lle Thr Gly Lys Thr Val Ser Thr Thr Ser His Glu Ala Ile Leu Ser
5	500 505 510
	aac acc aaa gtc ctg gag atc cca ctc ctg ccg gag aac agc atg cga 1823
	Asn Thr Lys Val Leu Glu Ile Pro Leu Leu Pro Glu Asn Ser Met Arg
10	515 520 525
	gcc gtc att gac tgt gcc gga atc ctg aaa ctc aga aac tcc gac att 1871
15	Ala Val Ile Asp Cys Ala Gly Ile Leu Lys Leu Arg Asn Ser Asp Ile
	530 535 540
20	gaa ctt cgg aaa gga gag acg gac atc ggg agg aag aac aca cgg gta 1919
20	Glu Leu Arg Lys Gly Glu Thr Asp Ile Gly Arg Lys Asn Thr Arg Val
	545 550 555 560
25	cgg ctg gtg ttc cgc gtt cac gtc ccg caa ccc agc ggc cgc acg ctg 1967
	Arg Leu Val Phe Arg Val His Val Pro Gln Pro Ser Gly Arg Thr Leu
30	565 570 575
	tcc ctg cag gtg gcc tcc aac ccc atc gaa tgc tcc cag cgc tca gct 2015
	Ser Leu Gln Val Ala Ser Asn Pro Ile Glu Cys Ser Gln Arg Ser Ala
35	580 585 590
	cag gag cig cct cig gig gag aag cag agc acg gac agc tat ccg gic 2063
40	Gln Glu Leu Pro Leu Val Glu Lys Gln Ser Thr Asp Ser Tyr Pro Val
	595 600 605
45	gig ggc ggg aag aag aig gtc cig ict ggc cac aac iic cig cag gac 2111 Val Gly Gly Lys Lys Met Val Leu Ser Gly His Asn Phe Leu Gln Asp
	610 615 620
50	Ser Lys Val Ile Phe Val Glu Lys Ala Pro Asp Gly His His Val Trp
	625 630 635 640
55	
	gag alg gaa gcg aaa act gac cgg gac cig igc aag ccg aat ict cig 2207

	Glu Met Glu A	la Lys Thr Asp Arg	Asp Leu Cys Lys	Pro Asn Ser Leu	
5		845	650	655	
	gtg gtt gag a	tc ccg cca ttt cgg	aat cag agg ata	acc agc ccc gtt 2	255 [°]
10	Val Val Glu I	le Pro Pro Phe Arg	Asn Gln Arg lle	Thr Ser Pro Val	
	. 6	30	665	670	
15	cac gtc agt t	to tac gto tgc aac	ggg aag aga aag	cga agc cag tac 2	303
15	His Val Ser Pl	ne Tyr Val Cys Asn	Gly Lys Arg Lys	Arg Ser Gln Tyr	
	675	680	•	685	
20	cag cgt ttc ac	c tac ctt ccc gcc	aac ggt aac gcc	atc tit cta acc 23	351
	Gln Arg Phe Th	r Tyr Leu Pro Ala	Asn Gly Asn Ala	lle Phe Leu Thr	
25	690	695	700		
	gta agc egt ga	a cat gag cgc gtg	ggg tgc ttt ttc	taaagacgca 23	397
	Val Ser Arg Gl	u His Glu Arg Val	Gly Cys Phe Phe		
30	705	710	715		
	gaaacgacgt cgc	cgtaaag cagcgtggc	g igitgcacai itaa	ctgtgt gatgtcccgt 24	157
35		·		gaagot toggatgoat 25	
				cagata gtcacggtta 25	
40				lettet getecaaaaa 26	
	•			ggigaa aaggcaaata 26	97
	gglatagcla iti	igcagge acciliagg	a ataaactiig citt	la 27	43
45	<210> 48		•		
,	<211> 716				
50	<212> PRT				
	<213> Homo sap	iens		•	
	<400> 48	·			
55	Met Pro Ser Th	r Ser Phe Pro Val	Pro Ser Lys Phe F	ro Leu Gly Pro	

	1		5		10		15
5	Ala Al	a Ala Val	Phe Gly	Arg Gly Glu	Thr Leu Gl	y Pro Al	a Pro Arg
		20		25		. 3	0 .
10	Ala Gl	y Gly Thr	Met Lys :	Ser Ala Gļu	Glu Glu Hi	s Tyr Gl	y Tyr Ala
		35		40		45	
- 15	Ser Se	r Asn Val	Ser Pro A	Ala Leu Pro	Leu Pro Th	r Ala Hi	s Ser Thr
	- 50	0		55	66)	
	Leu Pro	Ala Pro	Cys His A	Asn Leu Gln	Thr Ser Th	r Pro Gly	/ Ile Ile
20	65		70		75		80
	Pro Pro	Ala Asp	His Pro S	er Gly Tyr	Gly Ala Ala	Leu Asr	Gly Gly
25			85		90		95
	Pro Ala		Phe Leu S	er Ser Gly	His Thr Arg	Pro Asp	Gly Ala
30		100		105		110	
	Pro Ala		Ser Pro A		lle Thr Ser		Gly Leu
	Tur Uia	115	4 03: N	120		125	
35	130	ASH ASH .			Asp Val Glu	Val Glu	Asp Val
		Ser Ser I		35 or Pro Sor	140 The Ala Thu	Lau Caa	1 2
40	145	,	150	ci 110 3ei	Thr Ala Thr 155	Leu Ser	
		Glu Ala 1		so Pro Ser (Cys Leu Ser	Pro Ala	160 Ser Ser
45			165		170	110 114	175
	Leu Ser	Ser Arg S	Ser Cys As		Ala Ser Ser	Tyr Glu	
	•	180		185		. 190	
50	Tyr Ser	Tyr Pro 1	yr Ala Se		Thr Ser Pro		Ser Pro
		195		200		205	
55	Cys Val	Ser Pro L	ys Thr Th	r Asp Pro (Glu Glu Gly.		Arg Gly

		21	0				21	5				220	0			
5	Le	u Gl	y Ala	ı Cy:	s Th	r Lei	ı Lei	ı Gly	Ser	Pro	Gli	His	s Sei	Pro	Sei	r Thr
	22	5				230)				235	j				240
10	Se	r Pr	o Arg	Ala	Se	r Val	Thi	Glu	Glu	Ser	Trp	Leu	ı Gly	Ala	Arg	Ser
					24	5				250	}				255	i
	Sei	r Arg	g Pro	Ala	Sei	r Pro	Cys	Asn	Lys	Arg	Lys	Tyr	Ser	Ļeu	Asn	Gly
15				260	ı				265					270	1	
	Arg	Glr	Pro	Pro	Tyr	Ser	Pro	His	His	Ser	Pro	Thr	Pro	Ser	Pro	His
20			275					280					285			
	Gly	Ser	Pro	Arg	Va I	Ser	Val	Thr	Asp	Asp	Ser	Trp	Leu	Gly	Asn	Thir
	•	290					295					300				
25	Thr	Gln	Tyr	Thr	Ser	Ser	Ala	He	Val	Ala	Ala	lle	Asn	Ala	Leu	Thr
	305					310					315					320
<i>30</i>	Thr	Asp	Ser	Ser	Leu	Asp	Leu	Gly	Asp	Gly	Val	Pro	Val	Lys	Ser	Arg
				•	325					330		•			335	
35	Lys	Thr	Thr	Leu	Glu	Gln	Pro	Pro	Ser	Va l	Ala	Leu	Lys	Val	Glu	Pro
				340	·				345					350		
	Yal	Gly		Asp	Leu	Gly	Ser	Pro	Рго	Pro	Pro	Ala	Asp	Phe	Ala	Pro
40			355					360					365			
	Glu		Tyr	Ser	Ser	Phe		His	He	Arg	Lys	Gly	Gly	Phe	Cys	Asp
45	,	370					375					380				
		Tyr	Leu	Ala	Val	Pro	Gļn	His	Pro	Tyr		Trp	Ala	Lys	Pro	Lys
	385					390					395					400
50	Pro	Leu	Ser			Ser	Туг	Met	Ser	Pro	Thi	Leu	Pr.o	Ala	Leu	Asp
					405					410					415	
55	Trp	Gln	Leų	Pro	Ser	His	Ser	Gly	Pro	Туг	Glu	Leu	Arg	He	Glu	Val
				420					425					430		

	611	n Pr	o Lys	s Sei	His	His	A18	Ala	His	Tyr	Glu	Th	Glu	Gly	' Sei	Arg
5			435	5				440	l.	•			445	i		
	Gly	y Ala	a Val	Lys	Ala	Sei	Ala	Gly	Gly	His	Pro	He	Yaj	Gln	Ler	His
10		450)				455					460			•	
	Gly	/ Ty	Leu	Glu	Asn	Glu	Pro	Leu	Net	Leu	G) n	Leu	Phe	He	Gjy	Thr
15	465	i				470					475	•				480
,5	Ala	Asp	Asp	Arg	Leu	Leu	Arg	Pro	His	Ala	Phe	Tyr	Gln	Va 1	His	Arg
					485					490					495	
20	Ile	Thr	Gly	Lys	Thr	Val	Ser	Thr	Thr	Ser	His	Glu	Ala	Ile	Leu	Ser
				500					505					510		
25	Asn	Thr	Lys	Val	Leu	Glu	lle	Pro	Leu	Leu	Pro	Glu	Asn	Ser	Met	Arg
			-515					520					525			
20	Ala		·Ile	Asp	Cys	Ala		Ile	Leu	Lys	Leu	Arg	Asn	Ser	Asp	lle
30		530					535	·		•		540				
		Leu	Arg	Lys	Gly		Thr	Asp	He	Gly		Lys	Asn	Thr	Arg	Val
35	545			D.		550	•••				555					560
	Arg	Leu	Val	Phe		Val	HIS	Vai	Рго		Pro	Ser	Gly	Arg		Leu
40	Sar	Lau	Cln	Val	565	°-2	A = =	Dag		570	C	C	C 1		575	
	261	Leu	Gln	580	ніа	261	ASII	rro	585	GIU	cys	ser	GIN		261	Ala
	G1 n	Clu	Leu		וומן	Val	Glu	lve		Sar.	The	100	°22	590	D	V. I
45	4111	O1 u	595	110	LCu	701		600	GIN	261	1111	v2h	605	1 7 1	FIO	Agi
	Val	Glv	Gly	Lvs	Lvs	Met	Val		Ser	Clv	Hic	A en		Lan	Cin	Acn
50		610	. ,	2,0	2,0		615	500		0.7		620	1 116		0111	nsy
			Val	He	Phe	Val		Lvc	Ala	Pro			Hic	Hie	Val	Trn
55	625	2,0				630		-, 3	u		635		1113	1119	141	640
											~~~					リマリ

	Glu Met Glu Ala Lys Thr Asp Arg Asp Leu Cys Lys Pro Asn Ser Leu
5	645 . 650 655
	Val Val Glu Ile Pro Pro Phe Arg Asm Gln Arg Ile Thr Ser Pro Val
10	660 665 670
	His Val Ser Phe Tyr Val Cys Asn Gly Lys Arg Lys Arg Ser Gln Tyr
	675 680 685
15	Gln Arg Phe Thr Tyr Leu Pro Ala Asn Gly Asn Ala Ile Phe Leu Thr
	690 695 700
20	Val Ser Arg Glu His Glu Arg Val Gly Cys Phe Phe
	705 710 715
	<210> 49 ·
25	<211> 2363
	<212> DNA
30	<213> Homo sapiens
	⟨220⟩
35	<221> CDS
	<222> (241) (1482)
	<400> 49
40	cgccgagacg agcagcggcc gagcgagcgc gggcgcgggc gcaccgaggc gagggagg
	gggaagcccc gccgccgccgcccgcccgcccccccccc
45	cogocogote geogeettee tecctotgee ticetteece acggeoggee geotectege 180
	ccgcccgccc gcagccgagg agccgaggcc gccgcggccg tggcggcgga gccctcagcc 240
50	atg gcc tcg ggc gac acc ctc tac atc gcc acg gac ggc tcg gag atg 288
30	Met Ala Ser Gly Asp Thr Leu Tyr Ile Ala Thr Asp Gly Ser Glu Met
	1 5 10 15
55	ccg gcc gag atc gtg gag ctg cac gag atc gag gtg gag acc atc ccg 336

	P	o Al	a Gl	u Ile	e Val	Glu	lev	His	Glu	116	Glu	Val	Glu	The	He	Pro	
5				20	)				25					30	•		•
	gt	g ga	g açı	c ato	gag	acc	aca	gtg	gtg	ggo	gag	gag	gag	gag	gag	gac	384
40	. V a	1 G1	u Th	r Ile	Glu	Thr	Thr	. Val	Val	Gly	Glu	Glu	Glu	Glu	Glu	Asp	
10			35	5				40					45				
	ga	c ga	c gad	gag	gac	ggc	ggc	ggt	ggc	gac	cac	ggc	ggc	ggg	ggc	ggc	432
15	As	p As	p Asp	Glu	Asp	Gly	Gly	Gly	Gly	Asp	His	Gly	Gly	Gly	Gly	Gly	
		5	0				55					60					•
20	ca	c gg	g cac	gcc	ggc	cac	cac	cac	cac	cac	cat	cac	cac	cac	cac	cac	480
	· Hi	s GI	y His	Ala	Gly	His	His	His	His	His	His	His	His	His	His	His	
	6	5				70					75					80	
25	cc	g cc	atg -	atc	gct	ctg	cag	ccg	ctg	gtc	acc	gac	gac	ccg	acc	cag	528
	Pro	Pro	Met	He		Leu	Gln	Рго	Leu	Val	Thr	Asp	Asp	Pro	Thr	Gln	•
30					85					90					95		
			cac														576
35	٧al	His	His		Gln	Glu	Val	He		Val	Gln	Thr	Arg		Glu	Val	
33	· ata			100		4			105					110			
			ggc														624
40	v.a.ı	СТУ	Gly 115	wsh	ASP	261	изр	120	ren	Arg	Ala	614		ыу	Phe	GIU	
	gat	cag	att	ctc	atc	cra	ata		ara	cco	arr	aac	125	720	<b>700</b>	<b>700</b>	670
45			Ile		•												672
		130					135	•••				140	u.,	лэр	лэр	nsy	
	lac		gaa	caa	acg			acc	ete	gC g	aca		ggr	220	200		720
50			Glu														120
	145					150	•		•		155		~,,	473	001	160	
55		ggr	ggc	tcg			lcg	gga	ggc.	ggr		glr	220	220	aar		769
	850	996	990				,08	000	0 D C	99C	UBL	6 1 C	aag	aag	880	RRC	768

5	Gly Gly Gly Se	r Ser Ser Ser Gly	y Gly Gly Arg Val Lys Lys Gly Gly
J		1,65	170 175
	ggc aag aag ag	c ggc aag aag agt	t tac ctc age gge gge gge gge gtg 816
10	Gly Lys Lys Se	r Gly Lys Lys Ser	r Tyr Leu Ser Gly Gly Ala Gly Ala
	. 180	0	185 190
15	gcg ggc ggg cgo	c ggc gcc gac ccg	g ggc aac aag aag tgg gag cag aag 864
	Ala Gly Gly Arg	g Gly Ala Asp Pro	o Gly Asn Lys Lys Trp Glu Gln Lys
20	195	200	205
	cag gtg cag ato	c aag acc ctg gag	g ggc gag tic tcg gtc acc atg tgg 912
			I Gly Glu Phe Ser Val Thr Met Trp
25	210	215	220
			gac cat gag aca gtg gtt gaa gaa 960
30	225		Asp His Glu Thr Val Val Glu Glu
		230	235 240 cct gat tat toa gaa tat atg aca 1008
35			cct gat lat ica gaa tat aig aca 1008 Pro Asp Tyr Ser Glu Tyr Met Thr
55		245	250 255
	gga aag aaa cit		ata cet gge att gae etc tea gat 1056
40			Ile Pro Gly Ile Asp Leu Ser Asp
	260		265 270
45	ccc aaa caa ctg	gca gaa iii gci	aga aig aag cca aga aaa ail aaa 1104
	Pro Lys Gln Leu	Ala Glu Phe Ala	Arg Met Lys Pro Arg Lys Ile Lys
50	275	280	285
	gaa gat gat gct	cca aga aca ata	gct tgc cct cat aaa ggc tgc aca 1152
	Glu Asp Asp Ala	Pro Arg Thr Ile	Ala Cys Pro His Lys Gly Cys Thr
55	290	295	300

	aag	atg	llc	agg	gat	aac	lcg	gcc	atg	aga	aaa	cat	ctg	. cac	acc	cac	1200
5	Lys	Me t	Phe	Arg	Asp	Asn	Ser	Ala	Met	Arg	Lys	His	Leu	His	Thr	His	
	305					·310		•			315				••	320	
	ggt	ccc	aga	gtc	cac	gtc	tgt	gca	gaa	tgt	ggc	aaa	gct	ttt	gtt	gag	1248
10	Gly	Pro	Arg	Yal	His	Val	Cys	Ala	Glu	Cys	Gİy	Lys	Ala	Phe	Val	Glu	
					325					330					335		
15	agt	tca	aaa	cta	aaa	cga	cac	caa	ctg	gtt	cat	act	gga	gag	aag	ссс	1296
	Ser	Ser	Lys	Leu	Lys	Arg	His	Gln	Leu	Yal	His	Thr	Gly	Glu	Lys	Pro	•
20				340					345					350			
20	ttt	cag	tgc	acg	ttc	gaa	ggc	tgt	ggg	aaa	cgc	ttt	tca	ctg	gac	ttc	1344
	Phe	Gln	Cys	Thr	Phe	Glu	Gly	Cys	Gly	Lys	Arg	Phe	Ser	Leu	Asp	Phe	
25	•		355					360					365				
	aat	ttg	cgc	aca	cat	glg	cga	atc	cat	acc	gga	gac	agg	ccc	tat	gtg	1392
30	Asn	Leu	Arg	Thr	His	Val	Arg	He	His	Thr	Gly	Asp	Arg	Pro	Tyr	Val .	
•		370					375					380					
•		ccc										•	•				1440
35		Pro	Phe	Asp			Asn	Lys	Lys			Gln	Ser	Thr	Asn	Leu	
	385					390					395					400	
40	. aaa																1482
	Lys	Ser :	His			Thr	His	Ala			Lys	Asn	Asn	Gln			
			•		405					410							
45							·									attgg	
																lccta	
50		•														actaa	
																tgtti	
55																attet	
	ttata	acaa	a g	tgct	aaaa	a tg	ggac	ttct	H	caca	ttc	ttat	aaat	at g	aagc	tcacc	1842

	tgttgcttac aattttitta attttglatt ti	tccaagtgt gcatattgta cacttttttg 1	902
5	gggatatget tagtaatget aegtgtgatt ti	ttctggagg ttgataactt tgcttgcagt l	962
	agatiticit taaaagaalg ggcagitaca ig	gcatactic aaaagtatit teetgtaaaa 2	022
10	aaaaaaaaa ttatataggt tiigitigct at	tottaatti iggiigiati oiilgaigii 2	082
	aacacattti giataatigi aicgiatago ig	glatigaat catgiagiat caaatattag 2	142
	atgigatita atagigitaa icaatitaaa cc	ccattitag icaciiili iiiccaaaaa 2	202
15	aatactgcca gatgctgatg ticagigiaa ti	ttctttgcc tgttcagtta cagaaagtgg 2	262
	tgctcagttg tagaatgtat tgtacctttt aa	acaccigat gigiacaicc caigiaacag 2	322
20	aaagggcaac aataaaatag caatcctaaa g	. ` 23	353
	⟨210⟩ 50 .		
25	<211> 414		
	<212> PRT		
	<213> Homo sapiens		
30	<400> 50		
	Met Ala Ser Gly Asp Thr Leu Tyr Ile	Ala Thr Asp Gly Ser Glu Met	•
35	1 5	10 15	
	Pro Ala Glu Ile Val Glu Leu His Glu	lle Glu Val Glu Thr Ile Pro	
40	20 25	30	•
	Val Glu Thr Ile Glu Thr Thr Val Val	Gly Glu Glu Glu Glu Asp	
45	35 . 40	45 .	
43	Asp Asp Asp Glu Asp Gly Gly Gly	Asp His Gly Gly Gly Gly	
	50 55	60	
50	His Gly His Ala Gly His His His Kis	His His His His His His	
	65 . 70	75 80	
55	Pro Pro Met lle Ala Leu Gln Pro Leu	Val Thr Asp Asp Pro Thr Ġln	
	85	90 95	

	Yal	His	His	His	Gln	Glu	Val	Ile	Leu	Val	Gln	Thr	Arg	Glu	Głu	Val
5				100					105					110		
	Val	Gly	Gly	Asp	Asp	Ser	Asp	Gly	Leu	Arg	Ala	Glu	Asp	Gly	Phe	Glu
10			115					120					125			
	Asp	Gln	He	Leu	Ĥe	Pro	Val	Pro	Ala	Pro	Ala	Gly	Gly	Asp	Asp	Asp
		130		•			135					140				
15	. Tyr	lle	Glu	Gln	Thr	Leu	V _. a l	Thr	Val	Ala	Ala	Ala	Gly	Lys	Ser	Gly
	145					-150					155					160
20	Gly	Gly	Gly	Ser	Ser	Ser	Ser	Gly	Gly	Gly	Arg	Val	Lys	Lys	Gly	Gly
					165					170					175	
25	Gly	Lys	Lys	Ser	Gly	Lys	Lys	Ser	Tyr	Leu	Ser	Gly	Gly	Ala	Gly	Ala
			-	180					185					190		
	Ala	Gly		Arg	Gly	Ala	Asp		Gly	Asn	Lys	Lys		Glu	Gln	Lys
30			195					200				_	205			
	Gin		Gln	lle	Lys	Thr		Glu	Gly	Glu	Phe		Val	Thr	Met	Trp
35	Sar	210	len	Clu	Luc	Lua	215	T I a	lan	U: a	Clu	220 Th-	Va 1	W- 1	C1	<b>C</b> 1
	225	261	W2h	Glu	LYS	230	ASP	116	ASP	nıs	235	101	vai	Yaı	GIU	
40		lle	He	Gly	Gin		Ser	Pro	Pro	Asn		Ser	Gln	Tur	Mot	240 Thr
				0.,	245	71.00	50.			250	• • •	501		. , , ,	255	1111
	Gly	Lys	Lys	Leu		Pro	Gly	Gly	lle		Gly	lle	Asp	Leu ·		Asp
45				260					265					270		
	Pro	Lys	Gln	Leu	Ala	Glu	Phe	Ala	Arg	Met	Lys	Pro	Arg		lle	Lys
50			275					280					285			-
	Glu	Asp	Asp	Ala	Pro	Arg	Thr	lle	Ala	Cys	Рго	His	Lys	Gly	Cys	Thr
55		290					295		•			300				
-											•					

	by mer the vie von von der vie mer vie far viz fen viz iul viz	
5	305 310 315 320	
	Gly Pro Arg Val His Val Cys Ala Glu Cys Gly Lys Ala Phe Val Glu	
10	325 330 335	
10	Ser Ser Lys Leu Lys Arg His Gln Leu Val His Thr Gly Glu Lys Pro	
	340 345 350	
15	Phe Gln Cys Thr Phe Glu Gly Cys Gly Lys Arg Phe Ser Leu Asp Phe	
	355 360 365	
20	Asn Leu Arg Thr His Val Arg Ile His Thr Gly Asp Arg Pro Tyr Val	
	370 375 380	
25	Cys Pro Phe Asp Gly Cys Asn Lys Lys Phe Ala Gin Ser Thr Asn Leu	
23	385 390 395 400	
	Lys Ser His Ile Leu Thr His Ala Lys Ala Lys Asn Asn Gln	
30	405 410	
	<210> 51	
35	<211> 1229	
	<212> DNA	
40	<213> Homo sapiens	
40	<220>	
	<221> CDS	
45	<222> (222) (950)	
	<400> 51 · · · · · · · · · · · · · · · · · ·	
50	ataacgattt caagagetge actlaageal ctagaatttt etgegteaca eetettgaga 60	
	gaagagactg getecaggie igacicagie cactacaage tagaeggiet tettaaagea 120	0
	ccaacattac tigagictit ggataaaati gagaaaagag tolacaagta tigiggacto 180	
55	tacaggaggc aggaggciga caaciggcag taaagacaaa g aig ica ggc cig cgg 230	6

								•			·	M	et S	er G	ly L	eu Ar	g	
													1				5	
5	ccc	ggo	act	caa	gtg	gac	cct	gag	att	gag	ctt	itt	gta	aag	gct	gga	28	84
	Pro	Gly	Thr	Gln	Val	Asp	Pro	Glu	He	Glu	Leu	Phe	Val	Lys	Ala	Gly		
10					10					15					20			
•	agt	gat	gga	. gag	agt	att	gga	aac	tgt	ccc	ttt	tgc	caa	cgc	ctt	tic	33	32
			Gly															
15				25					30			•		35				
	atg	atc	ctc			aaa	gga	gtt		ttt	aat	glg	aca		gtt	gac	38	≀n
20			Leu															, ,
			40	•		-,-	,	45	.,.				50	••••		7.50		
?5	atg	acc	aga	aag	cct	gaa	gaa		aag	gac	tta	gcc		ggt	acc	aat	42	28
			- Arg															
		55					60					65						
30	cct	ccg	ttc	ctg	gtg	tat	aac	aag	gag	ttg	aaa	aca	gac	ttc	att	aaa	47	6
			Phe															
35	70					75					80					85		
	att	gag	gag	ttt	tta	gaa	caa	acc	ctg	gct	cct	cca	agg	tac	cct	cac	52	4
	He	Glu	Glu	Phe	Leu	Glu	GIn	Thr	Leu	Ala	Pro	Pro	Arg	Tyr	Pro	His		
10					90					95					100			
	ctg	agt	ccc	aag	tac	aag	gag	tct	ttt	gat	gtg	ggc	tgt	aac	ctc	ttt	57	2
15	Leu	Ser	Pro	Lys	Tyr	Lys	Gju	Ser	Phe	Asp	Val	Gly	Cys	Asn	Leu	Phe		
				105					110					115				
io	gcc	aag	ttt	tct	gca	tac	att	aag	aat	aca	caa	aag	gag	gca	aat	aag	62	0
-	Ala	Lys	Phe	Ser	Ala	Туг	lle	Lys	Asn	Thr	Gln	Lys	Glu	Ala	Asn	Lys		
			120					125					130					

aat tit gaa aaa tot otg oto aaa gaa lic aag ogt oig gat gao tac 668

	Asn	Phe	Glu	Lys	Ser	Leu	Leu	Lys	Glu	Phe	Lys	Arg	Leu	Asp	Asp	Tyr	•
5		135	i				140					145					
	t t a	aac	acc	cca	ctt	ctg	gat	gaa	att	gat	cca	gac	agt	gct	ggg	gaa	716
10	Leu	Asn	Thr	Pro	Leu	Leu	Asp	Głu	He	Asp	Pro	Asp	Ser	Ala	Gly	Glu	
	150					155					160					165	
	ccc	cca	gtt	tcc	aga	aga	cta	ttc	ttg	gat	ggg	gac	cag	cta	aca	ctg	764
15	Pro	Pro	Val	Ser	Arg	Arg	Leu	Phe	Leu	Asp	Gly	Asp	Gln	Leu	Thr	Leu	-
					170					175					180		
20	gct	gat	tgt	agc	ilg	t t a	ccc	aag	ctg	aac	att	a t t	aaa	gtt	gct	gcc	812
	Ala	Asp	Cys	Ser	Leu	Leu	Рго	Lys	Leu	Asn	Ile	He	Lys	Val	Ala	Ala	
25				185					190					195			
	aag	aaa	Tat	cgt	gac	ttt	gac	att	cca	gca	gaa	ttc	tca	gga	gtc	tgg	860
	Lys	Lys	Tyr	Arg	Asp	Phe	Asp	lle	Pro	Ala	Glu	Phe	Ser	Gly	Yal	Trp	
30			200					205					210				
	cgt	tat	ctc	cac	aat	gcc	tat	gcc	cgt	gaa	gaa	ttt	acc	cac	acg	tgt	908
35	Arg	Tyr	Leu	His	Asn	Ala	Tyr	Ala	Arg	Glu	Glu	Phe	Thr	His	Thr	Cys	
		215		٠			220					225					
	cct	gaa	gac	aaa	gaa	att	gaa	aat	act	tac	gca	aat	gtg	gc t			950
40	Pro	Glu.	Asp	Lys	Glu	Ile	G1 u	Asn	Thr	Туг	Ala	Asn	Val	Ala			
	230					235					240						
45	laaa	caga	ag a	gtta	ggag	a gc	tctt	acag	gag	aaaa	ggc	tata	tttg	tg a	tcag	altit	1010
	actt	attg	ac a	tatt	agaa	a gg	itt	tgca	aat	aaga	ata	t·gaa	aaat	ac t	gttt	cttct	1070
50	atcc	aact	ct c	ttat	gaaa	a gg	aact	ctgt	att	ttct	all	agcc	ataa	at a	atct	gtcca	1130
50	ctgt	attt	ta c	aggt	cttc	a ta	ctit	laci	taa	ttt	ctt	tatc	igia	tg g	caaa	ccact	1190
	gċaa	lccts	ga a	tgac	atgg	a aa	gcat	caca	aaa	aaaa	aa						1229
55	/210°	\ E0															

	<2	11>	243						•							
5	<2	12> 1	PRT													
	<2	13> I	lomo	sapi	iens											•
10	<40	00> 8	52													
	Met	Ser	Gly	leu	Arg	Pro	Gly	Thr	Gln	Val	Asp	Pro	Glu	I I le	Glu	Leu
	1		_		5					10	•				15	į
15	Phe	. Val	Lys	Ala	Gly	Ser	Asp	Gly	Glu	Ser	Ile	Gly	Asn	Cys	Pro	Phe
				20	1				25					30		
20	Cys	Gln	Arg	Leu	Phe	Met	lle	Leu	Trp	Leu	Lys	Gly	Val	Lys	Phe	Asn
			35					40					45			•
25	Val	Thr	Thr	Va)	Asp	Met	Thr	Arg	Lys	Pro	Glu	Glu	Leu	Lys	Asp	Leu
:5		50	-				55					60				
	Ala	Pro	Gly	Thr	Asn	Pro	Pro	Phe	Leu	Val	Tyr	Asn	Lys	Glu	Leu	Lys
30	65					70					75					80
	Thr	Asp	Phe	lle	Lys	He	Glu	Glu	Phe	Leu	Glu	Gln	Thr	Leu	Ala	Pro
35					85					90					95	
	Pro	Arg	Tyr		His	Leu	Ser	Pro	Lys	Tyr	Lys	Glu	Ser	Phe	Asp	Val
				100					105					110		
0	Gly	Cys		Leu	Phe	Ala	Lys		Ser	Ala	Tyr	lle	Lys	Asn	Thr	Gln
			115			. /		120					125	•		
5	Lys	GJu	Ala	Asn	Lys	Asn		Glu	Lys	Ser	Leu		Lys	Glu	Phe	Lys
		130			_		135					140				
o		Leu	Asp	Asp	Tyr		Asn	Thr	Pro	Leu		Asp	Glu	He	Asp	Pro
	145					150					155					160
	Asp	Ser	Ala	Gly		Pro	Pro	Val	Ser		Arg	Leu	Phe	Leu	Asp	Gly
5					165					170					175	

	Asp Gln Leu Thr Leu	Ala Asp Cys Ser Leu	Leu Pro Lys Leu Asi	n Ile
5	180	185	190	
	lle Lys Val Ala Ala	Lys Lys Tyr Arg Asp	Phe Asp Ile Pro Ala	a Glu ."
	195	200	205	
10	Phe Ser Gly Val Trp	Arg Tyr Leu His Asn	Ala Tyr Ala Arg Glu	Glu
	. 210	215	220	
15	Phe Thr His Thr Cys	Pro Glu Asp Lys Glu	Ile Glu Asn Thr Tyr	Ala
	225	230	235	240
20	Asn Val Ala			
	<210> 53 ·			
	<211> 4001			
25	<212> DNA			
	<213> Homo sapiens	•		
30	<220>			
	<221> CDS			
35	<222> (2) (316)			
	<b>&lt;400&gt; 53</b>			
	c cca ggt aat cct ta	t gic aag gig aac gi	c tac tac ggc aga a	ag cgc 49
40	Pro Gly Asn Pro Ty	r Val Lys Val Asn Va	l Tyr Tyr Gly Arg Ly	ys Arg
	1	5 10	0	15
45	att gcc aag aag aaa	acc cat gtg aag aag	tgc act itg aac ccc	atc 97
	lle Ala Lys Lys Lys	Thr His Val Lys Lys (	Cys Thr Leu Asn Pro	Ile
50	20	25	30	
	ttc aat gaa tct ttc	atc tac gac atc ccc a	act gas etc etg eet	gat 145
	Phe Asn Glu Ser Phe	lle Tyr Asp lle Pro 1	Thr Asp Leu Leu Pro	Asp
55	35	40	45	

atc agc atc gag ttc ctc gtt atc gac ttc gat cgc acc acc aag aat 193 Ile Ser Ile Glu Phe Leu Val Ile Asp Phe Asp Arg Thr Thr Lys Asn 5 50 55 60 gag gtg gtg ggg agg ctg atc ctg ggg gca cac agt gtc aca gcc agt 241 10 Glu Val Val Gly Arg Leu Ile Leu Gly Ala His Ser Val Thr Ala Ser . 65 70 75 ggt gct gaa cac tgg aga gag gtc tgc gag agc ccc cgc aag cct gtg 289 15 Gly Ala Glu His Trp Arg Glu Val Cys Glu Ser Pro Arg Lys Pro Val 85 90 20 gcc aag tgg cac agt cig agc gag tac taatcctgit citcicict 336 Ala Lys Trp His Ser Leu Ser Glu Tyr 100 25 105 ctaatccccg ggggccaagc tggggaggga tgtggaggg aaaaagatga cagagaagtg 396 gactccaaac ctcattttag tigtagaaga aaattictta caaaacaaat tccacaaaga 456 30 acaccctata tgaccacage tgeagateag ttettageaa tgatgtttt ttttetgett 516 tgcaaggcgc lagaaictit tattitacit tattititt gaggtggagt ticgcictig 576 35 ttgcccgggc tggagtgcaa tggtgagatc tcaactcact gcaacctctg ccctccaggt 636 tcaagtgatt ctcctcctc agcctcccaa gtagctggga ttacaggcac ccacgagcat 696 gcccggctaa tittigtat ilicagtaga gaigggilic accatgligg ccaggciggi 756 40 cicgaalice agaceteagg igalecacee geeleggeet eccaaagige igggattaca 816 ggtgcgagcc accgtgcccg gcctctggtt tigittigtt titititit aatgggggac 876 45 aaaagagagg gaaagacccc tataaatcta tatataacaa tgtaaccata tactigcaig 936 totaatacaa adigaagaaa ttagootaac tgooaatato aagitgoaga tittaatooa 996 tggaaattgt gittigiget gaatigiati igetgaliae eigaaatigg eiteititta 1056 50 ligggetici ciggagaati icicccacic eccaccicig cagaagaaaa ittigeteti 1116 ataaaacctc aigiliticat caticccatc littottill aligectett ataletetge 1176 55 totligacot caaggiciag aggicigcag taagccaaga aacaaaggig gggiggaiga 1236

ggcaaggttt	gcaggagaaa	gaggaatiga	gaaatggggt	attittgcta	tcagctcttc	1296
tgctatgaag	tagtaaaagg	cagiciataa	ttaactgaca	gacctaactg	aagcacagag	1356
aatacatcag	acttatgcat	ccaagacatc	agaacttgga	ttitatcaaa	cttgatgact	1416
tcictaaaag	gagcitigga	aacttcaaat	tcagctatag	gatagtacca	atgaacacat	1476
ccagctgatc	ccaaaagctg	ttitcaggta	taaggacaag	gagagagac	aagtgacgac	1536
agccat tccc	ctttgcagct	atclactgta	gigacagcca	tttcttggtt	gatgggttgg	1596
aagtca-tcag	aggtitgaag	aattacactg	gcctttgttt	ttctggaaat	gccgaccatg	1656
gagatgcttt	agagtettet	caaatagctt	agalgtigia	atgaggttag	ctttgcttca	1716
taaaacaggg	gccctcagaa	gttctcctta	aatttttcaa	taaaaattta	gctcttaaaa	1776
aaataacagt	gtgactgagt	gaatgaagat	aagtiggalt	ctttcagagc	attettttcc	1836
tcaaaacgag	ctgcataatt	cttggaattt	atgictiacc	acatggtgga	gggatggagg	1896
aactacagga	tgcaattctt	ctictaccaa	tgggcaatag	aggt tgagag	agattcagca	1956
tctttctggg	attagaattc	aagtctcttt	actcctacag	cagcigigic	tccaacgttg	2016
agactttgca	gatggcacag	actccatgga	taataggtaa	actiggggcc	gggcgcagtg	2076
gctcacgcct	gtaatcccag	tattttggga	ggccgaggtg	gaaagatcgc	ttgagcccag	2136
gagttcaaga	ccagcctggg	ctacatgacg	aaactccatc	tctatcaaaa	atacaaaaaa	2196
ttaactaggt	gtggtgctgc	acgcctgtgg	tcccagctat	tcaggaggct	gaggtgggag	2256
	gcccagaggt					•
gctgggtaac						•
	tggataggca					
	cagctigatc					
catagaagaa						
atggacgggg						
tctgctcccc	claaaccttt	tgtilgatti	cagcccatgt	tcttgacaat	gcagagcaat	2676
tctgagcagi					•	
tctgactcac	aacttcacca	tcagltgggg	tcataccact	agtctctgtc	ctatacccca	2796

tgaaatgtaa atactgtatc ataagtagaa gaaaataatt tttgttttct aaaaatgcat 2856 ittgagatag ittaalgiaa atcigacagg agcaliciga agccccatta ggaaaaaatt 2916 taaatggttc ctcttcatcg ccttaatgtc taaagatcag aaatcgctga gcaaacccgc 2976 ittigitice ileccagasa caatgeaaaa caacaggtgg agatagtetg giettigeee 3036 tgctgtgtgt gcctctgtag ctcctcctga caaacgtctg ggaaaacagc ctcaccccac 3096 tetectetet ettececati teetigtage ittatieeti geatettigg gietaetgag 3156 cagigggigc igaggigaca ggggaggaac cagitgitot giagcotagg aactgccica 32)6 gigicitige cagaaaaagg caaagaggeg gacagigeag ggeleetee teetacelea 3276 ggcctgatcc atcgtgccct tgactitgcc gtctcaaagt itcttagctg actitggctt 3336 teacattigi iciticcaga getaacigat aagagiggag gaggaatgee ticicctaag 3396 agtcagttga aagaaagaca agagagtcac atcttagctt ttgcacaagg cattcgtggt 3456 caggaatagg tiagggaatg gicacticig attiticeaec agitgcicci tetetgaaga 3516 gatetigati eetiigggaa gacaagaati titettaata acaaaggiee ettiatgagi 3576 taticctict ticagitcai cicactggag cacagccaag atggacatgi tiatggacag 3636 tgctctagat gigaaaacag atagaacigg tilgigggac aggggcagci igctcaggag 3696 agggaataac gcaggiccci titctiggaa ggctigiact atggccatga cagtgacatt 3756 gccctcacca igalccctci ccaaagiggi igicilicii iaccitgigi ctictctigt 3816 aaaaatgaaa cicaaaaata aaataaaigi gicaaattii gaaaaaaaaa gaaaacigaa 3876 aaagctaaca tgaatigigi gaaaitgcai aaigcigiaa igciaaicia caataigiaa 3936 igciaictig taigtigaat tigttaatgc accacacaag tgcaaaataa agactgatic 3996 acatt 4001

<210> 54

10

15

20

30

35

40

45

50

55

<211> 105

<212> PRT

<213> Homo sapiens

<400> 54

	Pro Gly Asn Pro Tyr Val Lys Val Asn Val Tyr Tyr Gly Arg Lys Arg
5	1 5 10 15
	lle Ala Lys Lys Lys Thr His Val Lys Lys Cys Thr Leu Asn Pro 11e
10	20 25 30
10	Phe Asn Glu Ser Phe Ile Tyr Asp lle Pro Thr Asp Leu Pro Asp
	35 40 45
15	lle Ser Ile Glu Phe Leu Val lle Asp Phe Asp Arg Thr Thr Lys Asn
	50 55 60
20	Glu Val Val Gly Arg Leu Ile Leu Gly Ala His Ser Val Thr Ala Ser
	65 70 75 80
	Gly Ala Glu His Trp Arg Glu Val Cys Glu Ser Pro Arg Lys Pro Val
25	<u>85</u> 90 95
	Ala Lys Trp His Ser Leu Ser Glu Tyr
30	100 105
	<210> 55
35	<211> 952
	<212> DNA
	<213> Homo sapiens
40	<220>
	<221> CDS
45	(222> (118) (909)
	⟨400⟩ 55
	gaactotgg atgotgttag cotgagacto aggaagacaa ottotgcagg gicactocot 60
50	gettetgga ggaaagagaa ggagggcagt getecagtgg tacagaagtg agacata 117
	itg gaaltea gge tte ace tee aag gae ace tat eta age eat tit aac 165
55	let Glu Ser Gly Phe Thr Ser Lys Asp Thr Tyr Leu Ser His Phe Asn

		l			5	i				10	}				15	,	
5	cci	t cgg	g gat	tac	cta	gaa	aaa	tat	tac	aag	ttt	ggt	tct	agg	cac	tct	213
	Pro	) Are	g Asp	) Tyr	Leu	Glu	Lys	Туг	Tyr	. Lys	Phe	Gly	Ser	Arg	His	Ser	
10				20	)		• ,		25					30	ı		
	gca	gaa	ago	cag	att	ctt	aag	cac	cŧŧ	ctg	aaa	aat	ctt	ttc	aag	ata	261
	Ala	Glu	Ser	Gln	He	·Leu	Lys	His	Leu	Leu	Lys	Asn	Leu	Phe	Lys	He	
15			35					40					45				
	ttc	lgc	cta	gac	ggt	gtg	aag	gga	gac	ctg	ctg	att	gac	atc	ggc	tct	309
20	Phe	Cys	Leu	Asp	Gly	Val	Lys	Gly	Asp	Leu	Leu	Ile	Asp	He	Gly	Ser	
		50				•	55					60					
os.	ggc	ccc	act	atc	tat	cag	ctc	ctc	tct	gc l	tgt	gaa	tcc	ttt	aag	gag	357
25	Gly	Pro	_Thr	lle	Tyr	Gln	Leu	Leu	Ser	Ala	Cys	Glu	Ser	Phe	Lys	Glu	
	65					70					75					80	
30			gtc														405
	He	Val	Val	Thr		Tyr	Ser	Asp	Gin		. Leu	Gln	Glu	Leu		Lys	
35					85					90					95		
			aag														453
	1 <b>rp</b>	ren	Ĺys		Glu	PIO	Glu	Ala		Asp	Trp	Ser	Pro		Val	Thr	
40	121	a1 a	1.01	100					105	<b>~!</b> ^				110			501
			tgt Cys														501
45	1 7 1	101	115	ush	Leu	GIU	GIA	120	MIR	141	Lys	GIY	125	Ulu	r y S	610	
	929	220	ttg	202	Cap	gra	otc		റമത	010	rto			<b>σ21</b>	ata	act	549
	Glu																143
50		130	200	0	· · · ·		135	2,3			Dou	140	0,3	1107	,	1111	
	CSE		cag	cca	ctg	gge		gtc	ccc	ita	ccc		tog	gar	tor	gto	597
55			Gln													_	031

	145	5				150	)				155					160	
5	cto	ago	aca	ctg	tgt	clg	gat	gcc	gcc	tgc	cca	gac	ctc	ccc	acc	tac	645
	Leu	ı Ser	Thr	Leu	Cys	Leu	Asp	Ala	Ala	Cys	Pro	Asp	Leu	Pro	Thr	Tyr	
10					165					170					175		
	tgo	agg	gcg	ctc	agg	aac	ctc	ggc	agc	cta	ctg	aag	cca	ggg	ggc	ttc	693
15	Cys	Arg	Ala	Leu	Arg	Asn	Leu	Gly	Ser	Leu	Leu	Lys	Pro	Gly	Gly	Phe	
				180				•	185					190			
	ctg	gtg	atc	atg	gat	gcg	ctc	aag	agc	agc	tac	tac	atg	att	ggt	gag	741
20	Leu	Val	Ile	Met	Asp	Ala	Leu	Lys	Ser	Ser	Tyr	Tyr	Me t	Ile	Gly	Glu	
			195					200					205				
?5	cag	aag	ttc	tcc	agc	ctc	ccc	ctg	ggc	cgg	gag	gca	gta	gag	gct	gct	789
	Gln	Lys	Phe	Ser	Ser	Leu	Pro	Leu	Gly	Arg	Glu	Ala	Val	Glu	Ala	Ala	
		210					215					220					
30	gtg	aaa	gag	gct	ggc	tac	aca	atc	gaa	tgg	ttt	gag	gtg	atc	tcg	caa	837
	Ya J	Lys	Glu	Ala	Gly	Туг	Thr	He	Glu	Trp	Phe	Glu	Val	He	Ser	Gln	•
35	225					230				•	235					240	
	agt	tat	tct	tcc	acc	atg	gcc	aac	aac	gaa	gga	ctt	tic	tcc	ctg	gtg	885
	Ser	Tyr	Ser	Ser	Thr	Met	Ala	Asn	Asn	Glu	Gly _.	Leu	Phe	Ser	Leu	Val	
10					245					250					255		
	gcg	agg	aag	ctg	agc	aga	ccc	cig	lgat	.gccl	gt g	acc t	caat	t aa	agca	attc	939
15	Ala	Arg	Lys	Leu	Ser	Arg	Pro	Leu									
				260			•										
50	citi	gacc	tg t	са													952
	<210	> 56															
5	<211	> 26	4														
	<212	> PR	T						.•								•

	(21	3> H	omo	sapi	ens											
5	<40	0> 5	6													
	Me t	Glu	Ser	Gly	Phe	Thr	Ser	Lys	Asp	Thr	Tyr	Leu	Ser	His	Phe	Asn
10	I				5					10					15	
	Pro	Arg	Asp	Tyr	Leu	Glu	Lys	Tyr	Туг	Lys	Phe	Gly	Ser	Arg	His	Ser
				20					25					30	•	
15	Ala	Glu	Ser	Gln	lle	Leu	Lys	His	Leu	Leu	Lys	Asn	Leu	Phe	Lys	lle
			35					40					45			
20	Phe	Cys	Leu	Asp	Gly	Val	Lys	Gly	Asp	Leu	Leu	Ile	Asp	He	Gly	Ser
		50					55					60				
25	Gly	Рго	Thr	Ile	Tyr	Gln	Leu	Leu	Ser	Ala	Cys	Glu	Ser	Phe	Lys	Glu
	65		-	•		70					75				•	80
	He	Val	Val	Thr	Asp	Туг	Ser	Asp	Gln	Asn	Leu	Gln	G) u	Leu	Glu	Lys
30					85					90					95	
	Ten	1	7	₹ .		~					_					
	111	ren	Lys		Glu	Pro	Glu	Ala		Asp	Trp	Ser	Pro	Val	Val	Thr
35				100					105					110		
35		Val	Cys	100				Asn	105				Pro	110		
	Tyr	Val	Cys	100 Asp	Leu	Glu	Gly	Asn 120	105 Arg	Val	Lys	Gly	Pro 125	110 Głu	Lys	Glu
<i>35</i>	Tyr	Val Lys	Cys	100 Asp	Leu	Glu	Gly Val	Asn 120	105 Arg	Val	Lys	Gly Lys	Pro 125	110 Głu	Lys	Glu
	Tyr	Val Lys 130	Cys 115 Leu	100 Asp Arg	Leu Gln	Glu	Gly Val 135	Asn 120 Lys	105 Arg Gln	Val	Lys Leu	Gly Lys 140	Pro 125 Cys	110 Glu Asp	Lys Val	Glu Thr
	Tyr Glu Gln	Val Lys	Cys 115 Leu	100 Asp Arg	Leu Gln	Glu Ala Gly	Gly Val 135	Asn 120 Lys	105 Arg Gln	Val	Lys Leu Pro	Gly Lys 140	Pro 125 Cys	110 Glu Asp	Lys Val	Glu Thr
40	Tyr Glu Gln 145	Val Lys 130 Ser	Cys 115 Leu Gln	100 Asp Arg Pro	Leu Gln Leu	Glu Ala Gly 150	Gly Val 135 Ala	Asn 120 Lys Val	105 Arg Gln Pro	Val Val Leu	Lys Leu Pro 155	Gly Lys 140 Pro	Pro 125 Cys	110 Glu Asp	Lys Val Cys	Glu Thr Val
40	Tyr Glu Gln 145	Val Lys 130	Cys 115 Leu Gln	100 Asp Arg Pro	Leu Gin Leu Cys	Glu Ala Gly 150	Gly Val 135 Ala	Asn 120 Lys Val	105 Arg Gln Pro	Val Val Leu Cys	Lys Leu Pro 155	Gly Lys 140 Pro	Pro 125 Cys	110 Glu Asp	Lys Val Cys	Glu Thr Val
40 45 50	Tyr Glu Gln 145 Leu	Val Lys 130 Ser	Cys 115 Leu Gln	100 Asp Arg Pro	Leu Gln Leu Cys 165	Glu Ala Gly 150 Leu	Gly Val 135 Ala	Asn 120 Lys Val	105 Arg Gln Pro	Val Val Leu Cys	Lys Leu Pro 155 Pro	Gly Lys 140 Pro	Pro 125 Cys Ala Leu	110 Glu Asp Asp	Lys Val Cys Thr	Glu Thr Val 160
40 45 50	Tyr Glu Gln 145	Val Lys 130 Ser	Cys 115 Leu Gln	100 Asp Arg Pro	Leu Gln Leu Cys 165	Glu Ala Gly 150 Leu	Gly Val 135 Ala	Asn 120 Lys Val	105 Arg Gln Pro	Val Val Leu Cys	Lys Leu Pro 155 Pro	Gly Lys 140 Pro	Pro 125 Cys Ala Leu	110 Glu Asp Asp	Lys Val Cys Thr	Glu Thr Val 160

	Leu Val Ile Met Asp Ala Leu Lys Ser Ser Tyr Tyr Met Ile Gly Glu														
5	195 200 205														
3	Glm Lys Phe Ser Ser Leu Pro Leu Gly Arg Glu Ala Val Glu Ala Ala														
	210 215 220														
10	Val Lys Glu Ala Gly Tyr Thr lle Glu Trp Phe Glu Val lle Ser Gln														
	225 230 235 240														
15	Ser Tyr Ser Ser Thr Met Ala Asn Asn Glu Gly Leu Phe Ser Leu Val														
	245 250 255														
00	Ala Arg Lys Leu Ser Arg Pro Leu														
20	260														
25	<210> 57														
	<211> 2617														
	<212> DNA														
30	<213> Homo sapiens														
	<220> ·														
35	<221> CDS														
	<222> (94) (633)														
	<400> 57														
40	tagaggatec aagettaegt aegegteegg agacegettg tgetggagte ggagttgtaa 60														
	cgctccactg actgatagag cgaccggccg acc atg gcg ccc gga gtg gcc cgc 114														
45	Met Ala Pro Gly Val Ala Arg														
	1 5														
50	ggg ccg acg ccg tac tgg agg ttg cgc ctc ggt ggc gcc gcg ctg ctc 162														
50	Gly Pro Thr Pro Tyr Trp Arg Leu Arg Leu Gly Gly Ala Ala Leu Leu														
	10 15 20														
55	clg clg ctc atc ccg gig gcc gcc gcg cag gag cct ccc gga gct gct 210														

•	Leu	Leu	Leu	He	Pro	Val	Ala	Ala	Ala	Gln	Glu	Pro	Pro	Gly	Ala	Ala	
5		25					30			•		35					
	tgt	tct	cag	aac	aca	aac	aaa	acc	ïtgt	gaa	gag	tgc	ctg	aag	aac	gic	-258
	Cys	Ser	Gln	Asn	Thr	Asn	Lys	Thr	Cys	Glu	G) u	Cys	Leu	Lys	Asn	Va]	
10	40					. 45				•	50					55	
•	tcc	tgt	ctt	tgg	tgc	aac	ac t	aac	aag	gct	tgt	ctg	gac	tac	cca	gtt	306
15	Ser	Cys	Leu	Trp	Cys	Asn	Thr	Asn	Lys	Ala	Cys-	Leu	Åsp	Tyr	Pro	Yal	
					60					65					70		
20	aca	agc	gtc	ttg	cca	ccg	gct	tcc	ctt	tgt	aaa	ttg	agc	tct	gca	cgc	354
	Thr	Ser	Val	Leu	Pro	Pro	Ala	Ser	Leu	Cys	Lys	Leu	Ser	Ser	Ala	Arg	
				75					80					85			
25	tgg	gga	gt t	tgt	tgg	gtg	aac	ttt	gag	gcg	ctg	atc	atc	acc	atg	tcg	402
	Trp	Gly	Val	Cys	Trp	Val	Asn	Phe	Glu	Ala	Leu	He	He	Thr	Met	Ser	
30	•		90					95					100				
		glc												•			450
	Val	Vai	Gly	Gly	Thr	Leu	٠	Leu	Gly	He	Ala		Cys	Cys	Cys	Cys	
35	4	105	<b>-</b>				110					115					400
		tgc															498
40	120	Cys	VIR	WIR	LYS	125	261	MIR	r A 2	710	130	WIR	261	Gru	GIU		
	•	atg	cat	020	raa		σοσ	200	raa	212		C20	020	722	caa	135	546
45		Met			-												140
		,40 .			140	0.1	٠.,			145			0.0	0,4	150	мь	
	gca	eae	atg	aag	•	aga	cat	gat	gaa		aga	ааа	aaa	tat		ctg	594
50	Ala																
		<b>-</b>		155			<del>-</del>		160					165	,		
55	itt	aaa	gaa		aac	ccg	tat	gcl		ttt	gaa	aac	aac		gcgo	tc	643
															_		

Phe Lys Glu Glu Asn Pro Tyr Ala Arg Phe Glu Asn Asn

170 175 180

5

10

15

20

30

35

40

45

50

55

cagcacatca giccegaege ticciglgag gigcacteeg cageceagee cageegggag 703 accacgigge catigoggic iccigaccii ggccagigaa ccigccagce iiccaggaca 763 ggcggccgga gagctgccc tgaaggacag tectetegte ttgcagactg gtgacettet 823 attocctgit catclotgit iciagalita gicactigaa alaagaaato itiggggiit 883 gggcttttt atactettet eagittgtga aacgetaact geacaegaag eegeetgaeg 943 geacceageg elgiggeigt cattetecea gggeagaace elgegittet eletgiceae 1003 taacaagett cacaegeaac acagggaagt eggitigaet iligicatga ggagaaciga 1063 ccagccctca tcattcccca taaaaccacg gacagcgtct gtgtgcgcat cttgagtctt 1123 cacaccigit gactcacacg gcittigcig aigacacggg gciccagiac acagicigat 1183 aaggacttaa cgtcctaacc tcaattgtat taaatagcat tggggaatag ctaaaccttt 1243 ttaaaaaaat tlatiggatt ticciccig citaaaagat ticaccagaa aaccticata 1303 taaaaattca ggcccttttt ggacaatttt taaaatttgt atctttacta gaacatgaga 1363 atcititic citggaaget igaattataa atgiggigii iggeeigeet cagcagcace 1423 agitgactgc icgigtgcca gcggtgiggg gaggacgggg caggacgcig cagcictcic 1483 cagocotett egoatoctca eteorigae ectotogot ectotiege cietotegee 1543 ggtggccatt tagggatcgt ggggacgggg tccaccccaa gaagaaagaa aggcccgtcc 1603 acaggecegg ciciggecae gigeceegga ageaggigig tecagagica geigagget 1663 ctccccacac cacccagcag gcgctggtgc tccttctgcc tcatgggacc agtccagctt 1723 ccagccgctc tggctcgagg gtggtctgac cacttccttc tgagtgggct tctctgggag 1783 ctctccagig gcactgctgg accigcccac gtttctgtaa aatcaggata cgtggcttta 1843 gtaagcagac caagcgcttc giggcaggga aagcagcgtg cggggaagtc actgaaaagt 1903 getgeetaag gaagtitgga aatagteee giteeagati geetigaatt itaaaacati 1963 tigctliggg aaagtaggic agcagcact aagatcaagg algcgitcca littcacact 2023 icacagical gaaaacigag aagacigici icagcgigaa ciaaagiica caggcagaic 2083

actgatccag aacacticaa gaactcgcca aacagctcga taagcctitt tgactgtgta 2143 catcigiaco gggaataaca ticciaggot gaaatitoca caaagaatag aaccigiaco 2203 5 cagitetica ggetgattic cetgacetet tgggcattig tattiglagi aaagtatige 2263 agagatteet aagtattita tageageeat caaaaligga eitigialig titatteata 2323 10 aaagacactt ggtaatagac ticagigaac toigiaigaa igcagiagig igigigcaaa 2383 atcogctice tgagegtagg gtgetgaget ggegetaggg eteggtigtg aaatacageg 2443 15 tagicagece tigegeteag igiagaaace caegicigia aggicggict tegiceatet 2503 gcttttttct gaaatacact aagagcagcc acaaaactgt aacctcaagg aaaccataaa 2563 gcitggagig ccitaatiti taaccagiti ccaataaaac ggittactac ciga 2617 20 <210> 58 <211> 180 25 <212> PRT <213> Homo sapiens <400> 58 Met Ala Pro Gly Val Ala Arg Gly Pro Thr Pro Tyr Trp Arg Leu Arg 5 10 35 Leu Gly Gly Ala Ala Leu Leu Leu Leu Leu lle Pro Val Ala Ala Ala 20 25 30 Gln Glu Pro Pro Gly Ala Ala Cys Ser Gln Asn Thr Asn Lys Thr Cys 35 40 45 Glu Glu Cys Leu Lys Asn Val Ser Cys Leu Trp Cys Asn Thr Asn Lys 45 55 50 60 Ala Cys Leu Asp Tyr Pro Val Thr Ser Val Leu Pro Pro Ala Ser Leu 50 70 65 75 80 Cys Lys Leu Ser Ser Ala Arg Trp Gly Val Cys Trp Val Asn Phe Glu 55 85 90 95

	Ala Leu	lle lle	Thr Met	Ser Val	Val Gly G	ly Thr Leu I	eu Leu Gly								
5		100		•	105	1	10								
	lle Ala	lle Cys	Cys Öys	Cys Cys	Cys Arg A	rg Lys Arg S	er Arg Lys								
10		115		120		125									
10	Pro Asp	Arg Ser	Glu Glu	Lys Ala	Met Arg G	lu Arg Glu G	lu Arg Arg	•							
	130			135		140									
15	lle Arg	Gln Glu	Glu Arg	Arg Ala	Glu Met L	ys Thr Arg H	is Asp Glu								
	145		150	b	1	55	160								
20	lle Arg	Lys Lys	Tyr Gly	Leu Phe	Lys Glu G	lu Asn Pro T	yr Ala Arg								
			165		170		175								
25	Phe Glu	Asn Asn													
	•	180													
	<210> 59														
30	<211> 32	17													
	<212> DN/	A				•									
35	<213> Hon	no sapie	ens												
	<220>														
40	<221> CDS	S													
40	<b>&lt;222&gt; (469) (1875)</b>														
	<b>&lt;400&gt;</b> 59														
45	gtcggtctc	c gccag	ctagg a	tetecece	g ccgtccgc	cc ccgcccctc	g ictgcctccc	60							
	ccgcccgcg	ctccs	cccgc g	cticcctt	t cctgcctc	gc gcccactc	c ctttcctccc	120							
50	ctccctgtt	t ccctt	cctgt c	clicccag	c lcacgete	tc tlicccigc	c gcctgccitt	180							
	cttttttcc	t tttt	tgcat t	ggcgtctt	g gggctgtt	ac acacacgcg	c gctglccatt	240							
55	gcagcttac	a taaag	gcggg c	gcgattat	g caattata	tt gtlagcgat	a titcaagagc	300							
<i>-</i>	aatggctcg	st titct	tagga t	t t caacac;	g aaggcatca	at gcattilig	a aaaactagta	360							

		ttg	agaa	taa	tacctigcaa cgtaaagaat gttttttggt							attitiacae aatetelaci 420						
•		ttg	acca	aac	gägt	ċigg	ac a	gttt	tcit	t taa	igg	aaaa	tag	gagaa	atı	g ga	g gaa	477
5															Me	i Ğlı	ı Glu	
			٠									1						
10		aga	atg	gaa	atg	att	tct	gaa	agg	cca	aaa	gag	agt	atg	tat	tcc	tgg	. 525
		Arg	Met	Glu	Met	He	Ser	Glu	Arg	Pro	Lys	Glu	Ser	Mel	Tyr	Ser	Trp	
15		•	5					10					15					
	1	aac	aaa	act	gca	gag	aaa	agt	gat	ttt	gaa	gct	gta	gaa	gca	ctt	atg	573
					Ala													
20		20					25					30					35	
	. (	tca	atg	agc	tgc	agt	tgg	aag	tct	gat	ltt	aag	aaa	tac	git	gaa		621
25					Cys													
				-		40					45					50		
	i	aga	cct	gtt	aca	cca	gta	tct	gat	ttg	tca	gag	gaa	gag	aat	ctg	ċŧŧ	669
30					Thṛ									•				-
					55					60					65			
35	(	ccg	gga	aca	cct	gat	ttt	cat	aca	atc	cca	gca	ttt	tgt	ttg	act	cca	717
	1	Рго	Gly	Íhr	Pro	Asp	Phe	His	Thr	He	Pro	Ala	Phe	Cys	Leu	Thr	Pro	
				70					75					80				
40	(	ct	tac	agt	cct	ict	gac	ttt	gaa	ccc	ici	caa	gtg	tca	aat	ctg	atg	765
	F	Pro	Tyr	Ser	Pro	Ser	Asp	Phe	Glu	Рго	Seг	Gin	Val	Ser	Asn	Leu	Met	
45			85					90					95					
	8	gca	cca	gcg	cca	ici	act	gta	cac	llc	aag	tca	ctc	tca	gat	act	gcc	813
					Pro							•						
50		00					105					011					115	
			rrt	car	att	g.c.		cct	ttc	ลลล	gag		<b>2</b> 22	220	agr	cca		861
55					lle													001
		139	110	1119	116	A I G	W10	110	1 116	273	V.u	014	010	n J 3	261	110	101	

					120					125					130		
5	tct	gcc	ccc	aaa	ctc	ccc	aaa	gct	cag	gca	aca	agt	gtg	att	cgt	cat	909
	Ser	Ala	Pro	Lys	Leu	Pro	Lys	Ala	Gln	Ala	Thr	Ser	Val	He	Arg	His	
10				135					140					145	•		
	aca	gc t	gat	gcc	cag	cta	tgt	aac	cac	cag	acc	tgc	cca	atg	aaa	gca	957
	Thr	Ala	Asp	Ala	Gln	Leu	Cys	Asn	His	Gln	Thr	Cys	Pro	Me t	Lys	Ala	
15			150					155					160				
	gcc	agc	atc	ctc	aac	tat	cag	aac	aat	tct	ttt	aga	aga	aga	acc	cac	1005
20	Ala	Ser	lle	Leu	Asn	Tyr	Gln	Asn	Asn	Ser	Phe	Arg	Arg	Arg	Thr	His	
		165					170					175					
25	cta	aat	gt t	gag	gct	gca	aga	aag	aac	ata	cca	tgt	gcc	gct	gtg	tca	1053
	Leu	Asn	∀al	Glu	Ala	Ala	Arg	Lys	Asn	He	Pro	Cys	Ala	Ala	Val	Ser	
	180					185					190					195	
30	cca	aac	aga	tcc	aaa	tgt	gag	aga	aac	aca	gtg	gca	gat	gtt	gat	gag	1101
	Pro	Asn	Arg	Ser	Lys	Cys	Glu	Arg	Asn	Thr	Val	Ala	Asp	Val	Asp	Glu	
35					200					205					210		
	aaa	gca	agl	gc t	gca	ctt	tat	gac	ttt	tct	gig	cct	tcc	tca	gag	acg	1149
40	Lys	Ala	Ser	Ala	Ala	Leu	Tyr	Asp	Phe	Ser	Val	Pro	Ser	Ser	Glu	Thr	
				215					220					225			
	gtc	atc	tgc	agg	tct	cag	cca	gcc	cct	gtg	tcc	cca	caa	cag	aag	tca	1197
45	Val	lle	Cys	Arg	Ser	Gln	Pro	Ala	Pro	Val	Ser	Pro	Gln	Gln	Lys	Ser	
			230				•	235					240				
50	gtg	ttg	gtc	tct	cca	cct	gca	gta	tct	gca	ggg	gga	gtg	cca	cct	alg	1245
•	Val	Leu	Val	Ser	Рго	Pro	Ala	Val	Ser	Ala	Gly	Gly	Val	Pro	Pro	Met	
		245	•				250					255					
55	ccg	gtc	atc	tgc	cag	atg	gtt	ccc	ctt	ccl	gcc	aac	aac	cct	gtt	glg	1293

	Pro	Va 1	He	Cys	Gln	Met	Val	Pro	Leu	Pro	Ala	Asn	Asn	Pro	Val	Val	
5	260					265					270				•	275	
	aca	aca	gtc	gtt	ccc	agc	act	cct	ccc	agc	cag	cca	cca	gct	gtt	tgc	1341
	Thr	Thr	Val	Val	Pro	Ser	Thr	Pro	Pro	Ser	Gln	Pro	Pro	Ala	Val	Cys	
10					280					285					290		
	ccc	cct	gtt	gig	ttc	atg	ggc	aca	caa	gtc	ссс	aaa	ggc	gct	gtc	atg	1389
15	Pro	Pro	Vai	Val	Phe	Me t	Gly	Thr	Gln	Val	Pro	Lys	Gly	Ala	Val	Met	
				295					300					305			
20	ttt	gtg	gta	ссс	cag	ссс	glt	gtg	cag	agt	tca	aag	cct	ccg	gtg	gtg	1437
	Phe	Va l	Val	Pro	Gin	Pro	Val	Val	Gin	Ser	Ser	Lys	Pro	Pro	Val	Val	
			310					315					320	•			
25	agc	ccg	aat -	ggc	acc	aga	ctc	tct	ccc	att	gcc	cct	gc t	cct	ggg	tit	1485
	Ser	Б10	.Asn	Gly	Thr	Arg	Leu	Ser	Pro	He	Ala	Pro	Ala	Pro	Gly	Phe	
30		325					330					335					
	tcc	cct	tca	gca	gca	aaa	gtc	act	cc t	cag	att	gat	tca	tca	agg	ata	1533
	Ser	Pro	Ser	Ala	Ala	Lys	Val	Thr	Pro	Gln	lle	Asp	Ser	Ser	Arg	Ile .	
35	340					345					350					355	
			cac														1581
40	Arg	Ser	His	He		Ser	His	Pro	Gly		Gly	Lys	Thr	Tyr		Lys	
					360					365					370		
45			cat														1629
	Ser	Ser	His		Lys	Ala	His	Thr		Thr	His	Thr	Gly		Lys	Pro	
				375					380					385			
50			tgt													•	1677
	Phe	Ser	Cys	Ser	Trp	Lys	Gly		Glu	ATE	Arg	Phe		Arg	Ser	Asp	
55			390					395			_		400				
	gaa	clg	tcc	aga	cac	agg	cga	acc	cac	acg	ggt	gag	aag	888	ttt	gcg	1725

	Glu Leu Ser Arg His Arg Arg Thr His Thr Gly Glu Lys Lys Phe Ala	
5	405 410 415	
	tgc ccc atg tgt gac cgg cgg ttc atg agg agt gac cat ttg acc aag 177	73
10	Cys Pro Met Cys Asp Arg Arg Phe Met Arg Ser Asp His Leu Thr Lys	
	420 425 430 435	
15 .	cat gcc cgg cgc cat cta tca gcc aag aag cta cca aac tgg cag atg 182	21
	His Ala Arg Arg His Leu Ser Ala Lys Lys Leu Pro Asn Trp Gln Met	
	440 445 450	
20	gaa gtg agc aag cta aat gac att gct cta cct cca acc cct gcl ccc 186	39
	Glu Val Ser Lys Leu Asn Asp Ile Ala Leu Pro Pro Thr Pro Ala Pro	
25	455 . 460 465	
	aca cag-tgacagaccg gaaagtgaag agtcagaact aactttggtc tcagcgggag 192	25
	Thr Gln	
30	ccagtggtga tgtaaaaatg cttccactgc aagtctgtgg ccccacaacg tggcttaaag 198	15
	cagaageeee acageetgge acgaaggeee egtetgggtt aggtgactaa aagggetteg 204	15
35	gccacaggca ggtcacagaa aggcaggiii caliictiai cacataagag agaigagaaa 210	15
	gcttttattc ctttgaatat tttttgaagg tttcagatga ggtcaacaca ggtagcacag 216	5
40	attitigaato tgigigoata litigitacii tactititigo tgittalaci igagaccaac 222	5
	ttitcaalgt gattottota aagoaciggi ticaagaata iggaggoigg aaggaaataa 228	15
	acattacggt acagacatgg agatgtaaaa tgagttigta ttattacaaa tattgtcatc 234	15
45	ttiticiaga gitaicilei italiatice tagicillee agicaacate giggalgiag 240	15
	tgattaaata latctagaac tatcalitti acactaligi gaalattigg aattgaacga 246	5
50	ctglatatig ctaagagggc caaagaalig gaalcoloot laalitaati gottigaago 252	:5
	atagetacaa tiigiitiig cattiligii ilgaaagiil aacaaatgae igialelagg 258	5
55	cattleatta tgettigaac ittagilige etgeagilie itgigtagat itgaaaatig 264	15
JJ	tataccaacg tgitticigt agactetaag atacactgca citigittag aaaaaaaact 270	15

gaagatgaaa tatatatigi aaagaaggga tattaagaat citagataac ticitgaaaa 2765 5 agatggctta tgtcatcagc aaagtacctc catgitatga ggatataatg tgtgcttcat 2825 tgaattagaa aattagtgac cattaticac aggiggacaa atgitgicci gitaatitat 2885 aggagititi tigggatgigg agglagitgg glagaaaaat tallagaaca ticaciitig 2945 10 ttaacagtat tictottta tictgitata tagiggatga tatacacagi ggcaaaacaa 3005 aagtacattg citaaaatat alagigaaaa aigtcactat atcitcccat tiaacatigi 3065 ttttgtatat tgggtgtaga tttctgacat caaaacttgg acccttggaa aacaaaagtt 3125 ttaattaaaa aaaateetty tyaettacaa tttgcacaat attictitig tigtactita 3185 3217 tatciigiti acaalaaaga attccctiig gc 20 <210> 60 <211> 469 <212> PRT <213> Homo sapiens 30 <400> 60 Met Glu Glu Arg Met Glu Met 11e Ser Glu Arg Pro Lys Glu Ser Met 1 5 10 15 Tyr Ser Trp Asn Lys Thr Ala Glu Lys Ser Asp Phe Glu Ala Val Glu 25 20 30 40 Ala Leu Met Ser Met Ser Cys Ser Trp Lys Ser Asp Phe Lys Lys Tyr 35 40 45 Val Glu Asn Arg Pro Val Thr Pro Val Ser Asp Leu Ser Glu Glu Glu 45 60 50 Asn Leu Leu Pro Gly Thr Pro Asp Phe His Thr Ile Pro Ala Phe Cys 75 65 70 80 Leu Thr Pro Pro Tyr Ser Pro Ser Asp Phe Glu Pro Ser Gln Val Ser 55 90 95 85

	Ası	1 Lei	Me!	t Ala	Pro	Ala	Pro	) Ser	Thr	Val	His	Phe	Lys	Ser	Leu	Ser
5				100	•				105					110		
	Asp	Thr	Ala	Lys	Pro	His	He	Ala	Ala	Pro	Phe	Lys	Głu	Glu	Glu	Lys
			115	i				120		•			125		•	
10	Ser	Pro	Val	Ser	Alà	Pro	Lys	Leu	Pro	Lys	Ala	Gln	Ala	Thr	Ser	Val
•		130					135					140			•	٠
15	Ile	Arg	His	Thr	Ala	Asp	Ala	Gln	Leu	Cys	Asn	His	Gln	Thr	Cys	Pro
	145		٠			150					155					160
20	Me t	Lys	Ala	Ala	Ser	lle	Leu	Asn	Tyr	Gln	Asn	Asn	Ser	Phe	Arg	Arg
					165					170					175	
	Arg	Thr	His	Leu	Asn	Val	Glu	Ala	Ála	Arg	Lys	Asn	Ile	Pro	Ċys	Ala
25	1		_	180					185				•	190		
	Ala	Vaj	Ser	Pro	Asn	Arg	Ser	Lys	Cys	Glu	Arg	Asn	Thr	Val	Ala	Asp
30			195					200					205			
	Val	Asp	Glu	Lys	Ala	Ser	Ala	Ala	Leu	Tyr	Asp	Phe	Ser	Va l	Pro	Ser
ne.		210					215					220				
35		Glu	Thr	Val	lle		Arg	Ser	Gln	Pro		Pro	Val	Ser	Pro	
	225	_				230		_			235					240
40	Gln	Lys	Ser	Val		Val	Ser	Pro	Pro		Val	Ser	Ala	Gly		Val
				_	245		_			250		_			255	
45	Pro	Pro	Net		Val	lle	Cys	Gin		Val	Pro	Leu	Pro		Asn	Așn
				260	•			_	265	<b>-</b> 1				270		_
	Pro	Val		Thr	Thr	Val-	Val		Ser	Thr	Pro	Pro		Gln	Pro	Pro
50	4.6		275		_			280					285			
	Ala	Val	Cys	Pro	l'ro	Val	•	Phe	Met	Gly	Thr	•	Val	Pro	Lys	Gly
55	_	290					295					300				
	Ala	Va 1	Met	Phe	Val	Val	Pro	Gln	Pro	Val	Val	Gln	Ser	Ser	Lys	Pro

	305	j				310					315					320
5	Pro	Val	Val	Ser	Pro	Asn	Gly	Thr	Ąïg	Leu	Ser	Pro	Ile	Ala	<b>b</b> io	Ala
					325					330					335	
10	Pro	Gly	Phe	Ser	Pro	Ser	Ala	Ala	Lys	Val	Thr	Pro	Gln	He	Asp	Ser
				340					345				•	350		•
15	Ser	Arg	He	Arg	Ser	His	He	Cys	Ser	His	Pro	Gly	Cys	Gly	Lys	Thr
			355					360					365			
	Tyr	Phe	Lys	Ser	Ser	His	Leu	Lys	Ala	His	Thr	Arg	Thr	His	Thr	Gly
20		370					375					380				
	Glu	Lys	Pro	Phe	Ser	Cys	Ser	Trp	Lys	Gly	Cys	Glu	Arg	Arg	Phe	Ala
25	385					390					395					400
	Arg	Ser	Asp	Glu	Leu	Ser	Arg	His	Arg	Arg	Thr	His	Thr	Gly	Glu	Lys
•	٠				405					410					415	
30	Lys	Phe	Ala	Cys	Pro	Met	Cys	Asp	Arg	Arg	Phe	Met	Arg	Ser	Asp	His
				420					425					430		
<b>35</b>	Leu	Thr	Lys	His	Ala	Arg	Arg.		Leu	Ser	Ala	Lys	Lys	Leu	Pro	Asn
			435					440					445			
40	Trp		Met	Glu	Va l	Ser		Leu	Asn	Asp	He		Leu	Pro	Pro	Thr
		450					455					460				
		Ala	Pro	Thr	Gln											
45	465															
	<210	> 61										•				
50	<211	> 14	28											•		
	<212	> DN	A													
	<213	> Ho	mo s	apie	ns											
55	<220	>														

	(221) CD2	•		
5	<222> (125) (868)			
	<400> 61			·
10	cgagctgata aaggcgcc	at ittggagggg c	cgcgggaga cgtggtg	ccg ctgcgggctc 60
	gctctgccgt gcgctagg	ct tggtgggaag g	ccigitate gagicage	ego titiogicae 120
	cgcc atg tcg gga gg	t ggt gtg att c	gt ggc ccc gca gg	g aac aac gat 169
15	Met Ser Gly Gl	y Gly Val Ile A	rg Gly Pro Ala Gi	/ Asn Asn Asp
	1	5	10	15
20	tgc cgc atc tac gtg	ggt aac tta cc	t cca gac atc cga	acc aag gac 217
	Cys Arg Ile Tyr Val	Gly Asn Leu Pro	o Pro Asp lle Arg	Thr Lys Asp
25	20		25	30
	att gag gac gtg ttc	tac aaa tac gg	c gct atc cgc gac	atc gac ctc 265
	lle Glu Asp Val Phe	Tyr Lys Tyr Gly	y Ala Ile Arg Asp	lle Asp Leu
30	35	40	0	45
	aag aat cgc cgc ggg	gga ccg ccc tte	c gcc ttc gtt gag	ttc gag gac 313
35	Lys Asn Arg Arg Gly	Gly Pro Pro Pho	e Ala Phe Val Glu	Phe Glu Asp
	50	. 55	. 60	
	ccg cga gac gcg gaa	gac gcg gtg ta	t ggt cgc gac ggc	tat gal tac 361
40	Pro Arg Asp Ala Glu	Asp Ala Val Ty	r Gly Arg Asp Gly	Tyr Asp Tyr
	65	70	75	
45	gal ggg tac cgt ctg	cgg gtg gag tt	t cct cga agc ggc	cgt gga aca 409
	Asp Gly Tyr Arg Leu	Arg Val Glu Phe	e Pro Arg Ser Gly	Arg Gly Thr
50	80	85 ·	90	95
50	ggc cga ggc ggc ggc	ggg ggt gga gg	l ggc gga gct ccc	cga ggt cgc 457
	Gly Arg Gly Gly Gly	Gly Gly Gly Gly	Gly Gly Ala Pro	Arg Gly Arg
55	100		105	110

	tat	ggo	ccc	cca	tcc	agg	cgg	ici	gaa	aac	aga	gtg	gtt	gtc	tct	gga	505
5	Tyr	Gly	Pro	Pro	Ser	Arg	Arg	Ser	Glu	Asn	Arg	Val	Yal	Va]	Ser	Gly	•
	•			115					120					125			
10	ctg	cct	cca	agt	gga	agt	t gg	cag	gaţ	tta	aag	gat	cac	atg	cgt	gaa	553
	Leu	Pro	Pro	Ser	G 1.y	Ser	Trp	Gln	Asp	Leu	Lys	Asp	His	Met	Arg	Ġlu	•
			130					135					140.				
15	gca	ggt	gat	gta	tgt	tat	gct	gat	gtt	tac	cga	gal	ggc	act	ggt	gtc	601
	Ala	Gly	Asp	Val	Cys	Tyr	Ala	Asp	Val	Tyr	Arg	Asp	Gly	Thr	Gly	Val	
20		145	•				150					155					
	gtg	gag	ttt	gta	cgg	aaa	gaa	gat	atg	acc	tat	gca	gtt	cga	asa	ctg	649
	Val	Glu	Phe	Val	Arg	Lys	Glu	Asp	Met	Thr	Tyr	Ala	Val	Arg	Lys	Leu	
25	160		_			165					170					175	
	gat	aac	act	aag	ttt	aga	tct	cat	gag	gga	gaa	act	gcc	tac	atc	cgg	697
30	Asp	Asn	Thr	Lys	Phe	Arg	Ser	His	Glu	Gly	Glu	Thr	Ala	Tyr	He	Arg	
					180					185					190		•
35	gtt	888	gtt	gat	ggg	ccc	aga	agt	cca	agt	tat	gga	aga	tct	cga	tct	745
	Val	Lys	Val	Asp	Gly	Pro	Arg	Ser		Ser	Tyr	Gly	Arg	Ser	Arg	Ser	
				195					200					205			
40				agt	•										•		793
	Arg	Ser		Ser	Arg	Ser	Arg			Ser	Arg			Ser	Arg	Ser	
45			210					215					220				
				tcc			·										841
			Tyr	Ser	Pro	Arg		Ser	Arg	Gly			Arg	Туг	Ser	Pro	
50		225					230					235					
				aga						taag	alga	tt g	glga	caci	t		888
55		His	Ser	Arg			Ser	Arg	Thr								
	240					245											

tttgtagaac ccatgttgta tacagttttc ctttattcag tacaatcttt tcatttttta 948 atteaaactg tittgiteag aatgggetaa agigitgaat igeatietig taatateece 1008 tigcicciaa caiciacait cccticgigi ciligataaa tigiattita agigatgica 1068 tagacaggat tgittaaatt tagttaactc catactcttc agactgigat attgtgtaaa 1128 tgtctatcig ccciggitig igigaacigg gaigitigggg gigitigigg italcitacc 1188 tggggaagtt citalgitta ictigcitti catgigicti icigiagaca taicigaaga 1248 15 gatggattaa gaatgcttig gattaaggat igiggagcac atticaatca ittiaggatt 1308 gtcaaaagga ggattgagga ggatcagatc aataatggag gcaatggtat gactccaagt 1368 gctattgica cagaigaaat iggcagiati gaccitalac taaaaggcag gggciaaaaa 1428 20 <210> 62 <211> 248 25 <212> PRT <213> Homo sapiens 30 <400> 62 . Met Ser Gly Gly Gly Val Ile Arg Gly Pro Ala Gly Asn Asn Asp Cys 1 . 5 10 15 35 Arg Ile Tyr Val Gly Asn Leu Pro Pro Asp Ile Arg Thr Lys Asp Ile 20 25 30 40 . Glu Asp Val Phe Tyr Lys Tyr Gly Ala lle Arg Asp Ile Asp Leu Lys 35 40 45 45 Asn Arg Arg Gly Gly Pro Pro Phe Ala Phe Val Glu Phe Glu Asp Pro 50 55 60 Arg Asp Ala Glu Asp Ala Val Tyr Gly Arg Asp Gly Tyr Asp Tyr Asp 50 70 75 65 Gly Tyr Arg Leu Arg Val Glu Phe Pro Arg Ser Gly Arg Gly Thr Gly 55 85 90 95

	Arg	Gly	Gly	Gly	Gly	Gly	Gly	Gly	Gly	Gly	Ala	Pro	Arg	Gly	Arg	Tyr
5				100					105					110		
	Gly	Pro	Pro	Ser	Arg	Arg	Ser	Glu	Asn	Arg	Val	Val	Val	Ser	Gly	Leu
10			115					120					125			
	Pro	Pro	Ser	Gly	Ser	Trp	Gln	Asp	Leu	Lys	Asp	His	Met	Arg	Glų	Ala
15		130		•	•		135					140	•			
15	Gly	Asp	Val	Cys	Tyr	Ala	Asp	Val	Tyr	Arg	Asp	Gly	Thr	Gly	Va]	Val
·	145					150					155					160
20	Glu	Phe	Val	Arg	Lys	Glu	Asp	Me t	Thr	Tyr	Ala	Val	Arg	Lys	Leu	Asp
					165					170					175	
25	Asn	Thr	Lys	Phe	Arg	Ser	His	Glu	Gly	Glu	Thr	Ala	Туг	Ile	Arg	Va I
			-	180					r85		•			190		
	Lys	Val	Asp	Gly	Pro	Arg	Ser	Pro	Ser	Tyr	Gly	Arg	Ser	Arg	Ser	Arg
30			195				٠	200					205			
	Ser	Arg	Ser	Arg	Ser	Arg	Ser	Arg	Ser	Arg	Ser	Asn	Ser	Arg	Ser	Arg
35		210					215					220		•		
		Tyr	Ser	Pro	Arg		Ser	Arg	Gly	Ser		Arg	Tyr	Ser	Pro	Arg
40	225					230					235					240
40	His	Ser	Arg	Ser		Ser	Arg	Thr								
					245											
45	<210	> 63					<i>:</i>									
	<211	> 36	64									·				
50	<212	> DN	A													
	<213	> Ho	mo s	apie	ns											
	<220	>														
55	<221	> cd	S													

	<22	2> (	195)	(1	943)												
5	<40	0> 6	3								•						
	atg	gggc	ctg	aaac	tgtc	tg g	gtct	gagc	t ggi	ggag	cgga	agc	cact	tgt	cccte	ctccct	60
	ccc	cagg	ac t	tctg	t gac	tc c	tggg	ccaci	a gai	ggtc	caac	cag	ggta	agg	gccti	ggggat	120
10	acc	c,cc t	gcc	tggc	cccc	tt g	ccca	aacti	g gc	aggg	gggc	cag	gctg	ggc	agcai	scccct	180
	ctt	tcaç	ctc	aact	atg	gat	ctc	ċtg	ccc	ccc	aag	ccc	aag	tac	aat	cca	230
15					Met	Asp	Leu	Leu	Pro	Pro	Lys	Pro	Lys	Tyr	Asn	Pro	
		•			1				5					10			
20	ctc	cgg	aat	gag	tct	ctg	tca	tcg	ctg	gag	gaa	ggg	gct	tct	ggg	tcc	278
	Leu	Arg	Asn	Glu	Ser	Leu	Ser	Ser	Leu	Glu	Glu	Gly	Ala	Ser	Gly	Ser	
			15					20					25				
25	acc	ссс	ccg	gag	gag	ctg	cct	lcc	cca	tca	gc t	tca	tcc	ctg	ggg	ccc	326
	Thr	Pro	Pro	Glu	Glu	Leu	Pro	Ser _.	Pro	Ser	Ala	Ser	Ser	Leu	Gly	Pro	
30		30					35					40					
				cct													374
35		Leu	Pro	Pro	Leu		Gly	Asp	Asp	Ser		Thr	Thr	Leu	Cys ·		
	45					50					55					60	
40				cgg											•	٠.	422
<b>70</b>	Phe	Phe	Pro	Arg		Ser	Asn	Leu	Arg		Ala	ASN	Pro	Ala		Gly	
					65					70					75		450
45				tct													470
	Arg	Pro	GIA		Lys	GIA	614	Pro	61y 85	Arg	Ala	AIA	ASP		ч	Glu.	
50		-1-		80		~~~	- 1 -			• • •	~~~			90	.1.		E 1 0
				ggg Gly													518
55	UIY	116	ASP	GIA	VIG	nid	mct	100	UIU	261	UIY	110	105	110	reu	P¢a	

	cag	gac	atg	aac	aag	ctg	agt	gga	ggc	ggc	ggg	cgc	agg	act	cgg	gtg	566
5	Gln	Asp	Met	Asn	Lys	Leu	Ser	Gly	Gly	Gly	Gly	Arg	Arg	Thr	Arg	Val	
		110					115					120					
10	gaa	ggg	ggc	cag	ctt	ggg	ggc	gag	gag	tgg	acc	cgc	các	ggg	agc	ttt	614
	Glu	Gly	Gly	Gln	Leu	Gly	Gly	Glu	Glu	Trp	Thr	Arg	His	Gly	Ser	Phe	
	125					130					135					140	
15	glc	aat	aag	ccc	acg	cgg	ggc	tgg	ctg	cat	ccc	aac	gac	aaa	gtc	atg	662
	Val	Asn	Lys	Pro	Thr	Arg	Gly	Trp	Leu	His	Pro	Asn	Asp	Lys	Va!	Met	
20					145					150		•			155		
	gga	ccc	ggg	gti	tcc	tac	ttg	gtt	cgg	tac	atg	ggt	tgt	gtg	gag	gtc	710
	Gly	Pro	Gly	Val	Ser	Туг	Leu	Val	Arg	Tyr	Met	Gly	Cys	Val	Glu	Val	
25		•	_	160					165					170			
	ctc	cag	tca	atg	cgt	gcc	ctg	gac	ttc	aac	acc	cgg	act	cag	gtc	acc	758
30	Leu	Gln		Met	Arg	Ala	Leu		Phe	Asn	Thr	Arg		Gln	Val	Thr	
			175					180					185				
35	•			atc		•											806
•	Arg		Ala	Ile	Ser	Leu		Cys	GIU	Ala	Val		Gly	Ala	Lys	Gly	
•	<b>707</b>	190	0.77	000			195	101	450	0.70	007	200					0.04
40				agg												•	854 ·
	205	1111	VIR	Arg	WIR	210	110	Cys	261	лів	215	ren	261	361	116	220	
45	888	255	agi	aac	cte		111	gct	gga	alg		atc	act	ctc	arr		902-
	Gly						•										302
1	•••	٠٠,٠٠			225	2,4				230	•		•		235		
50	tcc	acc	agc	agc		аас	cic	atg	gcc		gac	tgc	aaa	cag	٠	atc	950
	Ser																
55				240	•				245		<b>-</b>	- • -		250			
				- · ·					•								

	gcc	aac	cac	cac	atg	caa	tct	alc	tca	ttt	gca	tcc	ggc	ggg	gat	ccg	998
5	Ala	Asn	His	His	Me t	Gln	Ser	He	Ser	Phe	Ala	Ser	Gly	Gly	Asp	Pro	•
			255					260					265				
10	gac	aca	gcc	gag	tat	gic	gcc	tat	gtt	gcc	aaa	gac	cct	gtg	aat	cag	1046
10	Asp	Thr	Ala	Glu	Tyr	Val	Ala	Tyr	Val	Ala	Lys	Asp	Pro	Val	Asn	Gin	
		270					275					280					
15	aga	gcc	tgc	cac	att	ctg	gag	tgt	ccc	gaa	ggg	ctt	gcc	cag	gat	gtc	1094
	Arg	Ala	Cys	His	lle	Leu	Glu	Cys	Pro	Glu	Gly	Leu	Ala	Gln	Asp	Va l	
20	285					290					295					300	
	atc	agc	acc	att	ggc	cag	gcc	ttc	gag	ttg	cgc	ttc	aaa	caa	t-ac	ctc	1142
25	Ile	Ser	Thr	Ile	Gly	Gln	Ala	Phe	Glu	Leu	Ārg	Phe	Lys	Gln	Туг	Leu	
20			-		305					310					3.15		
	agg	aac	cca	ccc	aaa	ctg	gtc	acc	cct	cat	gac	agg	atg	gct	ggc	ttt	1190
30	Arg	Asn	Pro	Pro	Lys	Leu	Val	Thr	Pro	His	Asp	Arg	Met	Ala	Gly	Phe	
				320					325					330		٠	
35	gat	ggc	tca	gca	tgg	gat	gag	gag	gag	gaa	gag	cca	cct	gac	cat	cag	1238
	Asp	Gly		Ala	Trp	Asp	Glu	Glu	Glu	Glu	Glu	Pro	Pro	Asp	His	Gln	
40			335					340					345				
		tat															1286
	Туг	Tyr	Asn	Asp	Phe	Pro		Lys	Glu	Pro	Pro		Gly	Gly	Val	Val	
45		350					355					360					
		alg											•				1334
50		Me t	Arg	Leu			Gly	Ala	Ala	Pro		Ala	Ala	Arg	Pro		
	365					370					375				•	380	
55		ccc														-	1382
	Ala	Pro	Asn	Ala	Gln	Thr	Pro	Ser	His	Leu	Gly	Ala	Thr	Leu	Pro	Va)	

	•	385	390	395
5	gga cag cct	gtt ggg gga gat co	ca gaa gtc cgc aaa cag	atg cca cct 1430
	Gly Gln Pro	Val Gly Gly Asp Pi	ro Glu Val Arg Lys Gln	Met Pro Pro
	•	400	405	410
10	cca cca ccc	tgt cca ggc aga ga	ag ctt ttt gat gat ccc	tcc tat gtc 1478
	Pro Pro Pro	Cys Pro Gly Arg Gl	lu Leu Phe Asp Asp Pro	Ser Tyr Val
15	415	42	20 425	
	aac gtc cag	aac cia gac aag go	cc cgg caa gca gtg ggt	ggt gct ggg 1526
20	Asn Val Gln	Asn Leu Asp Lys Al	la Arg Gln Ala Val Gly	Gly Ala Gly
	430	435	440	
	ccc ccc aat	cci gci aic aai gg	gc agt gca ccc cgg gac	ctg ttt gac 1574
25	Pro Pro Asn	Pro Ala Ile Asn Gl	ly Ser Ala Pro Arg Asp	Leu Phe Asp
	445	450	455	460
30	atg aag ccc	itc gaa gat gci ct	tt cgg gtg cct cca cct	ccc cag tcg 1622
	Met Lys Pro 1	Phe Glu Asp Ala Le	eu Arg Val Pro Pro Pro	Pro Gln Ser
		465	470	475
35	gig too atg	got gag cag ctc cg	ga ggg gag ccc tgg ttc	cat ggg aag 1670
			rg Gly Glu Pro Trp Phe	His Gly Lys
40		480	485	490
			ca ctg ctg cag ctc aal	
45			la Leu Leu Gln Leu Asn	Gly Asp Phe
45	495	. 50	•	1000
			ca cot ggo dag tat gtg	
50			nr Pro Gly Gln Tyr Val	Let int Gly
	510	515	520	
55			at its cta cts sts sac	
- <del>-</del>	Leu Gin Ser G	ily Gin Pro Lys Hi	is Leu Leu Leu Val Asp	Pro Glu Gly

530 535 540 525 gtg gtt cgg act aag gat cac cgc ttt gaa agt gtc agt cac ctl atc 1862 Val Val Arg Thr Lys Asp His Arg Phe Glu Ser Val Ser His Leu Ile 550 555 545 10 ago tac cac atg gac aat cac tig ccc atc atc tct gcg ggc agc gaa 1910 Ser Tyr His Met Asp Asp His Leu Pro Ile Ile Ser Ala Gly Ser Glu 15 570 565 560 ctg tgt cta cag caa cct gtg gag cgg aaa ctg tgaictgccc tagcgctctc 1963 Leu Cys Leu Gln Gln Pro Val Glu Arg Lys Leu 20 580 575 ticcagaaga igccciccaa icciitccac cciaticcci aacicicggg accicgiitg 2023 25 ggagtgttct gtgggcttgg ccttgtgtca gagctgggag tagcatggac tctgggtttc 2083 atatccaget gagtgagagg gtttgagtca aaagcctggg tgagaalcct gcctctcccc 2143 30 aaacaitaat caccaaagta ttaatgtaca gagtggcccc tcacctgggc cittcctgtg 2203 ccaaccigat gccccitccc caagaaggig agigciigic aiggaaaaig iccigiggig 2263 acaggeceag tggaacagte accettetgg geaaggggga acaaateaca cetetggget 2323 35 tragggtate cragacect ctraacace geceececa tettiaaact tteteettt 2383 gaccatetet taggictaat gatattitat geaaacagit etiggaeece igaatteite 2443 40 · aatgacaggg atgccaacac citcitggct ictgggacct gigitcitgc igagcaccci 2503 ctccggttig ggtigggala acagaggcag gagtggcagc igtcccctci ccciggggat 2563 atgcaaccet tagagattge cecagageee cacteeege caggegggag atggaceet 2623 45 ccciigcica gigcciccig gccggggccc cicaccccaa ggggicigia iaiacaiiic 2683 ataaggcctg ccctcccatg tigcatgcct atgtactctg cgccaaagtg cagcccttcc 2743 50 tectgaagee tetgeeetge etecettet gggaggeegg ggtgggggtg actgaatttg 2803 sgccicitgi acagitaaci cicccaggig gattligigg aggigagaaa aggggcattg 2863 55 agactataaa gcagtagaca atccccacat accatcigia gagiiggaac igcaticiti 2923

	taaagttita tatgcatata tittagggct gctagactta cittcclatt ticitticca 298	33
5	tigottatio tigagoacaa aatgataato aattattaca titatacato accittitga 304	13
	cttttccaag cccttttaca gctcttggcä ttttcctcgc ctaggcctgt gaggtaactg 310	)3
	ggategeace tittatacea gagacetgag geagatgaaa titatiteea tetaggaeta 316	3
10	gaaaaacttg ggtctcttac cgcgagactg agaggcagaa gtcagcccga atgcctgica 322	23
	gittcatgga ggggaaacgc aaaacctgca gitccigagt accitctaca ggcccggccc 328	33
15	agectaggee eggggtggee acaceaeage aageeggeee ecceteitit ggeetigtgg 334	13
	ataagggaga gitgaccgii iicaiccigg ccicciiiig cigiiiggai giiiccacgg 340	)3
20	gtotoactta taccaaaggg aaaactotto attaaagtoo gtattiotto taaaaaaaaa 346	3
20	aaaaaaaaa tacatttata catcaccttt tigacttitc caagcccttt tacagcictt 352	23
	ggcattttcc tcgcctaggc ctgtgaggta actgggatcg caccttttat accagagacc 358	33
25	tgaggcagat gaaatttatt tecatetagg actagaaaaa ettgggtete ttacegegag 364	13
	actgagaggc agaagtcagc c 366	34
30	<210> 64	
	<211> 583	
35	<212> PRT .	
33	<213> Homo sapiens	
	<400> 64	
40	Met Asp Leu Leu Pro Pro Lys Pro Lys Tyr Asn Pro Leu Arg Asn Glu	
	1 · 5 10 15	
45	Ser Leu Ser Ser Leu Glu Glu Gly Ala Ser Gly Ser Thr Pro Pro Glu	
	20 25 30	
	Glu Leu Pro Ser Pro Ser Ala Ser Ser Leu Gly Pro 11e Leu Pro Pro	
	35 40 45	
	Leu Pro Gly Asp Asp Ser Pro Thr Thr Leu Cys Ser Phe Phe Pro Arg	
55	50 55 60	

	Met	Ser	Asn	Leu	Arg	Leu	Ala	Asn	Pro	Ala	Gly	Gly	Arg	Pro	Gly	Ser
5	65					70		•			75					80
	Lys	Gly	Glu	Pro	Gly	Arg	Ala	Ala	Asp	Asp	Gly	Glu	Gly	lle	Asp	Gly
					85					90					95	
10	Ala	Ala	Ne t	Pro	Glu	Ser	Gly	Pro	Leu	Pro	Leu	Leu	Gln	Asp	Met	Asn
				100					105					110		
15	Lys	Leu	Ser	Gly	Gly	Gly	Gly	Arg	Arg	Thr	Arg	Val	Glu	Gly	Gly	Gln
			115					120					125			
20	Leu	Gly	Gly	Glu	Glu	Trp	Thr	Arg	His	Gly	Ser	Phe	Vaj	Asn	Lys	Pro
		130					135					140				
	Thr	Arg	Gly	Trp	Lev	His	Pro	Asn	Asp	Lys	Val	Me t	Gly	Pro	Gly	Va l
25 .	145		_		•	150					155					160
	Şer	Tyr	Leu	Val	Arg	Tyr	Met	Gly	Cys	Val	Glu	Val	Leu	Gln	Ser	Met
30					165					170					175	
	Arg	Ala	Leu	Asp	Phe	Asn	Thr	Arg	Thr	Gln	Val	Thr	Arg	Glu	Ala	He
				180					185					190		
35 _.	Ser	Leu	Val	Cys	Glu	Ala	Val	Pro	Gly	Ala	Lys	Gly	Ala	Thr	Arg	Arg
			195					200					205		•	
40	Arg	Lys	Pro	Cys	Sei	Arg		Leu	Ser	Ser	Ile		G] y	Arg	Ser	Asn
		210					215					220				
45		Lys	Phe	Ala	G1 y		Pro	He	Thr	Leu		Val	Ser	Thr	Ser	
,,,	225					230	•				235					240
	Leu	Asn	Leu	Met		Ala	Asp	Cys	Lys	•	He	Ile	Ala	Asn		His
50					245			_		250					255	
	Met	Gln			Ser	Phe	Ala	Ser		Gly	Asp	Pro	Asp		Ala	Glu
55				260					265					270		
	Tyr	Val	Ala	Tyr	Va I	Ala	Lys	Asp	Pro	Val	Asn	Gln	Arg	Ala	Cys	His

•			275		•			280					285			
5	He	Leu	Glu	Cys	Pro	Glu	Gly	Leu	Ala	Gln	Asp	Val	He	Ser	Thr	lle
		290					295					300	•			•
10	Gly	Gln	Ala	Phe	Glu	Leu	Arg	Phe	Lys	Gln	Tyr	Leu	Árg	Asn	Pro	Pro
	305					310					315					320
15	Lys	Leu	Val	Thr	Pro	His	Asp	Arg	Ne t	Ala	Gly	Phe	Asp	Gly	Ser	Ala
					325					330					335	
	Trp	Asp	Glu	Glu	Glu	G I u	Glu	Pro	Pro	Asp	His	Gln	Tyr	Туг	Asn	Asp
20				340		*			345					350		
	Phe	Pro	Gly	Lys	Glu	Pro	Pro	Leu	Gly	Gly	Val	Val	Asp	Met	Arg	Leu
25			355					360					365			
	Arg	Glu	Gly	Ala	Ala	Pro	Gly	Ala	Ala	Arg	Pro	Thr	Ala	Pro	Asn	Ala
		370					375					380				
30	Gln	Thr	Pro	Ser	His	Leu	Gly	Ala	Thr	Leu	Pro	Val	Gly	GIn	Pro	Val
	385					390					395					400
35	Gly	Gly	Asp	Pro		Val	Arg	Lys	Gln		Pro	Pro	Pro	Pro	Pro	Cy.s
					405					410					415	
40	Pro	Gly	Arg		Leu	Phe	Asp	Asp		Ser	Tyr	Val	Asn		Gln	Asn
			•	420		01	41.	<b>1</b> 7 - 1	425	01		01	<b>D</b>	430		
	Leu	ASP		Ala	Arg	GIN	AIZ		GIY	GIY	AIA	GIA		Pro	ASN	Pro
45	Ala	110	435	Clar	° 2	Ala	Drio	440	Acn	Lau	Dho	400	445 Vo.	1 20	D-0	Dha
		450	WZII	GLY	261	nia	455	VI R	nsy	ren	1115	460	mei	r à 2	rio	rne
50	Glu		A 1 a	Lau	A = 0	Val		Dro	Dra	Dro	Cln		Vo 1	505	Mot	Alo
	465	u o h	WIG	FER	VIR	470	110	110	110	110	475	761	Tal	JEI	wet	480
55	Glu	Gla	leu	Δισ	GIV		Pro	Trn	Phe	Hie		Lve	l en	Ser	Aro	
	UIU	2111	1. C II	wib	213	J 1 U			1 110		~ . ,	د ر ب			** 10	6

	485 490 495
5	Glu Ala Glu Ala Leu Leu Gln Leu Asn Gly Asp Phe Leu Val Arg Glu
	500 505 510
10	Ser Thr Thr Pro Gly Gln Tyr Val Leu Thr Gly Leu Gln Ser Gly
	515 520 525
15	Gln Pro Lys His Leu Leu Leu Val Asp Pro Glu Gly Val Val Arg Thr
,,	530 535 540
	Lys Asp His Arg Phe Glu Ser Val Ser His Leu Ile Ser Tyr His Met
20	545 550 555 560
	Asp Asn His Leu Pro Ile Ile Ser Ala Gly Ser Glu Leu Cys Leu Gln
25	565 570 575
	Gin Pro Val Glu Arg Lys Leu
	580
30	<210> 65
	<211> 2493
35	<212> DNA
	<213> Homo sapiens
40	⟨220⟩
	<221> CDS
	<b>&lt;222&gt; (41) (1237)</b>
45	<400> 65
	actgcgacic gagacagcgg cccggcagga cagctccaga atg aaa atg cgg ttc 55
50	Met Lys Met Arg Phe
	1 5
	ttg ggg ttg gtg gtc tgt ttg gtt ctc tgg ccc ctg cat tct gag ggg 103
55	Leu Gly Leu Val Val Cys Leu Val Leu Trp Pro Leu His Ser Glu Gly

					10	)				1	5				20	)	
5	tcl	gga	g gg	g aaa	cte	aca	gci	gtg	gat	cci	gaa	aca	aac	ate	aat	gtg	151
	Ser	GI	y Gla	y Lys	Leu	Thr	Ala	Val	Asp	Pro	Glu	Thr	Asn	Met	Ası	ï Val	
10	•		٠	25	;				30	1				35			
,	agt	gaa	ati	ato	- tct	tac	tgg	gga	ttc	cct	agt	gag	gaa	tac	cta	gtt	199
	Ser	Glu	He	lle	Ser	Tyr	Trp	Gly	Phe	Pro	Ser	Glu	G1 u	Tyr	Leu	Val	
15			40	)				45					50				
	gag	aca	gaa	gat	gga	tat	att	ctg	t gc	ctt	aac	cga	att	cct	cat	ggg	247
20	Glu	Thr	Glu	Asp	Gly	Tyr	He	Leu	Cys	Leu	Asn	Arg	Ile	Pro	His	Gly	
		55					60					65					
25		aag															295
		Lys	Asn -	His	Ser	•	÷	Gly	Pro	Lys		Val	Val	Phe	Leu	Gln	
	70					·75·					80		•			85	
30		ggc											•				343
	піз	Gly	ren	reu	90 90	ASP	261	Ser	ASN	95	vaı	inr	ASI	Leu		ASD	
35	agc	agc	cle	ggc		att	ctt	get	gat		oot	111	920	σtσ	100	atσ	391
		Ser										•					031
10				105					110		•••			115	,	1000	
,,	ggc	aac	agc	aga	gga	aat	acc	tgg	tct	cgg	aaa	cat	aag		ctc	tca	439
	Gly	Asn	Ser	Arg	Gly	Asn	Thr	Тгр	Ser	Arg	Lys	His	Lys	Thr	Leu	Ser	
15			120					125					130				
	gtt	tct	cag	gat	gaa	lic	l gg	gct	ttc	agi	tat	gat	gag	atg	gca	aaa	487
50	Va l	Ser	Gln	Asp	Glu	Phe	Trp	Ala	Phe	Ser	Tyr	Asp	G) u	Met	Ala	Lys	
		135					140					145					
se.	tat	gac	cta	cca	gct	tcc	alt	aac	ttc	att	ctg	aat	aaa	act	ggc	caa	535
55	Туг	Asp	Leu	Рго	Ala '	Ser	Ile	Asn	Phe	He	Leu	Asn	Lys	Thr	Glv	Gln	

_	150					155					160					165	
5	gaa	caa	gtg	tat	tat	gtg	ggt	cat	tct	caa	ggc	acc	act	ata	ggt	ttt	583
	Glu	Gln	Val	Tyr	Tyr	Val	Gly	His	Ser	Gln	Gly	Thr	Thr	He	Gly	Phe	
10					170				٠	175					180		
	ata	gca	ttt	tca	cag	atc	cct	gag	ctg	gct	aaa	agg	att	aaa	atg	ttt	631
15	11e	Ala	Phe	Ser	Gln	He	Pro	Glu	Leu	Ala	Lys	Arg	Ile	Lys	Met	Phe	
				185			٠.		190		•			195			
	ttt	gcc	ctg	ggt	cct	gtg	gct	tcc	gtc	gcc	t.t c	tgt	act	agc	cct	atg	679
20	Phe	Ala	Leu	Gly	Pro	Val	Ala	Ser	Val	Ala	Phe	Cys	Thr	Ser	Pro	Met	
			200			•		205		•			210				
25	gcc	aaa	tta	gga	cga	tta	cca	gat	cat	ctc	att	aag	gac	tta	ttt	gga	727
	Ala	Lys	Leu	Gly	Arg	Leu	Pro	Asp	His	Leu	He	Lys	Asp	Leu	Phe	Gly	
30		215					220					225					
						ccc											775
		Lys	Glu	Phe	Leu	Pro	Gln	Ser	Ala	Phe			Trp	Leu	Gly		
35	230					235					240.			,		245	
						gtc											823
40	nıs	721	Cys	1111	л I S 250	Val	116	Leu	LYS	255	ren	CA2	оту	ASII	260	CAR	
	111	cit	cto	tot		ttt	221	<b>02</b> 0	. 202		tta	aat	ato	tet		ota	871
45					•	Phe											011
		200	200	265	0.,				270					275			
٠	gat	gta	tat		aca	cat	tet	ccl		gga	act	tct	gtg		aac	atg.	919
50			•			His											
			280	-		-		285		•			290				
55	tta			agc	cag	gct	glţ		ttc	caa	aag	ttt		gcc	ttt	gac	967

	Leu	His	Trp	Ser	GIn	Ala	Val	Lys	Phe	Gln	Lys	Phe	Gln	Ala	Phe	Asp	
5	•	295					300					305					
	lgg	gga	agc	agt	gcc	aag	aat	tat	ttt	cat	tac	aac	cag	agt	tat	cct	1015
10	Trp	Gly	Ser	Ser	Ala	Lys	Asn	Tyr	Phe	His	Tyr	Asn	Gln	Ser	Tyr	Pro	
	310					315					320					325	
	ccc	aca	tac	aat	gtg	aag	gac	atg	ctt	gig	ccg	act	gca	gic	tgg	agc	1063
15	Pro	Thr	Tyr	Asn	Va I	Lys	Asp	Me t	Leu	Val	Pro	Thr	Ala	Va I	Trp	Ser	
					330					335					340		
20	ggg	ggt	cac	gac	tgg	ctt	gca	gat	gtc	tac	gac	gtc	aat	atc	t t a	ctg	1111.
	Gly	Gly	His	Asp	Trp	Leu	Ala	Asp	Val	Tyr	Asp	Va]	Asn	He	Leu	Leu.	
				345					350					355			
25	act	cag	atc	acc	aac	ttg	gig	ttc	cat	gag	agc	att	ccg	gaa	tgg	gag	1159
	Thr (	Gln	He	Thr	Asn	Leu	Val	Phe	His	Glu	Ser	He	Pro	Glu	Trp	Glu.	
30			360					365					370				
	cat o															•	1207
35	His I		ASP	Phe	11e	Trp		Leu	ASP	Ala	Pro		Arg	Leu	Tyr	Asn	
		375		<b>70</b> f			380		+ • •			385					1057
	aaa a										ıgaz	iagui	88 9	ic i i į	gage	R	1257
40	390	116	116		ren	395	VIE	LYS	1 7 1	0111							•
		caci	ca a	gtca	atga		teto	atgt	gaa	aate	rigi	t 1 g c	ltca		icigi	aaaac	1317
45															_	tigaa	
							•									itlagg	
50			•				•									atato	
	aclga	tgt	gt a	aaaa	gglc	a ti	atai	ccat	tet	gttt	tta	aaat	itaa	iaa l	atat	tgact	1557
																tcatt	
55	ggtaa	atci	tg (	cact	gacl	t aa	gcga	ggta	taa	aagt	acg	cagi	tttc	ate	lcct	tgcct	1677

5	taaagagctc	tctagtctaa	cggtcttgta	gttagagatc	taaatgacat	titatcaigi	1737
•	tttcctgcag	caggigcata	gicaaaicca	gaaalatcac	agctgtgcca	gtaataagga	1797
	tgctaacaat	taattttatc	aaacctaact	gtgacagctg	tgatttgaca	cgttttaatt	1857
10	gctcaggtta	aatgaaatag	ttttccggcg	tcttcaaaaa	caaattgcac	tgataaaaca	1917
	aaaacaaaag	tatgttttaa	atgctitgaa	gactgataca	ctcaaccatc	tatattcatg	1977
15	agcictcaat	ttcatggcag	gccatagttc	tacttatctg	agaagcaaat	ccctgtggag	2037
	actataccac	tattttttct	gagattaatg	tactcttgga	gcccgctact	gtcgttattg	2097
	atcacatctg	tgtgaagcca	aagccccgtg	gttgcccatg	agaagtgtcc	tigitcatit	2157
20	tcacccaaat	gaagtgtgaa	cgigatgiit	teggatgeaa	actcagctca	gggattcatt	2217
	itgigicita	gittatata	catccttatt	tttaatacac	ctgcttcacg	tccctatgtt	2277
25	gggaagtcca	tatttgtctg	cttttcttgc	agcatcattt	ccttacaata	ctgtccggtg	2337
	gacaaaatga	caattgatat	gtttttctga	tataattact	ttagctgcac	taacagtaca	2397
	atgcttgtta	atggitaata	t aggcagggc	gaatactact	ttgtaaciit	taaagtetta	2457
30	aacttttcaa	taaaattgag	tgagacttat	aggccc			2493
	<210> 66						
35	<211> 399						
	<212> PRT						
40	<213> Homo :	sapiens					
	<400> 66						
	Met Lys Met	Arg Phe Le	u Gly Leu V	al Vai Cys	Leu Val Leu	Trp Pro	
<b>45</b>	i	5		10		15	
	Leu His Ser	Glu Gly Se	r Gly Gly L	ys Leu Thr	Ala Val Asp	Pro Glu	
50		20		25	30		
	Thr Asn Met	Asn Val Se	r Glu Ile I	le Ser Tyr	Trp Gly Phe	Pro Ser	
ee	35		40		45		
55	Glo Glo Tyr	Leu Val Gi	n Thr Glu A	SD GIV TVF	He Len Cvs	Leu Asn	

		50					55					60				
5	Arg	lle	Pro	Hi s	Gly	Arg	Lys	Asn	His	Ser	Asp	Lys	Gly	Pro-	Lys	Pro
	65					70					75					80
10	Val	Va l	Phe	Leu	Gln	His	Gly	Leu	Leu	Ala	Asp	Ser	Ser	Asn	Trp	Val
					85		ė			90					95	
15	Thr	Asn	Leu	Ala	Asn	Ser	Ser	Leu	Gly	Phe	He	Leu,	Ala	Asp	Ala	Gly
				100					105					110		
	Phe	Asp	Val	Trp	Met	Gly	Asn	Ser	Arg	Gly	Asn	Thr	Trp	Ser	Arg	Lys
20			115					120					125			
•	His	Lys	Thr	Leu	Ser	Val	Ser	Gln	Asp	Glu	Phe	Trp	Ala	Phe	Ser	Tyr
25		130					135					140				
	Asp	Glu	Me t	Ala	Lys	Tyr	Asp	Leu	Pro	Ala	Ser	Ile	Asn	Phe	Ile	Leu
	145					150					155					160
30	Asn	Lys	Thr	Gly	Gln	Glu	Gln	Val	Tyr	Tyr	Val	Gly	His	Ser	Gln	Gly
					165				٠	170					175	
35	Thr	Thr	He	Gly	Phe	Ile	A l a	Phe	Ser	Gln	He	Pro	Glu	Leu	Ala	Lys
				180					185					190		
	Arg	lle	Lys	Me t	Phe	Phe	Ala	Leu	Gly	Pro	Val	Ala	Ser	Val	Ala	Phe
40			195			٠		200					205			
	Cys	Thr	Ser	Pro	Met	Ala	Lys	Leu	Gly	Arg	Leu	Pro	Asp	His	Leu	lle
45		210					215					220				
	Lys	Asp	Leu	Phe	Gly	Asp	Lys	Glu	Phe	Leu	Pro	Gln	Ser	Ala	Phe	Leu
	225					230					235					240
50	Lys	Trp	Leu	Ġly	Thr	His	Val	Cys	Thr	His	Yal	He	Leu	Lys	Glu	Leu
					245				•	250					255	
55	Cys	Gly	Asn	Leu	Cys	Phe	Leu	Leu	Cys	Gly	Phe	Asn	Glu	Arg	Asn	Leu

		260	265	270	
5 .	Asn Met Ser	Arg Val Asp	Val Tyr Thr Thr	His Ser Pro Ala Gly Th	r
	275		280	285	
10	Ser Val Gln	Asn Met Leu	His Trp Ser Gln	Ala Val Lys Phe Gln Lys	S
	290		295	300	
	Phe Gln Ala	Phe Asp Trp	Gly Ser Ser Ala	Lys Asn Tyr Phe His Tyr	ſ
15	305	310		315 320	)
	Asn Gln Ser	Tyr Pro Pro	Thr Tyr Asn Val	Lys Asp Met Leu Val Pro	
20		325	330	335	
	Thr Ala Val	Trp Ser Gly	Gly His Asp Trp	Leu Ala Asp Val Tyr Asp	)
25		340	345	350	
23		Leu Leu Thr	Gln lle Thr Asn	Leu Val Phe His Glu Ser	-
	355		. 360	365	
30				Trp Gly Leu Asp Ala Pro	)
	370		375	380	
35	•			Met Arg Lys Tyr Gin	
	385	390		395	
	<210> 67				
40	<211> 1633				
	<212> DNA				
45	<213> Homo s	apiens			
	<220>		•		
50	<221> CDS	•	•		
	<222> (323).	. (1177)			
	<400> 67				
55	aacttaatgt t	iligcalig ga	ciilgagi taagati	ail titlaaatcc igaggact	ag 60

	cai	leal	lga	cago	tgac	cc a	ggtg	clac	a ca	gaag	lgga	HC	agtg	aat	ctag	gaagac	120
5	ago	e a g c a	gac	agga	ttcc	ag g	aacc	agtg	t tt	gatg	aagc	tag	gact	gag	gagc	aagcga	180
	gca	agca	gca	gttc	gtgg	aa t	cctg	tctg	c ig	cigi	cttc	ctg	gttt	agg	agcc	gacggg	. 240
10	cgo	tege	agg	ctca	gcgc	gc g	ctgç	ccgc	g gc	agga	cccg	gcc	gcct	ccg	ccgc	cgccgc	300
,,,	cgc	ccct	aag	cctc	ccga	ag c	c at	g gc	c gg	g ct	c gg	c ca	с <b>с</b> с	c gc	c gc	c ttc	352
		•					Ме	t Al	a Gl	y Le	u G)	y Hi	s Pr	o Al	a Al	a Phe	
15								1				5				10	
	ggc	cgg	gcc	acc	cac	gcc	gtg	gtg	cgg	gcg	cta	ccc	gag	tcg	ctc	ggc	400
20	Giy	Arg	Ala	Thr	His	Ala	Val	Val	Arg	Ala	Leu	Pro	Glu	Ser	Leu	Gly	
					15					20					25		
	cag	cac	gcg	ctg	aga	agc	gcc	aag	ggc	gag	gag	gtg	gac	gtc	gcc	cgc	448
25	Gln	His	Ala	Leu	Arg	Ser	Ala	Lys	Gly	Glu	Glu	Val	Asp	Val	Ala	Arg	
			-	30				•	35					40			
30	gcg	gaa	cgg	cag	cac	cag	ctc	tac	glg	ggc	gtg	cig	ggc	agc	aag	cig	496
	Ala	Glu	Arg	Gin	His	Gln	Leu	Туг	Val	Gly	Yal	Leu	Gly	Ser	Lys	Leu	
25			45					50					55				
<b>35</b>				gtg					•								544
	Gly		Gln	Val	Val	Glu		Pro	Ala	Asp	Glu		Leu	Pro	Asp	Cys	
40		60					65					70	•				•
				gag													592
45		Phe	Va!	Glu	Asp		Ala	Val	Val	Cys		Glu	Thr	Ala	Leu		
	·75					80					85					90	
				ggg													640
50	Thr	Arg	Pro	Gly		Pro	Ser	Arg	Arg		GJu	Val	Asp	Met		Lys	
					95					100					105		
55				gaa													688
	Glu	Ala	Leu	Glu	Lys	Leu	Gln	Leu	Asn	He	Val	Glu	Met	Lys	Asp	Glu	

5				110					115					120			
	aat	gca	ac t	tta	gat	ggc	gga	gat	gtt	tta	ttc	aca	ggc	aga	gaa	ttt	736
	Asn	Ala	Thr	Leu	Asp	Gly	Gly	Asp	Val	Leu	Phe	Thr	Gly	Arg	Glu	Phe	
10			125			•		130					135				
•	ttt	gtg	ggc	ctt	tcc	aaa	agg	aca	aat	caa	cga	ggt	gct	gaa	atc	ttg	784
15	Phe	Val	Gly	Leu	Ser	Lys	Arg	Thr	Asn	Gln	Arg	Gly	Ala	Glu	lle	Leu	
		140					145					150					
	gci	gat	act	ttt	aag	gac	tat	gca	gtc	tcc	aca	gtg	cca	gtg	gca	gat	832
20	Ala	Asp	Thr	Phe	Lys	Asp	Tyr	Ala	Val	Ser	Thr	Val	Pro	Val	Ala	Asp	
	155					160					185					170	
25	ggg	ttg	cat	ttg	aag	agt	ttc	tgc	agc	atg	gct	ggg	cct	aac	ctg	atc	880
	Gly	Leu	His	Leu	Lys	Ser	Phe	Cys	Ser	Met	Ala	Gly	Pro	Asn	Leu	He	
30					175					180					185		
30	gca	att	ggg	tct	agt	gaa	tct	gca	cag	aag	gcc	ctt	aag	atc	atg	caa	928
	Ala	He	Gly	Ser	Ser	Glu	Ser	Ala	Gln	Lys	Ala	Leu	Lys	He	Met	Gln	
35				190					195					200	•		
	cag	atg	agt	gac	cac	cgc	tac	gac	aaa	ctc	act	gtg	cct	gat	gac	ata	976
40	Gln	Me t	Ser	Asp	His	Arg	Tyr	Asp	Lys	Leu	Thr	Val	Pro	Asp	Asp	lle	
			205					210					215				
	gca	gca	aac	tgt	ata	tat	cta	aat	atc	ccc	aac	aaa	ggg	cac	gtc	llg	1024
45	Ala	Ala	Asn	Cys	He	Туг	Leu	Asn	He	Pro	Asn	Lys	Gly	His	Val	Leu	
		220					225					230				•	
50	ctg	cac	cga	acc.	ccg	gaa	gag	tat	cca	gaa	agt	gca	aag	gtt	tat	gag	1072
	Leu	His	Arg	Thr	Pro	Glu	Glu	Tyr	Pro	Glu	Ser	Ala	Lys	Val	Tyr	Glu	
	235					240					245					250	
55	aaa	ctg	aag	gac	cal	alg	ctg	alc	ccc	gtg	agc	alg	tci	gaa	ctg	gaa	1120

	Lys Leu Lys Asp His Met Leu Ile Pro Val Ser Met Ser Glu Leu Glu	
<b>5</b> .	255 260 265	
	aag gig gat ggg cig cic acc igc igc ica gil ita att aac aag aaa 116	8
	Lys Val Asp Gly Leu Leu Thr Cys Cys Ser Val Leu Ile Asn Lys Lys	
10	270 275 280	
	gta gac tcc tgagctgcag agtcccccc ggtagccggc aagaccgcac 121	7
15	Val Asp Ser	
	285	
20	aggeaaggee gatgactetg tgeeceactee tgttgtttte ettgacaate tactgtgeea 127	7
	ctgtgctact aactettgtt tacaaaattt gattctaagt tgaattgctt cattcaacac 133	7
	ccccaccete cetecereg aggiggiace taageigigg attigetaaa igaaltaage 139	7
25	aacctagaag atacagagci aatgaattal caaaatgtga ttaatcccag taaggaaaca 145	7
	ctcatttagt glctgtattt liggtginaa aatlatttag tigccagtat atictgaaga 151	7
30	atgicticii gaicagicag ataagciigo tittittit tittiticat gaatcatgii 157	7
	iggitectgi gaaagieeet ggieeaggga teeteetet itetetitia eitetg 163	3
35	<210> 68	
55	<211> 285	
	<212> PRT	
.40	<213> Homo sapiens	•
	<400> 68	
45	Met Ala Gly Leu Gly His Pro Ala Ala Phe Gly Arg Ala Thr His Ala	
	1 5 . 10 . 15	
	Val Val Arg Ala Leu Pro Glu Ser Leu Gly Gln His Ala Leu Arg Ser	
50	20 25 30	
	Ala Lys Gly Glu Glu Val Asp Val Ala Arg Ala Glu Arg Gln His Gln	
55	35 40 45	•

	Leu	Tyr	Vai	Gly	Val	Leu	Gly	Ser	Lys	Leu	Gly	Leu	Gln	Val	Val	Glu
5		50					55					60				
	Leu	Pro	Aľa	Asp	Glu	Ser	Leu	Pro	Asp	Cys	Va l	Phe	Val	G] u	Asp	Val
10	65					70					75					80
•	Ala	Va l	Vai	Cys	Glu	Glu	Thr	Ala	Leu	ΙΙĖ	Thr	Arg	Pro	Gly	Ala	Pro
					85					90					95	
15	Ser	Arg	Arg	Lys	Glu	Va I	Asp	Me t	Me t	Lys	Glu	Ala	Leu	Glu	Lys	Leu
				100					105					110		
?0	Gln	Leu	Asn	He	Val	Glu	Met	Lys	Asp	Glu	Asn	Ala	Thr	Leu	Asp	Gly
			115					120					125			
	Gly	Asp	Val	Leu	Phe	Thr	Gly	Arg	Glu	Phe	Phe	Val	Gly	Leu	Ser	Lys
25		130					135					140				
	Arg	Thr	Asn	Gln	Arg	Gly	Ala	Glu	He	Leu	Ala	Asp	Thr	Phe	Lys	Asp
30	145					150					155					160
	Туг	Ala	Val	Ser	Thr	Val	Ъ10	Val	Ala	Asp	Gly	Leu	His	Leu	Lys	Ser
35					165					170					175	
33	Phe	Cys	Ser	Met	Ala	Gly	Pro	Asn		He	Ala	He	Gly		Ser	Glu
				180			_		185					190		
40	Ser	Ala		Lys	Ala	Leu	Lys		Met	Gln	GIn	Met		ASP	His	Arg
	_		195					200	4	71.	41-	41.	205	r	11.	T-1 -
45	Tyr		Lys	Leu	lhr	Yal		ASP	ASP	116	Ala	220		LYS	116	191
	•	210	11.	n- •		1	215	u; .	Vol	Lan	Lan			The	Dea	C1n
		ASII	116	Pro	ASD	230	GIY	п13	101	ren	235	1113	VIE	1111	110	240
50	225	Т	D	C1	°		lve	Val	Tve	Clu		3 eu	Ive	Aen	шіс	
	GIU	171	rro	Glu		BIN	rys	781	1 <b>y 1</b>	250	Lys	red	r)3	voh		nic t
55				v. 1	245	10-4	C	C1	1		Ĭ •••	Val	4	C1	255	1
	Leu	He	PIO	vai	26L	net	26l	GIÜ	ren	UIU	LYS	181	nsp	υly	Leu	Leu

265 270 260 Thr Cys Cys Ser Val Leu Ile Asn Lys Lys Val Asp Ser 280 285 275 10 <210> 69 <211> 1779 <212> DNA 15 <213 Homo sapiens <220> 20 <221> CDS (222) (147).. (1421) <400> 69 aagcgcctgt ctgaacctct gccagtcctg gagactggtg ccctgagctc caaccagcgg 60 gcctcatcta caccctcacc accgcaactt ctcacccgag caagaagcag ctcccagaga 120 30 gaaagaacgt toccacctgo ctagoo atg gga gag gac got goa cag goo gaa 173 Met Gly Glu Asp Ala Ala Gln Ala Glu 35 1 5 aag tic cag cac cot ggg tot gac aig cgg cag gaa aag coo icg agc 221 Lys Phe Gln His Pro Gly Ser Asp Met Arg Gln Glu Lys Pro Ser Ser 40 10 15 20 25 ccc age eeg atg eet tee tee aca eea age eec age elg aac eta ggg 269 45 Pro Ser Pro Met Pro Ser Ser Thr Pro Ser Pro Ser Leu Asn Leu Gly 30 35 40 aac aca gag gag gcc atc cgg gac aac tca cag gtg aac gca gtc acg 50 Asn Thr Glu Glu Ala Ile Arg Asp Asn Ser Gln Val Asn Ala Val Thr 50 45 55 gtg cic acg cic cig gac aag cig gig aac aig cia gac gci gig cag

5	Val	Leu	Thr	Leu	Leu	Asp	Lys	Leu	Val	Asn	Me t	Leu	Asp	Ala	Val	Gln	
			60					65					70				
	gag	aac	cag	cac	aag	alg	gag	cag	cga	cag	atc	agt	ttg	gag	ggc	tcc	413
10	Glu	Asn	Gln	His	Lys	Met	Glu	Gln	Arg	Gln	He	Ser	Leu	Glu	Gly	Ser	
		75					80					85					
15	gtg	aag	ggc	atc	cag	aat	gac	ctc	acc	aag	clc	tcc	aag	tac	cag	gcc	461
	Val	Lys	Gly	He	Gln	Asn	Asp	Leu	Thr	Lys	Leu	Ser	Lys	Tyr	.G]n	Ala	
20	90					95					100					105	
:0	tcc	acc	agc	aac	acg	gig	agc	aag	ctg	ctg	gag	aag	tcc	cgc	aag	gtċ	509
	Ser	Thr	Ser	Asn	Thr	Val	Ser	Lys	Leu	Leu	Glu	Lys	Ser	Arg	Lys	Val	
?5					110					115					120		
	agc	gcc	-cac	acg	cgc	gcg	gtc	aaa	gag	cgc	atg	gat	agg	cag	t gc	gca	557
30	Ser	Ala	His	Thr	Arg	Ala	Val	Lys	Glu	Arg	Met	Asp	Arg	Gln	Cys	Ala	
				125	•				130					135			
	cag	ġţg	aag	cgg	ctg	gag	aac	aac	cac	gcc	cag	ctc	ctc	cga	cgc	aac	605
35	GIn	Val		Arg	Leu	Glu	Asn		His	Ala	Gln	Leu		Arg	Arg	Asn	
			140					145					150				
10		ttc															653
	His	Phe	Lys	Val	Leu	He		Gln	Glu	Glu	ASD		He	Pro	Ala	Ser	
		155					160	4			_4_	165	.0.0.				
15		ttt															701
		Phe	Yaı	LYS	GIN		vai	.261	ыу	Ala		614	GIY	LYS	611		
50	170		. 4			175	4	-4-			180	_ 4 _				185	240
		ccg															749
55	ren	Pro	ASP	6111		LYS	ser	reu	UIU		int	ren	пі2	101		ASP	
<del></del>					190					195					200		

	ctc	tcc	tca	gat	gat	gal	ttg	ccc	cac	gat	gag	gag	gcc	ctg	gaa	gac .	797
5	Leu	Ser	Ser	Asp	Asp	Asp	Leu	Pro	His	Asp	Glu	Glu	Ala	Leu	Glu	Asp	
				205			•		210					215			
	agt	gcc	gag	gaa	aag	gtg	gaa	gaa	agt	agg	gca	gag	aaa	ata	aaa	aga	845
10	Ser	Ala	Glu	Glu	Lys	Val	Glu	Glu	Ser	Arg	Ala	Glu	Lys	He	Lys	Arg	
			220					225					230				
15	tcc	agc	ctg	aag	aaa	gtg	gat	agc	ctc	aag	aaa	gca	ttt	tct	cgc	cag	893
	Ser	Ser	Leu	Lys	Lys	Val	Asp	Ser	Leu	Lys	Lys	Ala	Phe	Ser	Arg	Gln	
20		235					240					245					
	aac	atc	gag	aaa	aag	atg	aac	aag	ctg	ggg	aca	aag	atc	gta	tct	gta	941
	Asn	He	Glu	Lys	Lys	Met	Asn	Lys	Leu	Gly		Lys	He	Val	Ser		
25	250		J			255					260					265	
			aga	•													989
30	Glu	Arg	Arg	Glu		He	Lys	Lys	Ser		Thr	Ser	Asn	His		Lys	
					270				44-	275					280	***	1027
35			tca Ser														1037
33	116	ser	ser	285	Lys	261	261	riu	290	Lys	401	261	110	295		I ne	
	σσσ	roo	aag		øtc	rga	<b>23</b> 5	gga		agc	cat	gca	<b>288</b>		gag	acc	1085
40			Lys														
	•••	0	300	-, -				305					310				
45	aag	tca	gaa	gac	ctg	cci	agc	agt	gag	cag	atg	cca	aat	gac	cag	gaa	1133
			Glu				•								•		
50	•	315				•	320					325					
50	gag	gag	tcc	ttt	gca	gag	ggt	cat	tcċ	gaa	gcg	lcc	ctc	gcc	agc	gct	1181
	Glu	Glu	Ser	Phe	Ala	Glu	Gly	His	Ser	Glu	Ala	Ser	Leu	Ala	Ser	Ala	
55	330					335					340					345	

	ctg	gtg	gaa	ggg	gaa	att	gca	gag	gag	gct	gct	gag	aag	gcg	acc	tcc	1229
5	Leu	Val	Glu	Gly	Glu	Ile	Ala	Glu	Glu	Ala	Ala	Glu	Lys	Ala	Thr	Ser	
					350					355					360		
10	agg	ggg	agt	aac	tcg	ggg	atg	gac	agc	aac	atc	gac	ttg	act	att	gtg	1277
,,,	Arg	Gly	Ser	Asn	Ser	Gly	Met	Asp	Ser	Asn	Ile	Asp	Leu	Thr	He	Val	
				365					370		•			375			
15	gaa	gat	gaa	gag	gag	gag	tca	gtg	gcc	ctg	gaa	cag	gca	cag	aag	gta	1325
	Glu	Asp	Glu	Glu	Glu	Glu	Ser	Val	Ala	Leu	Glu	Gln	Ala	Gln	Lys	Val	
20			380					385					390				
	cgc	tat	gag	ggt	agc	tac	gcg	cta	aca	tcc	gag	gag	gcg	gag	cgc	tcc	1373
25	Arg	Tyr	Glu	Gly	Ser	Tyr	Ala	Lev	Tbr	Ser	Glu	Glu	Ala .	Glu	Arg	Ser	
25		395	~				400					405					
	gat	ggg	gac	CCC.	glg	cag	ccc	gcc	gtg	ctc	cag	gtg	cac	cag	acc	tcc	1421
30	Asp	Gly	Asp	Pro	Val	Gln	Pro	Ala	Va]	Leu	Gln	Val	His	Gln	Thr	Ser.	
	410					415					420					425	
35	tgag	ctta	ga g	ccac	cgtg	C Ca	tccl	gtgo	tgt:	gcto	aag	cggg	cago	ca (	gggct	gaaga	1481
															•	cagta	
																cgacc	
40																caaga	
																laaaac	
45	agag	gata	at t	aaga	tact	a gt	cate	aaaa	gig	atto	att	cttt	tttg	tc a	ittee	atc .	1779
	<210	> 70			•		•					•					
50	<211	> 42	5							•							
	<212	> PR	T														
	<213	> Ho	mo s	ápie	ns												
55	<400	> 70															•

·	Met	Gly	Glu	Asp	Ala	Ala	Gln	Ala	Glu	Lys	Phe	Gln	His	Pro	Gly	Ser	
5	1				5					10					15		
	Asp	Me t	Arg	Gln	Glu	Lys	Pro	Ser	Ser	Pro	Ser	Pro	Met	Pro	Ser	Ser	
10				20					25					30			
	Thr	Pro	Ser	Pro	Ser	Leu	Asn	Leu	Gly	Asn	Thr	Glu	Glu	Ala	Ile	Arg	
			35					40					45				
15	Asp	Asn	Ser	Gln	Val	Asn	Ala	Val	Thr	Val	Leu	Thr	Leu	Leu	Asp	Lys	
		50					55					60					
20	Leu	۷a J	Asn	Met	Leu	Asp	Ala	Val	Gln	Glu	Asn	Gln	His	Lys	Met	Glu	
	65					70					75					80	
25	Gln	Arg	Gln	Ile	Ser	Leu	Glu	Gly	Ser	Val	Lys	Gly	Ile	Gin	Asn	Asp	
			-		85					90					95	•	
	Leu	Thr	Lys	Leu	Ser	Lys	Tyr	Gln	Ala	Ser	Thr	Ser	Asn	Thr	Val	Ser	
30				100					105					110			
	Lys	Leu	Leu	Glu	Lys	Ser	Arg	Lys	Val	Ser	Ala	His	Thr	Arg	Ala	Val	
35	•		115					120					125				
	Lys	GĮu	Arg	Me t	Asp	Arg	Gln	Cys	Ala	Gln	Val	Lys	Arg	Leu	Glu	Asn	
		130					135					140					
40	Asn	His	Ala	Gln	Leu	Leu	Arg	Arg	Asn	His	Phe	Lys	Val	Leu	He	Phe	
	145					150					155					160	
45	Gln	Glu	Glu	Asn	Glu	lle	Pro	Ala	Ser	Val	Phe	Val	Lys	Gln	Pro	Val	
					165		•			170					175		
	Ser	G] y	Ala	Va l	Glu	Gly	Lys	Glu	Glu	Leu	Pro	Asp	Glu	Asn	Lys	Ser	
50				180			•		185					190			
	Leu	Glu	Glu	Thr	Leu	His	Thr	Val	Asp	Leu	Ser	Ser	Asp	Asp	Asp	Leu	
55			195					200					205				

	Pro	His	Asp	Glu	GIu	Ala	Leu	Glu	Asp	Ser	Ala	Glu	Glu	Lys	Val	Ģlu
5		210	l				215					220				
•	Glu	Ser	Arg	Ala	Glu	Lys	He	Lys	Arg	Ser	Ser	Leu	Lys	Lys	٧al	Asp
	225					230					235					240
10	Ser	Leu	Lys	Lys	Ala	Phe	Ser	Arg	Gln	Asn	lle	Glu	Lys	Lys	Met	Asn
					245					250					255	
15	Lys	Leu	Gly	Thr	Lys	Ile	Val	Ser	Val	Gi u	Arg	Arg	Glu	Lys	Ϊle	Lys
				260		•	•		265					270		
00	Lys	Ser	Leu	Thr	Ser	Asn	His	Gin	Lys	He	Ser	Ser	Gly	Lys	Ser	Ser
20			275					280					285			
	Pro	Phe	Lys	Va 1	Ser	Pro	Leu	Thr	Phe	Gly	Arg	Lys	Lys	Val	Arg	Glu
25		290	_				295					300				
	Gly	Glu	Ser	His	Ala	Glu	Asn	Glu	Thr	Lys	Ser	Glu	Asp	Leu	Pro	Ser
30	305					310					315					320
	Ser	Glu	Gln	Met	Pro	Asn	Asp	Gln	Glu	GJu	Glu	Ser	Phe	Ala	G1 v	Gly
					325					330					335	
35	His	Ser	Glu	Ala	Ser	Leu	Ala	Ser	Ala	Leu	Val	Glu	Gly	Glu	lle	Ala
				340					345					350		
40	Glu	Glu		Ala	Glu	Lys	Ala		Ser	Arg	Gly	Ser		Ser	Gly	Met
			355					360					365		•	
45	Asp		Asn	Ile	Asp	Leu	,	He	Val	Glu	Asp		Glu	Glu	Glu	Ser
••		370					375	_				380				
		Ala	Leu	Glu	Gln	•	Gln	Lys	Val	Arg	•	Glu	G]y	Ser	Tyr	
50	385					390					395		_			400
	Leu	Thr	Ser	Glu		Ala	Glu	Arg	Ser		Gly	Asp	Pro			Pro
55		·	٠		405					410					415	
	Ala	Va l	Leu	Gln	Val	His	Gln	Thr	Ser							

425 420 5 (210) 71 <211> 2638 10 <212> DNA <213> Homo sapiens <220> <221> CDS <222> (288).. (1844) 20 <400> 71 gaggaaaggg gaaatgcggc ccgctccca ctcagtgcca ctctgtgcca ctccgtgcca 60 25 ggcccigagg gcacccggtt gctgcttcct tccgtctttc cccaaggact atcagagatg 120 ccagcgtgac ccctgacacg tgtgtgcagc agcctgcagc tgccccaagc catggctgaa 180 cactgactee cagetgtggg citeaceatt acagactee cagggettea aagactiete 240 30 agcticgage alggetitig getgicaggg cagcigiaca alagigg atg itt gag Met Phe Glu 35 1 acg gag gca gat gag aag agg gag atg gcc ttg gag gaa ggg aag ggg 344 Thr Glu Ala Asp Glu Lys Arg Glu Met Ala Leu Glu Glu Gly Lys Gly 40 5 10 15. cct ggt gcc gag gat tcc cca ccc agc aag gag ccc tct cct ggc cag 392 45 Pro Gly Ala Glu Asp Ser Pro Pro Ser Lys Glu Pro Ser Pro Gly Gln 25 20 30 35 gag cit cot coa gga caa gac cii coa coc aac aag gac ico cot tot 50 Glu Leu Pro Pro Gly Gln Asp Leu Pro Pro Asn Lys Asp Ser Pro Ser

40

55

ggg cag gaa ccc gct ccc agc caa gaa cca ctg tcc agc aaa gac tca

45

	Gly	Gln	Glu	Pro	Ala	Pro	Ser	Gln	Glu	Pro	Leu	Ser	Ser	Lys	Asp	Ser	
5				55					60					65			
	gc t	acc	tct	gaa	gga	tcc	cct	cca	ggc	cca	gat	gct	ccg	ccc	ägc	aag	536
10	Ala	Thr	Ser	Glu	Gly	Ser	Pro	Pro	Gly	Pro	Asp	Ala	Pro	Pro	Ser	Lys	•
			70					75					80				
15	gat	gtg	cca	cca	t gc	cag	gaa	ccc	cct	cca	gcc	caa	gac	ctc	tca	ccc	584
,,	Asp	Va I	Pro	Pro	Cys	Gln	Glu _.	Pro	Pro	Pro	Ala	Gln	Asp	Leu	Ser	Pro	
		85					90					95					
20	tgc	cag	gac	cta	cct	gct	ggt	caa	ġaa	ccc	ctg	cct	cac	cag	gac	cct	632
	Cys	Gln	Asp	Leu	Рго	Ala	Gly	Gln	Glu	Pro	Leu	Pro	His	Gln	Asp	Pro .	
25	100					105					110					115	
	cta	ctc	-acc	aaa	gac	ctc	cct	gcc	atc	cag	gaa	tcc	ccc	acc	cgg	gac	680
00	Leu	Leu	Thr	Lys		Leu	Pro	Ala	He		G) u	Ser	Pro	Thr		Asp	
30					120					125					130		<b>500</b>
			CCC														728
35	Leu	rro	Pro		GIN	ASP	ren	Pro	140	261	6111	val	ser	145	Pro	Ala	
	. 220	acc.	clt	135	o o o	gar	300	ato		tcc	00 <b>0</b>	gar	nta		ac s	get	776
40			Leu														
	2,0		150	••••		,	••••	155					160				
45	act		gac	cca	cct	gcg	gcc		agg	cca	.gcc	itc		atc	ccl	gag	824
43			Asp									•					
		165					170					175					
50	glc	cgg	ctg	gat	agc	acc	tac	agc	cag	aag	gca	ggg	gca	gag	cag	ggc	872
	Val	Arg	Leu	Asp	Ser	Thr	Tyr	Ser	Gln	Lys	Ala	Gly	Ala	Glu	Gln	Gly	
55	180					185			•		190					195	

	t g	c tcs	g gga	a ga	gag	gag	gai	gca	gaa	gag	gco	gag	gag	gtg	gag	gag	920
_	Су	s Sei	Gly	/ Asp	Glu	Glu	ı Aşp	Ala	Glu	Glu	·Ala	Glu	Glu	Va]	Glu	Glu	
5					200					205					210		
	88	g gag	gaa	ggg	gag	gag	gac	gag	gat	gag	gac	acc	agc	gat	gac	aac	968
10	Gl	y Glu	Glu	Gly	Glu	Glu	Asp	Glu	Asp	Glu	Asp	Thr	Ser	Asp	Asp	Asn	
				215					220					225			
15	tac	gga	gag	cgc	agt	gag	gcc	aag	cgc	agc	agc	atg	atc	gag	acg	ggc	1016
	Ty	Gly	Glu	Arg	Ser	G] u	Ala	Lys	Arg	Ser	Ser	Met	lle	Glu	Thr	Gly	
			230					235					240				
20	cag	ggg	gct	gag	ggt	ggc	ctc	tca	clg	cgt	gtg	cag	aac	tcg	ctg	cgg	1064
	Gln	Gly	Ala	GJu	Gly	Gly	Leu	Ser	Leu	Arg	Val	GIn	Asn	Ser	Leu	Arg	
25		245	_				250					255			•		
	cgc	cgg	acg	cac	agc	gag	ggc	agc	ctg	clg	cag	gag	ccc.	cga	ggg	ccc	1112
30	Arg	Arg	Thr	His	Ser	Glu	Gly	Ser	Leu	Leu	Gln	Glu	Pro	gıA	Gly	Pro	
	260					265					270					275	
		ttt															1160
35	Cys	Phe	Ala	Ser		Thr	Thr	Leu	His		Ser	Asp	Gly	Glu		Ala	
		4			280					285					290		
40		tcc														-	1208
	AIa	Ser			GIY	Met	Pro	Ser		Ser	Thr	Leu			Glu	Leu	
4.5	880	050		295		400			300		4			305			
45		cgc					•										1256
	олу	Arg	310	угу	озу		met	315	п12	ren	261		•	rne	ınr	ыу	
50	626			n t or	0.00	000	act		200	att	~~~		320				1004
		agg															1304
55		Arg !	Lya I	mc t	SEI			usp	1111	101			ASP.	NSP	ė i U	A I B	
		325					330					335					

	tcc	cgg	aag	aga	aag	agc	aaa	aac	cta	gcc	aag	gac	atg	aag	aac	aag	1352
5	Ser	Arg	Lys	Arg	Lys	Ser	Lys	Asn	Leu	Ala	Lys	Asp	Met	Lys	Asn	Lys	
	340	)				345					350					355	
10	ctg	ggg	atc	ttc	aga	cgg	cgg	aat	gag	tcc	cct	gga	gcc	cct	ссс	gcg	1400
10	Leu	Gly	Ile	Pḥe	Arg	Arg	Arg	Asp	Glu	Ser	Pro	Gly	Ala	Pro	Pro	Ala	
					360					365			•		370		
15	ggc	aag	gca	gac	aaa	atg	atg	aag	tca	ttc	aag	ссс	acc	tca	gag	gaa	1448
	Gly	Lys	Ala	Asp	Lys	Met	Met	Lys	Ser	Phe	Lys	Pro	Thr	Ser	Glu	Glu	
20				375					380					385			
	gcc	ctc	aag	tgg	ggc	gag	tcc	ttg	gag	aag	ctg	ctg	git	cac	aaa	tac	1496
	Ala	Le u.	Lys	Trp	Gly	Glu	Ser	Leu	Glu	Lys	Leu	Leu	Val	His	Lys	Туг	
25			390					395					400				
	ggg	tta	gca	gtg	ttc	caa	gcc	t tc	ctt	cgc	act	gag	ttc	agt	gag	gag	1544
30	Gly	Leu	Ala	Val	Phe	Gln	Ala	Phe	Leu	Arg	Thr	Glu	Phe	Ser	Glu	Glu	
		405				•	410					415					
35				ttc													1592
		Leu	Glu	Phe	Trp		Ala	Cys	Glu	Asp		Lys	Lys	Val			
	420					425					430					435	
40		•		atg													1640
	Gln	Ser	Lys	Me t		Ser	Lys	Ala	Lys		He	Phe	Ala	Glu		He	
45					440					445					450		
				gca													1688
50	Ala	11e		Ala	Cys	Lys	Glu	Val		Leu	ASP	Ser	Tyr		Arg	Głu	
				455					460					465			
				gac													1736
55	His	Thr	Lys	Asp	Asn	Leu	Gln	Ser	Val	Thr	Arg	Gly	Cys	Phe	Asp	Leu	

		470		475		480	
<b>5</b>	gca cag	aag cgc atc	tic ggg	ctc atg g	gaa aag gac	tcg tac cct	cgc 1784
	Ala Gln l	Lys Arg Ile	Phe Gly	Leu Met (	Glu Lys Asp	Ser Tyr Pro	Arg .
	485		490		495		
10	ttt ctc d	cgt tct gac	ctc tac	ctg gac c	ett att aac	cag aag aag	atg 1832
	Phe Leu A	Arg Ser Asp	Leu Tyr	Leu Asp L	eu lle Asn	Gln Lys Lys	Met
15	500		505		510		515
	agt ccc c	ccg ctt tagg	rggccac t	ggagtcgag	cicagogito	acaccaggeg	1884
20	Ser Pro F	Pro Leu					
	ggctgggto	cc cctgcccac	c tgcctc	cctg cccc	ctgtga cgga	igggggc aagc	aagccc 1944
						gaggeet ggae	
25		•			A	ccccac tgcc	
	•					cagate tgga	
30						ccttaa agaa	
						igggcca tigg	
35						acaagt gcaa	
						totoca gotto	
						sactaag gcag	
40						gglgga gtgl	
	ggggcttig	g gaaagcatg	g caccet	caga ccac	acagta gcca	agtici ggag	caaata 2604
45	aaaggcctg	t gitattict	t giicii	gaaa aaaa	ı		2638
	(0.0) 75		•		•		
50	<210> 72				•		
	<211> 519				,		
	<212> PRT						
55	CZI3> HAM	o sapiens					

	<40	0> 7	2		•		•									•
_	Met	Phe	Glu	Thr	Glu	Ala	Asp	Glu	Lys	Arg	Giu	Met	Ala	Leu	Glu	Glu
5	. 1				5					10					15	
	Gly	Lys	Gly	Pro	Gly	Ala	Glu	Asp	Ser	Pro	Pro	Ser	Lys	Glu	Pro	Ser
10				20					25					· 30		٠
	Pro	Gly	Gin	Glu	Leu	Pro	Pro	Gly	Gln	Asp	Leu	Pro	Pro	Asn	Lys	Asp
15	•		35					40					45			
	Ser	Pro	Ser	Gly	Gln	Glu	Pro	Ala	Pro	Ser	Gln	Glu	Pro	Leu	Ser	Ser
20		50					55					60				
20	Lys	Asp	Ser	Ala	Thr	Ser	Glu	Gly	Ser	Pro	Pro	Gly	Pro	Asp	Ala	Pro
	65					70					75					80
25	. Рго	Ser	Lys	Asp	Val	Pro	Pro	Cys	Gin	Glu	Pro	Pro	Pro	Ala	Gln	Asp
					85					. 90					95	
30	Leu	Ser	Pro	Cys	Gln	Asp	Leu	Pro	Ala	Gly	Gln	Glu	Pro	Leu	Pro	His
				100					105					110		
	Gln	Asp	Pro	Leu	Leu	Thr	Lys	Asp	Leu	Pro	Ala	Ile	Gln	Glu	Ser	Pro
35			115					120					125			
	Thr	Arg	Asp	Leu	Pro	Pro	Cys	Gln	Asp	Leu	Pro	Рго	Ser	Gln	Yal	Ser
40		130	,				135					140			•	
	Leu	Pro	Ala	Lys	Ala	Leu	Thr	Glu	Asp	Thr	Met	Ser	Ser	Gly	Asp	Leu
15	145					150					155					160
45	Leu	Ala	Ala	Thr	Gly	Asp	Ριο	Pro	Ala	Ala	Pro	Arg	Pro	Ala	Phe	Val
					165			•		170					175	
50	lle	Pro	Glu	Va]	Arg	Leu	Asp	Ser	Thr	Туг	Ser	Gln	Lys	Ala	Gly	Ala

Glu Gln Gly Cys Ser Gly Asp Glu Glu Asp Ala Glu Glu Ala Glu Glu

200 .

	Val	Glu	Glu	Gly	Głu	Glu	Gly	Glu	Glu	Asp	Glu	Asp	Glu	Asp	Thr	Ser
5		210					215					220				
	Asp	Asp	Asn	Tyr	Gly	Glu	Arg	Ser	Glu	Ala	Lys	Arg	Ser	Ser	Met	He
10	225					23.0			-		235		•			240
	Glu	Thr	Gly	Gln	Gly	Ala	Glu	Gly	Gly	Leu	Ser	Leu	Arg	Val	Gln	Asn
15					245					250					255	
	Ser	Leu	Arg	Arg	Arg	Thr	His	Ser	Glu	Gly	Ser	Leu	Leu	Gln	Glu	Pro
				260	•				265			•		270		
20	Arg	Gly	Pro	Cys	Phe	Ala	Ser	Asp	Thr	Thr	Leu	His	Cys	Ser	Asp	Gly
			275					280					285			
25	Glu	Gly	Ala	Ala	Ser	Thr	Trp	Gly	Me t	Рго	Ser	Pro	Ser	Thr	Leu	Lys
		290	-				295					300		٠		
	Lys	Glu	Leu	Gly	Arg	Asn	Gly	Gly	Ser	Met	His	His	Leu	Ser	Leu	Phe
30	305					310					315					320
	Phe	Thr	Gly	His	Arg	Lys	Met	Ser	Gly	Ala	Asp	Thr	Val	Gly	Asp	Asp
<b>35</b>					325					330					335	
	Asp	Glu	Ala	Ser	Arg	Lys	Arg	Lys	Ser	Lys	Asn	Leu	Ala	Lys	Asp	Met
40				340					345					350		
	Lys	Asn		Leu	Gly	He	Phe		Arg	Arg	Asn	Glu	•	Pro	Gly	Ala
			355					360					365		_	
45	Pro		Ala	Gly	Lys	Ala		Lys	Met	Met	Lys		Phe	Lys	Pro	Thr
·		370					375					380			_	
50		Glu	G) u	Ala	Leu		Trp	Gly	Glu	Ser		Glu	Lys	Leu	Leu	
	385					390					395					400
_	His	Lys	Tyr	Gly		Ala	Val	Phe	Gln		Phe	Leu	Arg	Thr		Phe
55					405					410					415	

	Ser Glu Glu Asn Leu Glu Phe Trp Leu Ala Cys Glu Asp Phe Lys Lys
	420 425 430
5	Val Lys Ser Gln Ser Lys Met Ala Ser Lys Ala Lys Lys Ile Phe Ala .
	435 440 445
10	Glu Tyr Ile Ala Ile Gln Ala Cys Lys Glu Val Asn Leu Asp Ser Tyr
	450 455 460
15	Thr Arg Glu His Thr Lys Asp Asn Leu Gln Ser Val Thr Arg Gly Cys
	465 470 475 480
	Phe Asp Leu Ala Gln Lys Arg Ile Phe Gly Leu Met Glu Lys Asp Ser
20	485 490 495
	Tyr Pro Arg Phe Leu Arg Ser Asp Leu Tyr Leu Asp Leu Ile Asn Gin
25	500 505 510
	Lys Lys Met Ser Pro Pro Leu
30	515
	<210> 73
	<211> 1901
35	<212> DNA
٠.	<213> Homo sapiens
40	<220>
	<221> CDS
45	<222> (250) (1206)
	<400> 73
	aaaaaacagc agggttagct tgtccctccc clccctcttc agcttcccag acactgattc 60
50	tggaatgaaa attcacctgc ctcigagttg gctcctaatg ggggtgggag tgttacttcg 120
	giloccaggi iggaagatia icicaccegg coccagcial alaagcigac eggigiggag 180
55	gggcccagca gggccaactc cagggattcc ttccacgaca gaaaaacata caagactcct 240

	tcagccaac atg alg gta ctg aaa gta gag gaa ctg gtc act gga aag aag 29	1
5	Met Met Val Leu Lys Val Glu Glu Leu Val Thr Gly Lys Lys	
	. 1 5 10	
	aat ggc aat ggg gag gca ggg gaa itc ctt cct gag gat itc aga gat 33	9
10	Asn Gly Asn Gly Glu Ala Gly Glu Phe Leu Pro Glu Asp Phe Arg Asp	
	15 20 25 30	
15	gga gag tat gaa gct gct gtt act tta gag aag cag gag gat ctg aag 38	7
	Gly Glu Tyr Glu Ala Ala Val Thr Leu Glu Lys Gln Glu Asp Leu Lys .	
20	35 . 40 45	
	aca cit cia gcc cac cct gig acc cig ggg gag caa cag igg aaa agc 43	5
	Thr Leu Leu Ala His Pro Val Thr Leu Gly Glu Gln Gln Trp Lys Ser	
25	50 55 60	
	gag aaa caa cga gag gca gag ctc cca aag aaa aaa cta gaa caa aga 48	3
30	Glu Lys Gln Arg Glu Ala Glu Leu Pro Lys Lys Leu Glu Gln Arg	
	65 . 70 75	
35	tcc ang ctt gaa aat tta gaa gac cit gaa ata atc att caa ctg aag 53	1
33	Ser Lys Leu Glu Asn Leu Glu Asp Leu Glu Ile Ile Ile Gln Leu Lys	
	80 85 90	_
40	aaa agg aaa aaa tac agg aaa act aaa git cca git gia aag gaa cca 57	9.
	Lys Arg Lys Lys Tyr Arg Lys Thr Lys Val Pro Val Val Lys Glu Pro	
45	95 100 105 110	2
	gaa cot gaa ato att acg gaa col gig gat gig cot acg itt olg aag 62	1
	Glu Pro Glu Ile Ile Thr Glu Pro Val Asp Val Pro Thr Phe Leu Lys  115 120 125	
50		ε
	gct gct ctg gag aal aaa ctg cca gla gla gaa aaa ttc ltg tca gac 67	J
55	Ala Ala Leu Glu Asn Lys Leu Pro Val Val Glu Lys Phe Leu Ser Asp	
	130 135 140	

	aag aac aat cca gat git igi gai gag tal aaa cgg aca gci cii cai 723
5	Lys Asn Asn Pro Asp Val Cys Asp Glu Tyr Lys Arg Thr Ala Leu His
	145 150 155
10	aga gca igc iig gaa gga cat iig gca ati gig gag aag iia aig gaa 771
	Arg Ala Cys Leu Glu Gly His Leu Ala Ile Val Glu Lys Leu Met Glu
	160 165 170
15	gct gga gcc cag atc gaa ttc cgt gat atg ctt gaa tcc aca gcc atc 819
	Ala Gly Ala Gln Ile Glu Phe Arg Asp Met Leu Glu Ser Thr Ala Ile
20	175 180 185 190
	cac tgg gca agc cgt gga gga aac ctg gat gtt tta aaa ttg ttg ctg 867
25	His Trp Ala Ser Arg Gly Gly Asn Leu Asp Val Leu Lys Leu Leu
	- 195 200 205
	aat aaa gga gca aaa att agc gcc cga gat aag tig ctc agc aca gcg 915
30	Asn Lys Gly Ala Lys Ile Ser Ala Arg Asp Lys Leu Leu Ser Thr Ala
	210 215 220
35	ctg cat gtg gcg gtg agg act ggc cac tat gag tgc gcg gag cat ctt 963
	Leu His Val Ala Val Arg Thr Gly His Tyr Glu Cys Ala Glu His Leu  225 230 235
40	atc gcc igi gag gca gac cic aac gcc aaa gac aga gaa gga gat acc 1011
	Ile Ala Cys Glu Ala Asp Leu Asn Ala Lys Asp Arg Glu Gly Asp Thr
	240 245 250
45	ccg tig cal gat gcg gig aga cig aac cgc tat aag atg atc cga ctc 1059
	Pro Leu His Asp Ala Val Arg Leu Asn Arg Tyr Lys Met 11e Arg Leu
50	255 260 265 270
	ctg att atg tat ggc gcg gat ctc aac atc aag aac tgt gct ggg aag 1107
55	Leu Ile Net Tyr Gly Ala Asp Leu Asn Ile Lys Asn Cys Ala Gly Lys

		275	280		285
5	acg ccg atg	gat ctg gtg c	ta cac tgg cag	g aat gga acc a	aa gca ata 1155
	Thr Pro Met	Âsp Leu Val L	eu His Trp Gla	Asn Gly Thr L	ys Ala Ile
		290	. 295	30	00
10	ttc gac agc	ctc aga gag a	ac tcc tac aag	acc tot ogc a	ta gct aca 1203
	Phe Asp Ser	Leu Arg Glu A	sn Ser Tyr Lys	Thr Ser Arg I	le Ala Thr
15	305		310	315	
	ttc tgaggca	ac gacagactct	taatcagtaa at	gttcactg gcatt	ltgaa 1256
20	Phe				
,	ggcatggccc a	ggagaagag aca	ctagcca taasat	ctag tilctatil	tcaacgigit 1316
	gigaagaigi a	cctaalgaa gtt	ttgagaa agcaca	gggt tataggtgt	taaatttcct 1376
25	ttagtgaaac (	cttatttat ttt	taigtai teeigt	ttat ttatttactg	ccacgctact 1436
	gatattcaga c	cttcatgat cate	ccalcig gigage	agag clicatitg	atataacact 1496
30	ttcagagcct	cccacccat agg	tagitoi taaacc	aggt gaaagagcaa	agticaagig 1556
	cctacttatg t	gtcattcgc tca	tgtaaga gtttt	aaga gagggcigai	tateacagee 1616
ne.	ctcttttctc c	tgaattttl aat	gcagaag tttgaa	igaa gcaagggaag	g gcatgtaggg 1676
35	acaggaaagg a	aacaatgga agg	aaagtga ttctgt	gaaa aggacagiga	agccagctat 1736
	ttiacccca g	gctggattt ttt	tititit ttiit	tttt tttttttt	ccgagtacac 1796
10	agagtaccca a	gtgaagaga acg	tcalgag Iglaag	igca aatcagigga	aggageggea 1856
	aacigggaca t	gcagaatig aat	tigcica aaaaaa	aaaa aaaaa	. 1901
15	<210> 74				
	<211> 319				
	<212> PRT				
50	<213> Homo s	apiens			
	<b>&lt;400&gt; 74</b>				
55	Met Met Val	Len Lys Val G	lu Glu Len Val	The Gly Lye Ly	s Asn Cly

	1		•	5		10		15
5	Asn	Gly Glu	ı Ala Gl	y Glu P	he Leu P	ro Glu Asp	Phe Arg Asp	Gly Glu
			20			25	30	l
	Туг	Glu Ala	Ala Va	l Thr L	eu Glu L	ys Gln Glu	Asp Leu Łys	Thr Ley
10		. 35			40	•	45	
	Leu	Ala Hiś	Pro Va	l Thr L	eu Gly G	lu Gln Gln	Trp Lys Ser	Glu Lys
15		50			55		60	
	Gln	Arg Glu	Ala Gla	u Leu P	ro Lys L	ys Lys Leu	Glu Gln Arg	Ser Lys
20	65			70		75		80
	Leu	Glu Asn	Leu Gli	Asp L	eu Glu I	le Ile Ile	Gln Leu Lys	Lys Arg
			8	5		90		95
25	Lys	Lys Tyr	Arg Lys	s Thr L	ys Val P	ro Val Yal	Lys Glu Pro	Glu Pro
			100		1	05	110	
30	Glu	Ile lle	Thr Glu	ı Pro V	al Asp V	al Pro Thr	Phe Leu Lys	Ala Ala
		115			120 .		125	
			Lys Let			lu Lys Phe		Lys Asn
35		130			35		140	
		Pro Asp	Val Cys		lu Tyr L	ys Arg Thr	Ala Leu His	
40	145			150		155		160
	Cys	Leu Glu			la lle V	al Glu Lys	Leu Met Glu	
45	41-		165		1	170	, Th-	175
	Ala	cin lie		RIGA:	•	eu Glu Ser		
		C	180			85	190	
50	Ala		GIY GIY	ASN LO		al Leu Lys		AST LYS
	2.	195			200		205	• •••
55			ile Ser			ys Leu Leu		Leu His
		210		2	15		220	

	Val Ala Val Arg. Thr Gly His Tyr Glu Cys Ala Glu His Leu Ile Ala .	
5	225 230 235 - 240	
	Cys Glu Ala Asp Leu Asn Ala Lys Asp Arg Glu Gly Asp Thr Pro Leu	
10	, <b>245 250 255</b>	
	His Asp Ala Val Arg Leu Asn Arg Tyr Lys Met Ile Arg Leu Leu Ile .	
15	<b>260 265 270</b> .	
	Met Tyr Gly Ala Asp Leu Asn Ile Lys Asn Cys Ala Gly Lys Thr Pro	
	275 280 285 .	
20	Met Asp Leu Val Leu His Trp Gln Asn Gly Thr Lys Ala Ile Phe Asp	
	290 . 295 . 300	
25	Ser Leu Arg Glu Asn Ser Tyr Lys Thr Ser Arg Ile Ala Thr Phe	
	305 310 315	
	<210> 75	
30	<211> 5613	
	<212> DNA	
35	<213> Homo sapiens	
	<220>	
40	<221> CDS	
	<222> (118) (5475)	
	<400> 75	
45	cccggagcag ggcgagagct cgcgtcgccg gaaaggaaga cgggaagaaa gggcaggcgg	60
	cleggeggge gietteteca etectetgee gegteeeegt ggetgeaggg ageegge	117
50	atg ggg ctt ctc cag ttg cta gct ttc agt itc tta gcc ctg igc aga	165
	Met Gly Leu Leu Gln Leu Leu Ala Phe Ser Phe Leu Ala Leu Cys Arg	
	1 5 . 10 15	
55	gcc cga gtg cgc gct cag gaa ccc gag ttc agc tac ggc tgc gca gaa	213

5	Ala	Arg	Ya I	Arg	Ala	Gln	Glu	Pro	Glu	Phe	Ser	Tyr	Gly	Cys	Ala	Glu	
				20					25					30			
	ggc	agc	lgc	tat	ccc	gcc	acg	ggc	gac	ctt	ctc	atc	ggc	cga	gca	cag	26,1
10	Gly	Ser	Cys	Tyr	Pro	Ala	Thr	Gly	Asp	Leu	Leu	lle	Gly	Arg	Ala	Gln.	
			35					40					45				•
15	aag	ctt	tcg	gtg	acc	tcg	acg	tgc	ggg	ctg	cac	aag	ccc,	gaa	ccc	tac	309
	Lys	Leu	Ser	Val	Thr	Ser	Thr	Cys	Gly	Leu	His	Lys	Pro	Glu	Pro	Tyr	
		50					55					60			•		
20	tgt	atc	gtc	agc	cac	ttg	cag	gag	gac	aaa	aaa	t gc	ttc	ata	tgc	aat	357.
	Cys	lle	Val	Ser	His	Leu	Gln.	Glu	Asp	Lys	Lys	Cys	Phe	He	Cys	Asn	
25	65					·70					. 75					80	
	tcc	çaa	gat	cc t	tat	cat	gag	acc	ctg	aat	cct	gac	agc	cat	ctc	att	405
30	Ser	Gln	Asp	Pro	Tyr	His	Glu	Thr	Leu	Asn	Pro	Asp	Ser	His	Leu	lle	
	•				85		<i>.</i>			90					95		
	gaa	aat	gtg	gtc		aca	: t t t	gct	cca		cgc	ctt	aag	att		tgg	453
35		aat Asn			act					aac					tgg		453
					act					aac					tgg		453
35	Glu		Val	Yal 100	act Thr	Thr	Phe	Ala	Pro 105	aac Asn	Arg	Leu	Lys	11e 110	tgg Trp	Trp	<b>453</b> 501.
	Glu	Asn	Yal gaa	Val 100 aat	act Thr	Thr	Phe gaa	Ala aat	Pro 105 gta	aac Asn	Arg atc	Leu	Lys ctg	lle 110 gat	tgg Trp ttg	Trp	
35	Glu	Asn tct Ser	Yal gaa	Val 100 aat	act Thr	Thr	Phe gaa	Ala aat	Pro 105 gta	aac Asn	Arg atc	Leu caa	Lys ctg	lle 110 gat	tgg Trp ttg	Trp	
35	Glu caa Gln	Asn tct Ser	Val gaa Glu 115	Val 100 aat Asn	act Thr ggt Gly	Thr gtg Val	Phe gaa Glu	Ala aat Asn 120	Pro 105 gta Val	aac Asn act Thr	Arg atc lle	Leu caa Gln	Lys ctg Leu 125	lle 110 gat Asp	tgg Trp ttg Leu	Trp gaa Glu	
40	Glu caa Gln gca	Asn tct Ser	Yal gaa Glu 115 ttc	Val 100 aat Asn	act Thr  ggt Gly	Thr gtg Val	Phe gaa Glu cat	Ala aat Asn 120 ctc	Pro 105 gta Val	aac Asn act Thr	atc lle	Leu caa Gln	Lys ctg Leu 125 aag	lle 110 gat Asp	tgg Trp ttg Leu	Trp gaa Glu cgt	501,
40	Glu caa Gln gca	Asn tct Ser	Yal gaa Glu 115 ttc	Val 100 aat Asn	act Thr  ggt Gly	Thr gtg Val	Phe gaa Glu cat	Ala aat Asn 120 ctc	Pro 105 gta Val	aac Asn act Thr	atc lle	Leu caa Gln	Lys ctg Leu 125 aag	lle 110 gat Asp	tgg Trp ttg Leu	Trp gaa Glu cgt	501,
40	Glu caa Gln gca Ala	Asn tct Ser gaa Glu	yal gaa Glu 115 ttc Phe	Val 100 aat Asn cat	act Thr  ggt Gly ttt Phe	Thr gig Val act	Phe gaa Glu cat . His	Ala aat Asn 120 ctc Leu	Pro 105 gta Val ata 11e	aac Asn act Thr atg	Arg atc lle act Thr	Leu caa Gin tic Phe	Lys cts Leu 125 aas Lys	lle 110 gat Asp aca Thr	tgg Trp ttg Leu ttc .	Trp gaa Glu cgt Arg	501,
40	Glu caa Gln gca Ala	Asn tct Ser gaa Glu 130	yal gaa Glu 115 ttc Phe	Val 100 aat Asn cat His	act Thr  ggt Gly ttt Phe	Thr gig Val act Thr	Phe gaa Glu cat His 135	Ala aat Asn 120 ctc Leu	Pro 105 gta Val ata Ile	aac Asn act Thr atg Met	atc lle act Thr	Leu caa Gin tic Phe 140	Lys ctg Leu 125 aag Lys .	lle 110 gat Asp aca Thr	tgg Trp ttg Leu ttc Phe	Trp gaa Glu cgt Arg	501. 549

	ggt gtg tat	aga tac ttc g	cc tat gac igi gag g	cc tcg ttt cca ggc 645
5	Gly Val Tyr	Arg Tyr Phe A	la Tyr Asp Cys Glu A	la Ser Phe Pro Gly
		165	170	175
10	att tca act	ggc ccc atg a	aa aaa gto gat gac a	ta att igi gat ici 693
	lle Ser Thr	Gly Pro Met L	ys Lys Val Asp Asp I	le Ile Cys Asp Ser
.0		180 -	185	190
15	cga tat tct	gac all gaa c	cc tca act gaa gga g	ag gtg ata ttt cgt 741
	Arg Tyr Ser	Asp lle Glu P	ro Ser Thr Glu Gly G	lu Val lle Phe Arg
20	195		200	205
	gct tta gat	ect get tte a	aa ata gaa gat cct t	at agc cca agg ata 789
25	Ala Leu Asp I	Pro Ala Phe L	ys Ile Glu Asp Pro T	yr Ser Pro Arg Ile
	210 _	2	15 23	20
	cag aat tta	ita aaa att a	cc aac ttg aga atc a	ag tit gig aaa cig 837
30	Gln Asn Leu I	eu Lys Ile T	hr Asn Leu Arg Ile L	ys Phe Val Lys Leu
•	225	230	235	- 240
35	cat act ttg g	ga gat aac c	tt ctg gat tcc agg a	tg gaa atc aga gaa 885
	His Thr Leu (	ly Asp Asn Le	eu Leu Asp Ser Arg Me	et Glu Ile Arg Glu
		245	250	255
40	aag tat tal 1	at gca gtt ta	at gat atg gtg gtt c	ga gga aat tgc ttc 933
			r Asp Met Val Val Ai	rg Gly Asn Cys Phe
45		60	265	270
			aa tgt gcc cct gtg ga	
		is Ala Ser Gl	lu Cys Ala Pro Val As	•
50	275		280	285
			ic gga cac tgc atg tg	
55	Glu Val Glu G	ly Net Val Hi	s Gly His Cys Met Cy	s Arg His Asn Thr
	290	29	95 30	00

5	aaı	g gg(	: tta	aac	: tgt	gaa	ctc	tgc	atg	gat	. IIC	tac	cat	gat	tta	cct	1077
	Lys	s Gly	Let	Asn	Cys	Glu	Leu	Cys	Me t	Asp	Phe	Tyr	His	Asp	Leu	Pro	
	305	i				310					315					320	
10	tgg	gaga	cct	gct	gaa	ggc	cga	aac	agc	aạc	gcc	tgt	aaa	aaa	tgt	aac	1125
	Trp	Arg	Рго	Ala	Glu	Gly	Arg	Asn	Ser	Asn	Ala	Cys	Lys	Lys	Cys	Asn	
15				•	325				•	330					335		
	t gc	aat	gaa	cat	tcc	atc	tct	tgt	cac	ttt	gac	atg	gct	gtt	tac	ctg	1173
	Cys	Asn	Glu	His	Ser	He	Ser	Cys	His	Phe	Asp	Met	Ala	Val	Tyr	Leu	
20				340					345					350			
	gcc	acg	ggg	aac	gtc	agc	gga	ggc	gtg	tgt	gat	gac	lgt	cag	cac	aac	1221
25	Ala	Thr	Gly	Asn	Val	Ser	Gly	Gly	Val	Cys	Asp	Asp	Cys	Gln	His	Asn	
			355					360					365				
30	acc	atg	ggg	cgc	aac	tgt	gag	cag	lgc	aag	ccg	ttt	tac	tac	cag	cac	1269
	Thr	Me t	Gly	Arg	Asn	Cys	Glu	Gln	Cys	Lys	Pro	Phe	Tyr	Tyr	Gln	His	
		370					375					380					
35	cca	gag	agg	gac	atc	cga	gat	cct	aat	ttc	tgt	gaa	cga	tgt	acg	tgt	1317
	Pro	Glu	Arg	Asp	Ile	Arg	Asp	Pro	Asn	Phe	Cys	Glu	Arg	Cys	Thr	Cys	
40	385					390					395					400	
	gac	cca	gc t	ggc	tct	caa	aat	gag	gga	att	tgt	gac	agc	tat	act	gat	1365
	Asp	Pro	Ala	Gly	Ser	Gln	Asn	Glu	Gly	He	Cys	qzA	Ser	Туг	Thr	Asp	
45					405					410					415	•	
	ttt	tct	acl	ggt	clc	att	gct	ggc	cag	tgt	cgg	tgt	aaa	tta	aat	gtg	1413
50	Phe	Ser	Thr	Gly	Leu	He	Ala	Gly	Gln	Cys	Arg	Cys	Lys	Leu	Asn	Yal	
				420					425					430			
	gaa	gga	gaa	cat	tgt	gat	gtt	t gc	aaa	gaa	ggc	ttc	tat	gat	tia	agc	1461
55	Glu	Gly	Glu	His	Cys	Asp	Val	Cys	Lys	Glú	Gly	Phe	Туг	Asp	Leu	Ser	

	435	440	445
5	agt gaa gat cca	tit ggt igt aaa	tot tgt got tgc aat cot ctg gga 1509
	Ser Glu Asp Pro	Phe Gly Cys Lys	Ser Cys Ala Cys Asn Pro Leu Gly
10	450	455	460
	aca att cct gga	ggg aat cct tgt	gat tcc gag aca ggt cac tgc tac 1557
	The lie Pro Gly	Gly Asn Pro Cys	Asp Ser Glu Thr Gly His Cys Tyr
15	465	470	475 480
	tgc aag cgt ctg	gtg aca gga cag	cal tgt gac cag tgc ctg cca gag 1605
20	Cys Lys Arg Leu	Val Thr Gly Gln 1	His Cys Asp Gln Cys Leu Pro Glu
		485	490 495
<b>25</b>	cac tgg ggc tta	age aat gat tig	gat gga tgt cga cca tgt gac tgt 1653
	His Trp Gly Leu	Ser Asn Asp Leu /	Asp Gly Cys Arg Pro Cys Asp Cys
	500	!	505 510
30	gac cit ggg gga	gcc tta aac aac a	agt tgc ttt gcg gag tca ggc cag 1701
			Ser Cys Phe Ala Glu Ser Gly Gln
35	515	520	
			gga cgt cag tgc aac gaa gtg gaa 1749
		•	Gly Arg Gln Cys Asn Glu Val Glu
40	530	535	540
		·	gat cac tac cic tat gaa gcg gag 1797 Asp His Tyr Leu Tyr Glu Ala Glu
45	545	550 ·	555 560
			agc ata gig gag cgg caa tat atc 1845
		•	Ser lle Val Glu Arg Gln Tyr Ile
50	ord Art Asii bed	565	. 570 575
	rag gar ngg att		gga gcc ggc ttc gtc cga gtg cct 1893
55			Gly Ala Gly Phe Val Arg Val Pro
	Olu ASP ATE ITE	TIO SET TID THE	OIT ALE OIT THE TAI AIR VAL PTO

	580	585	590
5	gaa ggg gct tat tig gag	tit tic ait gac aac at	a cca tat tcc atg 1941
	Glu-Gly Ala Tyr Leu Glu	Phe Phe Ile Asp Asn Ile	e Pro Tyr Ser Met
10	595	600	605
	gag tac gac atc cta att	cgc tac gag cca cag ct	a ccc gac cac tgg 1989
15	Glu Tyr Asp Ile Leu Ile	Arg Tyr Glu Pro Gln Le	1 Pro Asp His Trp
,,	610	615 620	)
	gaa aaa gct gtc atc aca	gtg cag cga cct gga agg	g att cca acc agc 2037
20	Glu Lys Ala Val Ile Thr	Val Gln Arg Pro Gly Arg	g Ile Pro Thr Ser
	625 630	635	640
25	agc cga tgt ggt aat acc	atc ccc gat gat gac aad	c cag gtg gtg tca 2085
	Ser Arg Cys Gly Asn Thr	lle Pro Asp Asp Asp Asi	ı Gin Val Yai Ser
30	645	. 650	655
	tta tca cca ggc tca aga	•	
	Leu Ser Pro Gly Ser Arg		
35	660	665 .	670
	gag aag gga aca aac tac		
40	Glu Lys Gly Thr Asn Tyr	. 680	
	675		685
45	Ser Ser Asp Ser Asp Val	gag age eee tae aeg etg Clu Ser Pro Tyr Thr Lei	
		695 700	
	git cic alg cca tac igt	•	
50	Val Leu Met Pro Tyr Cys		
	705 710	715	720
55			
	tca gga gat ggg gtg gtc	ice dae age gee egg gae	acc ttt cag aga 2325

	Ser	Gly	Asp	Gly	Val	Val	Thr	Asn	Ser	Ala	Trp	Glu	Thr	Phe	Gln	Arg	
5					725					730			•		735		
	tac	cga	tgt	cta	gag	aac	agc	aga	agc	gtt	gtg	a a a	aça	ccg	atg	aca	2373
10	Tyr	Arg	Cys	Leu	Glu	Asn	Ser	Arg	Ser	Val	Val	Lys	Thr	Pro	Met	Thr	
				740			•		745					750	•		
15	gat	gtt	tgc	aga	aac	atc	atc	ttt	agc	att	tct	gcc	ctg	tta	cac	cag	2421
	Asp 1	Va 1	Cys	Arg	Asn	He	Ile	Phe	Ser	He	Ser	Ala	Leu	Leu	His	Gln	
			755					760					765				
20	aca a	ggc	cig	gct	tgt	gaa	tgc	gac	cct	cag	ggt	tcg	tta	agt	tcc	gtg	2469
	Thr (	Gly	Leu	Ala	Cys	Glu	Cys	Asp	Pro	Gln	Gly	Ser	Leu	Ser	Ser	Val	
25	7	770					775					780					
	tgt g	ga t _	ccc ·	aac	gga	ggc	cag	tgc	cag	tgc	cgg	ccc	aac	gtg	gtt	gga	2517
	Cys A	sp.	Pro	Asn	Gly	Gly	Gln	Cys	Gln	Cys	Arg	Pro	Asn	Val	Val	Gly	
30	785					790					795					800	
	aga a	IC C	tgc	aac	aga	tgt	gca	cct	gga	act	ttt	ggc	ttt	ggc	CCC	agt	2565
35	Arg T	hr	Cys	Asn	Arg	Cys	Ala	Pro	Gly	Thr	Phe	Gly	Phe	Gly	Pro	Ser	
					805					810					815		
	gga t	-															2613
40	Gly C	ys			Cys	Glu	Cys	His		Gln	Gly	Ser	Val		Ala	Phe	
				820					825					830			
45	tgc a																2661
	Cys A			Val	Thr	Gly	Gln		His	Cys	Phe			Val	Tyr	Ala	
		8	835					840					845		•		•
50	cgg c	ag 1	tgt	gat	cgg	tgc	tta	cci	ggg	cac	tgg	ggc	ttt	cca	agt	tgc	2709
	Arg G	ln (	Cys .	Asp	Arg	Cys	Leu	Pro	Gly	His	Trp	Gly	Phe	Pro	Ser	Cys	
55	8	50					855					860					
	cag c	cc (	l gc	cag	tgc	aat	ggc	cac	gcc	gat	gac	tgc	gac	cca	glg	act	2757

	Gln	Pro	Cys	Gln	Cys	Asn	Gly	His	Ala	Asp	Asp	Cys	Asp	Pro	Val	Thr	
5	865			•		870					875					880	
	ggg	gag	tgc	ttg	aac	tgc	cag	gac	tac	acc	atg	ggt	cat	aac	tgt	ssa	2805
10	Gly	·G1 u	Cys	Leu	Asn	Cys	Gln	Asp	Tyr	Thr	Met	Gly	His	Asn	Cys	Glu	
•					885					890			•		895		
15	agg	tgc	ttg	gc t	ggt	tac	tat	ggc	gac	ccc	atc	att	ggg	tca	ggt	gat	2853
	Arg	Cys	Leu	Ala	Gly	Tyr	Tyr	Gly	Asp	Pro	Ile	Ile	Gly	Ser	Gly	Asp	
				900			٠		905					910			
20	cac	tgc	cgc	cct	tgc	cct	tgc	cca	gat	ggt	ccc	gac	agt	gga	cgc	cag	2901
	His	Cys	Arg	Pro	Cys	Pro	Cys	Pro	Asp	Gly	Pro	Asp	Ser	Gly	Arg	Gln	
25			915					920					925				
	ttt	gcc	agg	agc	t gc	tac	caa	gat	cct	gtt	act	tta	cag	ctt	gcc	tgt	2949
20	Phe	Ala	Arg	Ser	Cys	Tyr	Gln	Asp	Pro	Val	Thr	Lev	Gln	Leu	Ala	Cys	
30		930					935					940		•			
	gtt	tgt	gat	cct	gga	tac	att	ggt	tcc	aga	tgt	gac	gac	tgt	gcc	tca	2997
35	Val	Cys	Asp	Pro	Gly	Туг	Ile	Gly	Ser	Arg	Cys	Asp	Asp	Cys ·	Ala	Ser	
	945					950					955				٠	960	
40	gga	tac	ttt	ggc	aat	cca	tca	gaa	gtt	ggg	ggg	tcg	tgt	cag	cct	tgc	3045
	Gly	Tyr	Phe	Gly	Asn	Pro	Ser	Glu	Val	Gly	Gly	Ser	Cys	Gin	Pro	Cys	
					965					970					975		
45	cag	tgt	cac	aac	aac	att	gac	acg	aca	gac	cca	gaa	gcc	tgt	gac	aag	3093
	Gln	Cys	His	Asn	Asn	lle	Asp	Thr	Thr	Asp	Pro	Glu	Ala	Cys	Asp	Lys	
50				980					985					990			
	gag	act	ggg	agg	tgt	ctc	aag	tgc	ctg	tac	cac	acg	gaa	ggg	gaa	cac	3141
	Glu	Thr	Gly	Arg	Cys	Leu	Lys	Cys	Leu	Tyr	His	Thr	Glu	Gly	Glu	His	
55			995				1	000		•		1	005		,		

5			•		•	gat gcc c		
	1010		3 118 111	1015	,,	1020		
10			i gto tgt	aat ta	cig ggc	acc gtg c	aa gag ca	c tgt 3237
	Cys Arg	g Lys Cys	s Val Cys	Asn Ty	Leu Gly	Thr Val G	ln Glu Hi	s Cys
	1025	,	1030	)	•	1035		1040
15	aac ggo	tet gad	tgc cag	tgc gad	aaa gcc	act ggt c	ag tgc tt	g tgt 3285
	Asn Gly	/ Ser Asp	Cys Gln	Cys Ası	Lys Ala	Thr Gly G	In Cys Le	ı Cys
20			1045		1050		105	
						cgc tgt go		
25	Leu Pro			Gln Asr		Arg Cys Al		n Thr
	taa een	_ 1060		201 555	1065	000 150 0	1070	. got 2201
30		•	•			Pro Cys As		
50		1075	507 017	1080		100 073 7.5		ı Alu
	gct cat	tcc ttc	ggg cca	tct tgc	aat gag	ttc acg gg		cag 3429.
35	Ala His	Ser Phe	Gly Pro	Ser Cys	Asn Glu	Phe Thr G	ly Gln Cy:	Gln
•	1090			1095		1100		
40	tgc atg	cct ggg	ttt gga	ggc cgc	acc tgc	agc gag tg	c cag ga	a ctc 3477
	Cys Met	Pro Gly	Phe Gly	Gly Arg	Thr Cys	Ser Glu Cy	s Gln Glu	ı Leu
45	1105		1110		1	1115		1120
						gcc igt ga		
	Phe Trp			Val Glu		Ala-Cys As		
50	•		1125	4-4	1130		1135	
						tcc acg gg		
55	ALE PIÀ		101 710			Ser Thr GI		. Y81
		1140			1145		1150	•

	tgo	gtt	gag	ggt	gtt	gag	ggt	cca	cgc	tgt	gac	aag	tgc	acg	cga	ggg	3621
5	€ys	-Val	Glu	Gly	Val	Glu	Gly	Pro	Arg	Cys	Asp	Lys	Cys	Thr	Arg	Gly	
			1155					1160					1165		•		
10	tac	tcg	ggg	gtc	ttc	cct	gac	t gc	aca	ccc	tgc	cac	cag	tgc	ttt	gct	.3669
	Tyr	Ser	Gly	Va l	Phe	Pro	Asp	Cys	Thr	Pro	Cys	His	Gln	Cys	Phe	Ala	
		1170					1175					1180				•	
	ctc	tgg	gat	gtg	atc	att	gcc	gag	ctg	acc	aac	agg	aca	cac	aga	ttc	37:17
	Leu	Trp	Asp	Val	He	Ile	Ala	Glu	Leu	Thr	Asn	Arg	Thr	His	Arg	Phe	
20	118	5				1190					1195		•	•		1200	
	ctg	gag	aaa	gcc	aag	gcc	ttg	aag	atc	agt	ggt	gtg	atc	ggg	cct	tac	3765
25	Lev	Glu	Lys	Ala	Lys	Ala	Leu	Lys	He	Ser	Gly	Val	He	Gly	Pro	Tyr	
			~		1205				1	210					1215		
	cgt	gag	act	gtg	gac	tcg	gtg	gag	agg	aaa	gtc	agc	gag	ata	aaa	gac	3813
30	Arg	Glu	Thr	Val	Asp	Ser	Val	Glu	Arg	Lys	Val	Ser	Glu	Ile	Lys	Asp	
				1220		•		]	1225			•	]	230			
35	atc	ctg	gcg	cag	agc	ccc	gca	gca	gag	cca	ctg	aaa	aac	att	ggg	aat	3861
	He	Leu	Ala	Gln	Ser	Pro	Ala	Ala	Glu	Pro	Leu	Lys	Asn	Ile	Gly	Asn	
40			1235					1240				]	245				
	ctc	ttt	gag	gaa	gca	gag	aaa	ctg	att	aaa	gat	gtt	aca	gaa	alg	alg _.	3909
	Leu	Phe	Glu	Glu	Ala	Glu	Lys	Leu	He	Lys	Asp	Vai	Thr	Glu	Met	Met	
45	. 1	250		•		1	255				1	260					
	gct	caa	gta	gaa	gtg	aaa	tta	tct	gac	aca	act	tċc	caa	agc	aac	agc	3957
50	Ala	Gln	Val	Glu	Val	Lys	Leu	Ser	Asp	Thr	Thr	Ser	Gln	Ser	Asn	Ser	
	1265	•			}	270				Ì	275				:	1280	
	aca	gcc	aaa	gaa	cig	gat	tct	cta	cag	aca	gaa	gcc	gaa	agc	cta	gac	4005
55	Thr	Ala	Lys	Glu	Leu	Asp	Ser	Leu	Gln	Thr	GIu	Ala	Glu	Ser	Leu	Asp	

					1285					1290					1295		
5	aac	act	gtg	aaa	gaa	ctt	gct	gaa	caa	ctg	gaa	tti	atc	aaa	aac	tca	4053
	Asn	Thr	Val	Lys	Glu	Leu	Ala	Glu	Gln	Leu	Glu	Phe	lle	Lys	Asn	Ser	
10				1300					1305					1310		-	
	gat	att	cgg	ggt	gcc	ttg	gat	agc	att	acc	aag	tat	ttc	cag	atg	tct	4101
45	Asp	He	Arg	Gly	Ala	Leu	Asp	Ser	He	Thr	Lys	Tyr	Phe	Gln	Met	Ser	
15			1315					1320					1325				
	ctt	gag	gca	gag	gag	agg	gtg	aat	gcc	tcc	acc	áca	gaa	ccc	aac	agc	4149
20	Leu	Glu	Ala	Glu	Glu	Arg	Val	Asn	Ala	Ser	Thr	Thr	Glu	Pro	Asn	Ser	٠
		1330				1	1335					1340					
25	act	gtg	gag	cag	tca	gcc	ctc	atg	aga	gác	aga	gta	gaa	gac	gtg	atg	4197
	Thr	Val	Glu	Gln	Ser	Ala	Leu	Met	Arg	Asp	Arg	Val	Glu	Asp	Val	Met	
	134	5			1	1350				1	355					1360	
30				gaa													4245
	Met	Glu	Arg	Glu		Gln	Phe	Lys			Gln	Glu	Glu			Arg	
35		-44			365					1370					1375		4000
				gaa													4293
	Leu	ren		G1u 1380	rea	MId	GIY		1385	GIII	261	Leu		1390	261	Ald	
40	ar t	gr r		atg	acc	tot	gga			cca	800	<b>a</b> cc			ton	<b>0</b> 20	4341
				Met													1011
45			1395		•	-,-		400					405	-,-		•••	
	act			ggc	ggg	cca	aac	tgc	aga.	act	gac	gaa	gga	gag	agg	aag	4389
50	Thr	Glu	Cys	Gly	Gly	Рго	Asn	Cys	Arg	Thr	Asp	Glu	Gly	Glu	Arg	Lys	
	1	410				1	415	•			1	420				•	•
	tgt	ggg	ggg	cct	ggc	tgt	ggt	ggt	ctg	gtt	act	gtt	gca	cac	aac	gcc	4437
55	Cys	Gly	Gly	Pro	Gly	Cys	Gly	Gly	Leu	Val	Thr	Va]	Ala	His	Asn	Ala	
											•						

	142	5				1430				]	1435					1440	
5	igg	cag	aaa	gcc	atg	gac	ttg	gac	caa	gat	gtc	ctg	agt	gcc	ctg	gct	4485
	Trp	Gln	Lys	Ala	Me t	Asp	Leu	Asp	Gln	Asp	Val	Leu	Ser	Ala	Leu	Ala	
10					1445					1450					1455		
	gaa	gtg	gaa	caģ	cţc	tcc	aag	atg	gtc	tct	gaa	gca	aaa	ctg	agg	gca	4533
15	Glu	Val	Glu	Gln	Leu	Ser	Lys	Met	Val	Ser	Glu	Ala	Lys	Leu	Arg	Ala	
				1460				1	1465					1470			
	gat	gag	gca	aaa	caa	agt	gct	gaa	gac	att	ctg	ttg	aag	aca	aat	gct	4581
20	Asp	Glu	Ala	Lys	Gln	Ser	Ala	Glu	Asp	He	Leu	Leu	Lys	Thr	Asn	Ala	
		1	1475				1	1480					1485				
25			_	aaa													4629
			Glu	Lys	Met			Ser	Asn	Glu			Arg	Asn	Leu	He	
30		490					1495			an t		1500					
				aga Arg													4677
05	1505		116	VIE		510	LCU	1111	0.117		515	nia	, vsh	Leu		1520	
35			gca	gtt			gaa	gta	ttg			gag	atg	cct			4725
				Val													
40					525					530					1535		
	cca	cag	cag	tta	cag	aac	ttg	aca	gaa	gat	ata	cgt	gaa	cga	gtt	gaa	4773
45	Pro	Gln	Gln	Leu	Gln	Asn	Leu	Thr	Glu	Asp	He	Arg	Glu	Arg	Val	Glu	
			1	540			•	1	545			•	1	1550			
50	agc	ctt	tct	caa	gta	gag	gtt	att	ctt	cag	cat	agt	gct	gc t	gac	att	4821
	Ser	Leu	Ser	Gln	Va l	Glu	Val	lle	Leu	Gln	His	Ser	Ala	Ala	Asp	Ile	
		ì	555				1	560				1	565				
55	gcc	aga	gc t	gag	aig	ttg	tta	gaa	gaa	gct	aaa	aga	gca	agc	aaa	agt	4869

	Ala Arg Al	a Glu Wet Leu L	eu Glu Glu Ala Lys Ar	; Ala Ser Lys Ser
5	1570	15	. 1580	)
	gca aca ga	t gtt aaa gtc a	ct gca gat atg gta aag	g gaa gct clg gaa 4917
10	Ala Thr As	p Val Lys Val Ti	ır Ala Asp Met Val Lys	Glu.Ala Leu Glu
	1585	1590	. 1595	1600
15	gaa gca ga	a aag gcc cag g	c gca gca gag aag gca	a att aaa caa gca 4965
15	Glu Ala Gl	u Lys Ala Gln Va	il Ala Ala Glu Lys Ala	lle Lys Gln Ala
		1605	1610	1615
20	gat gaa ga	c att caa gga ac	c cag aac ctg tta act	tcg att gag tct 5013
	Asp Glu As	p lle Gln Gly Th	r Gln Asn Leu Leu Thi	Ser Ile Glu Ser
25		1620	1625	1630
	gaa aca_gc	a got tot gag ga	a acc tig tic aac gcg	tcc cag cgc atc 5061
	Glu Thr Al	a Ala Ser Glu Gl	u Thr Leu Phe Asn Ala	Ser Gln Arg Ile
30	163	5	1640	1645
		•	g gaa gaa ctt aag cgg	•
35			l Glu Glu Leu Lys Arg	
	1650	165	,	
			t att gaa aaa gia gia	
40			r lle Glu Lys Val Val	
	1665	1670	1675	1680
45	Cla So- Ale		g aag act tia gat ggt	
	GIN SEL MIS	1685	s Lys Thr Leu Asp Gly 1690	
			·	1695
50			t tta att gcc aaa aaa n Leu lle Ala Lys Lys	
	LYS IYI LYS		i Leu Tie Ala Lys Lys 1705	
55	ant mat ===	1700		1710
	ger gar gee	aga agg aaa gc	c gaa alg cla caa aat	gaa gca aaa act 5301

	Ala Asp Ala	Arg Arg Lys	Ala Glu Met	Leu Gln Asn Glu	Ala Lys Tbr
5	171	5	1720	1725	
	ctt tta gc	t caa gca aat	agc aag ctg	caa ctg ctc aaa	gat tta gaa 5349
10 .	Leu Leu Ala	Gin Ala Asn	Ser Lys Leu	Gin Leu Leu Lys	Asp Leu Glu
	1730		1735	· 1740	
	aga aaa tat	gaa gac aat	caa aga tac	tta gaa gat aaa	gct caa gaa 5397
	Arg Lys Tyr	Glu Asp Asn	Gln Arg Tyr	Leu Glu Asp Lys	Ala Gln Glu
	1745	1750		1755	1760
20	tta gca aga	ctg gaa gga	gaa gtc cgt	tca ctc cta aag	gat ata agc 5445
	Leu Ala Arg	Leu Glu Gly	Glu Val Arg	Ser Leu Leu Lys .	Asp Ile Ser
25		1765	i	1770	1775
•	cag aaa git	gct gtg tat	agc aca tgc	tig taacagagga g	aataaaaaa 5495
	Gin Lys Val	Ala Val Tyr	Ser Thr Cys	Leu	
30		1780	1785		
	tggctgaggt	gaacaaggta aa	aacaactac at	tttaaaaa cigactta	at gctcttcaaa 5555
35	ataaaacatc	acctatttaa ts	gtitttaat cad	cattingt algastia	aa taaagccc 5613
	<210> 76				
40 .	<211> 1786				•
40	<212> PRT				
	<213> Homo	sapiens			
45	<400> 76				
	Met Gly Leu	Leu Gin Leu	Leu Ala Phe	Ser Phe Leu Ala 1	Leu Cys Arg
50	1	5		10	15
	Ala Arg Val	Arg Ala Gln	Glu Pro Glu	Phe Ser Tyr Gly	Cys Ala Glu
		20	. 25		30
55	Gly Ser Cys	Tyr Pro Ala	Thr Gly Asp	Leu Leu lle Gly /	Arg Ala Gln

			35					40					45		•	
	Lys	Leu	Ser	Val	Thr	Ser	Thr	Cys	Gly	Leu	His	Lys	Pro	Glu	Pro	Tyr
		50					55					60				
	Cys	Ile	Val	Ser	His	Leu	Gln	Glu	Asp	Lys	Lys	Cys	Phe	He	Cys	Asn
10	65					70		•			75					80
	Ser	Gln	Asp	Pro	Tyr	His	G)u	Thr	Leu	Asn	Pro	Asp	Ser	His	Leu	lle
15					85					90					95	
	Glu	Asn	Val	Va l	Thr	Thr	Phe	Ala	Pro	Asn	Arg	Leu	Lys	lle	Trp	Trp
20				100					105					110		
	Gln	Ser	Glu	Asn	Gly	Val	Glu	Asn	Val	Thr	He	Gln	Leu	Asp	Leu	Glu
25			115					120					125			
	Ala	Glu	Phe	His	Phe	Thr	His	Leu	Ile	Met	Thr	Phe	Lys	Thr	Phe	Arg
•		130					135					140				
30	Pro	Ala	Ala	Met	Leu	He	Glu	Arg	Ser	Ser	Asp	Phe	Gly	Lys	Thr	Trp
	145					150					155					160
35	Gly	Val	Туг	Arg	Tyr	Phe	Ala	Tyr	Asp		Glu	Ala	Ser	Phe		Gly
	7.1.	<b>.</b>	T1 -	<b>01</b>	165	1/ - A	T		W - 1	170	4	71.	• • •	•	175	_
40	116	26 L	ınr		Pro	met	Lys	LÀS	va i 185	ASD	ASP	116	116		ASP	Ser
	Ara	Tur	Sar	180	lle	Clu	Pro	Ser.		Cla	Clv	Glu	Val	190	Dha	Ara
		1 9 1	195	лор	116	010	110	200	1111	010	Oly	014	205	116	Luc	VIR
45	Ala	Len		Pro	Ala	Phe	 Lvs		Glu	Asp	Pro	Tvr		Pro	Arg	ile
		210					215	•••	•••	,		220	00,	•••	,,,,	110
50			Leu	Leu	Lys	He		Asn	Leu	Arg	Ile		Phe	Vaì	ī.vs	Len
	225					230				. •	235				-, -	240
55	His	Thr	Leu	Gly	Asp		Leu	Leu	Asp	Ser		Me t	Glu	lle	Arg	

			•		245				•	250					255	
_	Lys	Tyr	Tyr	Tyr	Ala	Val	Туг	Asp	Met	Val	Val	Arg	Gly	Asn	Cys	Phe
5				260					265					270	• •	
	Cys	Tyr	Gly	His	Ala	Ser	Glu	Cys	Ala	Pro	Val	Asp	Gly	Phe	Asn	Glu
10	•	•	275					280					285	•		
	Glu	Val	Glu	Gly	Met	Val	His	Gly	His	Cys	Met	Cys	Arg	His	Asn	Thr
15		290					295					300				
	Lys	Gly	Leu	Asn	Cys	Glu	Leu	Cyṣ	Met	Asp	Phe	Tyr	His	Asp	Leu	Pro
	305					310					315					320
20	Trp	Arg	Pro	Ala	Glu	Gly	Arg	Asn	Ser	Asn	Ala	Cys	Lys	Lys	Cys	Asn
					325					330					335	
25	Cys	Asn	<u>G</u> l u	His	Ser	lle	Ser	Cys	His	Phe	Asp	Met	Ala	Val	Tyr	Leu
				340					345					350		
30	Ala	Thr	Gly	Asn	Val	Ser	Gly	Gly	Val	Cys	Asp	Asp	Cys	Gln	His	Asn
			355					360					365			
	Thr	Me t	Gly	Arg	Asn	Cys	Glu	Gln	Cys	Lys	Pro	Phe	Туг	Tyr	Gln	His
35		370					375					380				
	Pro	Glu	Arg	Asp	He		Aşp	Pro	Asn	Phe		Glu	Arg	Cys	Thr	
40	385					390					395					400
	Asp	Pro	Ala	Gly		Gln	Asn	Glu	Gly		Cys	Asp	Ser	Tyr		Asp
45					405					410		_		_	415	
13	Phe	Ser	Thr	Gly	Leu	ile	A I·a			Cys	Arg	Cys	Lys		Asn	Vai
		•		420			•••		425	61		D.	~	430		•
50	Glu	Gly		His	Cys	Asp	Val		Lys	GIU	Gly	Phe		Asp	Leu	Ser
			435					440		_			445	_		
55	Ser		Asp	Pro	Phe	Gly		Lys	Ser	Cys	Ala		Asn	Pro	Leu	Gly
•		450					455					460				

	111	1 110	e Pro	) 613	613	/ ASI	Pro	tys	ASP	261	GIU	101	GIY	HIS	· Cys	ıyr
5	46	5				470					475					480
	Cy:	s Ly:	s Arg	g Lev	Val	Thr	Gly	Gln	His	Cys	Asp	Gln	Cys	Leu	Pro	Glu
10					485	i				490					495	
	His	s Tri	Gly	, Len	Ser	Asn	Asp	Leu	Asp	Gly	Cys	Arg	Pro	Cys	Asp	Cys
				500					505					510		
15	Asp	Leu	Gly	Gly	Ala	Leu	Asn	Asn	Ser	Cys	Phe	Ala	Glu	Ser	Gly	Gln
			515		4			520					525	•		
20	Cys	Ser	Cys	Arg	Pro	His	Met	He	Gly	Arg	Gln	Cys	Asn	Glu	Val	Glu
		530		•	•		535				•	540				
25	Pro	Gly	Tyr	Туг	Phe	Ala	Thr	Leu	Asp	His	Туг	Leu	Tyr	Glu	Ala	Glu
	545		-			550					555				•	560
	Glu	Ala	Asn	Leu	Gly	Рго	Gly	Val	Ser	He	Val	Glu	Arg	Gln	Tyr	lle
30					565					570					575	
	Gln	Asp	Arg	He	Pro	Ser	Trp	Thr	Gly	Ala	Gly	Phe	Val	Arg	Val-	Pro
35				580					585					590		
	Glu	Gly	Ala	Туг	Leu	Glu	Phe	Phe	Ile	Asp	Asn	He	Pro	Tyr	Ser	Met
40			595					600					605			
,	Glu		Asp	He	Leu	He		ıyī	Glu	Рго	Gln	Leu	Pro	Asp	His	Trp
		610					615					620				•
<b>45</b>		Lys	Ala	Val	He	Thr	Val	Gln	Arg	Pro		Arg	He	Pro	Thr	Ser
-	625					630					635	•				640
50	Ser	Arg	Cys	Gly	Asn	Thr	He	Pro	Asp	Asp	Asp	Asn	Gln	Val	Val	Ser
					645		-			650					655	
	Leu	Ser	Pro	Gly	Ser	Arg	Туг	Val	Va l	Leu	Pro	Агg	Pro	Val	Cys	Phe
55				660					665				•	670		

	Glu	Lys	Gly	Thr	Asn	Туг	Thr	Val	Arg	Leu	Glu	Leu	Pro	Gln	Tyr	Thr
			675				٠	680					685			
	Ser	Ser	Asp	Ser	Asp	Val	Glu	Ser	Pro	Tyr	Thr	Leu	Ile	Asp	Ser	Leu
		690	}				695					700				
10	Val	Leu	Met	Pro	Tyr	Cys	Lys	Ser	Leu	Asp	Ile	Phe	Thr	Val	Gly	Gly
•	705					710					715	·		•		720
15	Ser	Gly	Asp	Gly	Val	Ya I	Thr	Asn	Ser	Ala	Trp	Glu	Thr	Phe	Gin	Arg
	•				725					730					735	
20	Tyr	Arg	Cys	Leu	Glu	Asn	Ser	Arg	Ser	Val	Val	Lys.	Thr	Pro	Met	Thr
				740					745					750		
	Asp	Va J	Cys	Arg	Asn	l l e	Ile	Phe	Ser	He	Ser	Ala	Leu	Leu	His	Gln
25			_755					760					765			
	Thr	Gly	Leu	Ala	Cys	Glu	Cys	Asp	Pro	Gln	Gly	Ser	Leu	Ser	Ser	Val
30		770					775					780				
		Asp	Pro	Asn	Gly		Gln	Cys	Gln	Cys		Pro	Asn	Val	Val	
	785	<b></b>	•		9.5	790					795	<b>.</b> .				800
35	Arg	Inr	Cys	ASN		Cys	BIA	Pro	Gly		Phe	Gly	Phe	Gly		Ser
•	Cly	Cvo	Lvc	Dro	805	Clu	Cun	Uio	Ĺau	810	Cl.	°	V. I	4	815	Dh.
40	GIY	CYS	Lys	820	Cy3	Olu	Cys	n12	825	GIII	UIY	261	vai	830	ЖIЯ	rne
	Cve	Asn	Pro		Thr	Glv	Gln	Cvs		ſvs	Phe	Gln	Glv		Tur	Ala
45	0,5	nsu	835	143	7311	017		840	1113	0,3	1 110	0111	845	101	171	nia
	Arg	Gln		Asp	Arg	Cvs	Leu		Glv	His	Tro	Glv		Pro	Ser	Cvs
		850	-,-	,		•,-	855					860				0,5
50	Gln		Cvs	Gln	Cys	Asn		His	Ala	Asp	Asp		Asp	Pro	Val	Thir
	865	-			• -	870				-	875			<del>-</del>		880
55		Glu	Cys	Leu	Asn		Gln	Asp	Tyr	Thr		Gly	His	Asn	Cys	Glu

					885			٠		890				·· .	895	
5	Arg	Cys	Leu	Ala	Gly	Туг	Tyr	Gly	Asp	<b>Lio</b>	Ile	lle	Gly	Ser	Gly	Asp
		•	•	900					905					910		
10	His	Cys	Arg	Pro	Cys	Pro	Cys.	Pro	Asp	Gly	Pro	Asp	Ser	Gly	Arg	Gln
70			915					920					925			
	Phe	Ala	Arg	Ser	Cys	Туг	Gln	Asp	Pro	Val	Thr	Leu	Gln	Leu	Ala	Cys
15		930					935					940				
	Vai	Cys	Asp	Pro	Gly	Tyr	He	Gly	Ser	Ärg	Cys	Æsp	Asp	Cys	Ala	Ser
20	945					950					955					960
	Gly	Tyr	Phe	Gly	Asn	Pro	Ser	Glu	Val	Gly	Gly	Ser	Cys	Gln	Pro	Cys
25					965					970					975	
25	Gln	Cys	His	Asn	Asn	He	Asp	Thr	Thr	Asp	Pro	Glu	Ala	Cys	Asp	Lys
				980					985					990		
30	Glu	Thr	Gly	Arg	Cys	Leu	Lys	Cys	Leu	Туг	His	Thr	Glu	Gly	Glu	His
			995					1000	)				100	5		
35	Cys	Gln	Phe	Cys	Arg	Phe	Gly	Tyr	Tyr	Gly	Asp	Ala	Leu	Arg	Gln	Asp
		1010	) ·				1015	ō				1020	)			
	Cys	Arg	Lys	Cys	Val	Cys	Asn	Tyr	Leu	Gly	Thr	Val	Gln	Glu	His	Cys
40	1025	;				1030	)				103	5				1040
	Asn	Gly	Ser	Asp	Cys	Gln	Cys	Asp	Lys	Ala	Thr	Gly	Gln	Cys	Leu	Cys
45					1045	i				1050	)				1055	5
•	Leu	Pro	Asn	Val	He	Gly	Gln	Asn	Cys	Asp	Arg	Cys	Ala	Pro	Asn	Thr
50				1060	)				1069	5				1070	)	
	Trp	Gln	Leu	Ala	Ser	Gly	Thr	Gly	Cys	Asp	Pro	Cys	Asn	Cys	Asn	Ala
			1075					1080	).				1085	5		
55	Ala	His	Ser	Phe	Gly	Pro	Ser	Cys	Asn	Glu	Phe	Thr	Gly	Gln	Cys	Gln

	1090		1095	1100	
	Cys Met 1	ro Gly Phe G	ly Glý Arg Thr Cys	Ser Glu Cys Gli	n Glu Leu
5	1105	1	110	1115	1120
	Phe Trp (	ly Asp Pro A	sp Val Glu Cys Arg	Ala Cys Asp Cys	s Asp Pro
10		1125	.113	)	1135
	Arg Gly 1	le Glu Thr P	ro Gln Cys Asp Gln	Ser Thr Gly Gli	n Cys Val
15		1140	1145	. 118	50
	Cys Val (	lu Gly Val G	lu Gly Pro Arg Cys	Asp Lys Cys Thi	r Arg Gly
20	1	155 .	1160	1165	
	Tyr Ser G	ly Val Phe Pi	ro Asp Cys Thr Pro	Cys His Gln Cys	s Phe Ala
	1170		1175	1180	
25	Leu Trp_A	sp Val Ile II	le Ala Glu Leu Thr	Asn Arg Thr His	s Arg Phe
	1185	. 11	190	1195	1200
30	Leu Glu L	ys Ala Lys Al	la Leu Lys lle Ser	Gly Val Ile Gly	Pro Tyr
		- 1205	1210	)	1215
	Arg Glu T	hr Val Asp Se	er Val Glu Arg Lys	Val Ser Glu Ile	Lys Asp
35		1220	1225	123	30
	lle Leu A	la Gln Ser Pr	o Ala Ala Glu Pro	Leu Lys Asn Ile	Gly Asn
40	1	235	1240	. 1245	
		lu Glu Ala Gl	u Lys Leu Ile Lys		Met Met
45	1250		1255	1260	
45			s Leu Ser Asp Thr	•	Asn Ser
	1265	12	270	1275	1280
50	Thr Ala Ly	s Glu Leu As	sp Ser Leu Gln Thr	Glu Ala Glu Ser	Leu Asp
		1285	1290	ŀ	1295
55	Asn Thr V	ıl Lys Glu Le	eu Ala Glu Gln Leu	Glu Phe lle Lys	Asn Ser
		1300	1305	. 131	0

	Asp Ile	Arg Gly A	la Leu Asp	Ser Ile Thi	r Lys Tyr Ph	e Gln Met Ser
5		1315		1320	13	25
	Leu Glu	Ala Glu Gl	lu Arg Val	Asn Ala Ser	Thr Thr Gl	u Pro Asn Ser
	. 1330	0 .	133	5	1340	
	Thr Val	Glu Gln Se	er Ala Leu	Met Arg Asp	Arg Val Gl	u Asp Val Met
	1345		1350		1355	1360
15	Met Glu	Arg Glu Se	er Gln Phe	Lys Glu Lys	Gln Glu Gl	u Gln Ala Arg
		. 13	365·	137	70	1375
20	Leu Leu	Asp Glu Le	u Ala Gly	Lys Leu Gla	Ser Leu As	p Leu Ser Ala
		1380		1385		1390
25	Ala Ala	Glu Met Th	r Cys Gly	Thr Pro Pro	Gly Ala Se	r Cys Ser Glu
		1395		1400	140	05
				•	Asp Glu Gl	y Glu Arg Lys
30	1 4 1 0			•	1 100	
	1410		1415	)	. 1420	
					•	a His Asn Ala
35					•	a His Asn Ala 1440
	Cys Gly	Gly Pro Gl Lys Ala Me	y Cys Gly 1430 t Asp Leu	Gly Leu Val . Asp Gln Asp	Thr Val Ala 1435 Val Leu Ser	
35	Cys Gly	Gly Pro Gl	y Cys Gly 1430 t Asp Leu	Gly Leu Val	Thr Val Ala 1435 Val Leu Ser	1440
	Cys Gly 1425 Trp Gln	Gly Pro Gl Lys Ala Me 14 Glu Gln Le	y Cys Gly 1430 t Asp Leu 45	Gly Leu Val Asp Gln Asp 145 Met Val Ser	Thr Val Ala 1435 Val Leu Ser O Glu Ala Lys	1440 r Ala Leu Ala 1455 s Leu Arg Ala
35	Cys Gly 1425 Trp Gln	Gly Pro Gl Lys Ala Me 14	y Cys Gly 1430 t Asp Leu 45	Gly Leu Val Asp Gln Asp 145 Met Val Ser	Thr Val Ala 1435 Val Leu Ser	1440 r Ala Leu Ala 1455
35	Cys Gly 1425 Trp Gln Glu Val	Gly Pro Gl Lys Ala Me 14 Glu Gln Le 1460 Ala Lys Gl	y Cys Gly 1430 t Asp Leu 45 u Ser Lys	Gly Leu Val Asp Gln Asp 145 Met Val Ser 1465 Glu Asp Ile	Thr Val Ala 1435 Val Leu Ser O Glu Ala Lys	1440  T Ala Leu Ala  1455  S Leu Arg Ala  1470  S Thr Asn Ala
35 40	Cys Gly 1425 Trp Gln Glu Val	Gly Pro Gl Lys Ala Me 14 Glu Gln Le 1460	y Cys Gly 1430 t Asp Leu 45 u Ser Lys	Gly Leu Val Asp Gln Asp 145 Met Val Ser 1465	Thr Val Ala 1435 Val Leu Ser O Glu Ala Lys	1440  T Ala Leu Ala  1455  S Leu Arg Ala  1470  S Thr Asn Ala
35 40	Cys Gly 1425 Trp Gln Glu Val	Gly Pro Gl Lys Ala Me 14 Glu Gln Le 1460 Ala Lys Gl	y Cys Gly 1430 t Asp Leu 45 u Ser Lys n Ser Ala	Gly Leu Val Asp Gln Asp 145 Met Val Ser 1465 Glu Asp Ile 1480	Thr Val Ala 1435 Val Leu Ser O Glu Ala Lys Leu Leu Lys	1440  T Ala Leu Ala  1455  S Leu Arg Ala  1470  S Thr Asn Ala
35 40 45	Cys Gly 1425 Trp Gln Glu Val	Gly Pro Gl Lys Ala Me 14 Glu Gln Le 1460 Ala Lys Gl	y Cys Gly 1430 t Asp Leu 45 u Ser Lys n Ser Ala	Asp Gln Asp 145 Met Val Ser 1465 Glu Asp Ile 1480 Ser Asn Glu	Thr Val Ala 1435 Val Leu Ser O Glu Ala Lys Leu Leu Lys	1440  r Ala Leu Ala 1455  s Leu Arg Ala 1470  s Thr Asn Ala
35 40 45	Cys Gly 1425 Trp Gln Glu Val Asp Glu Thr Lys 1490	Gly Pro Gl Lys Ala Me 14 Glu Gln Le 1460 Ala Lys Gl 1475 Glu Lys Me	y Cys Gly 1430 t Asp Leu 45 u Ser Lys n Ser Ala t Asp Lys 1495	Gly Leu Val Asp Gln Asp 145 Met Val Ser 1465 Glu Asp Ile 1480 Ser Asn Glu	Thr Val Ala 1435 Val Leu Ser  O Glu Ala Lys Leu Leu Lys 148 Glu Leu Ara 1500	1440  r Ala Leu Ala 1455  s Leu Arg Ala 1470  s Thr Asn Ala

	116	e Glu	ı Ala	a Val	Ala	a Asn	Glu	ı Val	Leu	Lys	Me t	Glu	Met	Pro	Ser	Thr
e.					152	25				153	0			·	153	5
5	Pro	Gln	Gli	ı Lei	Gln	Asn	Leu	Thr	Glu	Asp	He	Arg	Glu	Arg	Val	Glu
				154	10				154	5				155	0	
10	Sei	Leu	Sei	Gla	Val	Glu	Val	Ile	Leu	Gln	His	Ser	Ala	Ala	Asp	Ile
			155	55				·156	0				156	5		
15	Ala	Arg	Ala	Glu	Met	Leu	Leu	Glu	Glu	Ala	Lys	Arg	Ala	Ser	Lys	Ser
		157	0				157	5				158	0	•		
	Ala	Thr	Asp	Va]	Lys	Val	Thr	Ala	Asp	Met	Val	Lys	Glu	Ala	Leu	Glu
20	158	5				159	0				159	5				1600
	G] u	Ala	G) u	Lys	Ala	Gln	Val	Ala	Ala	Glu	Lys	Ala	He	Lys	Gln	Ala
25			-		160	5				1610	)				161	5
	Asp	Glu	Asp	Ile	Gln	Gly	Thr	Gln	Asn	Leu	Leu	Thr	Ser	He	Glu	Ser
•				162	0				162	5				163	0	
30	Glu	Thr	Ala	Ala	Ser	Glu	Glu	Thr	Leu	Phe	Asn	Ala	Ser	Gln	Arg	lle
			163	5				1640	)			•	164	ō		
35	Ser	Glu	Leu	Glu	Arg	Asn	Val	Glu	Glu	Leu	Lys	Arg	Lys	Ala	Ala	Gln
		1650	)				1655	5				1660	)			
40	Asn	Ser	Gly	Glu	Ala	Glu	Tyr	He	Glu	Lys	Yal	Val	Туг	Thr	Val	Lys
	1665	5				1670	)				1675	5				1680
	Gln	Ser	Ala	Glu	Asp	Val	Lys	Lys	Thr	Leu	Asp	Gly	Glu	Leu	Asp	G]u
45					1685	5	•			1690					1695	j
	Lys	Tyr	Lys	Lys	Val	Ģlu	Asn	Leu	He	Ala	Lys	Lys	Thr	Glu	Glu	Se∙r
50				1700	)				1705	i				1710	)	
	Ala	Asp	Ala	Arg	Arg	Lys	Ala	Glu	Met	Leu	Gln	Asn	Glu	Ala	Lys	Thr
			1715	;				1720	)				1725			
55	Leu	Leu	Ala	Gln	Ala	Asn	Ser	Lys	Lev	Gln	Leu	Leu	Lys	qzA	Leu	Glu

	1730	1735	1740
5	Arg Lys Tyr Glu Asp	Asn Gln Arg Tyr Leu Glu	Asp Lys Ala Gln Glu
	1745	1750 1755	1760
10	Leu Ala Arg Leu Glu	Gly Glu Val Arg Ser Leu	Leu Lys Asp Ile Ser
10	1765	1770	1775
	Gln Lys Val Ala Val	Tyr Ser Thr Cys Leu	
15	1780	1785	•
	<210> 77		
20	<211> 585		
	<212> DNA		
25	<213> Homo sapiens		
	<220>		
22	<221> CDS		
30	<222> (27) (335)		
	<400> 77 .		
35	ctgagactga cctgcaggad	c gaaacc aig aag agc cig	
			ı Ile Leu Leu Ala Ile
40		. 1	5
		gla gta act tig igt tat	
45	10	Val Val Thr Leu Cys Tyr 15 · 20	25
		cit aai ccc iic ali aac	
		Leu Asn Pro Phe Ile Asn	
50	30	35	40
		cag cag aga igg aga gci	
55		Gln Gln Arg Trp Arg Ala	

				45				:	50					55			
5	atc	cga	gaa	cgc	tct	aag	cct	gtc	cac	gag	ctc	aat	agg	gaa	gcc	tgt	245
	lle	Arg	Glu	Arg	Ser	Lys	Pro	Va 1	His	Glu	Leu	Asn	Årg	Glu	Ala	Cys	
10			60					65					70				
	gat	gac	tac	aga	ctt	l gc	gaa	cgc	tac	gcc	atg	gtt	tat	gga	tac	aat	293
45	Asp	Asp	Tyr	Arg	Leu	Cys	Glu	Arg	Tyr	Ala	Met	Val	Tyr	Gly	Tyr	Asn	
15		75				• • •	80					85					
	gct	gcc	tat	aat	cgc	tac	ttc	agg	aag	cgc	cga	ggg	acc	aaa			335
20	Ala	Ala	Tyr	Asn	Arg	Tyr	Phe	Arg	Lys	Arg	Arg	Gly	Thr	Lys			
	90					95					100						
25	tgag	;actg	ag g	gaag	gaaaa	aa aa	aatc	tctt	tti	tct	ggag	gct	ggca	cct	gatt	ttgtat	395
	cccc	ctgt	ag c	agca	attac	et ga	aat	acata	ggo	tta	lata	caa	tgct	tct	ttcc	tgtata	455
	ttct	citg	tc t	ggct	gcac	c co	ettt	ttcc	gco	ccca	egat	tga	taag	taa	tgaa	agigca	515
30	ctgc	agtg	ag g	gtca	aagg	ga ga	gtca	acat	ats	g t ga i	tgt	tcca	ataa	taa	actt	ctggtg	575
	igat	actt	tc														585
35	<210	> 78															
	<211	> 10	3		•												
40	<212	> PR	T				•										•
	<213	> Ho	mo s	apie	ns												•
	<4.002	> 78															
45	Met 1	Lys :	Ser	Leu	Ile	Leu	Leu	Ala	He	Leu	Ala	Aļa	Leu	Ala	Val	Val	
	1	•			. 5		•			· 10				٠.	15		
50	Thr 1	Leu (	Cys	Tyr	Glu	Ser	His	Glu	Ser	Met	Glu	Ser	Tyr	Glu	Leu	Asn	
				20					25					30			
	Pro I	Phe :	lle .	Asn	Arg	Arg	Asn	Ala	Asn	Thr	Phe	İle	Ser	Pro	Gln	Gln	
	٠		35					40					45				

	Arg	Trp Arg Al	a Lys Val	l Gln Glu	Arg lie Arg	Glu Arg Ser	Lys Pro
5		50		55		60	
	Va l	His Glu Le	u Asn Ara	g Glu Ala	Cys Asp Asp	Tyr Arg Leu	ı Cys Glu
10	65		70	)	75		80
70	Arg	Tyr Ala Me	t Val Tyr	r Gly Tyr	Asn Ala Ala	Tyr Asn Arg	Tyr Phe
			85		90		95
15	Arg	Lys Arg Ar	g Gly Thr	Lys			
		10	0				
20	₹210	> 79					•
		> 1775					
25	<212	> DNA					
	<213	> Homo sap	iens				
	<220)	>					
30	<221	> CDS					
	· <222	> (6)(11	48)				
35	<400)	> 79					
	cagca	a atg cal	ctc ctt g	cg all c	tg ttt tgt g	ct ctc tgg t	ct gca gtg 50
40		Met His	Leu Leu A	•		la Leu Trp S	er Ala Val
		1		5		10	15
45				•		tat gtg aat	
45	Leu A	Ala Glu As		ASP IYI		Tyr Val Asn	•
		~~~ ~! ~ ~~	20	ata ant	25	<b>500.000.00</b>	30
50						gac ccc acg	
	ASII G			ren uiz	40.	Asp Pro Thr	
55	and t	3.		tra ass		ctc tic atc	
	gic l	. SC BSL Ca	s sus cac	100 500	.ob bat adg	old ill all	ar 2 Cr 8 124

	Ala	Cys	Gly	/ Gln	Glu	His	Ser	Glu	Trp	Asp	Lys	Leu	Phe	lle	Met	Leu	
5			50)				55					60	ł			
	gag	aac	: tcg	cag	atg	aga	gag	cgc	atg	ctg	ctg	caa	gcc	acg	gac	gac	242
10	Glu	Asn	Ser	Gln	Me t	Arg	Glu	Arg	Met	Leu	Leu	Gln	Ala	Thr	Asp	Asp	
		65					70					75					•
15	gtc	ctg	cgg	ggc	gag	ctg	cag	agg	ctg	cgg	gag	gag	ctg	ggc	cgg	ctc	290
	Val	Leu	Arg	Gly	Glu	Leu	Gln	Arg	Leu	Arg	Glu	Glu	Leu	Gly	Arg	Leu	
	80					85					90					95	
20	gcg	gaa	agc	ctg	gcg	agg	ccg	t gc	gcg	ccg	ggg	gct	ccc	gca	gag	gcc	338
	Ala	Glu	Ser	Leu		Arg	Pro	Cys	Ala		Gly	Ala	Pro	Ala		Ala	
25			_		100					105					110		
				agt													386
30	Arg	ren	inr	Ser 115	AIA	Leu	ASP	614		Leu	Gin	Ala	lhr		Asp	Ala	
	ggr	cac	200	ctg	ar a	cet	a t·σ		120	ara	020	aca		125		g 2 g	
				Leu													434
35	J.,	0	130	200				135	. .,		0.0		140	*** 0			
	gag	gcg		cgc	gcc	ctg	gcc		gtg	cta	gag	gag		cgg	cag	acg	482.
40				Arg													
		145					150					155					٠
45	cga	gcc	gac	ctg	cac	gcg	gtg	cag	ggc	tgg	gct	gcc	cgg	agc	t gg	clg.	530
	Arg	Ala	Asp	Leu	His	Ala	Val	GIn	Gly	Trp	Ala	Ala	Arg	Ser	Trp	Leu	
	160					165		•			170					175	
50	ccg	gca	ggt	tgt	gaa	aca	gct	att	tta	ttc	cca	alg	cgt	tcc	aag	aag	578
	Pro	Ala	Gly	Cys	G I v	Thr	Ala	Ite	Leu	Phe	Pro	Met	Arg	Ser	Lys	Lys	
55					180					185					190		

	att	ttt	gga	agc	gtg	cat	cca	gig	aga	cca	alg	agg	ctt	gag	tct	ttt	626
5	He	Phe	Gly	Ser	Val	His	Pro	Va l	Arg	Pro	Met	Arg	Leu	Glu	Ser	Phe	
				195				•	200					205			
	agt	gcc	t gc	att	tgg	gtc	aaa	gcc	aca	gat	gta	tta	aac	aaa	acc	atc	674
10	Ser	Ala	Cys	Ile	Trp	Va 1	Lys	Ala	Thr	Asp	Val	Leu	Asn	Lys	Thr	Ile	
			210				•	215				•	220				
15	ctg	ttt	tcc	tat	ggc	aca	aag	agg	aat	cca	tat	gaa	atc	cag	ctg	tat	722
	Leu	Phe	Ser	Tyr	Gly	Thr	Lys	Arg	Asn	Pro	Tyr	Glu	He	Gin	Leu	Tyr	
20		225					230					235					
	ctc	agc	tac	caa	tcc	ata	gtg	ttt	gtg	gtg	ggt	gga	gag	gag	aac	aaa	770
	Leu	Ser	Tyr	Gln	Ser	Ile	Val	Phe	Val	V a l	Gly	Gly	Glu	Glu	Asn	Lys	
25	240	•	-		•	245					250					255	
	ctg	gtt	gc t	gaa	gcc	atg	gtt	tcc	ctg	gga	agg	tgg	acc	cac	ctg	tgc	818
30	Leu	Val	Ala	Glu	Ala	Met	Val	Ser	Leu	Gly	Arg	Trp	Thr	His	Leu	Cys	
					260					265					270		
	ggc	acc	tgg	aat	tca	gag	gaa	ggg	ctc	aca	tcc	ttg	tgg	gta	aat	ggt	866
35	Gly	Thr	Trp	Asn	Ser	GJu	Glu	Gly		Thr	Ser	Leu	Trp	Val	Asn	GIy.	
				275					280					285			
40		•	•	gcl													914
	Glu	Leu		Ala	Thr	Thr	Val		Met	Ala	Thr	Gly		He	Val	Pro	
45			290					295					300				
45				atc													962
			Gly	He	Leu	Gln		G]y	G1 n	Glu			Gly	Cys	Cys	Val	
50		305					310					315				٠	•
	ggt	ggt	ggc	ttt	gat	gaa	aca	118	gcc	tic	tct	ggg	aga	cic	aca	ggc	1010
55	Gly	Gly	Gly	Phe ·	Asp	Glu	Thr	Leu	Ala			Gly	Arg	Leu	Thr	Gly	
· .	320		•			325					330					335	

	ttc aat atc tgg gat agt gtt ctt agc aat gaa gag ata aga gag acc lo	058
5	Phe Asm Ile Trp Asp Ser Val Leu Ser Asm Glu Glu Ile Arg Glu Thr	
	340 345 350	
10	gga gga gca gag tot tgt cac atc cgg ggg aat att gtt ggg tgg gga 1	106
	Gly Gly Ala Glu Ser Cys His Ile Arg Gly Asn lle Val Gly Trp Gly	
	355 360 · 365	
15	gtc aca gag atc cag cca cat gga gga gct cag tat gtt tca	148
	Val Thr Glu Ile Gln Pro His Gly Gly Ala Gln Tyr Val Ser	
20	370 375 380	
	taaatgitgi gaaactccac itgaagccaa agaaagaaac icacacitaa aacacaigcc 12	208
25	agtigggaag gicigaaaac icagigcata ataggaacac tigagactaa igaaagagag 12	:68
	agitgagacc aaictitati igiaciggcc aaatacigaa taaacagiig aaggaaagac 13	28
	aliggaaaaa gottitgagg alaaigitac tagaciitai gocaiggigo tiicagiita 13	88
30	atgctgtgtc tctgtcagat aaactctcaa ataattaaaa aggactgtat tgttgaacag 14	148
	agggacaatt gtttlacttt tcttiggtia attttgttit ggccagagat gaatttiaca 15	80
35	liggaagaat aacaaaataa galtigiigt ccaligiica ligitaligg laigiaccii 15	68
	attacaaaaa aaatgatgaa aacatattta tactacaagg tgacttaaca actataaatg 16	28
	tagittaigt gitataatcg aaigicacgi tiitgagaag atagicatai aagitalati 16	88
40	gcaaaaggga tiigtaltaa titaagacta tittigtaaa gcictactgi aaataaaata 17	48
	ttttataaaa ctaaaaaaaa aaaaaaaa 17	775
45	<210> 80 · · · ·	
	<211> 381	
50	<212> PRT	
	<213> Homo sapiens	
	<400> 80	
55	Met His Leu Leu Ala Ile Leu Phe Cys Ala Leu Trp Ser Ala Val Leu	

	. 1				5					10					15	
5	Ala	Glu	Asn	Ser	Asp	Asp	Tyr	Asp	Leu	Net	Туг	Yal	Asn	Leu	Asp	Asn
				20					25					30		
10	Głu	Ile	Asp	Asn	Gly	Leu	His	Pro	Thr	Glu	Asp	Pro	Thr	Pro	Cys	Ala
			35					40.					45			
	Cys	Gly	Gln	Glu	His	Ser	Glu	Trp	Asp	Lys	Leu	Phe	He	Met	Leu	Glu
15		50					55				•	60				
	Asn	Ser	Gln	Met	Arg	Glu	Arg	Met	Leu	Leu	Gln	Ala	Thr	Asp	Asp	Val
20	65					70					75	٠				80
	Leu	Arg	Gly	Glu	Leu	Gln	Arg	Leu	Arg	Glu	Glu	Leu	Gly	Arg	Leu	Ala
					85					90					95	
25	Glu	Ser	Leu	Ala	Arg.	Pro	Cys	Ala	Pro	Gly	Ala	Pro	Ala	Glu	Ala	Arg
				100			•		105					Í 10		
30	Leu	Thr	Ser	Ala	Leu	Asp	Glu	Leu	Leu	Gln	Ala	Thr	Arg	Asp	Ala	Gly
			115					120					125			
35	Arg	Arg	Leu	Ala	Arg	Met	Glu	Gly	Ala	Glu	Ala	Gln	Arg	Pro	Glu	Glu
		130					135					140				
	Ala	Gly	Arg	Ala	Leu	Ala	Ala	Val	Leu	Glu	Glu	Leu.	Arg	Gln	Thr	Arg
40	145					150					155					160
	Ala	Asp	Leu	His	Ala	Val	Gln	Gly	Trp	Ala	Ala	Arg	Ser	Trp	Leu	Pro
45					165					170					175	
	Ala	G1 y	Cys	Glu	Thr	Ala	lle	Leu _.	Phe	Pro	Me t	Arg	Ser	Lys	Lys	He
				180					185					190		
50	Phe	Gly	Ser	Val	His	Pro	Val	Arg	Pro	Met	Arg	Leu	GJu	Ser	Phe	Ser
			195					200					205			
55	Ala	Cys	He	Trp	Val	Lys	Ala	Thr	Asp	Val	Leu	Asn	Lys	Thr	lle	Leu

		210					215					220				
	Phe	Ser	Tyr	Gly	Thr	Lys	Arg	Asn	Pro	Tyr	Glu	He	Gin	Leu	Tyr	Leu
	225					230					235					240
	Ser	Tyr	G1 n	Ser	He	Va)	Phe	Val	Val	Gly	Gly	Glu	Glu	Asn	Lys	Leu
10					245					250					255	
	Va!	Ala	Glu	Ala	Me t	Val	Ser	Leu	Gly	Arg	Trp	Thr	His	Leu	Cys	Gly
. 15				260					265					270		
	Thr	Trp	Asn	Ser	Glu	Glu	Gly	Leu	Thr	Ser	Leu	Trp	Val	Asn	Gly	Glu
			275					280					285			
20	Leu	Ala	Ala	Thr	Thr	Val	G1 u	Met	Ala	Thr	Gly	His	Ile	Val	Pro	Glu
		290					295					300				
25	Gly	Gly	lle	Leu	Gln	Ile	Gly	Gln	Glu	Lys	Asn	Gly	Cys	Cys	Val	Gly
	305					310					315					320
30	Gly	Gly	Phe	Asp	Glu	Thr	Leu	Ala	Phe	Ser	Gly	Arg	Leu	Thr	Gly	Phe
			•		325	•				330			•		335	
	Asn	Ile	Trp		Ser	Val	Leu	Ser		Glu	Glu	He	Arg	Glu	Thr	Gly
35				340				•	345					350		
	Gly	Ala		Ser	Gys	His	lle		Gly	Asn	Ile	Va]		Trp	Gly	Val
40			355		_			360			_		365			
	Thr		11e	GIn	Pro	His		Gly	Ala	Gin	Tyr		Ser			
45		370					375					380				
45	<210	> 81				-	•									
	<211	> 23	12													•
50	<212	> DN	A													
	<213> Homo sapiens															
55	<220	>														

	(221)	צעג						
5	<222>	(146) (1192)					
	(400) 8	11						
	tccagtg	acg gagccgc	ccg gccga	cagcc cc	gagacgac	agcccggcgc	gtcccggtcc 60	0
10	ccacctc	cga ccaccgo	cag cgctc	cagge ce	cgcgctcc	ccgctcgccg	ccaccgcgcc 1	20
	ctccgct	ccg cccgcag	tgc caacc	atg acc	gcc gcc	agt atg ggd	ccc gtc 1	72
15				Met Thr	Ala Ala	Ser Met Gly	Pro Val	
				1		5		
20	cgc gtc	gcc ttc gt	g gtc ctc	ctc gcc	ctc tgc	agc cgg ccg	gcc gtc 22	20
	Arg Val	Ala Phe Va	l Yal Leu	Leu Ala	Leu Cys	Ser Arg Pro	Ala Val	
	10		15		20		25 .	
25	ggc cag	aac tgc ag	c ggg ccg	tġc cgg	tgc ccg	gac gag ccg	gcg ccg 26	38
	Gly Gln	Asn Cys Se		Cys Arg	Cys Pro	Asp Glu Pro	Ala Pro	
· 30		3		•	35		40	
		ccg gcg gg						16
35	Arg Cys	Pro Ala Gl	y val ser	Leu var	ren ysb	GIY CYS GIY		
	rer etr	tgc gcc aag	g cag cig		ctg tgc			34
		Cys Ala Ly						, ,
40		60		65		70		
	tgc gac	ccg cac aag	g ggc ctc	ttc tgt	gac ttc	ggc tcc ccg	gcc aac 41	2
45	Cys Asp	Pro His Ly	Gly Leu	Phe Cys	Asp Phe	Gly Ser Pro	Ala Asn	
	75		· 80			85		
50	cgc aag	atc ggc gtg	g igc acc	gcc aaa	gat ggt	gct ccc tgc	atc ttc 46	0
	Arg Lys	lle Gly Val	Cys Thr	Ala Lýs	Asp Gly	Ala Pro Cys	Ile Phe	
	90		95		100		105	
55	ggt ggt	acg gtg tac	cgc agc	gga gag	tcc ttc	cag agc agc	tgc aag 50	8

	Gly Gly Thr Val	Tyr Arg Ser Gly	Glu Ser Phe Gln-Ser Ser	Cys Lys
5		110 .	115	120
	tac cag tgc acg	tgc ctg gac ggg	gcg gtg ggc tgc atg ccc o	ctg tgc 556
10	Tyr Gln Cys Thr	Cys Leu Asp Gly	Ala Val Gly Cys Met Pro 1	Leu Cys
	125		130 135	
	agc atg gac gtt	cgt ctg ccc agc	cct gac tgc ccc ttc ccg a	agg agg 604
15	Ser Met Asp Val	Arg Leu Pro Ser	Pro Asp Cys Pro Phe Pro A	Arg Arg
	140	145	150	
20	gtc aag ctg ccc	ggg aaa tgc tgc	gag gag tgg gig igt gac g	gag ccc 652
	Val Lys Leu Pro	Gly Lys Cys Cys	Glu Glu Trp Val Cys Asp (Glu Pro
25	155	160	. 165	
		•	gcc ctc gcg gct tac çga c	
20		•	Ala Leu Ala Ala Tyr Arg I	
30	170	175	180	185
			alg att aga gcc aac tgc c Met Ile Arg Ala Asn Cys L	
35	ASP INI THE GIY	190		300 vai
	cag acc aca gag		icc aag acc igi ggg aig g	
40			Ser Lys Thr Cys Gly Met G	·
	205		210 215	
45	tcc acc cgg gtt	acc aat gac aac g	scc tcc tgc agg cta gag a	ag cag 844
	Ser Thr Arg Val	Thr Asn Asp Asn A	ala Ser Cys Arg Leu Glu L	ys Gln
	220	225	230	
50	agc cgc ctg tgc	atg gtc agg cct l	gc gaa gct gac cig gaa g	ag aac 892
	Ser Arg Leu Cys	Met Val Arg Pro C	Cys Glu Ala Asp Leu Glu G	lu Asn
<i>5</i> 5	235	240	245	

Itle Lys Lys Gly Lys Lys Cys lle Arg Thr Pro Lys lle Ser Lys Pro 250 255 260 265 atc aag tit gag ctt tci ggc igc acc agc aig aag aca tac cga gct 988 Ile Lys Phe Glu Leu Ser Gly Cys Thr Ser Met Lys Thr Tyr Arg Ala 270 275 280 15 aaa tic igt gga gia igt acc gac ggc cga igc igc acc ccc cac aga 1036 Lys Phe Cys Gly Val Cys Thr Asp Gly Arg Cys Cys Thr Pro His Arg 285 290 295 acc acc acc cig cig gig gag tic aag igc cct gac ggc gag gic aig 1084 Thr Thr Thr Leu Pro Val Glu Phe Lys Cys Pro Asp Gly Glu Val Met 25 300 305 310 aag aag aac aig aig tic atc aag acc igi gcc igc cat tac aac igt 1132 Lys Lys Asn Met Met Phe Ile Lys Thr Cys Ala Cys His Tyr Asn Cys
atc aag tit gag cit tot ggc igc acc agc atg aag aca tac cga gct 988 Ile Lys Phe Glu Leu Ser Gly Cys Thr Ser Met Lys Thr Tyr Arg Ala 270 275 280 15 aaa tic igt gga gta igt acc gac ggc cga igc igc acc ccc cac aga 1036 Lys Phe Cys Gly Val Cys Thr Asp Gly Arg Cys Cys Thr Pro His Arg 285 290 295 acc acc acc cig ccg gig gag itc aag igc cci gac ggc gag gic atg 1084 Thr Thr Thr Leu Pro Val Glu Phe Lys Cys Pro Asp Gly Glu Val Met 25 300 305 310 aag aag aac atg atg itc atc aag acc igt gcc igc cat tac aac igt 1132
Ile Lys Phe Glu Leu Ser Gly Cys Thr Ser Met Lys Thr Tyr Arg Ala 270 275 280 15 aaa tic igt gga gia igt acc gac ggc cga igc igc acc ccc cac aga 1036 Lys Phe Cys Gly Val Cys Thr Asp Gly Arg Cys Cys Thr Pro His Arg 285 290 295 acc acc acc cig ccg gig gag itc aag igc cci gac ggc gag gic atg 1084 Thr Thr Thr Leu Pro Val Glu Phe Lys Cys Pro Asp Gly Glu Val Met 25 300 305 310 aag aag aac atg atg itc atc aag acc igt gcc igc cat iac aac igt 1132
Ile Lys Phe Glu Leu Ser Gly Cys Thr Ser Met Lys Thr Tyr Arg Ala 270 275 280 15 aaa tic igt gga gia tgt acc gac ggc cga igc igc acc ccc cac aga 1036 Lys Phe Cys Gly Val Cys Thr Asp Gly Arg Cys Cys Thr Pro His Arg 285 290 295 acc acc acc ctg ccg gig gag tic aag igc cct gac ggc gag gic atg 1084 Thr Thr Thr Leu Pro Val Glu Phe Lys Cys Pro Asp Gly Glu Val Met 25 300 305 310 aag aag aac atg atg tic atc aag acc igt gcc tgc cat tac aac igt 1132
aaa tic igi gga gia igi acc gac ggc cga igc igc acc ccc cac aga 1036 Lys Phe Cys Gly Val Cys Thr Asp Gly Arg Cys Cys Thr Pro His Arg 285 290 295 acc acc acc ctg ccg gig gag iic aag igc cci gac ggc gag gic atg 1084 Thr Thr Thr Leu Pro Val Glu Phe Lys Cys Pro Asp Gly Glu Val Met 300 305 310 aag aag aac atg atg itc atg aag acc igi gcc igc cat iac aac igi 1132
Lys Phe Cys Gly Val Cys Thr Asp Gly Arg Cys Cys Thr Pro His Arg 285 290 295 acc acc acc ctg ccg glg gag ttc aag tgc cct gac ggc gag gtc atg 1084 Thr Thr Thr Leu Pro Val Glu Phe Lys Cys Pro Asp Gly Glu Val Met 25 300 305 310 aag aag aac atg atg ttc atc aag acc tgt gcc tgc cat tac aac tgt 1132
285 290 295 acc acc acc ctg ccg gig gag ttc aag igc cct gac ggc gag gic atg 1084 Thr Thr Thr Leu Pro Val Glu Phe Lys Cys Pro Asp Gly Glu Val Met 25 300 305 310 aag aag aac atg atg ttc atc aag acc igt gcc tgc cat tac aac igt 1132
acc acc acc ctg ccg gtg gag ttc aag tgc cct gac ggc gag gtc atg 1084 Thr Thr Thr Leu Pro Val Glu Phe Lys Cys Pro Asp Gly Glu Val Met 25 300 305 310 aag aag aac atg atg ttc atc aag acc tgt gcc tgc cat tac aac tgt 1132
acc acc acc ctg ccg gig gag ttc aag igc cct gac ggc gag gic atg 1084 Thr Thr Thr Leu Pro Val Glu Phe Lys Cys Pro Asp Gly Glu Val Met 305 310 aag aag aac atg atg ttc atc aag acc igt gcc tgc cat tac aac igt 1132
aag aag aac atg atg ttc atc aag acc igi gcc igc cai tac aac igi 1132
aag aag aac atg atg ttc atc aag acc igt gcc tgc cat tac aac igt 1132
Lys Lys Asn Met Met Phe Ile Lys Thr Cys Ala Cys His Tyr Asn Cys
30
315 320 325
ccc gga gac aat gac atc til gaa tog otg tac tac agg aag atg tac 1180
The dry hap han hap the the dre del bee lyt lyt hig by sweet lyt
330 335 340 345 gga gac atg gca tgaagccaga gaglgagaga cattaactca ttagactgga 1232
Gly Asp Met Ala
actigaacig atteacatet cattitieng taaaaalgat tinagtagea caagitatit 1292
45 aaatcigiti ticlaacigg gggaaaagai tcccacccaa ticaaaacai tgigccatgi 1352
caaacaaata gictaiciic cccagacaci ggiiigaaga aigitaagac iigacagigg 1412
aactacatta gtacacagca ccagaaigia tatlaaggig iggcitlagg agcagiggga 1472
gggtaccage agaaaggtta glateateag atagetetta taegaglaat atgeetgeta 1532
·

cagaacagca gactcagctc igacaticig alicgaatga cactgiicag gaatcggaat 1712 cctglcgatt agactggaca gcttgtggca agtgaatttc ctgtaacaag ccagatttt 1772 acagitatet aagitaatit aaagitgiti gigeettitt attitigiit tiaatgetti 1892 10 gatatticaa igitageete aatticigaa caccataggi agaatgiaaa getigietga 1952 togilcaaag catgaaatgg atacttatat ggaaattoto toagatagaa tgacagtoog 2012 15 tcaaaacaga tigitigcaa aggggaggca tcagigtcci iggcaggcig attictaggi 2072 aggaaatgtg gtagctcacg ctcactttta atgaacaaat ggcctttatt aaaaactgag 2132 tgacictata tagcigatca gittiticac ciggaagcat tigiticiac tilgatatga 2)92 ctgittitcg gacagittat tigitgagag igigaccaaa agitacaigi tigcacciii 2252 ctagligaaa ataaagtala tittictaa aaaaaaaaaa aaacgacagc aacggaattc 2312 25 <210> 82 <211> 349 30 <212> PRT (213) Homo sapiens <400> 82 Net Thr Ala Ala Ser Met Gly Pro Val Arg Val Ala Phe Val Val Leu 1 5 10 15 Leu Ala Leu Cys Ser Arg Pro Ala Val Gly Gln Asn Cys Ser Gly Pro 20 25 30 -Cys Arg Cys Pro Asp Glu Pro Ala Pro Arg Cys Pro Ala Gly Val Ser 35 40 45 Leu Val Leu Asp Gly Cys Gly Cys Cys Arg Val Cys Ala Lys Gln Leu 50 55 Gly Glu Leu Cys Thr Glu Arg Asp Pro Cys Asp Pro His Lys Gly Leu 55 65 70 75 80

	Phe	Cys	Asp	Phe	Gly	Ser	Pro	Ala	Asn	Arg	Lys	He	Gly	Val	Cys	Thr	
5					85					90					95		
	Ala	Lys	Asp	Gly	Ala	Pro	Cys	Ile	Phe	Gly	Gly	Thr	Val	Tyr	Arg	Ser	
10				100					105					110		•	
	Gly	Glu	Ser	Phe	Gln	Ser	Ser	Cys	Lys	Tyr	Gln	Cys	Thr	Cys	Leu	Asp	
			115					120				•	125				
15	Gly	Ala	Val	Gly	Cys	Met	Pro	Leu	Cys	Ser	Met	Asp	Va l	Arg	Leu	Pro	
		130					135					140					
20	Ser	Pro	Asp	Cys	Pro	Phe	Pro	Arg	Arg	Val	Lys	Leu	Pro	Gly	Lys	Cys	
	145					150					155					160	
25	Cys	Glu	Glu	Trp	Val	Cys	Asp	Glu	Pro	Lys	Asp	Gln	Thr	Val	Val	Gly	
			-		165					170					175		
	Pro	Ala	Leu	Ala	Ala	Tyr	Arg	Leu	Glu	Asp	Thr	Phe	Gly	Pro	Asp	Pro	
30				180					185					190			
	Thr	Me t	Ile	Arg	Ala	Asn	Cys	Leu	Val	Gln	Thr	Thr	Glu	Trp	Ser	Ala	
35			195					200					205				
	Cys	Ser	Lys	Thr	Cys	Gly	Met	Gly	He	Ser	Thr	Arg	Va 1	Thr	Asn	Asp	
40		210					215					220					
	Asn	Ala	Ser	Cys	Arg	Leu	Glu	Lys	Gln	Ser-	Arg	Leu	Cys	Net	Val	Arg	
	225					230					235					240	
1 5	Pro	Cys	Glu	Ala	Asp	Leu	Glu	Glu	Asn	Ile	Lys	Lys	Gly	Lys	Lys	Cys	
					245					250		•			255		
50	He	Arg	Thr	Pro	Lys	He	Ser	Lys	Pro	Ile	Lys	Phe	Glu	Leu	Ser	Gly	
				260					265					270			
	Cys	Thr	Ser	Met	Lys	Thr	Tyr	Arg	Ala	Lys	Phe	Cys	Gly	Val	Cys	Thr	
55			275					280					285				

	Asp Gly Arg Cys Cys Thr Pro His Arg Thr Thr Leu Pro Val Glu
5	290 295 300
-	Phe Lys Cys Pro Asp Gly Glu Val Met Lys Lys Asn Met Met Phe Ile
	305 310 315 320
10	Lys Thr Cys Ala Cys His Tyr Asn Cys Pro Gly Asp Asn Asp Ile Phe
	325 330 335
15	Glu Ser Leu Tyr Tyr Arg Lys Met Tyr Gly Asp Met Ala
	340 345
20	<210> 83
	<211> 2954
25	<212> DNA
	<213> Homo sapiens
	<220>
30	<221> CDS
	<222> (173) (1525)
35	<400> 83
	gaatteecaa aegtgeacag gggagtgagg geagggeget egeaggggge aegeaggag 60 ggeecaggge geeagggag eegeeggegg etaateegaa ggggetgega ggteaggetg 120
40	taacceggic aatgigtgga atattegggg gctcggctgc agacttggcc aa atg gac 178
	Met Asp
45	I
	ggg act att aag gag gct cig icg gig gig agc gac gac cag icc cic 226
50	Gly Thr Ile Lys Glu Ala Leu Ser Val Val Ser Asp Asp Gln Ser Leu
	5 10 15
	tit gac toa gog lac gga gog goa goo cat oto coo aag goo gac atg 274
55	Phe Asp Ser Ala Tyr Gly Ala Ala Ala His Leu Pro Lys Ala Asp Met

		2	0				2	5				30)				
5	ac	t gc	c to	g gg	g ag	t cci	t gao	; tac	ggg	g cag	ccc	cac	aag	ato	aac	ccc	322
	Th	r Al	a Sei	r Gl	y Sei	Pro) Ası	ту Ту	Gly	/ Glm	Pro	His	Lys	Ile	Asn	Pro	
	3	5				40)				45					50	
10	ct	c cca	a cca	cas	g cas	gag	tgg	ato	aat	cag	cca	gig	agg	gtc	aac	gtc	370
	Le	ı Pro	Pro	Gli	ı Gir	Glu	Trp	Ile	Asn	Gln	Pro	Val	Arg	Val	Asn	Val	
15					5 5	i				60					65		
	aag	g cgg	gag	tat	gac	cac	alg	aat	gga	tcc	agg	gag	tct	ccg	gtg	gac	418
20	Lys	Arg	Glu	Туг	Asp	His	Met	Asn	Gly	Ser	Arg	Glu	Ser	Pro	Val	Asp	
				70)				75					80			
	tgc	agc	gtt	ago	aaa	t gc	agc	aag	ctg	gtg	ggc	gga	ggc	gag	tcc	aac	466
25	Cys	Ser	Уај	Ser	Lys	Cys	Ser	Lys	Leu	Val	Gly	Gly	Gly	Glu	Ser	Asn	
			85					90					95				
30	ccc	alg	aac	tac	aac	agc	tat	atg	gac	gag	aag	aat	ggc	ccc	cct	cct	514
	Pro		Asn	Tyr	Asn	Ser	Туг	Met	Asp	Glu	Lys	Asn	Gly	Pro	Pro	Pro	
		100					105		•			110					
35			atg														562
		Asn	Met	Thr	Thr		Glu	Arg	Arg	Val		Yal	Pro	Ala	Asp	Pro	
40	115					120					125					130	
			t g g					'									610
45	IDT	Leu	Тгр	Thr		Glu	HIS	Val	Arg		Trp	Leu	Glu	Тгр		He	
					135		•			140					145		
			tac														658
50	Lys	GIu	Tyr		Leu	Met	Glu	He		Thr	Ser	Phe			Asn	Met	•
				150					155					160			
55	gal																706
	Asp	Gly	Lys	Glu	Leu	Cys	Lys	Me t	Asn	Lys	Gļu	Asp	Phe	Leu	Arg	Ala	

	165		170	· 175	
5	acc acc ctc ta	c aac acg ga	a gtg ctg ttg	tca cac ctc agt	tac etc 754
				Ser His Leu Ser	•
10	180	18		190	
	agg gaa agt to	a ctg ctg gc	tat aat aca	acc tcc cac acc	gac caa 802
15				Thr Ser His Thr	
,3	195	200		205	210
	tcc tca cga ttg	agt gtc aaa	gaa gac cct	ict tat gac tca	gtc aga 850
20	Ser Ser Arg Leu	Ser Val Lys	Glu Asp Pro S	Ser Tyr Asp Ser	Val Arg
		215	220		225
25	aga gga gct tgg				
	Arg Gly Ala Trp	Gly Asn Asn	Met Asn Ser G	ly Leu Asn Lys :	Ser Pro
	230		235	240	
30	ccc ctt gga ggg	gca caa acg	atc agt aag a	at aca gag caa o	egg ccc 946
	Pro Leu Gly Gly	Ala Gin Thr	Ile Ser Lys A	sn Thr Glu Gln A	rg Pro
35	245		250	255	
	cag cca gat ccg				
40	Gln Pro Asp Pro	Tyr Gln Ile	Leu Gly Pro Th	r Ser Ser Arg L	
	260	· 265		270	·· ;
	aac cct gga agc	sgg cag atc	cag ctg tgg ca	a tic ctc ctg g	ag ctg 1042
45	Asn Pro Gly Ser (Gly Gln lle (Gln Leu Trp Gl	n Phe Leu Leu G	lu Leu
	275	280	28	5	290
50	ctc tcc gac agc g	cc aac gcc a	igo tgt ato ac	c tgg gag ggg ac	c aac 1090
	Leu Ser Asp Ser A	la Asn Ala S	Ser Cys Ile Thi	r Trp Glu Gly Th	r Asn
	2	95	300	30	5
55	ggg gag itc aaa a	tg acg gac c	cc gat gag gtg	gcc agg cgc tg	g ggc 1138

	Gly Glu Phe Lys Met Thr Asp Pro Asp Glu Yal Ala Arg Arg Trp Gly	
5	310 315 320	
	gag cgg aaa agc aag ccc aac atg aat tac gac aag ctg agc cgg gcc 1	186
10	Glu Arg Lys Ser Lys Pro Asm Met Asm Tyr Asp Lys Leu Ser Arg Ala	
70	325 330 335	-
	ctc cgt tat tac tat gat aaa aac att atg acc aaa gtg cac ggc aaa 12	34
15	Leu Arg Tyr Tyr Asp Lys Asn Ile Met Thr Lys Val His Gly Lys	
	340 345 350	
20	aga tat gct tac aaa tit gac tic cac ggc att gcc cag gct cig cag 12	82
	Arg Tyr Ala Tyr Lys Phe Asp Phe His Gly Ile Ala Gln Ala Leu Gln	
	355 360 365 370	
25	cca cat ccg acc gag teg tee atg tae aag tae eet tet gae ate tee 133	0
	Pro His Pro Thr Glu Ser Ser Met Tyr Lys Tyr Pro Ser Asp Ile Ser	
30	375 380 385	
	tac atg cct tcc caa cat gcc cac cag cag aag gtg aac tit gtc cct 137	8
35	Tyr Met Pro Ser Gln His Ala His Gln Gln Lys Val Asn Phe Val Pro	
	390 395 400	
	ecc cat cca tec tec atg ect gte act tec tec age tte tit gga gee 142	6
40	Pro His Pro Ser Ser Met Pro Val Thr Ser Ser Ser Phe Phe Gly Ala	

45	gca toa caa tac igg acc toc acg ggg gga atc tac coc aac coc aac 1474	į
	Ala Ser Gin Tyr Trp Thr Ser Thr Gly Gly Ile Tyr Pro Asn Pro Asn 420 425 430	
50	490	
	yal Pro Arg His Pro Asn Thr His Val Pro Ser His Leu Gly Ser Tyr	
	435	
55	450	
	tac tagaagetta eteateagig geettetage tgaageeeat eetgeacact 1575	•

Tyr

10

15

20

25

30

35

40

45

50

55

tactggatgc titiggactca acaggacata igtggccttg aagggaagac aaaactggat 1635 gitciticit gitggataga accitigiat itgitcitta aaaataliit tillaatgit 1695 ggtaactitt gcttcctcta cctgaacaaa gagatgaata attccatggg ccagtatgcc 1755 agtitgaatt cicagicicc tagcaicitg tgagtigcal attaagatta ciggaatggt 1815 taagtcatgg tictgagaaa gaagcigtac gittictita tgiittiatg accaaagcag 1875 tttcttgtca atacacgggg ttcagtatga cacagaatca tggacttaac ccgtcatgtt 1935 ciggitigag attiagigac aaatagaggi gggaagcita taaictaati liaggaggac 1995 caaattcagc ggatggcaac tggaacattg attgtaaggc cagtgaagtt ttcacccaac 2055 tggaattiga tggaaagaag gitigigigt tlaagacgcc aagggcattg cagaatccct 2115 ctcagtggac agtatgcact cagctgacca ctctctctag aaatagtcaa gatatgaact 2175 aagaaattit aatgcaaata catacattcc tgaaagacgg ggaattaaat tactaatttt 2235 tttttttaa atgatgacag tggtcccaga acttggaaaa gttgtaggga tttctaaact 2295 caagcagatt cgcaagtgct gtgcgcttgt cagaccatca gaccagggcc aaccaatcag 2355 aaggcaactt actgtataaa ttatgcagag ttattiteet atateteaca gtattaaaaa 2415 alaaataali aaaaattaag aalaaataaa cgagtigacc teggteacaa aagcagtitt 2475 actalogaat caatogotgt talittillt taatgtaatt tgtacalott tittcaatot 2535 gtacattigg gcigicitgt atgittitat gciccittit aaaaagcata atatgcctat 2595 agctgaaaag gaaacagggc igittaagic actgacttat gagaaagcaa agcactggta 2655 cagitattia acaggcatac acaagcaggg aaaagataat ccattiagat cittaatgct 2715 tiggaaatge gigtaacagt actgeaataa teacagetet gggaaaaaca acgaaactit 2775 ccciigigga gaggaggat tilccigcic tatataagca acatatitti agacattaaa 2835 atatatata titigcaggi aatigitgac titittaaci atattaagig tiaagcigac 2895 aactgtcaaa gaagaccatg tigtaaaata attigactaa ataaalggti cctictctc 2954

<210> 84

(211) 451

	<212> PRT					·
5	<213> Homo saj	iens	~	••		
	<400> 84					•
10	Met Asp Gly Th	r lle Lys	s Glu Ala	Leu Ser Va	l Val Ser A	sp Asp Gln
	1	5		. 10		15
15	Ser Leu Phe As	p Ser Ala	Tyr Gly	Ala Ala Al	a His Leu P	ro Lys Ala
,,,	2	0		25		30
	Asp Met Thr Al	a Ser Gly	Ser Pro	Asp Tyr Gi	y Gln Pro H	is Lys Ile
20	35		40		45	
	Asn Pro Leu Pro	Pro Gln	Gln Glu	Trp Ile Asi	n Gln Pro V	al Arg Val
25	50		55		60	
	Asn Val Lys Arg	Glu Tyr	Asp His	Met Asn Gly	Ser Arg G	u Ser Pro
_ 30	65	70		75	i	80
	Val Asp Cys Ser	Val Ser	Lys Cys	Ser Lys Leu	ı Val Gly Gl	y Gly Glu
		85	•	90		95
35	Ser Asn Pro Met	Asn Tyr	Asn Ser	Tyr Met Asp	Glu Lys As	n Gly Pro
	100			105	11	0
40	Pro Pro Pro Asn	Met Thr	Thr Asn	Glu Arg Arg	Val Ile Va	l Pro Ala
40	115		120		125	
	Asp Pro Thr Leu	Trp Thr	Gln Glu l	His Val Arg	Gln Trp Le	u Glu Trp
45	130		135		140	
	Ala Ile Lys Glu	Tyr Ser	Leu Met	Glu lle Asp	Thr Ser Ph	e Phe Gln
50	145	1.50		155		160
	Asn Met Asp Gly	Lys Glu	Leu Cys I	Lys Met Asn	Lys Glu Ası	Phe Leu
		165		170		175
55	Arg Ala Thr Thr	Leu Tyr J	Asn Thr (Glu Val Leu	Leu Ser His	s Leu Ser

			•	18	0				18	5				190)	
5	Ту	ī Le	u Ar	g Gl	u Se	r Se	r Lei	ı Lev	A'la	а Туг	Ası	Th	r Th	r Se	Hi	s Thi
			19	5				200)				20	5		
	As	p Gl	n Se	r Se	r Arg	Lei	ı Sei	r Val	Lys	Glu	Asp	Pr	o Sei	г Туі	Ası	Ser
10		21	0				215	j			٠.	220)			
	Va.	l Ar	g Ara	g Gly	y. Ala	Trp	Gly	/ Asn	Asn	Net	Asn	Şei	r Gly	/ Leu	Ast	Lys
15	225	5				230)				235					240
	Sei	rPro	Pro	Lei	Gly	Gly	Ala	Gln	Thr	He	Ser	Lys	s Asn	Thr	G1 u	G1n
20					245					250					255	
	Arg	Pro	G]r	Pro	Asp	Pro	Tyr	Gln	lle	Leu	Gly	Pro	Thr	Ser	Ser	Arg
				260	1				265					270		
25	Leu	Ala	Asn	Pro	Gly	Ser	. Gl y	Gln	He	Gln	Leu	Trp	G1n	Phe	Leu	Leu
			275					280					285			
30	Glu			Ser	Asp	Ser	Ala	Asn	Ala	Ser	Cys	He	Thr	Trp	Glu	Gly
		290					295					300				
		Asn	Gly	Glu	Phe		Met	Thr	Asp	Pro.		Glu	Val	Ala	Arg	Arg
35	305					310		_			315					320
	lrp	Gly	Glu	Arg		Ser	Lys	Рго	Asn		Asn	Туг	Asp	Lys		Ser
10 _.		41.			325		•	•		330.				_	335	
	ALR	AIA	Leu		IYF	lyr	lyr			Asn	He	Met	Thr		Va}	His
15	C) v	Luc	4	340.	41.	T	T		345	D1 -	•••	•		350		
	GIY	LYS		I-y r	Ala	lyr	Lys		ASP	Pne	HIS	Gly	Ile	Ala	Gln	Ala
	Lau	C1	355	n: .	D., .	TL _	01	360	c .		•		365	_	_	
50			Pro	nis	rro	ını		5er	Ser	Me t			Tyr	Pro	Ser	Asp
		370	~				375					380				
5		261	Tyr	Met			Gln	His	Ala			Gln	Lys	Va]	Asn	Phe
	385					390					395					40 0

	val Pro Pro His Pro Ser Ser Met Pro Val Thr Ser Ser Ser Phe Phe	
5	405 410 415	
	Gly Ala Ala Ser Gln Tyr Trp Thr Ser Thr Gly Gly Ile Tyr Pro Asn	
10	420 . 425 430	
	Pro Asn Val. Pro Arg His Pro Asn Thr His Val Pro Ser His Leu Gly	
	435 440 445	
15	Ser Tyr Tyr	
	450	
20	<210> 85	
	<211> 1817	
25	<212> DNA	
	<213> Homo sapiens	
	<220>	
30	<221> CDS	
	<222> (2) (361)	
35	<400> 85	
	g cag cag gat ggg gag ggc cat acc cag gac acg gag ctc gtg gag acc 49	
40	Gin Gin Asp Gly Glu Gly His Thr Gin Asp Thr Glu Leu Val Glu Thr	
,,	1 5 10 15	
	agg cct gca ggg gat gga acc tic cag aag tgg gca gct gtg gtg 97	
45	Arg Pro Ala Gly Asp Gly Thr Phe Gin Lys Trp Ala Ala Val Val	
	20 · · · 25 30	
50	cct tct gga gag gag cag aga tac acg tgc cat gtg cag cat gag ggg 145	
	Pro Ser Gly Glu Glu Gln Arg Tyr Thr Cys His Val Gln His Glu Gly	
	35 40 45	
55	cta ccc gag ccc gic acc cig aga tgg aag ccg gct tcc cag ccc acc 193	

	Leu Pro Gl	u Pro Val Ti	hr Leu Arg	Trp Lys Pro	Ala Ser Gin	Pro Thr	
5	50		55		60		•
	, atc ccc atc	c gtg ggc a	tc att gct	ggc ctg gtt	cic cit gga	ict gtg	241
10	lle Pro Ile	e Val Gly II	le Ile Ala	Gly Leu Val	Leu Leu Gly	Ser Val	•
	65	7	70	75		80	
15	gtc tct gga	gct gtg gt	it get get	gtg ata tgg	agg aag aag	agc tca	289
	Val Ser Gly	Ala Val Ya	al Ala Ala	Val Ile Trp	Arg Lys Lys	Ser Ser	
		85		90		95	
20	ggt gga aaa	gga ggg ag	c tac tct	aag gci gag	tgg agc gac	agt gcc	337
	Gly Gly Lys	Gly Gly Se	r Tyr Ser	Lys Ala Gľu	Trp Ser Asp	Ser Ala	
25	~	100		105	110		
	•			taaagcctga ;	gacagctgcc t	tgtgtgcga	391
	Gln Gly Ser						
30	115		120				
	ctgagatgca	cagctgcctt	gtgtgcgact	gagatgcagg	atttcctcac	gcctccccta	451
35					tctgaatctg		
					'tgtgtctacc :	•	
40					attaaaaata a		
40	cagagigegg (
	acgaggtcag (
45	aatacaaaaa a		•				
	ggaggcagga g		•				
50	acigcatcca g			•			
	aaaaaaagaa c					•	
	gaagctaaga t						
55	cctattccta t	tctctagcc t	lattccttac	caccigiaal	ctigaccata t	accttggag	1111

	tigaatatig titicataci geigiggili gaalgiicee tecaacacie algiigagae	1171
5	ttaaicccta atgtggcaat actgaaaggt ggggcctttg agatgtgatt ggatcgtaag	1231
	gctgtgcctt cattcatggg ttaatggail aatgggttat cacaggaatg ggactggtgg	1291
	ctitalaaga agaggaaaag agaactgagc tagcatgccc agcccacaga gagcctccac	1351
10	tagagtgatg claagtggaa atgtgaggtg cagctgccac agagggcccc caccagggaa	411
	atgletagig tetagiggat ceaggecaea ggagagagig cetigiggag egetgggage	471
15	aggaccetga accaccacca gaccecagaa etgtggagte agtggcagca tgcagcgcce i	531
	citgggaaag cittagcacc agectgeaac ceatlegacg agecaegtag getgeaceca 1	591
20	gcaaagccac aggcacgggg ctacctgagc ctlggggggcc caatccctgc tccagtgtgt 1	651
	ccgtgaggca gcacacgaag tcaaaagaga ttattctctt cccacagata ccttttctct l	
	cccatgaccc tttaacagca tctgcttcat tcccctcacc ttcccaggct gatctgaggt l	771
25	aaacittgaa gtaaaataaa agcigigitt gagcatcaaa aaaaaa j	817
	<210> 86	
30	<211> 120	
	<212> PRT	
35	<213> Homo sapiens	
	<400> 86	
	Gln Gln Asp Gly Glu Gly His Thr Gln Asp Thr Glu Leu Val Glu Thr	
40	1 5 10 . 15	
	Arg Pro Ala Gly Asp Gly Thr Phe Gln Lys Trp Ala Ala Val Val	
45	20 25 30	
	Pro Ser Gly Glu Glu Gln Arg Tyr Thr Cys His Val Gln His Glu Gly	
<u></u>	35 40 45	
50	Leu Pro Glu Pro Val Thr Leu Arg Trp Lys Pro Ala Ser Gln Pro Thr	
	50 55 60	
55	lle Pro Ile Val Gly Ile Ile Ala Gly Leu Val Leu Leu Gly Ser Val	

65 70 75 80 Val Ser Gly Ala Val Val Ala Ala Val Ile Trp Arg Lys Lys Ser Ser 85 90 95 Gly Gly Lys Gly Gly Ser Tyr Ser Lys Ala Glu Trp Ser Asp Ser Ala 10 100 105 110 Gln Gly Ser Glu Ser His Ser Leu 115 120 ⟨210⟩ 87 20 (211) 2876 <212> DNA <213> Homo sapiens <220> <221> CDS ' 30 (222) (76).. (1281) <400> 87 gaattcctgc agctcagcag ccgccgccag agcaggacga accgccaatc gcaaggcacc 60 tetgagaact teagg atg eag atg tet eea gee etc ace tge eta gte etg 111 Net Gln Met Ser Pro Ala Leu Thr Cys Leu Val Leu 40 1 5 10 ggc ctg gcc ctt gtc ttt ggt gaa ggg tct gct gtg cac cat ccc cca Gly Leu Ala Leu Val Phe Gly Glu Gly Ser Ala Val His His Pro Pro 15 20 25 tcc tac gtg gcc cac ctg gcc tca gac ttc ggg gtg agg gtg ttt cag 207 50 Ser Tyr Val Ala His Leu Ala Ser Asp Phe Gly Val Arg Val Phe Gln 30 35 40 55 cag gig gcg cag gcc icc aag gac cgc aac gig git itc ica ccc tat 255

	Gln	Val Al	a Gln A	a Ser	Lys	Asp	Arg	Asn	Val	Val	Phe	Ser	Pro	Tyr	
5	45			50					55					60	
	ggg	gtg gc	c tcg gi	g ttg	gcc	atg	ctc	cag	ctg	aca	aca	gga	gga	gaa	303
	Gly	Val Ala	a Ser Va	l Leu	Ala	Met	Leu	Gin	Leu	Thr	Thr	Gly	Gly	Glu	
10			6	5				70	•				75		
	acc	cag cag	g cag at	t caa	gca	gct	atg	gga	itc	aag	att	gat	gac	aag	351
15	Thr	Gin Gir	Gln Il	e Gln	Ala	Ala	Met	Gly	Phe	Lys	He	Asp	Asp	Lys	
			80				85					90			
20	ggc	atg gco	ccc gc	c ctc	cgg	cat	ctg	tac	aag	gag	ctc	atg	ggg	cca	399
	Gly	Met Ala	Pro Al	a Leu	Arg	His	Leu	Tyr	Lys	Glu	Leu	Met	Gly	Pro	
		95				100					105				•
25	tgg	aac aag	gat ga	g atc	agc	acc	aca	gac	gcg	atc	ttc	gtc	cag	cgg	447
	•		Asp Gl	lle	Ser '	Thr	Thr	Asp	Ala	Ile	Phe	Val	Gln	Arg	
30		110			115					120					
			ctg gte								•				495
35		Leu Lys	Leu Val		Gly l	Phe I	Met	Pro		Phe	Phe	Arg	Leu		
	125		ata ass	130				4	135					140	-
			gic aag												543
40	AI 6	sei ini	Val Lys		vai A	72h 1			GIU	Yaı	GIU	Arg		Arg	
	ttc a	alc atc	aat gac		oto s	120 2		150	262	222	ora t	a t rr	155	200	E 0.1
45			Asn Asp												591
			160		,		165			. ,,,		170	116	261	
50	aac t	tg ctt	ggg aaa	gga i	ecc e			cag	cte :	aca	٠		σtσ	rtø	639
30			Gly Lys												003
		175	- • - • -	•		80		+4			185	~~u		20 U	
55	gig a		ctc tac	ttc a			:ลฮ 1	gø :	a a or - :			110	rce	o a c	687
	0.0 4	_, 000			0		0	•00						• • •	001

	Val	Asn	Ala	Leu	Туг	Phe	Ası	Gly	Glı	Tr	Ly:	s Thi	Pro	Pho	e Pro) Asp	
5		190	,				195				•	200)				
	tco	agc	acc	cac	cgc	cgc	cto	ttc	cac	aaa	tca	gac	ggo	ago	act	gtc	735
	Ser	Ser	Thr	His	Arg	Arg	Leu	Phe	His	Lys	Ser	Àsp	Gly	Sei	Thr	Yal	
10	205					210					215	;				220	
	tct	gtg	ccc	atg	atg	gct	cag	acc	aac	aag	ttc	aac	tat	act	gag	ttc	783
15	Ser	Val	Pro	Me t	Me t	Ala	Gin	Thr	Asn	Lys	Phe	Asn	Tyr	Thr	Glu	Phe	·
					225					230					235		
20	acc	acg	ссс	gat	ggc	cat	tac	tac	gac	atc	ctg	gaa	ctg	ccc	tac	cac	831
	Thr	Thr	Pro	Asp	Gly	His	Туг	Tyr	Asp	He	Leu	Glu	Leu	Pro	Tyr	His	
25				240					245		•			250			
	ggg	gac	acc	ctc	agc	atg	ttc	aťt	gc t	gcc	cct	tat	gaa	aaa	gag	gtg	879
	Gly	Asp	Thr	Leu	Ser	Met	Phe	Ile	Ala	Ala	Pro	Tyr	Glu	Lys	Glu	Val	
30			255	•				260					265				
	cct	ctc	tct	gcc	ctc	acc	aac	att	ctg	agt	gcc	cag	ctc	atc	agc	cac	927
35	Pro	Leu	Ser /	Ala 1	Leu	Thr	Asn	Ile	Leu	Ser	Ala	Gln	Leu	Ile	Ser	His	
		270					275					280					
40		aaa i															975.
	Trp	Lys (Gly <i>I</i>	Asn A			Arg	Leu	Pro	Arg		Leu	Val	Leu	Р́го	Lys	
	285					290					295					300	÷
45	lic						•										1023
	Phe :	Ser 1	.eu G			Glu	Val.	Asp			Lys	Рго	Leu	Glu	Asn	Leu	
50					105					310					315		
	gga a																1071
55	Gly A	let T			et F	he i	Arg (GIn	Ala	Asp	Phe	Thr	Ser	Leu	
			3	20					325					330			

tca gac caa gag cct ctc cac gtc gcg cag gcg ctg cag aaa gtg aag 1119 Ser Asp Gln Glu Pro Leu His Val Ala Gln Ala Leu Gln Lys Val Lys 335 340 345 atc gag gig aac gag agt ggc acg gig gcc tcc tca tcc aca gct gtc 1167 10 Ile Glu Val Asn Glu Ser Gly Thr Val Ala Ser Ser Ser Thr Ala Val 350 355 360 ata gic ica gcc cgc atg gcc ccc gag gag atc atc atg gac aga ccc 15 1215 lle Val Ser Ala Arg Met Ala Pro Glu Glu Ile Ile Met Asp Arg Pro 365 370 375 380 20 . tic cic tit gig gic cgg cac aac ccc aca gga aca gic cii tic aig 1263 Phe Leu Phe Val Val Arg His Asn Pro Thr Gly Thr Val Leu Phe Met 25 385 390 395 ggc caa gtg atg gaa ccc tgaccctggg gaaagacgcc ttcatctggg 1311 Gly Gln Val Met Glu Pro 30 400 acaaaactgg agatgcatcg ggaaagaaga aactccgaag aaaagaattt tagtgitaat 1371 35 gactetitet gaaggaagag aagacattig cettiigita aaagatggta aaccagatet 1431 gictccaaga ccitggccic tccitggagg accittaggi caaactccci agictccacc 1491 tgagaccctg ggagagaagt tigaagcaca actccctiaa ggictccaaa ccagacggtg 1551 40 acgcctgcgg gaccatctgg ggcacctgct tccacccgtc tctctgccca ctcgggtctg [61] cagacciggi icccacigag gcccitigca ggatggaact acggggctia caggagciii 1671 45 tgigigodig giagaaacta titotgiloo agicacalig coalcactoi igiacigodi 1731 gccaccgcgg aggaggctgg tgacaggcca aaggccagtg gaagaaacac ccittcatct 1791 cagagiccae igiggeactg gecaececte eccagiacag gggigetgea ggiggeagag 1851 50 igaatgiccc ccatcalgig gcccaacici cciggccigg ccalciccci ccccagaaac 1911 agtgtgcatg ggttattiig gagtgtaggt gactigttia cicattgaag cagatitcig 1971 55 cttcctttta titttatagg aatagaggaa gaaatgtcag algcgtgccc agctcttcac 2031

	cccccaatet ettggtgggg aggggtgtac etaaatattt aleatateet tgccettgag 209	1
5	tgcttgttag agagaaagag aactaclaag gaaaataata ttatttaaac tcgctcctag 215	1
	igiticitig iggicigigi caccgialet caggaagice agecaetiga etggeacaca 221	1
10	cccctccgga catccagcgt gacggagccc acactgccac cttgtggccg cctgagaccc 227	I
	togogococo ogogocococo gogococotot titicocoti gatggaaati gaccatacaa 233	1
	titcatecte citcagggga teaaaaggae ggagtggggg gacagagaet cagatgagga 239	ì
15	cagagiggit iccaalgigt icaatagali taggagcaga aatgcaaggg gcigcatgac 245	l
	ctaccaggac agaactitcc ccaattacag ggtgactcac agccgcattg gtgactcact 2511	l
20	tcaatgtgtc atttccggct gctgtgtgtg agcagtggac acgtgagggg ggggtgggtg 2571	l
	agagagacag gcagcicgga ticaactacc tiagataata titcigaaaa cciaccagcc 2631	ł
25	agagggtagg gcacaaagat ggatgtaatg cactttggga ggccaaggcg ggaggattgc 2691	
•	tigageccag gagiteaaga ecageeigg caacatacca agaeeccegi etettiaaaa 275)	ŀ
	atatatatat titaaatata citaaatata tatitotaat atotitaaat atatatatat 2811	
30	attitaaaga ccaatitatg ggagaatigc acacagatgt gaaatgaatg taatctaata 2871	
	gaagc 2876	ı
35	<210> 88	
	⟨211⟩ 402	
40	<212> PRT	
-	<213> Homo sapiens	
	<400> 88	
45	Met Gln Met Ser Pro Ala Leu Thr Cys Leu Val Leu Gly Leu Ala Leu	
	Val Phe Gly Glu Gly Ser Ala Val His His Pro Pro Ser Tyr Val Ala	
50	1 5 . 10 15	
	His Leu Ala Ser Asp Phe Gly Val Arg Val Phe Gln Gln Val Ala Gln	
	20 25 30	
55	Ala Ser Lys Asp Arg Asn Val Val Phe Ser Pro Tyr Gly Val Ala Ser	

	•			3	5				40)				45			
5	. 1	a l	Lei	ı Ala	a Me	t Lei	ı Glı	Let	Thr	Thi	Gly	Gly	Glu	Thr	Gln	Gin	Gln
			50)				55	i				60				
	I	le	Gln	a Ala	Ala	Met	Gly	Phe	Lys	Ile	. Asp	Asp	Lys	Gly	Met	Ala	Pro
10		65					70					75					80
	A	la	Leu	Arg	His	Leu	Tyr	Lys	Glu	Leu	Met	Gly	Pro	Trp	Asn	Lys	Asp
15				٠.		85				•	. 90					95	
	G) u	Ile	Ser	Thr	Thr	Asp	Ala	Ile	Phe	Val	Gln	Arg	Asp	Leu	Lys	Leu
20					100					105					110		
	V	a I	Gln	Gly	Phe	Met	Pro	His	Phe	Phe	Arg	Leu	Phe	Arg	Ser	Thr	Val
25				115					120					125			
,	L	y S		Val	Asp	Phe	Ser	Glu	Val	Glu	Arg	Ala	Arg	Phe	Ile	He	Asn
	•		130					135					140				
30			Trp	Val	Lys	Thr	His	Thr	Lys	Gly	Met	Ile	Ser	Asn	Leu	Leu	Gly
	14	15					150					155					160
35	Ly	'S	Gly	Ala	Val		Gln	Leu	Thr	Arg	Leu	Val	Leu	Val	Asn	Ala	Leu
						165					170					175	
40	Ту	'Γ	Phe	Asn		Gln	Trp	Lys	Thr		Phe	Pro	Asp	Ser		Thr	His
40				,	180					185					190		
	Ar	g	Arg		Phe	HIS	Lys	Ser		Gly	Ser	Thr	Val		Val	Pro	Met
45	Wa		A I a	195	Th-	4	I	Db.	200	T	T1	C1	D1 -	205	T 1		
	WE			GIN	1111	ASII	LYS		ASII	туг	Thr	610		inr	lnr	Yro	Asp
50	0.		210	_	_		• •	215	٥.				220				
			HIS	Tyr	Туг	Asp		Leu	Giu	Leu	Pro		His	Gly	Asp	Thr	
	. 22						230					235					240
55	Se	r i	Ve t	Phe	He	Ala	Ala	Pro	Tyr	Glu	Lys	Glu	Val	Pro	Leu	Ser	Ala

				245					250					255	
5	Leu	Thr As	n Ile	Leu	Ser	Ala	Gln	Leu	Ile	Ser	His	Trp	Lys	Gly	Asn
			260					265					270		
	Met	Thr Ar	g Leu	Pro	Arg	Leu	Leu	Val	Leu	Pro	Lys	Phe	Ser	Leu	Glu
10		27	5				280		•			285			
	Thr	Glu Va	l Asp	Leu	Arg	Lys	Pro	Leu	Glu	Asn	Leu	Gly	Me t	Thr	Asp
15		290				295			•		300				
	Net	Phe Ar	g Gln	Phe	Gln	Ala	Asp	Phe	Thr	Ser	Leu	Ser	Asp	Gln	Glu
20	305				310					315					320
	Pro	Leu Hi	s Val	Ala	Gln	Ala	Leu	Gln	Lys	Val	Lys	He	Glu	Val	Asn
				325					330					335	
25	Glu	Ser_Gl:		Va l	Ala	Ser	Ser		Thr	Ala	Val	He	Val	Şer	Ala
		•• •	340					345					350		
30	Arg	Met Ala		Glu	Glu	He		Met	Asp	Arg			Leu	Phe	Val
	Val	355		Dec	Th-	C1	360 Th-	V-1	T	Dt		365			
35		Arg His 370	. ASII	rio		375	1111	Yaı	reu		ме t 380	GIY	GIN	Val	Met
	Glu I					310					200				•
40	385														
40															
	(210)														
45		1412													
	⟨212⟩										•				
50		Homo	sapie	ns											
	⟨220⟩														
	⟨221⟩														
55	<222>	(52)	(134)	i)											

⟨400⟩ 89

5	cg	gggto	cgtc	cgca	aaago	ct g	gagto	ctgt	c ct	ttct	ctct	ccc	cgga	acag	c at	g agc	57
	•														Me	t Ser	
10																1	
,,,	tt	c acc	act	cgc	tcc	acc	ttc	tcc	acc	aac	tac	cgg	tco	ctg	ggc	tct	105
	Ph	e Thr	Thr	Arg	Ser	Thr	Phe	Ser	Thr	Asn	Tyr	Arg	Ser	Leu	Gly	Ser	
15			. 5					10					15				
	gte	cag	gcg	ccc	agc	tac	ggc	gcc	cgg	ccg	gtc	agc	ago	gcg	gcc	agc	153
20	Va	Gln	Ala	Pro	Ser	Tyr	Gly	Ala	Arg	Pro	Val	Ser	Ser	Ala	Ala	Ser	
20		20					25					30					
	gto	tat	gca	ggc	gct	ggg	ggc	tct	ggt	tcc	cgg	atc	tcc	gtg	tcc	cgc	201
25	Val	Tyr	Ala	Gly	Ala	Gly	Gly	Ser	Gly	Ser	Arg	He	Ser	Val	Ser	Arg	
	35					40					45					50	
30	tco	acc	agc	ttc	agg	ggc	ggc	atg	ggg	tcc	ggg	ggc	ctg	gcc	açc	ggg	249
		Thr															
					55					60	.•				65		
35	ata	gcc	ggg	ggt	ctg	gca	gga	alg	gga	ggc	atc	cag	aac	gag	aag	gag	297
	lle	Ala	Gly	Gly	Leu	Ala	Gly	Me t	Gly	Gly	He	Gln	Asn	Glu	Lys	Glu	
40				70					75					80			
	acc	atg	çaa	agc	ctg	aac	gac	cgc	ctg	gcc	tct	tac	ctg	gac	aga	gtg	345
	Thr	Me t	Gin	Ser	Leu	Asn	Asp	Arg	Leu	Ala	Ser	Туг	Leu	Asp	Arg	Val	
45			85					90			٠		95				
	agg	agc	cig	gag	acc	gag	aac	cgg	agg	ctg	gag	agc	aaa	atc	cgg	gag	393
50	Arg	Ser	Leu	Glu	Thr	Glu	Asn	Arg	Arg	Leu	Glu	Ser	Lys	Ile	Arg	G) u	
		100					105					110					
	cac	ttg	gag	aag	aag	gga	ccc	cag	gtc	aga	gac		agc	cat	tac	ttc	441
55	•	Leu															•••
			- 	_, _		,		J	· - •	0		Р	50.		4 7 1		

	11	5		•		120)				125	,				130	
5	aa	g ato	ato	gag	gac	ctg	agg	gct	cag	ato	tto	gca	aat	act	gtg	gac	489
	Ly	s Ile	elle	Glu	Asp	Leu	Arg	Ala	Gln	Ile	Phe	Ala	Asn	Thi	Val	Asp	
10					135				•	140)				. 145		
	aa	gcc	cgc	atc	gtt	ctg	cag	att	gac	aat	gcc	cgt	ctt	gct	gct	gat	537
15	Ası	Ala	Arg	Ile	Val	Leu	Gln	lle	Asp	Asn	Ala	Arg	Leu	Ala	Ala	Asp	
.5				150					155					160			
	gao	ttt	aga	gtc	aag	tat	gag	aca	gag	ctg	gcc	atg	cgc	cag	tct	gtg	585
20	Asp	Phe	Arg	Val	Lys	Tyr	Glu	Thr	Glu	Leu	Ala	Met	Arg	Gln	Ser	Val	
			165			•		170					175	•			
25	gag	aac	gac	atc	cat	ggg	ctc	cgc	aag	gtc	att	gat	gac	acc	aat	atc	633
	Glu	Asn	Asp	He	His	Gly	Leu	Arg	Lys	Val	He	Asp	Asp	Thr	Asn	Ile	
22		180					185		٠			190		•			
30	aca	cga	clg	cag	ctg	gag	aca	gag	atc	gag	gct	ctc	aag	gag	gag	ctg	681
	Thr	Arg	Leu	Gin	Leu	Glu	Thr	Glu	He	Glu	Ala	Leu	Lys	Glu	Glu	Leu	
35	195			•		200					205		•			210	
		ttc															729
.40	Leu	Phe	Met			Asn	His	Glu	Glu	Glu	Val	Lys	Gly	Leu	Gln	Ala	
					215					220					225		
		alt															777
45	Gln	Ile'			Ser	Gly	Leu			Glu	Val	Asp	Ala	Pro	Lys	Ser	
				230					235					240			
50	cag																825
	Gln			Ala :	Lys	Ile I			Asp	He	Arg	Ala	Gln	Туг	Asp	Glu	
		1	245					250					255				
55	ctg	gct (cgg	aag	aac	cga (gag	gag .	cta.	gac	aag	iac	lgg	tct	cag	cag	873

		Let	ı Ala	Ara	g Lys	Asn	Arg	Glu	Glu	Leu	Asp	Lys	Tyr	Trp	Ser	Gln	Gln	
5			260)				265					270					
		a t t	gag	gag	ago	acc	aca	gig	gtc	acc	aca	cag	tct	gct	gag	gtt	gga	921
10		He	Glu	Glu	Ser	Thr	Thr	Val	Val	Thr	Thr	Gln	Ser	Ala	Glu	Val	Gly	•
10		275	j				280					285					290	
		gct	gct	gag	acg	acg	ctc	aca	gag	ctg	aga	cgt	aca	gtc	cag	tcc	ttg	969
15		Ala	Ala	Glu	Thr	Thr	Leu	Thr	Glu	Leu	Arg	Arg	Thr	Val	Gln	Ser	Leu	
						295					300					305		
20		gag	atc	gac	clg	gac	tcc	alg	aga	aat	ctg	aag	gcc	agc	llg	gag	aac	1017
		Glu	lle	Asp	Leu	Asp	Ser	Me t	Arg	Asn	Leu	Lys	Ala	Ser	Leu	Glu	Asn	
					310					315			-		320			
25		agc	ctg	agg	gag	gtg	gag	gcc	cgc	tac	gcc	cta	cag	atg	gag	cag	ctc	1065
		Ser	Leu	Arg	Glu	Val	Glu	Ala	Arg	Tyr	Ala	Leu	Gin	Met	Glu	Gln	Leu	
30			•	325			•		330					335				
					ctg													1113
35		Asn		He	Leu	Leu	His		Glu	Ser	Glu	Leu		Gln	Thr	Arg	Ala	
	•		340					345			•		350					
					cgc													1161
40		355	GIY	GIN	Arg	GIII	360	GIII		туг	GIU		Leu	ren	ASII	116		
			220	cla	gag	ac t		atc	acc	300	tac	365	0.00	c t a	c t a	~~~	370	1200
45					Glu												_	1209
		,	2,0			37.5	0.4	710		• • • •	380	0	i p	LCU	LCu	385	лор	
		ggc	gag	gac	ttt		ċŧŧ	ggt	gal	BCC		gac	agc	agc	aac		ato	1257
50					Phe													1001
		,			390			•		395					400		aru L	
55		caa	acc		caa	aag	acc	acc			CEE	ata	gto	gat		222	oto	1305
		~ 44	400	3.0	744	0			400	-00	~00		0,0	941	086	u a	0.0	1009

	Gln Thr lie Gln Lys Thr Thr Thr Arg Arg lie Val Asp Gly Lys Val	
5	405 410 415	
	gtg tot gag acc aat gac acc aaa gtt otg agg cat taagccagca 135	1
10	Val Ser Glu Thr Asn Asp Thr Lys Val Leu Arg His	
	420 425 430	
	gaagcagggt accettiggg gagcaggagg ccaataaaaa gitcagagti catiggatgi 1411	ļ
15	c 1412)
	Z210N 00	
20	<210> 90 <211> 430	
	<212> PRT	
25	<213> Homo sapiens	
25	<400> 90	
•	Net Ser Phe Thr Thr Arg Ser Thr Phe Ser Thr Asn Tyr Arg Ser Leu	
30	1 5 10 15	
	Gly Ser Val Gln Ala Pro Ser Tyr Gly Ala Arg Pro Val Ser Ser Ala	
35	20 25 30	
	Ala Ser Val Tyr Ala Gly Ala Gly Gly Ser Gly Ser Arg Ile Ser Val	
40	35 40 45	
	Ser Arg Ser Thr Ser Phe Arg Gly Gly Met Gly Ser Gly Gly Leu Ala	
	50 55 60	
45	Thr Gly Ile Ala Gly Gly Leu Ala Gly Met Gly Gly Ile Gln Asn Glu	
•	65 70 75 80	
50	Lys Glu Thr Met Gln Ser Leu Asn Asp Arg Leu Ala Ser Tyr Leu Asp	
	85 90 95	
55	Arg Val Arg Ser Leu Glu Thr Glu Asn Arg Arg Leu Glu Ser Lys Ile	
	100 105 110	

		Are	Glu	His	: Łei	Gli	Lys	Lys	Gly	Pro	Gln	Yal	Arg	g Asp	Trp	Ser	His
5				115	i				120					125			٠
		Tyr	Phe	Lys	lle	He	Glu	Asp	Leu	Arg	Ala	Gln	Ile	Phe	Ala	Asn	Thr
10	•		130					135					140			٠	
		Val	Asp	Asn	Ala	Arg	lle	Val	Leu	Gln	Ile	Asp	Asn	Ala	Arg	Leu	Ala
		145			•		150		•			155	•				160
15			Asp	Asp	Phe	Arg		Lvs	Tvr	Glu	Thr		l.en	Ala	Met	Arg	Gin
						165		2,0	-,-	•••	170		200			175	
20		Ser	Val	Glu	Asn			His	Glv	Len		Lvs	Val	11e	Asn		Thr
					180	,			.,	185	0	2,0			190		,,,,
		Asn	Ile	Thr		Leu	Gln	Leu	Glu		Gln	He	GIn	Ala		lve	Glu
25				195					200			•••	•••	205	200	2,5	010
		Glu		Leu	Phe	Met	Lys	Lys		His	Glu	Glu	Glu		Lvs	GIV	l.eu
30			210				-•-	215					220		-,-	.,	202
		Gln		Gln	Ile	Ala	Ser	·	Glv	Leu	Thr	Va 1		Val	Asp	Ala	Pro
35		225					230					235					240
33			Ser	Gln	Aśp	Leu		Lys	Ile	Met	Ala		Ile	Arg	Ala	Gln	
						245					250					255	.,.
40		Asp	Glu	Leu	Ala	Arg	Lys	Asn	Arg	Glu	Glu	Leu	Asp	Lys	Туг		Ser
					260					265				·	270	•	
45	(Gln	Gln	Ile		Glu	Ser	Thr	Thr		Val	Thr	Thr	Gln		Ala	Glu
				275					280					285			
	,	Val (Gly	Ala .	Ala	Glu	Thr	Thr	Leu	Thr	Glu	Leu	Arg		Thr	Val	Glin
50			290					295					300				
	9			Glu	lle	Asp			Ser	Met	Arg	Asn		Lvs	Ala	Ser	l eu
55		305	- -				310					315	-	_,,		,	320
	•											7,0					0 2 0

	Glu	Asn	Ser	Leu	Arg	Glu	Val	Glu	Ala	Arg	Tyr	Ala	Leu	Gln	Met	Glu	٠
5		••			325	•				330					335		
	Gln	Leu	Asn	Gly	Ile	Leu	Leu	His	Leu	Glu	Ser	Glu	Leu	Ala	Gin	Thr	
				340					345					350			
10	Arg	Ala	Glu	Gly	Gln	Arg	Gln	Ala	Gln	Glu	Tyr	Glu	Ala	Leu	Leu	Asn	
			355					360			•		365				
15	He	Lys	Val	Lys	Leu	Glu	Ala	Glu	Ile	Ala	Thr	Tyr	Arg	Arg	Leu	Leu	
		370					375					380					
20	Glu	Asp	Gly	Glu	Asp	Phe	Asn	Leu	Gly	Asp	Ala	Leu	Asp	Ser	Ser	Asn	
	385					390					395					400	
	Ser	Met	Gln	Thr	He	Gln	Lys	Thr	Thr	Thr	Arg	Arg	He	Val	Asp	Gly	
25			_		405					410					415		
	Lys	Val	Val	Ser	Glu	Thr	Asn	Asp	Thr	Lys	Val	Leu	Arg	His			
30				420					425					430			
	<210	> 91					•			٠				•			
35	<211> 1040																
	<212> DNA																
	<213> Homo sapiens																
40	⟨220⟩																
	<221	> CD	S														
45	<222	> (1	71)	(96	8)												
	<400	> 91					-										
50	gggc	agacı	ga t	gclg	aaga	t gc	tete	cttt	aag	c t gc	tgc	t gc t	ggcc	gt g	gctc	t gggc	60
	itci	tiga	ag g	agat	gcta	a gt	ttgg	ggaa	aga	aacg	aag	ggag	c'gga	ca a	ggag	gagaa	120
	ggtg	cctga	aa t	ggga	ассс	c cc	gaag	cgcc	tga	aaag	gag	agac	agga	gg a	lg a	tg	176
55														M	et M	e t	

	tco	cag	ctg	gag	ctg	ctg	agi	ggg	gga	gag	atg	ctg	tgo	ggt 	ggo	ttc	224
5	Ser	Gln	Leu	Glu	Leu	Leu	Ser	Gly	Gly	Glu	Met	Leu	Cys	Gly	Gly	Phe	
			5					10	·				i 5				
10	tac	cct	cgg	ctg	tcc	tgc	t gc	ctg	cgg	agt	gac	agc	ccg	ggg	cta	ggg	272
	Tyr	Pro	Arg	Leu	Ser	Cys	Cys	Leu	Arg	Ser	Asp	Ser	Pro	Gly	Leu	Gly	
		20					25					30					
15	cgc	ctg	gag	aat	aag	ata	ttt	tct	gtt	acc	aac	aac	aca	gaa	tgt	ggg	320
	Arg	Leu	Glu	Asn	Lys	Ile	Phe	Ser	Va l	Thr	Asn	Asn	Thr	Glu	Cys	Gly	
20	35					40					45					50	
	aag	tta	ctg	gag	gaa	atc	aaa	tgt	gca	ctt	tgc	tct	cca	cat	tct	caa	368
25	Lys	Leu	Leu	Glu	Glu	Ile	Lys	Cys	Ala	Leu	Cys	Ser	Pro	His	Ser	Gln	
					55					60					65		
	agc	ctg	ttc	cac	tca	cct	gag	aga	gaa	gtc	t t g	gaa	aga	gac	cta	gla	416
30	Ser	Leu	Phe	His	Ser	Pro	Glu	Arg	Glu	Val	Leu	Glu	Arg	Asp	Leu	Val	
				70					75					80		•	
35		cct															464
	Leu	Pro		Leu	Cys	Lys	Asp		Cys	Lys	Glu	Phe		Týr	Thr	Cys	
40			85					90					95				
		ggc								•							512
45		Gly.	His	116	Pro	Gly		Leu	Gin	Thr	Thr		Asp	Glu	Phe	Cys	
		100					105			.		110					
		tac.							•								560
50	Phe	Tyr	Tyr .	Ala .			ASP	GIY	GIA			Phe	Pro	Asp	Phe		
	115					120				•	125					130	
55	aga								·								808
	Arg	Lys (Gln'	Val.	Arg	G1 y	Pro	Ala	Ser	Asn	Tyr	Leu	Asp	Gln	Met	G] u	

			135 .		140		145.			
5	gaa ta	it gac aa	a gtg gaa	a gag ato	c agc aga aa	g cac aaa cac	aac tgc 656			
	Glu Ty	r Asp Ly	s Val Glu	ı Glu Ile	Ser Arg Ly	s His Lys His	Asn Cys			
10		. 15	0 .		155	160				
	ttc tg	t att ca	g gag gtt	gtg agt	ggg ctg cgg	g cag ccc gtt	ggt gcc 704			
	Phe Cy	s lle Gl	n Glu Val	Val Ser	Gly Leu Arg	g Gln Pro Val	Gly Ala			
15		165		170		175				
	ctg ca	t agt gg	g gat ggc	tcg caa	cgt ctc ttc	att ctg gaa	aaa gaa 752			
20	Leu Hi	s Ser Gly	Asp Gly	Ser Gin	Arg Leu Phe	lle Leu Glu	Lys Glu			
	180)		185		190				
25						att ttc aag				
		· Val Lys		Thr Pro		He Phe Lys	Glu Pro .			
	195		200		205		210			
30						ata aag gtt				
	iyi Leu	ASP 11e	215	ren vai	220	Ile Lys Val				
35	tta aat	tti att		igi, gri		aat ttt att	225			
					•	Asn Phe Ile				
40		230	7,2 7.10	•	235	240				
	tta cct	tcc tca	ctg aag			aaa aga aag	aat ctt 944			
45						Lys Arg Lys				
		245		250		255				
50	gca gga	gaa aat	aag ggg	gca aca	taagaaacaa t	aattatggc acc	cigaatia 998			
	Ala Gly	Glu Asn	Lys Gly .	Ala Thr						
	260			265						
55	ggacagtg	ac attaa	akgtt ggd	ciktttaw	atttaaaaa	a a	1040			

	<210> 92	
5	<211> 266	
	<212> PRT	
10	<213> Homo sapiens	•
,,,	<400> 92	
	Met Met Ser Gln Leu Glu Leu Leu Ser Gly Gly Glu Met Leu	Cys Gly
15	1 5 . 10	15
	Gly Phe Tyr Pro Arg Leu Ser Cys Cys Leu Arg Ser Asp Ser	Pro Gly
20	20 . 25 . 30	
	Leu Gly Arg Leu Glu Asn Lys Ile Phe Ser Val Thr Asn Asn	Thr Glu
25	35 40 45	
	Cys Gly Lys Leu Leu Glu Glu Ile Lys Cys Ala Leu Cys Ser 50 55 60	Pro His
30	Ser Gln Ser Leu Phe His Ser Pro Glu Arg Glu Val Leu Glu 65 75	
		80
35	Leu Val Leu Pro Leu Leu Cys Lys Asp Tyr Cys Lys Glu Phe	95
	Thr Cys Arg Gly His Ile Pro Gly Phe Leu Gln Thr Thr Ala	
40	100 105 110	nsp old
	Phe Cys Phe Tyr Tyr Ala Arg Lys Asp Gly Gly Leu Cys Phe	Pro Asp
45	. 115 120 125	
	Phe Pro Arg Lys Gln Val Arg Gly Pro Ala Ser Asn Tyr Leu A	Asp Gln
	130 135 140	•
50	Met Glu Glu Tyr Asp Lys Val Glu Glu Ile Ser Arg Lys His I	Lys His
	145 150 155	160
55	Asn Cys Phe Cys Ile Gln Glu Yal Val Ser Gly Leu Arg Gln F	Pro Val

	165 170 1	75										
5	. Gly Ala Leu His Ser Gly Asp Gly Ser Gln Arg Leu Phe Ile L	eu Glu										
	. 180 185 190	•										
	Lys Glu Gly Tyr Val Lys Ile Leu Thr Pro Glu Gly Glu Ile Pi	ne Lys										
10	195 200 205											
	Glu Pro Tyr Leu Asp lle His Lys Leu Val Gln Ser Gly lle Ly	/s Val										
15	210 215 220											
	Gly Phe Leu Asn Phe lle Tyr Phe Cys Ala Gly Tyr Val Asn Ph	e Ile										
20	225 230 235	240										
	Leu Val Leu Pro Ser Ser Leu Lys Val Phe Leu Cys Asn Lys Ar	g Lys										
	245 250 25	5										
25	Asn Leu Ala Gly Glu Asn Lys Gly Ala Thr											
	260 265											
30	⟨210⟩ 93											
	<211> 1639											
35	<212> DNA											
	<213> Homo sapiens											
	<220>											
40	<221> CDS											
	<222> (75) (371) -											
45	<400> 93 · · · · · · · · · · · · · · · · · ·											
	agcagagcac acaagcitct aggacaagag ccaggaagaa accaccggaa ggaa											
50	cacigigigi aaac alg act icc aag cig gcc gig gci cic tig gca											
	Met Thr Ser Lys Leu Ala Val Ala Leu Leu Ala	Ala										
	1 5 10											
55	tic ctg att tot goa got ctg igi gaa ggt goa gil itg cca agg	agt 158										

	Phe Lei	lle Ser A	la Ala Leu	Cys Glu G	ly Ala Val Leu	Pro Arg Ser	
5		15		20	25		
	gct aaa	gaa ctt ag	ga tgt cag	tgc ata a	ag aca tac tco	aaa cct ttc	206
10	Ala Lys	Glu Leu Ar	g Cys Gln	Cys Ile Ly	ys Thr Tyr Ser	Lys Pro Phe	
10	30	i	35		40		
	cac ccc	aaa ttt at	c aaa gaa	ctg aga gi	tg att gag agt	gga cca cac	254
15	His Pro	Lys Phe Il	e Lys Glu	Leu Arg Va	al Ile Glu Ser	Gly Pro His	
	45		50		55	60	
20	tgc gcc	aac aca ga	a att att	gta aag ct	it ici gai gga	aga gag ctc	302
	Cys Ala	Asn Thr Gl	u Ile _. lle	Val Lys Le	eu Ser Asp Gly	Arg Glu Leu	
		6	5	7	70	7 5	
25	tgt ctg	gac ccc aa	g gaa aac	tgg gtg ca	ig agg gtt gtg	gag aag tti	350
	Cys Leu	Asp Pro Ly	s Glu Asn	Trp Val Gl	n Arg Val Val	Glu Lys Phe	
30		80		85		90	•
				taaaaaaatt	cattetetgt g	statccaag	401
35	Leu Lys	Arg Ala Gl	u Asn Ser				
		95	-444				
						tc alguatigus	
40				•		ili lgaatticag	
		•				tt atatglaaag ag gattttccta	
45						ag agaatatccg	
		•	•	•		ag calcacataa	
50						tc ctggatttt	
30						ct tgliccactg	
				•		to tracercaca	
55						ca laaattattt	
	0.00.011	0. 5.550.001	0. 00mm0c	aver raage	calcaldo	va idadildill	1001

tcaagtgtaa cttattaacc tatttattat ttatgtattt atttaagcat caaatatttg 1061 tgcaagaatt tggaaaaata gaagatgaat cattgattga atagttataa agatgttata 1121 gtaaatttat tttattttag atattaaatg atgitttatt agataaattt caatcagggi 1181 ttttagatta aacaaagaaa caattgggta cccagttaaa ttttcatttc agataaacaa 1241 caaataattt titagtataa giacattati giitaiciga aagiittaat igaactaaca 1301 atcctagiti gataciccca gictigical igccagcigi giiggiagig cigigiigaa 1361 15 ttacggaata atgagttaga actattaaaa cagccaaaac tccacagtca atattagtaa 1421 titctigcig gitgaaacit gittattaig tacaaataga ticttataat attattaaa 1481 tgactgcatt ittaaataca aggctiiata ittitaacti taagatgtii itatgigcic 1541 2Ö tccaaaltit tittacigit icigatigia iggaaatala aaagtaaata tgaaacatit 1601 aaaatataat tigiigicaa agtaaaaaaa aaaaaaaa 1639 .25 ⟨210⟩ 94 (211) 99 30 <212> PRT <213> Homo sapiens 35 <400> 94 Met Thr Ser Lys Leu Ala Val Ala Leu Leu Ala Ala Phe Leu Ile Ser Ala Ala Leu Cys Glu Gly Ala Val Leu Pro Arg Ser Ala Lys Glu Leu 40 ı 5 10 15 Arg Cys Gln Cys Ile Lys Thr Tyr Ser Lys Pro Phe His Pro Lys Phe 45 20 25 Ile Lys Glu Leu Arg Val Ile Glu Ser Gly Pro His Cys Ala Asn Thr 35 40 50 Glu He He Val Lys Leu Ser Asp Gly Arg Glu Leu Cys Leu Asp Pro 50 55 60 55 Lys Glu Asn Trp Val Gln Arg Val Val Glu Lys Phe Leu Lys Arg Ala

Glu Asn Ser <210> 95 <211> 3293 <212> DNA <213 Homo sapiens <220> <221> CDS <222> (8).. (1945) <400> 95 gggaagc atg ggg ctt ccc agg ctg gtc tgc gcc ttc ttg ctc gcc gcc Met Gly Leu Pro Arg Leu Val Cys Ala Phe Leu Leu Ala Ala igo igo igo tgi coi cgo gio gog ggi gig coo gga gag goi gag cag Cys Cys Cys Cys Pro Arg Val Ala Gly Val Pro Gly Glu Ala Glu Gln cct gcg cct gag ctg gtg gag gtg gaa gtg ggc agc aca gcc ctt ctg Pro Ala Pro Glu Leu Val Glu Val Glu Val Gly Ser Thr Ala Leu Leu ang tgc ggc ctc tcc cag tcc can ggc and ctc agc cat gtc gac tgg Lys Cys Gly Leu Ser Gln Ser Gln Gly Asn Leu Ser His Val Asp Trp tit ict gic cac aag gag aag cgg acg cic aic tic cgi gig cgc cag Phe Ser Val His Lys Glu Lys Arg Thr Leu Ile Phe Arg Val Arg Gln ggc cag ggc cag agc gaa cct ggg gag tac gag cag cgg ctc agc ctc

	Gly	Gln	Gly	Gln	Ser	Glu	Pro	Gly	Glu	Tyr	Glu	Gln	Arg	Leu	Ser	Leu	
5		80	1				85					90					
	cag	gac	aga	ggg	gct	act	ctg	gcc	ctg	act	caa	gtc	acc	ccc	caa	gac	337
10	Gln	Asp	Arg	Gly	Ala	Thr	Leu	Ala	Leu	Thr	Glp	Val	Thr	Pro	Gln	Asp	
	. 95					100			.•		105	٠.				110	
	gag	cgc	atc	ttç	ttg	t gc	cag	ggc	aag	cgc	cct	cgg	tcc	cag	gag	tac	385
15	Glu	Arg	lle	Phe	Leu	Cys	Gln	Gly	Lys	Arg	Pro	Arg	Ser	Gln	Glu	Tyr	
					115					120	•		•		125		
20	cgc	atc	cag	ctc	cgc	gtc	tac	aaa	gct	ccg	gag	gag	cca	aac	atċ	cag	433
	Arg	He	Gln	Leu	Arg	Val	Tyr	Lys	Ala	Pro	Glu	Glu	Pro	Asn	He	Gln	
25				130					135					140			
			ccc														481
20	Val	Asn	Pro	Leu	Gly	He	Pro		Asn	Ser	Lys	Glu		Glu	Glu	Val	
30			145					150					155				
			tgt													_	529
35	Ala		Cys ·	Val	Gly	Arg		Gly	Туг	Pro	He		Gln	Va]	Ile	Trp	
	taa	160		770	000	201	165		~~~			170		-4-		-44	.
40	Туг		aat														577
	175	Lys		013	ліБ	180	ren	r12	Olu	GIU	185	V2II	MIR	Vai	ліѕ		
45	cag	tre	tee	റമെ	act		gag	tro	agi	øø t		tac	200	l t a	C 2 G	190	625
45	Gln .													-	_	-	
				0.1.1	195					200	Deu	.,.		Dea	205	561	
50	att	ctg	aag	gca	•	cig	gtt	aaa	gaa		aaa	gat	gcc	Cag		tar	673
	Ile :																
55		-		210	··		_ •		215		-,0			220		. , 1	
									_ • •					220			

	igi	gag (ctc aa	c tac	cgg	ctg	ccc	agt	ggg	aac	cac	atg	aag	gag	tcc	721
5	Cys	Glu I	.eu As	n Tyr	Arg	Leu	Pro	Ser	Gly	Asn	Hjis	Met	Lys	Glu	Ser	
		2	25				230					235				
10	agg	gaa g	tc ac	gtc	cct	gtt	ttc	tac	ccg	aca	gaa	aaa	gtg	tgg	ctg	769
	Arg	Glu V	al Th	r Val	Pro	Val	Phe	Tyr	Pro	Thr	Glu	Lys	Val	Ţrp	Leu	
		240				245			•	•	250					
15	gaa	gtg g	ag cc	gtg	gga	alg	ctg	aag	gaa	ggg	gac	cgc	glg	gaa	atc	817
	Glu	Val G	Iu Pro	Val	Gly	Met	Leu	Lys	Glu	Gly	Asp	Arg	Ya l	Glu	lle	
20	255				260					265					270	
			tg gci													865
	Arg (Cys L	eu Ala		G]y	Asn	Pro	Pro		His	Phe	Ser	He	Ser	Lys	
25	•	~		275					280					285		•
			cc ago													913
30	GIN A	isn P	ro Ser 290		Arg	ĢIU	Ala		GIU	Glu	Thr	Thr		Asp	Asn	
	995 0	ric c	250 lg gtg	-	σοσ	cct	acc	295	9.20		700	n er t	300			061
35			eu Val													961
	 ,	3(310	5	D, 0	314	1113	315	GIY	пів	171	
	gaa t		g gcc	t gg	aac	ttg		acc	atg	ata	tcg		ctg	agt	gaa	1009
40			n Ala													
	3	20				325					330					
45	cca c	ag ga	a cta	clg	gtg	aac	tat	gtg	tct	gac	gtc	cga	gtg	agt	ccc	1057
	Pro G	ln Gl	u Leu	Leu	Val	Asn	Туг	Vai	Ser	Asp	Val	Arg	Val	Ser	Рго	
50	335				340					345					350	
	gca g	cc cc	t gag	aga	cag	gaa	ggc	agc	agc	ctç	acc	ctg	acc	igt	gag	1105
	Ala A	la Pr	o Glu	Arg	Gln	Glu	Gly	Ser	Ser	Leu	Thr	Leu	Thr	Cys	Glu	
55				355				•	360					365		
										•					• •	

	gca	ga	g ag	ιag	c ca	g ga	C CI	c ga	gIII	сса	gtg	g ct	g ag	a ga	a ga	g aca	1153
5	Ala	Gli	i Se	r Se	r Gla	n As	p Le	u Gl	u Pho	e G1:	n Tr	p Le	1A U	g Gl	u Gl	u Thi	
				370	0				37	5				38	0	•	·.
10	gac	Cas	ggtg	g cts	g gaa	a agg	g ggs	g cc	tgts	cti	t ca	gtt	s ca	t ga	c ct	g aaa	1201
	Asp	Gln	Va]	Lei	Glu	ı A18	g Gly	Pro	Val	Lei	G)	n Lei	ı Hi	s [As	p Le	u Lys	
15			385	5			•	390)				39	5			
15	cgg	gag	gca	gga	ggc	ggo	tat	cgo	: Igo	gtg	gc g	s tot	gte	cco	c ago	: ata	1249
	Arg	Glu	Ala	Gly	Gly	Gly	/ Tyr	Arg	Cys	Val	Ala	Ser	Val	Pro	Se i	lle	
20		400					405		•			410	ı				
	. ccc	ggc	ctg	aac	cgc	aca	cag	ctg	gtc	aag	cte	gcc	att	ttt	ggo	ccc	1297
25	Pro	Gly	Leu	Asn	Arg	Thr	Gln	Leu	·Val	Lys	Leu	Ala	Ile	Phe	G} y	Pro	
	415		~			420					425					430	
22	cct	tgg	atg	gca	ttc	aag	gag	agg	aag	gtg	tgg	gtg	aaa	gag	aat	atg	1345
30	Pro	Trp	Met	Ala	Phe	Lys	Glu	Arg	Lys	Val	Trp	Val	Lys	Glu	Asn	Met	
					435					440					445		•
35	gtg																1393
	Val 1	Leu	Asn		Ser	Cys	Glu	Ala	Ser	Gly	His	Pro	Arg	Pro	Thr	Ile	
40				450					455					460			
	tcc t																1441
	Ser T			Val	Asn	Gly			Ser	Glu	Gln	Asp	Gln	Asp	Pro	Gln	
45			465					470					475				
	cga g	tc	ctg	agc	acc	ctg	aat	gtc	ctc	gtg	acc	ccg	gag	clg	ttg	gag	1489
50	Arg'V	al l	Leu	Ser	Thr	Leu	Asn	Val	Leu	Val	Thr	Pro	Glu	Leu	Leu	Glu	
	4	80					485					490					
55	aca g	gts	gtt	gaa	tgc a	acg	gcc	tcc	aac	gac	ctg	ggc	aaa	aac	acc	agc	1537
33	Thr G	ly ۱	al (Glu (Cys (Thr.	Ala	Ser .	Asn.	Asp	Leu	Gly	Lys	Asn	Thr	Ser	

	49	5				500)		•		505	i				510	
5	ati	c ctc	tto	cts	g ga	g cta	ggto	aat	tta	acc	acc	cto	aca	I CC	gac	tcc	1585
	110	e Lei	ı Phe	Lei	ı Glı	ı Lei	ı Val	Asn	Leu	Thr	Thr	Leu	Thr	Pro	Asp	Ser	
					515	j				520					525		
. 10	aad	aca	acc	act	ggc	cto	ago	act	tcc	act	gcc	agt	ccl	cat	acc	aga	1633
	Asr	Thr	Thr	Thr	Gly	Leu	Ser	Thr	Ser	Thr	Ala	Ser	Pro	His	Thr	Arg	
15				530				•	535					.540			
	gco	aac	agc	acc	tcc	aca	gag	aga	aag	ctg	ccg	gag	ccg	gag	agc	cgg	1681
20	Ala	Asn	Ser	Thr	Ser	Thr	Glu	Arg	Lys	Leu	Рго	Glu	Pro	Glu	Ser	Arg	
			545 -					550					555				
			gtc														1729
25	Gly		Val	He	Va]	Ala		He	Val	Cys	He		Va]	Leu	Ala	Val	
		560					565					570					
30			gct														1777
		Gly	Ala	Val	Leu		Phe	Leu	Tyr	Lys		Gly	Lys	Leu	Pro	Cys	
35	575					580					585					590	
55																	, 1825
	VIE	MIR	Ser	01 A	595	611	GIU	116	inr	600 Len	rro	Pro	Ser	Arg		Thr	
40	9 22	ctt	gla	ot t		σtt	220	tca					7 00	~~~	605		1079
			Val														1873
45				610	•••				615	2,5	DCu			620	ac i	игу	
	ctc	clg	cag		agc	agc	ggt	gac		agg	gc t	CCE			cag	gga	1921
50			Gln														1001
30			625				·	630	•	,			635	,	•••	.,	
	gag			atc	gat	cig	agg		tago	CCCE	aa t			c to	ccti	cont	1975
55	Glu														•		

640 645

gcciggacca	a licccagcio	ccigcicaci	cttctctcag	ccaaagcica	aagggactag	203
agagaagcci	t cctgctcccc	tegeetgead	acccctttc	agagggccac	tgggttagga	209
cctgaggaco	tcacttggco	ctgcaaggco	cgcttttcag	ggaccagtcc	accaccatct	215
cctccacgtt	gagtgaagct	cateceaage	aaggagcccc	agicicccga	gcgggtagga	2215
gagilicite	cagaacgigi	tttttcttta	cacacaitat	gctgtaaata	cgctcgtcct	2275
gccagcagct	gagcigggta	gcctctctga	gctggtttcc	tgccccaaag	gctggcattc	2335
caccatccag	gtgcaccact	gaagtgagga	cacaccggag	ccaggcgcct	gctcatgttg	2395
aagtgcgctg	ttcacacccg	ctccggagag	caccccagca	gcatccagaa	gcagctgcag	2455
tgcaagcttg	catgcctgcg	tgttgctgca	ccaccctcct	gtctgcctct	tcaaagtctc	2515
cigigacati	ttttctttgg	tcagaggcca	ggaactgtgt	cattccttaa	agatacgtgc	2575
cggggccagg	tgtggctcac	gcctgtaatc	ccagcacttt	gggaggccga	ggcggcggat	2635
cacaaagtca	gacgagacca	tcctggctaa	cacggtgaaa	ccctgtctct	actaaaaata	2695
	ttagctaggc	•				
	aatggtatga					
ctgcactcca	gcctgggcaa	cacagcgaga	ctccgtctcg	aggaaaaaaa	aaatcgtgct	2875
cgtagcagct	ggctctgttt	cgagtcaggt	gaaltagcct	caatccccgt	gttcacttgc	2935
•	ctcttgatgg					•
	ctgtccttca				•	
	tcaggaccca.					
	gcclggclag					
	atggttitgt					3235
iglatatala	tatatgaaaa	tatatatata	talgaaaaat	aaagcttaat	tgtcccag	3293

<210> 96

<211> 646

<212> PRT

	<213> Homo s	sapiens		
5	<400> 96		•	
	. Met Gly Leu	Pro Arg Leu Va	al Cys Ala Phe Leu	Leu Ala Ala Cys Cys
10	1	.5	. 10	15
	Cys Cys Pro	Arg Val Ala G	y Val Pro Gly Glu	Ala Glu Gln Pro Ala
	•	20	. 25	30
15	Pro Glu Leu	Val Glu Val Gl	u Val Gly Ser Thr	Ala Leu Leu Lys Cys
	35		40	45
20	Gly Leu Ser	Gln Ser Gln Gl	y Asn Leu Ser His	Val Asp Trp Phe Ser
	50	. 5	5	60
25	Val His Lys	Glu Lys Arg Th	r Leu Ile Phe Arg	Val Arg Gln Gly Gln
	65	70		. 80
	Gly Gln Ser	Glu Pro Gly Gl	u Tyr Glu Gln Arg	Leu Ser Leu Gln Asp
30				
30	•	85 .	. 90	. 95
30		Thr Leu Ala Le	u Thr Gln Val Thr	. 95 Pro Gin Asp Glu Arg
35		Thr Leu Ala Le 100	u Thr Gln Val Thr 105	Pro Gin Asp Glu Arg
	lle Phe Leu (Thr Leu Ala Le 100	u Thr Gln Val Thr 105 s Arg Pro Arg Ser	Pro Gin Asp Glu Arg 110 Gln Glu Tyr Arg Ile
	lle Phe Leu (Thr Leu Ala Le 100 Cys Gln Gly Ly	u Thr Gln Val Thr 105 s Arg Pro Arg Ser 120	Pro Gin Asp Glu Arg 110 Gln Glu Tyr Arg Ile 125
35	lle Phe Leu (115 Gln Leu Arg (Thr Leu Ala Le 100 Cys Gln Gly Ly Val Tyr Lys Al	u Thr Glm Val Thr 105 s Arg Pro Arg Ser 120 a Pro Glu Glu Pro	Pro Gin Asp Glu Arg 110 Gln Glu Tyr Arg Ile 125 Asn lle Gln Val Asn
35	Ile Phe Leu (115 Gln Leu Arg (130	Thr Leu Ala Le 100 Cys Gln Gly Ly Val Tyr Lys Al	u Thr Gln Val Thr 105 s Arg Pro Arg Ser 120 a Pro Glu Glu Pro	Pro Gin Asp Glu Arg 110 Gln Glu Tyr Arg Ile 125 Asn lle Gln Val Asn 140
35	Ile Phe Leu (115 Gln Leu Arg (130 Pro Leu Gly (Thr Leu Ala Le 100 Cys Gln Gly Ly Val Tyr Lys Al 133 Ile Pro Val As	u Thr Gln Val Thr 105 s Arg Pro Arg Ser 120 a Pro Glu Glu Pro 5 n Ser Lys Glu Pro	Pro Gin Asp Glu Arg 110 Gln Glu Tyr Arg Ile 125 Asn Ile Gln Val Asn 140 Glu Glu Val Ala Thr
<i>35</i>	lle Phe Leu (115 Gln Leu Arg (130 Pro Leu Gly (145	Thr Leu Ala Le 100 Cys Gln Gly Ly Val Tyr Lys Al 13 Ile Pro Val As 150	u Thr Gln Val Thr 105 s Arg Pro Arg Ser 120 a Pro Glu Glu Pro 5 n Ser Lys Glu Pro 155	Pro Gin Asp Glu Arg 110 Gln Glu Tyr Arg Ile 125 Asn Ile Gln Val Asn 140 Glu Glu Val Ala Thr 160
<i>35</i>	lle Phe Leu (115 Gln Leu Arg (130 Pro Leu Gly (145	Thr Leu Ala Le 100 Cys Gln Gly Ly Val Tyr Lys Al 13 Ile Pro Val As 150 Arg Asn Gly Ty	u Thr Gln Val Thr 105 s Arg Pro Arg Ser 120 a Pro Glu Glu Pro 5 n Ser Lys Glu Pro 155 r Pro Ile Pro Gln	Pro Gin Asp Glu Arg 110 Gln Glu Tyr Arg Ile 125 Asn Ile Gln Val Asn 140 Glu Glu Val Ala Thr 160 Val Ile Trp Tyr Lys
35 40 45	Ile Phe Leu (115 Gln Leu Arg (130 Pro Leu Gly (145 Cys Val Gly A	Thr Leu Ala Le 100 Cys Gln Gly Ly Val Tyr Lys Al 133 Lie Pro Val As 150 Arg Asn Gly Ty 165	u Thr Gln Val Thr 105 s Arg Pro Arg Ser 120 a Pro Glu Glu Pro 5 n Ser Lys Glu Pro 155 r Pro Ile Pro Gln 170	Pro Gin Asp Glu Arg 110 Gln Glu Tyr Arg Ile 125 Asn Ile Gln Val Asn 140 Glu Glu Val Ala Thr 160 Val Ile Trp Tyr Lys 175
35 40 45	Ile Phe Leu (115 Gln Leu Arg (130 Pro Leu Gly (145 Cys Val Gly A	Thr Leu Ala Le 100 Cys Gln Gly Ly Val Tyr Lys Al 133 Lie Pro Val As 150 Arg Asn Gly Ty 165	u Thr Gln Val Thr 105 s Arg Pro Arg Ser 120 a Pro Glu Glu Pro 5 n Ser Lys Glu Pro 155 r Pro Ile Pro Gln 170	Pro Gin Asp Glu Arg 110 Gln Glu Tyr Arg Ile 125 Asn Ile Gln Val Asn 140 Glu Glu Val Ala Thr 160 Val Ile Trp Tyr Lys

		Ser	Gl	n Th	r Va	1 G1	u Se	r Se	r Gl	y Le	u Tyr	Th	r Le	u Gli	se:	П	e Leu
5				19	5				20	0 -				208	j		
		Lys	Ala	a Gl	n Le	u Va	l Ly	s G1	u Ası	p Ly:	s Asp	Ala	a Gla	n Phe	Туі	Су	s Glu
			210)				21	5		•	•	220)			
10		Leu	Ası	Ту	r Arg	z Lei	Pro	Se.	r Gly	/ Asi	n His	Met	Lys	s Glu	Ser	Arg	g Glu
		225					230)				235	i				240
15	,	Val	Thr	Val	Pro	Val	Phe	Ty	r Pro	Thr	Glu	Lys	Yal	Trp	Leu	Glu	ı Val
						245					250					255	j
20	(Glu	Pro	Va 1	Gly	Met	Leu	Lys	Glu	Gly	' Asp	Arg	Val	Glu	Ile	Arg	Cys
					260					265					270		
	I	eu	Ala			Asn	Pro	Pro			Phe	Ser	He	Ser	Lys	Gln	Asn
25	n		•	275		•			280					285			
	r				Arg	Glu	Ala			Glu	Thr	Thr			Asn	Gly	Va}
30	1		290 Val		Clu	Dro	Ala	295		C1.	u: a	C = =	300			C1	0
		05	V & 1	Leu	0.10	110	310	VIR	LyS	Giu	His	315	GIY	Arg	ıyr	GIU	320
35			Ala	Trp	Asn	Leu		Thr	Met	Ile	Ser		Len	Ser	Glu	Pro	
				·		325		- ***			330	200	204	501	014	335	0111
40	G	lu]	Leu	Leu	Val	Asn	Tyr	Val	Ser	Asp	Val	Arg	Val	Ser	Pro		Ala
40					340					345					350		•
	Pi	ю (Glu	Arg	Gln	Glu	Gly	Ser	Ser	Leu	Thr	Leu	Thr	Cys	Glu	Ala	Glu
45	٠			355					360					365			
	Se	r S	Ser	Gln	Asp	Leu	Glu	Phe	Gln	Trp	Leu	Arg	Glu	Glu	Thr	Asp	Gln
50		3	370					375					380				
	Va	1 L	.eu	Glu	Arg	Gly	Pro	Val	Leu	Gln	Leu	His	Asp	Leu	Lys	Arg	Glu
55	38	5					390					395		•			400
	· A1	a G	ly (Gly	Gly	Tyr	Arg	Cys	Val	Ala	Ser	Va J	Рго	Ser	He	Pro	Gly

					405	5 ,				410)				415	j
5	Le	u Ası	n Arg	Thr	Glr	Le	y Val	Lys	Let	Ala	Ile	Pbe	Gly	Pro	Pro	Trp
				420)				425	; ·				430)	
40	Ме	t Ala	Phe	Lys	Glu	Arg	g Lys	Val	Trp	Val	Lys	Glu	Ası	Met	Val	Leu
10			435	•				440	1				445	i		
	Ası	Leu	Ser	Cys	Glu	Ala	Ser	Gly	His	Pro	Arg	Ьtо	Thr	lle	Ser	Trp
15		450					455					460				
	Asn	Val	Asn	Gly	Thr	Ala	Ser	Glu	Gin	Asp	Gln	Asp	Pro	Gln	Arg	Val
20	465	i				470					475					480
	Leu	Ser	Thr	Leu	Asn	Vaj	Leu	Val	Thr	Pro	G) u	Leu	Leu	Glu	Thr	Gly
25					485					490					495	
	Val	Glų	Суѕ	Thr	Ala.	Ser	Asn	Asp	Leu	Gly	Lys	Asn	Thr	Ser	lle	Leu
				500					505					510		
30	Phe	Leu	Glu	Leu	Val	Asn	Leu		Thr	Leu	Thr	Pro	Asp	Ser	Asn	Thr
			515		_			520					525			
35	Thr		Gly	Leu	Ser	Thr		Thr	Ala	Ser	Рго		Thr	Arg	Ala	Asn
	°	530	Ca-	ፐ ኤ 🗀	C1	4	535	Lau	n	61	D	540	•			
40	545	1111	Ser	1111	611	550	FÀ2	ren	r10	GIU	•	GIU	Ser	Arg	Gly	
		ماآ	Val	Δla	Val		V a 1	Cve	ملآ	Lan	555 Val	Lou	41.0	Val	1	560
	, 41	110	101		565	116	101	Cys	116	570	741	теп	HIA	441		оту
45	Ala	Val	Leu			Len	Tvr	Lvs	Lve		lve	I en	Pro	Cvc	575	٨٠٥
		,		580	1 110	Deu			585	Uly	LJS	Leu	110	590	WIR	WIR
50	Ser	Glv	Lys		Glu	lle	Thr	Len		Pro	Ser	Ατσ	lue		Cln	ום
			595	~ - **	• •			600		0	JU1	6	605	1 11 1	Ain	₽€U
55	Yal		Glu	Val	Lvs	Ser	Asp		Len	Pro	Gla	Glu		Glv	len	l en
					_,			_,_					111 C	017	<i></i>	ar G U

610 615 620 . Gln Gly Ser Ser Gly Asp Lys Arg Ala Pro Gly Asp Gln Gly Glu Lys 625 630 635 640 Tyr Ile Asp Leu Arg His 10 645 <210> 97 15 <211> 1642 <212> DNA 20 <213> Homo sapiens <220> <221> CDS 25 <222> (158).. (1279) <400> 97 30 gaatcggcgg tcccgcaggt cccggatgtt gcggacagta tgaggcaagc gcagggggac 60 ggggaccage agetgtegee geegetetea gggtgaagag ggaacagaaa telttgeece 120 cigactitigg agaictegit tageetteaa actiggeg atg tea agg git eea agt 175 35 Met Ser Arg Val Pro Ser 40 cct cca cct ccg gca gaa atg tcg agt ggc ccc gta gct gag agt tgg .Pro Pro Pro Pro Ala Glu Met Ser Ser Gly Pro Val Ala Glu Ser Trp 10 15 20 45 igo tac aca cag atc aag gla gig aaa tic toc tac atg igg acc atc 271 Cys Tyr Thr Gln Ile Lys Val Val Lys Phe Ser Tyr Met Trp Thr Ile 25 30 35 aat aac tit agc tit igc cgg gag gaa aig ggt gaa gtc att aaa agt 319 Asn Asn Phe Ser Phe Cys Arg Glu Glu Met Gly Glu Val Ile Lys Ser 55

		40			•		45			•		50					
5	tct	aca	tit	tca	tca	gga	gca	aat	gat	aaa	ctg	aaa	tgg	tgt	ttg	cga	36
	Ser	Thr	Phe	Ser	Ser	Gly	Ala	Asn	Asp	Lys	Leu	Lys	Trp	Cys	Leu	Arg	•
	5.5	i				60)				65				•	70	
10	gta	aac	ccc	aaa	ggg	tta	gat	gaa	gaa	ago	aaa	gat	tac	ctg	tca	ctt	41
	Val	Asn	Pro	Lys	Gly	Leu	Asp	Glu	Glu	Ser	Lys	Asp	Tyr	Leu	Ser	Leu	
15	•				75					80					85		
	tac	ctg	tta	ctg	gtc	agc	tgt	cca	aag	agt	gaa	gtt	cgg	gca	aaa	ttc	463
20	Tyr	Leu	Leu	Leu	Val	Ser	Cys	Pro	Lys	Ser	Gìu	Val	Arg	Ala	Lys	Phe	
				90					95					100		•	
	aaa	itc	tcc	atc	ctg	aat	gcc	aag	gga	gaa	gaa	acc	aaa	gct	atg	gag	511
25	Lys	Phe	Ser.	Ile	Leu	Asn	Ala	Lys	Gly	G) u	Glu	Tbr	Lys	Ala	Me t	Glu	
			105		•			110					115			•	
30		caa					•					•					559
	Ser	Gln	Arg	Ala	Tyr	Arg		Val	Gln	Gly	Lys	Asp	Trp	Gly	Phe	Lys	
35		120					125					130					
55		ttc															607
	. Lys	rne	116	Arg	·		rne	Leu	Leu	Asp		Ala	Asn	Gly	Leu		
40	135	50 t	~~ ^			140		• • •			145			.076		150	
		gat															655
45	110	Asp	nsp	T y S	155	1111	ren	rne	Cys	160	Yaı	261	vai	vai		ASP	
	tet	gtc	220	att		aac	Laa	tee	200		226	o t a	ato	000	165	001	702
50		Val.											•				703
50	001	141		170	501	017	0111	11311	175	me (von	10 C L	Yaj		141	FIU	
	ប2 ច	tgc (gr 3	ן בס	72 0	112		aan	c t a	taa	ac.~	180	100	00-	ŋċ ı
55		Cys /															751
	บาน	O 7 3 1	11. E	มอน	1110	voh	0 1 U	TCI	UIY	OIA	r C II	11h	UIU	W 2	SEL	MIR	

		185		190			195	
5	ttc ac	ca gac tg	c tgc tt	g tgt gtt	gcc ggc	cag gaa	tic cag gct	cac -799
	Phe Th	ar Asp Cy	s Cys Le	u Cys Val	Ala Gly	Gln Glu	Phe Gln Ala	His
40	20	00		205		. 210		
10	aag go	t atc tt	a gca gc	t cgt tct	ccg gtt	ttt agt	gcc atg tti	gaa 847
	Lys Al	a lle Le	u Ala Ala	Arg Ser	Pro Val	Phe Ser	Ala Met Phe	Glu
15	215		220)		225		230
	cat ga	a atg ga	g gag ago	aaa aag	aat cga	gtt gaa	atc aat gat	gtg 895
20	His Gl	u Met Gli	ı Glu Ser	Lys Lys	Asn Arg	Val Glu	Ile Asn Asp	Val
			235		240		245	
25	gag cc	t gaa gti	tit aag	gaa alg	atg tgc	itc att	tac acg ggg	aag 943
23	Glu Pr	o Glu Val	Phe Lys	Glu .Met	Net Cys	Phe Ile	Tyr Thr Gly	Lys
		250			255		260	
30			•				gca gct gct	•
	Ala Pro		Asp Lys		Asp Asp		Ala Ala Ala	Asp
35		265		270			275	,
							gat gcc ctc	
40			GIU AFB		val met		Asp Ala Leu	Cys
	280		ata asa	285	ges gss	290	. to ota ano	~~~ 1097
					•		atc ctg gcc lle Leu Ala	
45	295	i Leu Sei	300		nia Giu	305	ile Leu Ala	310
		agt gca		ttg aaa	act cag		gat ttc atc	
50							Asp Phe lle	
		ov. mu	315	200,270	320	tul n	325	non
55	lat cat	get teg		lig gag		ggg tgg a	iag tca atg	gtg -1183
		3	J 0.0			00 0	-3 .vu u.b	0.0 3100

	Tyr His Ala Ser Asp Val Leu Glu Thr Ser Gly Trp Lys Ser Met Val
_	330 335 340
5	gig ica cat ccc cac itg gig gci gag gca tac cgc ici cig gci ica 1231
	Val Ser His Pro His Leu Val Ala Glu Ala Tyr Arg Ser Leu Ala Ser
10	345 350 355
	gca cag igc cci tit cig gga ccc cca cgc aaa cgc cig aag caa icc 1279
15	Ala Gln Cys Pro Phe Leu Gly Pro Pro Arg Lys Arg Leu Lys Gln Ser
	360 365 370
	. laagateetg ettgtigtaa gaeteegitt aatileeaga ageageagee aelgtigetg 1339
20	ccaclgacca ccaggiagac agegeaatet giggagetti tactetgiig igaggggaag 1399
	agactgcatt gtggccccag actitiaaaa cagcactaaa taacttgggg gaaacggggg 1459
25	gagggaaaat gaaatgaaaa ccctgttgct gcgtcactgt gttccctttg gcctgtctga 1519
	gtitgatact giggggatic agittaggcg ciggcccgag gatatcccag cggiggtact 1579
	teggagacae etgtetgeat etgaetgage agaacaaate gteaggtgee tggageaaaa 1639
30	agg 1642
35	<210> 98
	<211> 374
40	<212> PRT
	<213> Homo sapiens
	<400> 98
45	Met Ser Arg Val Pro Ser Pro Pro Pro Pro Ala Glu Met Ser Ser Gly
	I 5 10 · 15
50	Pro Val Ala Glu Ser Trp Cys Tyr Thr Gln lle Lys Val Val Lys Phe
	20 25 30
	Ser Tyr Met Trp Thr Ile Asn Asn Phe Ser Phe Cys Arg Glu Glu Met
55	35 40 45

	Gly Glu Val	lle Lys Ser Ser T	Thr Phe Ser Ser Gly Ala Asn Asp Lys
5	50	° 55	60
	Leu Lys Trp (Cys Leu Arg Val A	Asn Pro Lys Gly Leu Asp Glu Glu Ser
	.65	70	75 80
10	Lys Asp Tyr I	Leu Ser Leu Tyr L	Leu Leu Leu Val Ser Cys Pro Lys Ser
		85 .	90 95
15	Glu Val Arg A	Ala Lys Phe Lys P	Phe Ser lie Leu Asn Ala Lys Gly Glu
	1	100	105 110
20	Glu Thr Lys A	Ala Met Glu Ser G	Gin Arg Ala Tyr Arg Phe Val Gin Gly
	. 115	1	120 125
	Lys Asp Trp G	Gly Phe Lys Lys P	Phe lle Arg Arg Asp Phe Leu Leu Asp
25	130 _	. 135	140
	Glu Ala Asn G	Gly Leu Leu Pro A	Asp Asp Lys Leu Thr Leu Phe Cys Glu
30	145	150	155 . 160
	Val Ser Val V		Val Asn Ile Ser Gly Gln Asn Thr Met
	•	165	170 175
35			Cys Arg Leu Ala Asp Glu Leu Gly Gly
		80	185 190
40			Thr Asp Cys Cys Leu Cys Val Ala Gly
	195		200 205
45	210	. 21.5	Ala Ile Leu Ala Ala Arg Ser Pro Val 220
			Glu Met Glu Glu Ser Lys Lys Asn Arg
	225	230	235 240
50			Pro Glu Val Phe Lys Glu Met Met Cys
	tal old lic A	245	250 255
55	Dha Ila Tur T		Pro Asn Leu Asp Lys Met Ala Asp Asp
	ine lie lyl l	m and pay ung t	to you for you plo met yis you wash

		260		265	. 270
5	Leu Leu A	la Ala Ala A	Asp Lys Tyr	Ala Leu Glu Arg	Leu Lys Val Met
	. 2	75	280		285 .
10	Cys Glu A	sp Ala Leu C	Cys Ser Asn	Leu Ser Val Glu	Asn Ala Ala Glu
	290		295	300	
	Ile Leu I	le Leu Ala A	Asp Leu His	Ser Ala Asp Gln	Leu Lys Thr Gin
15	305	3	310	315	320
	Ala Val A	sp Phe Ile A	asn Tyr His	Ala Ser Asp Val	Leu Glu Thr Ser
20		325		330	335
	Gly Trp L	ys Ser Met V	al Val Ser	His Pro His Leu	Val Ala Glu Ala
25		340		345	350
	Tyr Arg Se	er Leu Ala S	er Ala Gln	Cys Pro Phe Leu	Gly Pro Pro Arg
	35	55	360		365
30	Lys Arg Le	eu Lys Gln S	er		·
	370				
35	<210> 99				
	<211> 5722	2			•
40	<212> DNA				
	<213> Homo	sapiens			
	<220>			•	
45	<221> CDS				
	<222> (112	2) (3621)			
50	<400> 99				
	ggacgcacag	gcattccccg	cgccctcca	gccctcgccg ccc	tegecae egeteeegge 60
55	cgccgcgctc	cggtacacac	aggatccctg	ctgggcacca aca	gctccac'c atg ggg 117
					Met Gly

																	i	
5		ctg	gcc	t gg	gga	cta	ggc	gtc	ctg	ttc	ctg	atg	cat	gtg	tgt	ggc	acc	165
		Leu	Ala	Trp	Gly	Leu	Gly	Val	Leu	Phe	Leu	Met	His	Val	Cys	Gly	Thr	
10				5					10					15				
	•	aac	cgc	att	cca	gag	tct	ggc	gg8	gac	aac	agc	gtg	ttt	gac	atc	ttt	213
		Asn	Arg	He	Рто	Glu	Ser	Gly	Gly	Asp	Asn	Ser	Val	Phe	Asp	Ile	Phe	
15			20					25					30					
		gaa	ctc	acc	ggg	gcc	gcc	cgc	aag	ggg	tct	ggg	cgc	cga	ctg	gtg	aag	261
20		Glu	Leu	Thr	Gly	Ala	Ala	Arg	Lys	Gly	Ser	Gly	Arg	Arg	Leu	Val	Lys	
		35					40					45				•	50	
25		ggc	ccc	gac	cct	tcc	agc	cca	gct	ttc	cgć	alc	gag	gat	gcc	aac	clg	309
		Gly	Pro	Asp	Pro	Ser	Ser	Pro	Ala	Phe	Arg	Ile	Glu	Asp	Ala	Asn	Leu	
						55					60					65	٠.	
30					gtg													357
	:	Ile	Pro	Рго	Val	Pro	Asp	Asp	Lys		Gln	Asp	Leu	Val	Asp	Ala	Val	
35					70					75	· ·				80			
			•		aag													405
40	٠ /	Arg .	Ala		Lys	Gly	ŗће	Leu		Leu	Ala	Ser	Leu		Gln	Met	Lys	
				85			-4-	-4-	90	- 4 -				95			•	
					ggc													453
45	ı			Arg	Gly	111	ren		AIA	ren	GIU	Arg		ASP	RIS	Ser	Gly	
	_		100			-1-	_1_	105	4				110					
50					agc													501
			vai	rne	Ser			261	ASII	ыу	LYS		ыу	inr	Leu	ASP		
55		15					120	·				125					130	
	a	igc (ctg	acc	glc	caa	gga	aag	cag	cac	gig	gtg	tct	glg	gaa	gaa	gct	549

	Sei	r Lei	ı Thr	Val	GIn	G13	/ Lys	Gln	His	Val	Val	Ser	Val	Glu	Glu	ı Ala	
5					135	i			. •	140	1				145	,	
3	cto	ctg	gca	aco	ggc	cag	tgg	aag	agc	atc	acc	ctg	ttt	gtg	cag	 gaa	597
	Leu	Leu	Ala	Thr	Gly	Gln	Trp	Lys	Ser	He	Thr	Leu	Phe	Val	Gln	Glu	
10				150					155	•				160			
	gac	agg	gcc	cag	ctg	tac	atc	gaç	tgt	gaa	aag	atg	gag	aat	gct	gag	645
15	Asp	Arg	Ala	Gln	Leu	Tyr	lle	Asp	Cys	Glu	Lys	Met	Glu	Asn	Ala	Glu	
			165					170					175				
	ttg	gac	gtc	ccc	atc	caa	agc	glc	ttc	acc	aga	gac	ctg	gcc	agc	atc	693
20	Leu	Asp	٧ai	Pro	Ile.	Gln	Ser	Val	Phe	Thr	Arg	Asp	Leu	Ala	Ser	Ile	
		180					185					190					
25	gcc	aga	ctc	cgc	atc	gca	aag	ggg	ggc	gtc	aat	gac	aat	ttc	cag	ggg	741
	Ala	Arg	Leu	Arg	He	Ala	Lys	Gly	Gly	Val	Asn	Asp	Asn	Phe	Gln	Gly	•
30	195					200			•		205					210	
					gtg				•								789
	Val	Lev	GIn	Asn	Val	Arg	Phe	Val	Phe	Gly	Thr	Thr	Pro	Glu	.Asp	lle	
35					215					220					225		
					ggc												837
40	Leu	Arg	Asn		Gly	Cys	Ser	Ser		Thr	Ser	Val	Leu		Thr	Leu	·
				230	_4_	4			235					240		:	•
45					gtg												885
	АЅР			vai	Val	ASN	GIY	3er 250	261	Pro	Ala	i i e		Thr	Asn	Tyr	
			245				~~~				-4-		255				
50					aca												933
			u 1 2	ГÀ2	Thr	LYS		TAN	GID	BIR	116		ыу	116	196	CYS	
55		260				• • •	265		 .	_ 4		270					
	gai	gag .	CIG	ICC	agc	atg	gıc	cig	gaa	CIC	agg	ggc	ctg	cgc	acc	att	981

	Asp	Glu	leu	Ser	Ser	Met	Val	Leu	Glu	Leu	Arg	Gly	Leu	Arg	Thr	Ile	
5	275	;				280				•	285					290	
	gtg	acc	acg	ctg	cag	gac	agc	atc	cgc	aaa	gtg	act	gaa	gag	aac	aaa	1029
10	Va l	Thr	Thr	Leu	Gln	Asp	Ser	lle	Arg	Lys	Val	Thr	Glu	Glu	Asn	Lys	
					295					300					305		
	gag	ttg	gcc	aat	gag	ctg	agg	cgg	cct	. ccc	cta	t gc	tat	cac	aac	gga	1077
15	Glu	Leu	Ala	Asn	Glu	Leu	Arg	Arg	Pro	Pro	Leu	Cys	Tyr	His	Asn	Gly	
				310				•	315					320			
20	gtt	cag	t ac	aga	aat	aac	gag	gaa	tgg	act	gtt	gat	agc	t gc	act	gag	1125
	Val	Gln	Tyr	Arg	Asn	Asn	Glu	Glu	Trp	Thr	Val	Asp	Ser	Cys	Thr	Glu	
25			325					330					335		•		
	tgt	cac	tgt	cag	aac	tca	gţţ	acc	atc	tgc	888	aag	gtg	tcc	tgc	ccc	1173
	Cys	His	Cys	Gln ·	Asn	Ser	Va)	Thr	He	Cys	Lys	Lys	Val	Ser	Cys	Pro	•
30		340					345					350					
		atg															1221
35		Met	Pro	Cys	Ser		Ala	Thr	Val	Pro		Gly	Glu	Cys	Cys		
	3,55					360					365					370	
40	cgc										•						1269
	Arg	Cys	111	rro		ASP	261	Ala	ASP		ыу	11p	26L	Pro		Ser	
	~~~	1.00		• • •	375					380			-44		385		1017
45		tgg															1317
	GIU	Trp			Cys	261	1111	261		ыу	ASII	ч	116		GIN	Arg	
50				390	<b>~~ 1</b>				395					400	4	_1_	1005
•		cgc															1365
55	ыу	Arg		СУS	ASP	261			ASN	ALE	СУS	UIU		261.	261	val	
			405					410					415				

	cag	aca	Cgg	acc	tgc	cac	att	cag	gag	tgt	gac	aaa	aga	ttt	aaa	cag	1413
5	Gln	Thr	Arg	Thr	Cys	His	Ile	Gln	Glu	Cys	Asp	Lys	Arg	Phe	Lys	Gln	
		420					425		•	•		430				•	
	gat	ggt	ggc	t gg	agc	cac	l gg	tcc	ccg	tgg	tca	tct	tgt	tct	gtg	aca	1461
10	Asp	Gly	Gly	Trp	Ser	His	Trp	Ser	Pro	Trp	Ser	Ser	Cys	Ser	Val	Thr	
	435		•			440					445		•			450	
15	tgt	ggt	gal	ggt	gtg	atc	aca	agg	alc	cgg	ctc	t gc	aac	tct	ccc	agc	1509
	Cys	Gly	Asp	Gly	Val	Ile	Thr	Arg	He	Arg	Leu	Cys	Asn	Ser.	Pro	Ser	
20					455					460					465		
20	ccc	cag	atg	aat	ggg	aaa	ccc	tgt	gaa	ggc	gaa	gcg	ċgg	gag	acc	aaa	1557
	Pro	Gln	Me t	Asn	Gly	Lys	Pro	Cys	Glu	Gly	Glu	Ala	Arg	Glu	Thr	Lys	
25			_	470					475					480	:		
	gcc	tgc	aag	aaa	gac	gcc	t gc	ccc	atc	aat	gga	ggc	lgg	ggt	cct	tgg	1605
30	Ala	Cys	Lys	Lys	Asp	Ala	Cys	Pro	He	Asn	Gly	Gly	Trp	Gly	Pro	Trp	
			485					490					495		3		
				gac				•									1653
35	Ser		Trp	Asp	lle	Cys		Val	Thr	Cys	Gly	Gly	Gly	Val	Gln	Lys	
		500					505					510					
40				ctc						•							1701
		Ser	Arg	Leu	Cys		Asn	Рго	Ala	Pro		Phe	Gly	Gly	Lys		•
45	. 515					520					525				٠	530	
				gat													1749
	Cys	Yal	Gly	Asp		lnr	Glu	Asn	GIN			Asn	Lys	GIn		Cys	
50					535					540	•				545		
	cca																1797
55	Pro	lle	Asp		СУS	Leu _.	Ser	Asn		Cys	Phe	Ala	Gly		Lys	Cys 	
				550					555					560			

	act age to	ac cct gat	ggc agc tg	gg aaa tgt ggt	gct tgt ccc c	t ggt 1845
5	Thr Ser T	yr Pro Asp	Gly Ser Tr	p Lys Cys Gly	Ala Cys Pro P	ro Gly
	50	<b>35</b>	- 57	0	575	
10	tac agt gg	ga aat ggc	atc cag tg	c aca gat gtt	gat gag tgc as	na gaa 1893
70	İyr Ser Gl	y Asn Gly	lle Gln Cy	s Thr Asp Val	Asp Glu Cys Ly	rs Glu
	580	•	585		590 .	
15	gtg cct ga	it gcc tgc	ttc aac ca	c aat gga gag	cac cgg tgt ga	g aac 1941
	Val Pro As	p Ala Cys	Phe Asn Hi	s Asn Gly Glu	His Arg Cys Gl	u Asn
20	595	•	600	. 605		610
	acg gac co	c ggc tac	aac tgc ct	g ccc lgc ccc	cca cgc tic ad	c ggc 1989
25	Thr Asp Pr	o Gly Tyr	Asn Cys Le	u Pro Cys Pro	Pro Arg Phe Th	r Gly
	-	615		620	- 62	5
	tca cag cc	c ttc ggc	cag ggt gt	c gaa cat gcc	acg gcc aac aa	a cag 2037
	Ser Gln Pr		Gln Gly Va	l Glu His Ala		s Gln ·
		630		635	. 640	
35	•			c acg gat ggg		
				s Thr Asp Gly 1		s Asn
40	64		65		655	
				g ggc cac tat a u Gly His Tyr (		
45	660	a Lys cys r	665	•	561 ASP 110 Me	t lyl
		e igo aag o	•	c gct ggc aat g		c ggg 2181
				r Ala Gly Asn (		
50	675		380	685	,,, v,	690
				g ccc aat gag a	Nac cie gig io	
55				p Pro Asn Glu /		
	ain ush III	. ASP LCU A	ווי לוט אמי	P I I O HON UIU /	LCu lai Cy	3 141

				•	695	5		•		700					705	•	. •
5	gc	c aai	t gcs	act	tac	cac	tgo	: aaa	aag	gat	aat	tgc	ccc	aac	clt	CCC	2277
	Ala	a Asi	ı Ala	 3 Thr	Tyr	His	Cys	Lys	Lys	Asp	Asn	Cys	Pro	Asn	Leu	Pro	•
	٠			710	1				715					720	ı		•
10	aac	: tca	ggg	cag	gaa	gac	tat	gac	aag	gat	gga	att	ggt	gat	gcc	tgt	2325
	Asn	Ser	Gly	GIn	Glu	Asp	Tyr	Asp	Lys	Asp	Gly	lle	Gly	·Asp	Ala	Cys	
15			725	i			•	730					735				
	gat	gat	gac	gat	gac	aat	gat	aaa	att	cca	gat	gac	agg	gac	aac	tgt	2373
20	Așp	Asp	Asp	Asp	Asp	Asn	Asp	Lys	Ile	Pro	Asp	Asp	Arg	Asp	Asn	Cys	
		740					745					750	•				
	cca	ttc	cat	tac	aac	cca	gct	cag	tat	gac	tat	gac	aga	gat	gat	gtg	2421
25	Pro	Phe	His	Tyr	Asn	Pro	Ala	Gln	Tyr	Asp	Tyr	Asp	Arg	Asp	Asp	.Val	•
	755					760					765					770	
30	gga	gac	cgc	tgt	gac	aac	tgt	ccc	tac	aac	cac	aac	cca	gat	cag	gca	2469
	Gly	Asp	Arg	Cys	Asp	Asn	Cys	Pro	Tyr	Asn	His	Asn	Pro	Asp	Gln	Ala	
	•				775					780				٠	785		
35				aac													2517
	Asp	Thr	Asp	Asn	Așn	Gly	Glu	Gly		Ala	Cys	Ala	Ala	Asp	Ile	Asp	
40				790					795					800			· •
				atc													2565
45 ·	GIY	ASD		He	Leu	Asn			ASP	Asn	Cys	Gln		Val	Туг	Asn	
			805	•				810					815				
				aga					•								2613
50	val		GIn	Arg	ASP	INT		Met	ASP	GIY	Val		ASP	Gin	Cys	Asp	
		820					825					830					
55	. aa t																2661
	Asn	Cys	Pro	Leu	Glu	His	Asn	Рго	Asp	Gln	Leu	Asp	Ser	Asp	Ser	Asp	

														•			
	83	5				840					845					850	•
5	ĊB	c a	t gga	a gat	acc	tgt	gac	aac	aat	cag	gai	att	gat	gaa	gat	ggc	2709
	, Ar	g I	e Gly	/ Asp	Thr	Cys	Asp	Asn	Asn	G·l n	Asp	Ile	Asp	Glu	Asp	Gly	
10		•			855					860					865	•	
•		сса	g aac	: aat	ctg	gac	aac	tgt	ccc	tat	gtg	ссс	aat	gcc	aac	cag	2757
	Hi	s G1	n Asn	Asn	Leu	Asp	Asn	Cys	Pro	Tyr	Val	Pro	Asn	Ala	Asn	Gln	
15				870					875				•	880			
	gc	t ga	c cat	gac	aaa	gat	ggc	aag	gga	gat	gcc	tgt	gac	các	gat	gat	2805
20	Al	a As	p His	Asp	Lys	Asp	Gly	·Lys	Gly	Asp	Ala	Cys	Asp	His	Asp	Asp	
		•	885					890					-895				
25	gao	a a	c gat	ggc	att	cct	gat	gac	aag	gac	aac	t gc	aga	ctc	gtg	ccc	2853
		As	n 'Asp	Gly	lle	Рго	Asp	Asp	Lys	Asp	Asn	Cys	Arg	Leu	Val	Pro	
		90	0				905					910					
30	aat	cc	c gac	cag	aag	gac	tct	gac	ggc	gat	ggt	cga	ggt	gat	gcc	tgc	2901
	Asr	Pr	o Asp	Gln	Lys	Asp	Ser	Asp	Gly	Asp	Gly	Arg	Gly	Asp	Ala	Cys	
35	915					920					925			•		930	•
	aaa	ga	t gat	ttt	gac	cat	gac	agt	gtg	cca	gac	atc	gat	gac	atc	tgt	2949 .
40	Lys	Ası	Asp	Phe	Asp	His	Asp	Ser	Val	Pro	Asp	lle	Asp	Asp	Ile	Cys	
					935					940					945		
	cct	gag	g aat	gtt	gac	atc	agt	gag	acc	gat	ttc	cgc	cga	ttc	cag	atg	2997
45	Pro	Glu	Asn	Val	Asp	He	Ser	Glu	Thr	Asp	Phe	Arg	Arg	Phe	Gln	Met	•
				950					955			•		960			
50	att	cct	ctg	gac	ccc	aaa	ggg	aca	tcc	caa	aat	gac	cct	aac	tgg	gtt	3045
	Ile	Pro	Leu	Asp	Pro	Lys	Gly	Thr	Ser	GIn	Asn	Asp	Pro	Asn	Trp	Vaj	
55			965					970					975				
93		cgc	cat	cag	ggl	aaa	gaa	ctc	glc	cag	act	gic	aac	lgt	gat	cci	3093

	Val Arg His	Gln Gly Lys G	lu Leu Val Gln Thr	Val Asn Cys Asp Pro	
5	980	98	35	990	
	gga ctc gct	gta ggt tat ga	at gag tit aat gct	gtg gac ttc agt ggc 3	141
	Gly Leu Ala	Val Gly Tyr As	p Glu Phe Asn Ala	Val Asp Phe Ser Gly	
10	995	1000	· 1005	1010	
	acc ttc ttc	atc aac acc ga	a agg gac gat gac	tat gct gga ttt gtc 31	89
15	Thr Phe Phe	lle Asn Thr Gl	u Arg Asp Asp Asp	Tyr Ala Gly Phe Val	
		1015	1020	1025	
<b>20</b>	ttt ggc tac·	cag tcc agc ag	c cgc ttt tat gtt	gtg atg tgg aag caa 32	37
	Phe Gly Tyr	Gln Ser Ser Se	r Arg Phe Tyr Val	Val Met Trp Lys Gln	
	1	030	1035	1040	
25	gic acc_cag	tcc tac tgg ga	c acc aac ccc acg	agg gct cag gga tac 32	85
	Val Thr Gln	Ser Tyr Trp As	p Thr Asn Pro Thr .	Arg Ala Gin Gly Tyr	
30	1045		1050	1055	
				aca ggg cct ggc gag 33	33
<i>35</i>				Thr Gly Pro Gly Glu	•
	1060	106	•	070	_
				acc cct ggc cag gtg 33	81
40				Thr Pro Gly Gln Val	
	1075	1080	1085	1090 .gg aaa gat ttc acc 34	20
45				gg aaa gat iic acc 34 Trp Lys Asp Phe Thr	23
	Mig Ini beu i	1095	1100	1105	
50	erc tar aga t			icg ggt tic att aga 34	77
50				Thr Gly Phe Ile Arg	
	11		1115	1120	
55				ac toa gga coc atc 35%	25
	V-0 0-0 2-0 t	0 000		662 000 010 000	

	Val Val Met Tyr Glu Gly Lys Lys lie Met Ala Asp Ser Gly Pro lle	
5	1125 . 1130 1135	
	tat gat aaa acc tat gct ggt ggt aga cta ggg tig tit gtc tic tct	3573
10	Tyr Asp Lys Thr Tyr Ala Gly Gly Arg Leu Gly Leu Phe Val Phe Ser	
	1140 1145 1150 .	
	caa gaa atg gtg ttc ttc tct gac ctg aaa tac gaa tgt aga gat ccc	3621
15	Glm Glu Met Val Phe Phe Ser Asp Leu Lys Tyr Glu Cys Arg Asp Pro	
	1155 1160 1165 1170	
	taatcatcaa attgttgatt gaaagactga tcataaacca atgctggtat tgcaccttc	t 3681
	ggaactatgg gcttgagaaa acccccagga tcactictcc ttggcttcct tcttttctg	3741
25	gcttgcatca gigtggactc ctagaacgtg cgacctgcct caagaaaatg cagttttcaa	3801
•	aaacagacte atcagcatte agectecaat gaataagaca tettecaage atataaacaa	
20	tigctitggt ticctitiga aaaagcatci actigctica giigggaagg igcccatico	
30	actotycott igicacagag cagggigota tigigaggoo atototyago agiggacio	
	aaagcatttt caggcatgtc agagaaggga ggactcacta gaattagcaa acaaaaccac	
35	ccigacatec tecticagga acaeggggag cagaggecaa ageactaagg ggagggegea	
	tacccgagac gattgaaga agaaaatatg gaggaactgt tacatgitcg gtactaagtc	
	attitcaggg gattgaaaga ctattgctgg atticatgat gctgactggc gttagctgat taacccatgt aaataggcac ttaaatagaa gcaggaaagg gagacaaaga ctggctictg	•
	gacticetee etgateceea ecettactea teacetigea giggecagaa tlagggaate	
15	agaatcaaac cagtgtaagg cagtgctggc tgccattgcc tggtcacatt gaaattggtg	
	gcitcatict agaigtagci igigcagaig tagcaggaaa ataggaaaac ctaccatcic	
	agigageace ageigeetee caaaggaggg geageegige italatiili atggitacaa	
50	Iggcacaaaa ttattatcaa cctaactaaa acattccitt tctcttiiti ccgtaattac	
	taggiagiii ictaalicto lottiiggaa glaigaliii ittaaagioi itacgaigia	
55	aaalattiat tiittactia tictggaaga tolggolgaa ggaltaitoa iggaacagga	
		4,01

	agaagogtaa agactatoca igicaloiti giigagagio tiogigacig laagatigia 4	761
5	aatacagatt atttattaac ictgiicige eiggaaatti aggeticata eggaaagigt 4	821
	ttgagagcaa gtagttgaca tttatcagca aatcicttgc aagaacagca caaggaaaat 4	881
10	cagictaala agcigcicig ccccligigo icagagigga igilaiggga liccillitt 4	941
	cicigitita icitiicaag iggaatiagi iggilaicca liigcaaatg tittaaatig 5	001
	caaagaaagc catgaggtot toaatactgt titaccccat coottgigca tatticcagg 5	061
15	gagaaggaaa gcatatacac tittitciit cattilicca aaagagaaaa aaatgacaaa 5	121
	aggigaaaci tacatacaaa tattaccica iilgiigigi gacigagtaa agaattiiig 5	181
20	gatcaagegg aaagagttta agtgtetaac aaacttaaag etaetgtagt acctaaaaag 5	241
	tcagtgttgt acatagcata aaaactctgc agagaagtat tcccaataag gaaatagcat 5	301
25	tgaaatgita aatacaatti cigaaagita igiittiiti ciaicaicig giataccatt 5	361
25	gcitiattit tataaattat ittcicatig ccaliggaat agaatattca gaitgigtag 5-	421
	atatgotait taaalaatti atoaggaaat aotgoolgia gagitagtat tiotattiit 54	481
30	alalaatgit igcacaciga attgaagaat igtiggiitt iicititti igittiiit 5	541
	ttitttitt ttittitge tittgacete ceattitiae tattigecaa tacettitie 50	
35	taggaatgig ctitititig tacacaliti tatccaliti acatictaaa gcagigiaag 50	
	tigiatatia cigiticita igiacaagga acaacaataa aicatatgga aattiatati 57	
	t 57	722
40	<210> 100	
	<211> 1170	
45	<212> PRT .	
	<213> Homo sapiens	
50	<400> 100	
30	Met Gly Leu Ala Trp Gly Leu Gly Val Leu Phe Leu Met His Val Cys	
	1 5 10 15	
55	Gly Thr Asn Arg lie Pro Glu Ser Gly Gly Asp Asn Ser Val Phe Asp	

•				20	)				25					30		
5	H	e .Phe	e Glu	Lei	ı Tbı	Gly	Ala	Ala	Arg	Lys	Gly	Ser	Gly	Arg	Arg	Leu
,			35	· •				40	)			•	45		•	
	Va l	Lys	Gly	Pro	Asp	Pro	Ser	Ser	Pro	Ala	Phe	Arg	Ile	Ġlu	Asp	Ala
10		50	)				55					60				
	Asn	Leu	lle	Pro	Рго	Va!	Pro	Asp	Asp	Lys	Phe	Gln	Asp	Leu	Val	Asp
15	65	;				70					75					80
	Ala	Val	Arg	Ala	Glu	Lys	Gly	Phe	Leu	Leu	Leu	Ala	Ser	Leu	Arg	Gln
20		•			85					90					95	•
	Met	Lys	Lys	Thr	Arg	Gly	Thr	Lev	Leu	Ala	Leu	Glu	Arg	Lys	Asp	His
				100					105					. 110		
25	Ser	Gly	Gln	Val	Phe	Ser	Va]	Val	Ser	Asn	Gly	Lys	Ala	Gly	Thr	Leu
			115					120					125			
30	Asp		Ser	Leu	Thr	Val		Gly	Lys	Gln	His		Val	Ser	Val	Glu
	01	130					135					140				
35		Ala	Leu	Leu	Ala		Gly	Gln	Trp	Lys			Thr	Leu	Phe	
	145 Cln	C1	4.00	1-0	Ala	150	Lau	T.,_	T l a	A	155		•	14. 4	<b>4</b> 1	160
	0111	מוט	Asp	WIR	165	GIII	Leu	131	116		Cys	610	LYS	Mei		ASN
40	Ala	Glu	Leu	Asn		Pro	م(1	G) n	Sar	170 Val	Dha	Th e	A = ~	Acn	175	11-
			200	180		, , ,	110	0.0	185	101	1116	1111		190	ren	nia
45	Ser	Ile	Ala		Leu	Arg	Ile	Ala		Glv	Glv	Va l		•	Äsn	Phe
			195				•	200					205			
50	Gln	Gly	Val	Leu	Gln	Asn	Val	Arg	Phe	Va 1	Phe	Gly		Thr	Pro	Glu
		210					215					220				
	Asp	Ile	Leu	Arg	Asn	Lys	Gly	Cys	Ser	Ser	Ser	Thr	Ser.	Val	Leu	Leu
55	225					230					235			•		240

	Thr	Leu	Asp	Asn	Asn	Val	Val	Asn	Gly	Ser	Ser	Pro	Ala	He	Arg	Thr
5					245					250					255	
	Asn	Tyr	lle	Gly	His	Lys	Thr	Lys	Asp	Leu	Gln	Ala	He	Cys	Gly	Ile
10				260					265		•		•	270		
	Ser	Cys	Asp	Glu	Leu	Ser	Ser	Met	Ya 1	Leu	Glu	Leu	Arg	Gly	Leu	Arg
			275					280					285			
15	Thr	He	Val	Thr	Thr	Leu	Gin	Asp	Ser	Ile	Arg	Lys	Val	Thr	Glu	Glu
		290					295				•	300				
20	Asn	Lys	Glu	Leu	Ala	Asn	Glu	Leu	Arg	Arg	Pro	Pro	Leu	Cys	Tyr	His
	305					310		•	•		315					320
25	Asn	Gly	Val	Gln	Туг	Arg	Asn	Asn	Glu	Glu	Trp.	Thr	Val	Asp _.	Ser	Cys
		•	~		325					330					335	
20	Thr	Glu	Cys	His	Cys	Gln	Asn	Ser	Val	Thr	He	Cys	Lys	Lys	Val	Ser
30				340					345		٠			350		
	Cys	Pro	He	Me t	Pro	Cys	Ser	Asn	Ala	Thr	Val	Pro ·	Asp	Gly	Glu	Cys
35			355					360					365		•	
	Cys	Pro	Arg	Cys	Trp	Pro	Ser	Asp.	Ser	Ala	Asp	Asp	Gly	Trp	Ser	Pro
40		370					375					380				
		Ser	Glu	Trp	Thr	Ser	Cys	Ser	Thr	Ser	Cys	Gly	Asn	Gly	Ile	Gln
•	385					390					395					400
45	Gln	Arg	Gly	Arg		Cys	Asp ·	Ser	Leu		Asn	Arg	Cys	Glu		Ser
					405					410					415	
50	Ser	Val	Gln	Thr	Arg	Thr	Cys	His		Gln.	Glu	Cys	Asp	Lys	Arg	Phe
				420					425					430		
		•				·										
55	Lys	Gln	Asp	•	Gly	Trp	Ser	His		Ser	Pro	Trp	Ser		Cys	Ser

	٧a	ותוו	r Cys	G13	y Asp	GIY	/ Val	1116	inr	Arg	ille	Arg	Leu	Cys	Asn	Sei
5		450	)			•	455	j				460	1			Ť
	·Pro	Se r	Pro	Gl	Met	Asn	Gly	Lys	Pro	Cys	Glu	Gly	Glu	Ala	. Arg	G]u
	465	5				470	)			,	475		•		•	480
10	Thi	Lys	Ala	Cys	Lys	Lys	Asp	Ala	Cys	Pro	lle	Asn	Gly	Gly	Trp	Gly
					485					490					495	
15	Pro	Trp	Ser	Pro	Trp	Asp	lle	Cys	Ser	Val	Thr	Cys	Gly	Gly	Gly	Val
				500					505		•			510		
20	Gln	Lys	Arg	Ser	Arg	Leu	Cys	Asn	Asn	Pro	Ala	Pro	Gln	Phe	Gly	Gly
	•	•	515					520					525			
	Lys	Asp	Cys	Val	Gly	Asp	Val	Thr	Glu	Asn	Gln	lle	Cys	Asn	Lys	Gln
<b>25</b>		530	~	•			535					540				
	Asp	Cys	Pro	He	Asp	Gly	Cys	Leu	Ser	Asn	Pro	Cys	Phe	Ala	Gly	Val
30	545					550					555					560
	Lys	Cys.	Thr	Ser		Pro	Asp	Gly				Cys	Gly	Aļa	Cys	Pro
					565		•			570					575	
35	Pro	Gly			Gly.	Asn	Gly	Ile		Cys	Thr	Asp	Val	Asp	Glu	Cys
••				580					585					590		
40	Lys	Glu		Рго	Asp	Ala	Cys		Asn	His	Asn	Gly	Glu	His	Arg	Cys
	01		595			01	_	600			_	• .	605	_	•	
45		Asn	inr	ASP	Pro	Gly		ASN	Cys	Leu	Pro ·		Pro	Pro	Arg	Phe
		610	C	01	n.	nı.	615	<b>01</b> -	<b>0</b> 1 .	17 . 1	٥.	620				
•		Gly	ser	GIN			GIY	GIN	G1 <b>3</b>			HIS	Ala	Thr		
50	625	<b>01</b>	V. 1			630					635					640
	Lys	GIN	vai			Pro	Arg	ASN			Thr	Asp	Gly			Asp
55					645	_				650					655	٠
	Cys .	Asn ]	Lys /	Asn	Ala	Lys	Cys	Asn	Туг	Leu	Gly	His	Tyr	Ser	Asp	Pro

				660			•	•	665					670	•	
5	Met	Tyr	Arg	Cys	Glu	Cys	Lys	Pro	Gly	Туг	Ala	Gly	Asn	Gly	He	He
			675					680					685		•	
10	Cys	Gly	Glu	Asp	Thr	Asp	Leu	Asp	Gly	Trp	Pro	Asn	Glu	Asn	Leu	Val
10		690		•			695					700				
	Cys	Val	Ala	Asn	Ala	Thr	Tyr	His	Cys	Lys	Lys	Asp	Asn	Cys	Pro	Asn
15	705					710				•	715					720
	Leu	Рго	Asn	Ser	Gly	Gln	Glu	Asp	Туг	Asp	Lys	Asp	Gly	He	Gly	Asp
20					725					.730		·			735	
	Ala	Cys	Asp	Asp	Asp	Asp	Asp	Asn	Asp	Lys	He	Pro	Asp	Asp	Arg	Asp
25				740					745					750		
	Asn	Cys	Pro	Phe	His	Туг	Asn	Pro	Ala	Gln	Tyr	Asp	Туј	Asp.	Arg	Asp
			755					760			•		765			
30	Asp		Gly	Asp	Arg	Cys		Asn	Cys	Pro	Туг		His	Asn	Pro	Asp
		770					775					780				
35		Ala	Asp	Thr	Asp		Asņ	Gly	Glu	Gly		Ala	Cys	Ala	Ala	
	785		01		01	790	•		<b>01</b>	•	795		•			800
40	He	ASP	GIY	ASP	Gly	116	ren	ASD.	614		ASD	ASD	Cys	Gln		Val
	T-1		Va l	<b>A</b> o n	805	A = 0	Acn	The	A en	810 No.t	100	Clu	Vol	C1	815	Cla
		ASII	Val	820	Gln	VIR	лър	1111	825	MCL	nsp	Uly	141	830	vsh	GII
45	Cve	Acn	Acn		Pro	l en	Glu	Hie		Pro	Asn	Gla	l en		Sar	Acn
	C \$ 2	•	835		110	ren	010	840	NSII	110	nsp	0111	845	nsp	261	лър
50	Sar			Tlo	Gly	Asn	Thr		Asn	Asn	Asn	Gln		Ilo	4 cn	Clu
	001	850	1116	1.0	013	110 p	855	<b>.</b> ,			,,,,,,,	860		116	пор	Jiu
55	Asn		Hic	Gin	Asn	Asn		Asn	Asn	Cvs	Рго		Val	Pro	Aen	Ala
	wah	017	3	II		,,,,,,,,			,,,,,,,,	0,0					11311	,,,, u

	865	•				870	1			•	875					880
5	Asn	Gli	Ala	Asp	His	Asp	Lys	Asp	Ġly	Lys	Gly	Asp	Ala	Cys	Asp	His
					885					890			•		895	
	Asp	Ası	Asp	Asn	Asp	Gly	Ile	Pro	Asp.	Asp	Lys	Asp	Asn	Cys	Arg	Leu
10				900					905			•		910		
	Val	Pro	· Asn	Pro	Asp	-Gln	Lys	Asp	Ser	Asp	Gly	Asp	Gly	Arg	Gly	Asp
15		:	915					920					925			
·	Ala	Cys	Lys	Asp	Asp	Phe	Asp	His	Asp	Ser	Val	Pro	Asp	He	Asp	Asp
20		930					935					940				
	He	Cys	Pro	Glu	Asn	Val	Asp	He	Ser	Glu	Thr	Asp	Phe	Arg	Arg	Phe
	945					950					955					960
25	Gln	Me t	lle	Pro	Leu	Asp	Pro	Lys	Gly.	Thr	Şer	Gln	Asn	Asp	Pro	Asn
					965					970			•		975	
30	Trp	Val	Val	Arg	His	Gln	Gly	Lys	Glu	Leu	Vaj	Gln	Thr	Val	Asn	Cys
				980					985					990		
	Asp	Pro	Gly	Leu	Ala	Val	Gly	Tyr	Asp	Glu	Phe	Asn	Ala	Val	Asp	Phe
35			995					1000	)				1008	5	•	
	Şer	Gly	Thr	Phe	Phe	He	Asn	Thr	Glu	Arg	Asp	Asp	Asp	Tyr	Ala	Gly
40		1010	)				1015	j				1020	)			
	Phe	Val	Phe	Gly	Tyr	Glņ	Ser	Ser	Ser	Arg	Phe	Tyr	Val	Val	Met	Trp
	1025					1030	)				1035	;				1040
·45	Lys	Glņ	Val.	Thr	Gln	Ser	Туг	Trp	Asp	Thr	Asn	Pro	Thr	Arg	Ala	Gln
•					1045	i				1050	•				1055	;
50	Gly	Туг	Ser	Gly	Leu	Ser	Val	Lys	Yal	Val	Asn	Ser	Thr	Thr	Ġly	Pro
				1060					1065					1070	l	
55	Gly	Glu	His	Leu	Arg	Asn	Ala	Leu	Trp	His	Thr	Gly.	Asn	Thr	Рго	Gly
55			1075					1080					1085			

	Gln Val Arg Thr Leu 1	Trp His Asp Pro Arg Hi	s Ile Gly Trp Lys Asp
5	. 1090	1095	1100
	Phe Thr Ala Tyr Arg 1	Trp Arg Leu Ser His Ar	g Pro Lys Thr Gly Phe
10	1105	1110 11	15 1120
	lle Arg Val Val Met T	Tyr Glu Gly Lys Lys Il	e Met Ala Asp Ser Gly
	1125	1130	1-135
15	Pro Ile Tyr Asp Lys T	Thr Tyr Ala Gly Gly Ar	g Leu Gly Leu Phe Val
	1140	1145	1150
20	Phe Ser Gln Glu Met V	al Phe Phe Ser Asp Le	u Lys Tyr Glu Cys Arg
	1155	1160	1165
25	Asp Pro	•	
	. 1170		•
30	<210> 101		
	<211> 838	•	· .
	<212> DNA		
35	<213> Homo sapiens	:	
	<220>		
40	<221> CDS		· ·
	<222> (35) (568)		· ·
45	<400> 101		
	gaaticcgga gillicaicc		ct ggg ggc aaa tac gta 55 er Gly Gly Lys Tyr Val
50	gac icg gag gga cai ci	•	•
	Asp Ser Glu Gly His Le		
55	10	15	20

	ato	: ţad	aag	g ccc	aac	aac	aag	gcc	atg	gca	gac	gag	ctg	agc	gag	aag	151
5	He	. Tyr	Lys	Pro	Asn	Asn	Lys	Ala	Met	Ala	Asp	Glu	Leu	Ser	Glu	Lys	
	•	25	i .				30			•		35		•			
10	caa	gtg	tac	gac	gcg	cac	acc	aag	gag	atc	gac	cig	gtc	aac	cgc	gac	199
	Gln	Val	Туг	Așp	Ala	His	Thr	Lys	Glu	lle	Asp	Leu-	Val	Asn	Arg	Asp	
15	40			•		45	•				50					55	
15	cct	aaa	cac	ctc	aac	gat	gac	gtg	gtc	aag	att	gac	ttt	gaa	gat	gtg	247
	Pro	Lys	His	Leu	Asn	Asp	Asp	Va l	Va)	Lys	lle	Asp	Phe	Glu	Asp	Val	
20	··				60		•			65					70		
	att	gca	gaa	cca	gaa	ggg	aca	cac	agt	ttt	cac	ggc	att	t gg	aag	gcc	295
25	lle	Ala	Glu	Pro	G1 u	Gly	Thr	His	Ser	Phe	His	Gly	He	Trp	Lys	Ala	
			~	75					80					85			
	agc	ttc	acc	acc	ttc	act	gtg.	acg	aaa	tac	tgg	ttt.	tac	cgc	ttg	ctg	343
30	Ser	Phe	Thr	Thr	Phe	Thr	Yal	Thr	Lys	Tyr	Trp	Phe	Tyr	Arg	Leu	Leu	
			90					95					100				•
35	tct	gcc	ctc	ttt	ggC	atc	ccg	atg	gca	ctc	atc	tgg	ggc	att	tac	ttc	391
	Ser		Leu	Phe	Gly	Ile	Pro 	Met	Ala	Leu	He	Trp	Gly	He	Tyr	Phe	
40		105					110					115					
70	gcc	att	ctc	tct	ttc	ctg	cac	atc	lgg	gca	gli	gla	cca	t gc	att	aag	439
		lle	Leu	Ser	Phe		His	lle	Trp	Ala	Val	Val	Pro	Cys	lle	Lys	
45	120					125					130					135	
				att													487
50	Ser	Phe	Leu	He		He	Gln	Cys	Thr		Arg	Val	Tyr	Ser	lle	Tyr	
					140					145					150		•
				gtc													535
55	Va i	His	Thr	Val	Cys	Asp	Pro	Leu	Phe	Glu	Ala	Val	Gly	Lys	lle	Phe	

ago aat gto ogo ato aac ttg cag aaa gaa ata taaatgacat ttoaaggata 588 Ser Asn Val Arg Ile Asn Leu Gln Lys Glu Ile gaagtatacc tgatttttt tccttttaat tttcctggtg ccaatttcaa gttccaagtt 648 gctaatacag caacgaattt atgaattgaa ttatctiggt tgaaaataaa aagatcactt 708 toloagitti calaagiatt atgicictic igagotatti calciattii iggoagicig 768 aattittaaa acccattiat atticilicc tiacctiiti attigcatgi ggatcaacca 828 tcgctttatt <210> 102 <211> 178 <212> PRT <213> Homo sapiens . <400> 102 Met Ser Gly Gly Lys Tyr Val Asp Ser Glu Gly His Leu Tyr Thr Val 1 . Pro Ile Arg Glu Gin Gly Asn Ile Tyr Lys Pro Asn Asn Lys Ala Met Ala Asp Glu Leu Ser Glu Lys Gln Val Tyr Asp Ala His Thr Lys Glu Ile Asp Leu Val Asn Arg Asp Pro Lys His Leu Asn Asp Asp Val Val Lys Ile Asp Phe Glu Asp Val Ile Ala Glu Pro Glu Gly Thr His Ser Phe His Gly Ile Trp Lys Ala Ser Phe Thr Thr Phe Thr Val Thr Lys 

	Туг	Trp	Phe	Tyr	Arg	Leu	Leu	Ser	Ala	Leu	Phe	Gly	lle	Pro	Met	Ala	
5				100					105		•			110			
	Leu	Ile	Trp	Gly	He	Туг	Phe	Ala	Ile	Leu	Ser	Phe	Leu	His	He	Trp	
			115					120					125				
10	Ala	Val	Va l	Pro	Cys	Ile	Lys	Ser	Phe	Leu	lle	Glu	lle	Gln	Cys	Thr	
		130					135					140					
15	Ser	Arg	Va l	Туг	Ser	lle	Tyr	Val	His	Thr	Val	Cys	Asp	Pro	Leu	Phe	
	145					150					155					160	
20	Glu	Ala	∙Va l	Gly	Lys	He	Phe	Ser	Asn	Val	Arg	Ile	Asn	Leu	Gln	Lys	
					165					170					175		
	Glu	lle															
25	<210	> 10	3														
	<211	> 22	69														
30	<212	DNA	A				•										
	<213	> Hor	no s	apie	ns									•			
35	<220)	>					•					٠					
	<221)	> CDS	S														
	<222	> (1)	(	444)													
40	<400>	> 103	3														
	ccg	cc g	gcc a	acc	agc	tac	gcc	ccg	tcc	gac	glg	ccc	tcg	ggg	gtc	gcg	48
45	Pro F	oro A	lla 1	<b>T</b> hr	Ser	Tyr	Ala	Pro	Ser	Asp	Va l	Pro	Ser	Gly	Val	Ala	
	1	•			. <b>5</b>					10		•			15		
50	ctg t	tc c	ctc a	acc	atc	cct	ttc	gcc	ttc	ttc	ctg	ccc	gag	ctg	ata	ttt	96
	Leu P	he L	eu 1	hr	lle !	Pro	Phe	Ala	Phe	Phe	Leu	Pro	Glu	Leu	He	Phe	
				20					25					30			
55	ggg t	tc t	tg g	tc	igg	acc	atg	gta	gcc	gcc	acc	cac	ata	gta	tac	ccc	144

	Gly	Phe	Leu	Va l	Trp	Thr	Met	Val	Ala	Ala	Thr	His	lle	Val	Tyr	. P.LO	
5			35					40		•	•		45				
	ttg	ctg	caa .	gga	tgg	gtg	alg	tat	gtc	icg	ctc	acc	tcg	ttt	clc	atc	192
	Leu	Leu	Gln (	Gly	Trp	Val	Me ţ	Tyr	Val	Ser	Leu	Thr	Ser	Phe	Leu	He	
10		50					55				•	60					
	tcc	tlg	atg (	l t c	ctg	ttg	tct	tac	ttg	ttt	gga	ttt	taċ	aaa	aga	ttt	240
15	Ser	Leu	Met F	Phe	Leu	Leu	Ser	Tyr	Leu	Phe	Gly	Phe	Tyr	Lys	Arg	Phe	
	65					70					75					80	
20	gaa	tcc	tgg a	nga	gtt	cig	gac	agc	ctg	tac	cac	ggg	acc	ac t	ggc	atc	288
	Glu	Ser 1	Trp A	rg	Val	Leu	Asp	Ser	Leu	Tyr _.	His	Gly	Thr	Thr	Gly	Ile	
					85					90					95		
25	ctg	tac_a	atg a	gc	gc t	gcc	gtc	cta	caa	gta	cat	gcc	acg	att	gtt	tct	336
	Leu	Tyr N	det S	er.	Ala	Ala	Val	Leu	Gln	Va 1	His	Ala	Thr	lle	Val	Ser	
30	,	•	1	00					105					110			
		aaa c															384
	Glu I	Lys L	•	eu /	Asp 1	Pro .	Arg	He	Tyr	Tyr	lle.	Asn	Ser	Ala	Ala	Ser	
35			15					120					125				
	itc t		•														432
40	Phe P		la Ph	he I	lle A	lla 1	Thr 1	Leu	Leu	Tyr	lle 1	Leu	His	Ala	Phe	Ser	
		30				1	135					140					
45	atc t				galg	caca	ig go	cgcc	aggc	c aa	gggg	gaaa	tgc	tctt	tga		484
45	lle T	уг Ту	yr Hi	S.													
	145									•							
50	aagct															_	
	. gaaga																
55	ccaca	ctttg	ııı	gga	catt	taa	atto	acl	ctgo	tgaa	ita g	gaigg	gaage	et t	llct	ttttc	664
	ctggg	aaaac	aac	igi	ctct	tgg	aatt	atc	lgac	cate	aa c	ttgo	teti	lc t	agac	aactc	724

acatcaaa	gc cctcactco	ca claalggag	a atcctaged	c cactaatge	: aagtotgtt	t 784
ggggattt	tg cctcagcta	it gggcttccc	t agagtaggt	c taggggaata	ctcagtctg	a .844
tettitt	tt gittgitti	a ttttgtttt	tittgagacg	g agictegete	: ttcctccaa	g 904
gctggagtg	gc agtgacgcg	a totocacto	a cigcaggeto	cgcctcccgg	gttcccgcc	a 964
ttctcctg	c tcagcetee	c gagtagccg	g gactacaggo	gcccaccacc	atgcccggc	102
aatttagtt	g tattittag	t agagatggg	g titcaccgia	t tagccagga	tggtctcgat	108
ctcctgacc	t cgtgatccg	c ccgcctcgg	c cicccaaagi	gctgggatta	caggcgtgag	114
ccaccgtgc	c cggcctgat	t ctcttaaaa	t tgaagaggtg	ctgccaaggc	cttcagatct	1204
aacgcaga·t	g catagacçt	t gttcctggt:	a citgitcage	ctgtgctggg	gagccgtggt	1264
cccgagttc	c ctgggaggc	t gacagggtc	agccaccctg	cccaccaccc	teccacttee	1324
cctcccctt	t cctclccage	e attaggatto	aagggaaatc	tgcatgaagc	caattttgag	1384
ggtagacgt	g tggggaaaai	aaatcattat	t acagtaagac	ctggggcttg	aggggtgggg	1444
aatggggagi	g gaagggcata	gcctgctcct	ccatgagict	gacatetegg	aaactgagca	1504
gctgccgga	gcctgggtca	ggaatccaag	acccacctc	ttaaggactg	gttcctcaga	1564
aagcacccto	agggaaaaag	gtgaaaacat	tacatccgtg	gattctcctg	ccacaaccgc	1624
attggaagaa	aaggctgccg	caacatctca	gcgaggagtg	aaggacccat	gtcccaggaa	1684
ccgcgctgcg	ccacctgcac	tcaccccct	cacattetet	taagcacccg	gtggccctcc	1744
gaggctggcg	gaatggtggt	gcccacgggg	tigggcaagg	gctcaccagg	acctcaacgg	180,4
gcaaagttgt	gcacactaaa	atatcaaatc	aaggtgcttg	gttitaaagt	aaatgtttt	1864
ctaaagaaag	cigigitett	ctgttgaccc	agacgaatag	ggcacagccc	tgtaactgca	1924
cgtgccttct	gicatiggga	atgaaataaa	ttattacgag	aaagggactt	gicciaacig	1984
gtttgaggcc	ttacagittt	gtatctacat	ttttcccctc	ciggggtitg	cggggacagg	2044
gacagaacta	caggagtcat	gggaaagaaa	aticiggeti	cactactgct	cactgctcac	2104
tttctgatca	clctgatact	ttttttttt	uuuuu	gcaacctgat	accttgaaaa	2164
gcttctatgt	giciciccti	ttgttgcctg	gcagctgtct	aggatgatca	cigatiacia	2224
tttactaagt	agccacatgc	aaataaaagt	lgtltggtaa	aalgg		2269

	<21	0> 1	04	•												
5	<21	1> 1	48													
	<21	2> P	RT													
10	<21	3> H	omo	sapi	ens											
	<400	0> 1	04													
	Pro	Pro	Ala	Thr	Ser	Tyr	Ala	Pro	Ser	Asp	Val	Pro	Ser	Gly	Val	Ala
	1				5					10					15	
	Leu	Phe	Leu	Thr	He	Pro	Phe	Ala	Phe	Phe	Leu	Pro	Glu	Leu	Ile	Phe
20				20					25					30		
	Gly	Phe	Lėu	Val	Trp	Thr	Met	Val	Ala	Ala	Thr	His	lle	Val	Tyr	Pro
25			35					40					45			
	Leu	Leu	Ğln	Gly	Trp	Val	Met	Tyr	Val	Ser	Leu	Thr	Ser	Phe	Leu	lle
		50					55					60				
30	Ser	Leu	Me t	Phe	Leu	Leu	Ser	Tyr	Leu	Phe	Gly	Phe	Tyr	Lys	Arg	Phe
	. 65					70					75					80
35	Glu	Ser	Trp	Arg		Leu	Asp	Ser	Lèu		His	Gly	Thr	Thr		He
		_	••		85				21	90					95	
40	Leu	Tyr	Net		Ala	Ala	Val	Leu		vai	HIS	Ala	Thr		Val	Ser
40	C1	<b>7</b>	<b>Y</b>	100	4	D	4	114	105	T	11.		C	110		C
	GIU	Lys	Leu 115	ren	дзр	rio	Alg	120	1 9 [	1 3 f	116	ASII	125	Ala	на	261
45	Dha	Dha	Ala	Dha	110	Ala	Thr		I e u	Tur	ماا	1 011		412	Dha	Sar
		130		1116	110		135	LCU		.,.	110	140	1113	VIG	Inc	361
50			Tyr	Hic			100					140				
	145	131	.,.	111.5												
	170															
55	<210	> 10	5													

	<2	11>	2899						•								
5	<2	12>	DNA														•
	<2	13> 1	Homo	sapi	iens												
10	<23	20>															
	<22	21> (	CDS														
	<22	22>	(91).	. (2)	96)					•							
15	<40	00> 1	105														
	gat	ctga	att	cggt	ccca	gc t	agag	ctcc	a gc	gccc	gctc	agg	cccc	act	cgac	cctctc	60
20	ggg	ccto	ggc	tact	lgga	ct g	cggc	ggaa	t at	g gc	g gc	t cc	gat	g ac	t cc	c gcg	114
									Me	t Al	a Al	a Pr	o Me	t Th	r Pr	o Ala	
25										1			•	5	•		
			ccc														162
	Ala		Pro	Glu	Asp	Tyr		Ala	Ala	Leu	Asn			Leu	Ala	Asp	
30	•	10					15					20					
			gaa														210
35	va 1 25	rro	Glu	ren	SIA.	arg 30	ren	ren	GIU	116		Pro	lyr	Leu	Lys		
		gr.c	gtg	gar	tte		rør	200	tet	220	35		200	C 2 2	211	40	258
40			Val														<b>430</b> .
	•••				45	••••	0		.,.	50	0.11		001	0711	55	Dou	
45	aag	aac	att	gga		aat	gaa	ggt	ggt		gat	aag	ııı	tcc		ggc	306
			He														
				60					65					70			
50	tat	gaa	tca	ttt	ggc	gtc	cac	aga	tgt	gct	gat	ggt	ggt	tta	tac	tcc	354
	Туг	Glu	Ser	Phe	Gly	Val	His	Arg	Cys	Ala	Asp	Gly	Gly	Leu	Туг	Ser	
55			75					ጸበ					25				

	aaa	a gaa	a tgg	gcc	ccg	gga	gca	gaa	gga	git	ttt	ctt	act	gga	gat	ttt	402
5	Lys	Glu	ı Trp	Ala	Pro	Gly	Ala	Glu	Gly	Val	Phe	Leu	Thr	Gly	Asp	Phe	
		90	)				95	•				100		•			
	aat	ggt	tgg	aat	cca	ttt	tçg	tac	cca	tac	aaa	aaa	ctg	gat	tat	gga	450
10	Asn	Gly	Trp	Asn	D10	Phe	Ser	Tyr	P.LO	Tyr	Lys	Lys	Leu	Asp	Туг	Gly	
	105					110	•		•	٠	115					120	
15	aaa	tgg	gag	ctg	tat	atc	cca	cca	aag	cag	aat	aaa	tct	gta	ctc	gtg	498
	Lys	Trp	Glu	Leu	Tyr	lle	Pro	Pro	Lys	Gln	Asn	Lys	Ser	Val	Leu	Val	
20					125					130					135		
	cct	cat	gga	tcc	aaa	tta	aag	gta	gtt	att	act	agt	aaa	agc	gga	gag	546
	Pro	His	Gly	Ser	Lys	Leu	Lys	Val	Yal	Ile	Thr	Ser	Lys	Ser	Gly	Glu	
25			-	140					145					150			
			tat														594
30	He	Leu	Tyr	Arg	[]e	Ser	Pro		Ala	Lys	Tyr	Val			Glu	Gly	
		1	155		4			160					165				
			gtg														642
	v2h	170	Val	VZII	lyr	ASP	17p	116	uis	11b	ASP	180	GIU	HIS	Ser	lyr	
	gag		aag	cat	tee	202		220	220	cca	caa		ata	202	211	t n 1	eoo .
40			Lys														690
	185		2,0			190		2,0	2,0		195	001	Lu	1116	110	200	
45		tct	cat	gtg			tc.t	tcc	cat	gaa		aaa	gta	gct	tct		738
			His														, , ,
					205					210	-				215		
50	aaa	cat	ttt	aca	tgc	aat	gta	cta	cca	aga	atc	aaa	ggc	ctt	gga	tac	786
	Lys																
55				220					225					230	-	-	

	aac	: tgc	att	cag	ttg	alg	gca	atc	atg	gag	cat	gct	tac	tat	gcc	agc	834
<i>5</i>	Asn	Cys	lle	Gln	Leu	Me t	Ala	lle	Me t	Glu	His	Ala	Tyr	Туг	Ala	Ser	
			235					240					245				
10	ttt	ggt	tac	caa	atc	aca	agc	ttc	ttţ	gca	gct	tcc	agc	cgt	tat	gga	882
	Phe	Gly	Tyr	Gln	He	Thr	Ser	Phe	Phe	Ala	Ala	Ser	Ser	Arg	Tyr	Gly	
•		250	•				255					260					
15	aca	cct	gaa	gag	cta	caa	gaa	ctg	gta	gac	aca	gct	cat	tcc	atg	ggt	930
	Thr	Pro	Glu	Glu	Leu	Gln	Glu	Leu	Val	Asp	Thr	Ala	His	Ser	Me t	Gly	
20	265					270					275					280 ,	
	atc	ata	gtc	ctc	t t a	gat	gtg	gta	cac	agc	cat	gct	tca	aaa	aat	tca	978
25	Ile	lle	Val	Leu	Leu	Asp	Val	Val	His	Ser	His	Ala	Ser	Lys	Asn	Ser	
			-		285					290					295		
	gca	gat	gga	ttg	aat	atg	ttt	gat	ggg	aca	gat	tcc	tgt	(at	ttt	cat	1026
30	Ala	Asp	Gly	Leu	Asn	Met	Phe	Asp	Gly	Thr	Asp	Ser	Cys	Tyr	Phe	His	
				300					305					310			
35	tct	gga	cct	aga	ggg	act	cat	gat ·	ctt	tgg	gat	agc	aga	ttg	ttt	gcc	1074
	Ser	Gly	Pro	Arg	Gly	Thr	His	Asp	Leu	Trp	Asp	Ser	Arg	Leu	Phe	Ala	
40	•		315					320					325				
	tac	tcc	agc	tgg	gaa	gtt	tta	aga	ttc	ctt	ctg	tca	aac	ata	aga	tgg	1122
	Туг	Ser	Ser	Trp	Glu	Val	Leu	Arg	Phe	Leu	Leu	Ser	Asn	Ile	Arg	Trp	
45		330					335					340					
	tgg	ttg	gaa	gaa	tat	cgc	ttt	gat	gga	ttt	cgt	ttt	gat	ggt	gtt	acg	1170
50	Trp	Leu	G] u	Glu	Туг	Arg	Phe	Asp	Gly	Phe	Arg	Phe	Asp	Gly	Val	Thr	
	345					350					355					360	
	tcc	atg	ctt	tat	cat	cac	cat	gga	gtg	ggt	caa	ggt	ttc	tca	ggt	gat	1218
55	Ser	Met	Leu	Tyr	His	His	His	Gly	Val	Gly	Gln	Gly	Phe	Ser	Gly	Asp	

					365	i		•		370					375	,		
5	tac	agt	gaa	tat	tto	gga	cta	caa	gta	gat	gaa	gat	gco	tte	act	tac	1266	
	Tyr	Ser	Glu	Tyr	Phe	Gly	Leu	Gln	Val	Asp	Glu	Ásp	Ala	Leu	Thr	Tyr		
				380					385					390				
10	ctc	a't g	ttg	gca	aat	cat	ttg	gtt	cac	acg	ctg	tgt	ccc	gat	tct	ata	1314	
					•											Ile		
15			395					400				.,.	405				•	
	aca a			gag	gat	gta	tca		atø	cca	ør t	cto			663	att	1362	
	Thr 1																1302	
20		110	,,,,	0.0	иар	741	415	017	мсс	110	nia		Cys	261	110	116	•	
			aan	~~~	aat	aa t		-			- 4 -	420					1410	
25	tcc c												•				1410	
	Ser G	1111 7	, אוס	GIY	GIY		rne	ASP	177	Arg		Ala	Net	Ala	He			
	425					430					435					440		
30	gat a																1458	
	Asp L	ys 1	Irp .			Leu	Leu	Lys	Glu		Lys	Asp	Glu	Asp		Asn		
					445					450					455		•	
35	atg g															•	1506	
	Met G	ly A	lsp l	He	Val	Tyr	Thr	Leu	Thr	Asn	Arg	Arg	Tyr	Leu	Glu	Lys		
40			4	160					465					470			•	
	lgc a																1554	
	Cys I	le A	la I	Гуг.	Ala	Glu	Ser	His	Asp	Gln	Ala	Leu	Val	Gly	Asp	Lys		
45		4	75				•	480					485					
	tcg c	tg g	ca t	.tt	t gg	ttg	atg	gal	gcc	gaa	alg	tat	aca	aac	atg	agt	1602	
50	Ser Le	eu A	la P	he '	Trp	Leu	Met	Asp.	Ala	Glu	Met	Tyr	Thr	Asn	Met	Ser		
	49	90				,	495	•				500						
	gic ci	ig a	ct c	ct	ttt	acl	cca	gtt	all	gat	cgt	gga	ata	cag.	ctt	cat	1650	
55	Val Le	eu T	hr P	ro I	Phe	Thr 1	Pro	Val	lle .	Asp.	Arg	Gly	He	Gln	Leu	His		

	50	5				51	0				515	;				520	
5	aaa	a atg	att	cga	cto	at	t ac	g cat	gg	cti	ggt	gga	gaa	gge	c -tai	ctc	1698
	Lys	Met	11e	Arg	Lei	- 110	e Thi	r His	Ģly	/ Leu	ı Gly	Gly	Glu	Gly	· Y Tyl	Leu	
10				•	525	j				530	)				535		
	aat	ttc	atg	ggt	aat	gaa	ttt	ggg	cat	cct	gaa	tgg	t t a	gac	tto	.cca	1746
15	Asn	Phe	Met	Gly	Asn	Glu	Phe	Gly	His	Pro	Glu	Trp	Leu	Asp	Phe	Pro	
				540					545					550	)		
		.888							•						-		1794
20	Arg	Lys		Asn	Asn	Glu	Ser		His	Tyr	Ala	Arg	Arg	Gln	Phe	His	
			555					560					565				
25		act															1842
	, Leu	570	ASP	ASP	ASP	ren	575	Arg	Tyr	Lys	Phe		Asn	Asn	Phe	Asp	
30	agg	gat	atg	aat	aga	ttg		gaa	ада	tat	a a t	580	ctt	ara	get	002	1000
		Asp															1890
<i>3</i> 5	585					590					595					600	
	cag	gcc	tac	gtg	agt	gaa	aaa	cat	gaa	ggc	aat	aag	atc	att	gct		1938
	Gln	Ala	Tyr	Va I	Ser	Glu	Lys	His	Glu	Gly	Asn	Lys	Ile	He	Ala	Phe	
40				,	605					610					615		
	gaa	aga :	gca	ggt	ctt	ctt	tic	att _.	ttc	aac	ttc	cat	cca	agc	aag	agc	1986
45	Glu	Arg .	Ala	Gly :	Leu	Leu	Phe	lle	Phe	Asn	Phe	His	Pro	Ser	Lys	Ser	
			1	620					625			•		630		•	
50	tac	act g	gac	tac	cga	git	gga	aca	gca	tig	cca	ggg	aaa	ttc	aaa	att	2034
	Tyr '	Thr A	lsp :	lyr 1	Arg	Val	Gly	Thr	Ala	Leu	Pro	Gly	Lys	Phe	Lys	Ile	
55		6	35					640					645				
33	gtg	cta g	at i	lca g	gat	gca	gcg	gaa	tat	gga	ggg	cat	cag	aga	clg	gac	2082

	Val Leu Asp Ser Asp Ala Ala Glu Tyr Gly Gly His Gln Arg Leu Asp	
5	650 655 660	
	cac age act gae ttt ttt tet gag get ttt gaa eat aal ggg egt eec 21	130
	His Ser Thr Asp Phe Phe Ser Glu Ala Phe Glu His Asn Gly Arg Pro	
10	665 670 . 675 680	
	tat tot ott tig gig tac att oca ago aga gig goo oto ato ott cag. 2	178
15	Tyr Ser Leu Leu Val Tyr Ile Pro Ser Arg Val Ala Leu Ile Leu Gln	
	685 690 . 695	
20	aat gtg gat ctg ccg aat tgaagaggcc tgatttcagc tccaccagat 23	226
	Asn Val Asp Leu Pro Asn	
	700	
25	gcagattigt gtiligitti citgitatca cigicacaca gctiataaca igiaigctit 2	286
	tcagaalaca giigictagc caagccatca agigtcigaa attcaatati ggittatgca 2	346
30	aatacagcaa actittatti aagtagalag gagaataigi tiaaaatati aggaatccta 24	
-	gaccatatti teaagteste tiageageta ggalieteaa aiggaagigi talatataat 24	
0.5	atgitaaaaa cattiigcii teetggetaa tiattigate ettitaaate caaattigaa 2	
35	tcattigica igialgatia titcigitaa algiacacag tattiaagai ggatatiigg 2	
	iggetetatt igiteigata tettiiggie taaattaiga ggiaceaaga ligitietti 2	
40	gtttcttttt ticaaattgt gtttagaaat actgtaataa atatgcagta gtgatataaa 2	
	gaattatate caaggtaata taaaageeat laegtatgaa etealeegtg teleatitig 2	
45	igititatii igigatetei igiceactaa glaietigii aaalgeeagi ateteagiet 2	
	ttctgaagcc ctgaaatggt aattgtagca tttcagaaaa tglctttcat ttcaatcaat 2	899
•	aaaaagcttt tgt 2	033
50	<210> 106	
	<211> 702	
55	<212> PRT	

	(2)	3) H	omo	sapı	ens											
	<40	0> 1	06													
5	Met	Ala	Ala	Pro	Met	Tbr	Pro	Ala	Ala	Arg	Pro	Glu	Asp	Tyr	Glu	Ala
	i				5					10					15	
10	Ala	Leu	Asn	Ala	Ala	Leu	Ala	Asp	Va]	Pro	Glu	Leu	Ala	Arg	Leu	Leu
				20					25					30		
15	Glu	Ile	Asp	Pro	Туг	Leu	Lys	Pro	Tyr	Ála	Val	Asp	Phe	Gln	Arg	Arg
			35					40					45			
	Tyr	Lys	Gln	Phe	Ser	Gln	He	Leu	Lys	Asn	He	Gly	Glu	Asn	Glu	Gly
20		50					55					60				
	Gly	lle	Asp	Lys	Phe	Ser	Arg	Gly	Tyr	Glu	Ser	Phe	Gly	Val	His	Arg
25	65		•			70					75					80
	Cys	Ala	Asp	Gly	Gly	Leu	Туг	Ser	Lys	Glu	Trp	Ala	Pro	Gly	Ala	Glu
30					85					90					95	
	Gly	Val	Phe	Leu	Thr	Gly	Asp	Phe	Asn	Gly	Trp	Asn.	Pro	Phe	Ser	Tyr
				100					105					110		
35	Pro	Tyr	Lys	Lys	Leu	Asp	Туг	Gly	Lys	Trp	Glu	Leu	Tyr	He	Pro	Pro
			115		•			120					125			
40	Lys		Asn	Lys	Ser	Val		Val	Pro	His	Gly		Lys	Leu	Lys	Val
		130				_	135					140				
45		He	Thr	Ser	Lys			Glu	He	Leu		Arg	Ile	Ser	Pro	
43	145					150					155		_			160
	Ala	Lys	Tyr	Val		Arg	Glu	Gly	Asp		Val	Asn	Tyr	Asp	Trp	He
50					165					170					175	
	His	Trp	Asp	Pro	Glu	His	Ser	Tyr	Glu	Phe	Lys	His	Ser	Arg	Pro	Lys
55				180					185					190	•	•
	Lys	Pro	Arg	Ser	Leu	Arg	He	Туг	Glu	Ser	His	Val	Gly	He	Ser	Ser

	•		19	5				200	)				205	j.		
5	Hi	s Gl	u Gly	/ Ly	s Va	l Al	a Se	г Туз	Lys	His	Phe	e Thi	r Cys	Asr	ı Val	Leu
		210	0				215	5				220	) .			
10	Pr	o Arg	g Ile	Lys	s Gly	y Lei	ı Gly	/ Tyr	Ași	Cys	Ile	Glr	Leu	Met	Ala	Ile
	22	5				230	)				235	i				240
15	Me	t Gli	His	Ala	туі	Туі	Ala	Ser	Phe	Gly	Туг	Gln	Ile	Thr	Ser	Phe
					245	j			•	250					255	
	Pho	e Ala	Ala	Ser	Ser	Arg	Tyr	Gly	Thr	Pro	Glu	Glu	Leu	Gln	Glu	Leu
20				260	1				265					270		
	. Val	Asp	Thr	Ala	His	Ser	Met	Gly	Ile	lle	٧al	Leu	Leu	Asp	Val	Val
25			275					280					285		•	
	His	Ser	His	Ala	Ser	Lys		Ser	Ala	Asp	Gly	Leu	Asn	Met	Phe	Asp
30		290					295					300				
		Thr	Asp	Ser	Cys ·	Tyr	Phe	His	Ser	Gly	Pro	Arg	Gly	Thr	His	Asp
	305					310					315					320
35	Leu	Trp	Asp	Ser	Arg	Leu	Phe	Ala	Tyr	Ser	Şer	Trp	Glu	Val	Leu	Arg
					325					330					335	
40	Phe	Leu	Leu	Ser	Asn.	He	Arg	Trp	Tsp	Leu	Glu	Glu	Туг	Arg	Phe	Asp
				340					345					350		
	Gly	Phe		Phe	Asp	Gly	Val.		Ser	Me t	Leu	Tyr	His	His	His	Gly
45			355					360					365			
	Val	Gly	Gln	Gly	Phe	Ser	Gly	Asp	Tyr	Ser	Glu	Tyr	Phe	Gly	Leu	Gln
50		370					375					380				
	Yal	Asp	Glu .	Asp	Ala	Leu	Thr	Туг	Leu	Met	Leu	Ala	Asn	His	Leu	Val
	385					390					395					400
55	His	Thr	Leu (	Cys	Pro	Asp	Ser	He	Thr	He	Дlа	Glu	Asp	Val	Ser	Gly

					40	5				410	)				419	5
5	M	et Pro	o Ala	Lei	і Суз	Ser	Pro	H	e Sei	Gla	Gly	Gly	Gly	Gly	Phe	e Asp
				420	}		<b>.</b>		425					430	ı	
	T	r Arg	Leu	Ala	Met	Ala	He	Pro	) Asp	Lys	Trp	Ile	Gin	Leu	Leu	Lys
10			435					44(	)				445			
	GI	u Phe	Lys	Asp	Glu	Asp	Trp	Asn	Met	Gly	Asp	Ile	Val	Tyr	Thr	Leu
15		450					455					460				
	Th	ı Asn	Arg	Arg	Tyr	Leu	Glu	Lys	Cys	Ile	Ala	Туг	Ala	Glu	Ser	His
20	46	5				470					475					480
	As	p Gln	Ala	Leu	Val	Gly	Asp	Lys	Ser	Leu	Ala	Phe	Trp	Leu	Met	Asp
					485					490					495	
25	Al	a Glu			Thr	Asn	Met	Ser		Leu	Thr	Pro	Phe	Thr	Pro	Val
	.,			500					505					510		
30	110	Asp.		Gly	He	GIn	Leu		Lys	Met	lle	Arg		lle	Thr	His
	GIS	Leu	515 GLV	Clv	GIn.	Clv	Tur	520	Acn	Dha	Mat	Cl.	525	C1	DL -	Class
35		530	017	017	010	Gly	535	rea	VOII	tile	wer	540	ASD	610	rne	GIA
	His	Pro	Glu	Trp	Leu	Asp		Рго	Arg	Lvs	Glv		Asn	Glu	Ser	Tvr
	545					550			•	-•-	555					560
40	His	Tyr	Ala	Arg	Arg	Gln	Phe	His	Leu	Thr		Asp	Asp	Leu	Leu	
					565					570					575	
45	Tyr	Lys	Phe I	Leu .	Asn	Asn	Phe	Asp	Arg	Asp	Met	Asn	Arg	Leu	G1 u	Glu
			9	580		,	•		585					590		
50	Arg	Tyr	Gly 1	[гр]	Leu .	Ala.	Ala	Pro	Gln	Ala	Tyr	Val	Ser	Glu .	Lys	His
		;	595					600					605			
	Glu	Gly /	Asn L	ys i	lle	lle	Ala.	Phe	Glu	Arg.	Ala	Gly	Leu i	leu :	Phe	Ile
55		610				1	615					620				٠

	Phe Asn Phe His Pro Ser Lys Ser Tyr Thr Asp Tyr Arg Val Gly Thr
5	625 630 635 640
	Ala Leu Pro Gly Lys Phe Lys Ile Val Leu Asp Ser Asp Ala Ala Glu
10	645 650 655
	Tyr Gly Gly His Gln Arg Leu Asp His Ser Thr Asp Phe Phe Ser Glu
	660 665 670
15	Ala Phe Glu His Asn Gly Arg Pro Tyr Ser Leu Leu Val Tyr Ile Pro
	675 680 685
20	Ser Arg Val Ala Leu Ile Leu Gln Asn Val Asp Leu Pro Asn
•	690 695 700
25	<210> 107
	<211> 790
	<212> DNA
30	<213> Homo sapiens
	⟨220⟩
35	<221> CDS
	<b>(222)</b> (78) (626)
40	<400> 107
40	actgccccaa ggccccgcc gccgctccag cgccgcgcag ccaccgccgc cgccgccgcc 60
	ictccttagt cgccgcc atg acg acc gcg tcc acc tcg cag gtg cgc cag 110
45	Met Thr Thr Ala Ser Thr Ser Gln Val Arg Gln
	. 1 5 10
50	aac tac cac cag gac tca gag gcc gcc atc aac cgc cag atc aac ctg 158
	Asn Tyr His Gln Asp Ser Glu Ala Ala lle Asn Arg Gln lle Asn Leu
	15 20 25
55	gag ctc tac gcc tcc tac gtt tac ctg tcc atg tct tac tac tit gac 206

	Gl	u Lei	ј Туј	Ala	Ser	Туг	Val	Ţyr	Leu	Ser	Met	Ser	Tyr	Tyr	Phe	Asp	
5			30	1				35					40				
	cgo	gat	gat	gtg	gct	ttg	aag	aac	ttt	gcc	aaa	tac	ttt	ctt	cac	caa	254
10	Arg	Asp	Asp	Ya1	Ala	Leu	Lys	Asn	Phe	Ala	Lys	Tyr	Phe	Leu	His	Gln	
		45	i				50					55					
	tct	cat	gag	gag	agg	gaa	cat	gct	gag	aaa	ctg	atg	aag	ctg	cag	aac	302
15	Ser	His	Glu	Glu	Arg	Glu	His	Ala	Glu	Lys	Leu	Met	Lys	Leu	GIn	Asn	
	60	١				65					70					75	
20	caa	cga	ggt	ggc	cga	atc	ttc	ctt	cag	gat	atc	aag	aaa	cca	gac	tgt	350
	Gln	Arg	Gly	Gly	Arg	lle	Phe	Leu	Gln	Asp	Ile	Lys	Lys	Pro	Asp	Cys	
25			_		80					85					90	•	
			tgg														398
	Asp	Asp	Trp		Ser	Gly	Leu	Asn		Net	Glu	Cys	Ala		His	Leu	
30	•			95					100					105			
			aat														446
35	GIu	Lys	Asn	Val	Asn	Głn	Ser		Leu	Glu	Leu	His		Leu	Ala	Thr	
			110			4'	44	115			٠.,		120				
40			aat														494
	nsp	125	Asn	изр	110	ліз	130	CA2	V2h	rne	116	135	1111	HIS	туг	Leu	
	aat		cag	ata	222	acc		222	<b>022</b>	tia	aat			ala	200	200	C 4 9
45			Gln				•										542
	140	0,0	<b>V</b> 111		2,5	145	,	<i>D</i> ,5	0,1	500	150	nap	1113		1101	155	
50		<b>. ይ</b> ር	aag	a t ø	gga		ccc	gaa	tet	880		σrσ	<b>0</b> 22	tal	cic		590
			Lys														0.50
	DC U	6	درن		160			J, U		165	Ju	1110	010	1 1 1	170	ine .	
55					100					400			٠		110		

	gac	aag ca	c acc	ctg	gga	gac	agt	gat	aat	gaa	agc	taa	gcct	cgg		636
5	Asp	Lys Hi	s Thr	Leu	Gly	Asp	Ser	Asp	Asn	Glu	Ser					
			175	•	•			180								
	gcta	atttcc	ccat	agcc	gt g	gggti	gact	t cc	ctgg	tcac	caa	ggca	gtg	catg	catgtt	696
10	gggg	tlicci	ttac	cttt	tc t	ataa	gtig	t ac	caaa	acat	cca	ctta	agt	tett	tgattt	756
	gtac	cattcc	ttca	aata	aa g	aaat	tigg	t ac	СС							790
15	/910°	> 108														
		> 183							•			•		•		
20		> 103 > PRT					a.								•	
		> Homo	sapi	ens												
		> 108	,	0							•					
25		Ibr Thr	Ala	Ser	Thr	Ser	Gln	Val	Arg	Gln	Asn	Tyı	His	Gln	Asp	
	1			5					10					15		
30	Ser (	Glu Ala	Ala	Ile	Asn	Arg	Gln	lle	Asn	Leu	Glu	Leu	Tyr	Ala	Ser	
			20					25			•		30			
35	Tyr V	/al Tyr	Leu	Ser	Met	Ser	Туг	Tyr	Phe	Asp	Arg	Asp	Asp	Val	Ala	
		35					40					45				
	Leu L	ys Asn	Phe	Ala	Lys	Туг	Phe	Leu	His	Gln	Ser	His	Glu	Glu	Arg	-
40		50				55					60					
	Glu H	lis Ala	Glu	Lys	Leu	Met	Lys	Leu	Gln	Asn	Gln	Arg	Gly	Gly	Arg	
45	65				70				•	75					80	
	lle P	he Leu	Gln	Asp	He	Lys	Lys	Pro	Asp	Cys	Asp	Asp	Trp	Glu	Ser.	٠
50				85					90					95		
	Gly L	eu Asn		Met	Glu	Cys	Ala		His	Leu	Glu	Lys	Asn	Val	Asn	
		٠	100					105					110			
55	Gln S	er Leu	Leu	Glu	Leu	His	Lys	Leu	Ala	Thr	Asp	Lys	Asn	Asp	Pro	

115 120 125 His Leu Cys Asp Phe Ile Glu Thr His Tyr Leu Asn Glu Gln Val Lys 130 135 140 Ala Ile Lys Glu Leu Gly Asp His Val Thr Asn Leu Arg Lys Met Gly 10 145 150 155 Ala Pro Glu Ser Gly Leu Ala Glu Tyr Leu Phe Asp Lys His Thr Leu 165 15 170 175 Gly Asp Ser Asp Asn Glu Ser 180 20 <210> 109 <211> 3460 25 <212> DNA <213 Homo sapiens <220> <221> CDS <222> (256).. (1857) 35 <400> 109 ccctaccgcc cccaattccg ccctgccccc gccgcggcgg cgctagccgc cactgaggga 60 ccgaccctat aaaggccgct ccgcgagggg tgcgcagcat tcggcagagg gcgcttcgac 120 gggctgggct gtgcgcctgc gcagtgtggg tcgctcccga ttccctgccc cggccggccc 180 egectegget eegeaceete geeeegetet eageegeege tetgeeege ageageeage 240 45 cccgtgtccg gcagt atg itc agc igg gtc agc aag gat gcc cgc cgc aag 291 Met Phe Ser Trp Val Ser Lys Asp Ala Arg Arg Lys 10 aag gag ccg gag ctc tic cag acg gtg gcc gag ggg cig cgg cag ctg 339 55 Lys Glu Pro Glu Leu Phe Gln Thr Val Ala Glu Gly Leu Arg Gln Leu

			15					20					25				
5	tac	gcg	cag	aag	cts	cta	ccc	ctg	gag	gag	cac	tac	cgc	ttc	cac	gag	387
	Tyr	Ala	Gln	Lys	Leu	Leu	Pro	Leu	Glu	Glu	His	Tyr	Arg	Phe	His	Glu	
		30					35					40					
10	ttc	cac	tcg	ccc	gcr	ctg	gag	gac	gc t	gac	ttc	gac	aac	aag	cct	atg	435
	Phe	His	Ser	Pro	Xaa	Leu	Glu	Asp	Ala	Asp	· Phe	Asp	Asn	Lys	Pro	Met.	
15	45					50					55					60	
	gtg	ctc	ctc	głg	rgg	cag	tac	agc	acg	ggc	aag	acc	acc	ltc	atc	cga	483
20	Val	Leu	Leu	Val	Xaa	Gln	Tyr	Ser	Thr	Gly	Lys	Thr	Thr	Phe	lle	Arg	
					65					70	•				75		
	cac	ctg	atc	gag	cag	gac	ttc	ccg	ggg	atg	cgc	atc	ggg	ccc	gag	ccc	531
25	His	Leu	lle	Glu	Gln	Asp	Phe	Pro	Gly	Me t	Arg	Ile	Gly	Pro	Glu	Pro	
				80					85					90			
30	acc	acc	gac	tcc	ttc	atc	gcc	gic	aig	cac	ggc	ccc	act	gag	ggc	glg	579
	Thr	Thr	Asp	Ser	Phe	He	Ala	Val	Me t	His	Gly	Pro	Thr	Glu	Gly	Val	
			95					100					105				
35	gtg	ccg	ggc	aac	gcg	ctc	gtg	gtg	gac	CCE	cgg	cgc	ccc	ttc	cgc	aag	627
	Val	Pro	Gly	Asn	Ala	Leu	Val	Val	Asp	Pro	Arg	Arg	Pro	Phe	Arg	Lys	
10		110					115					120					
			gcg											•			675
	Leu	Asn	Ala	Phe	Gly	Asn	Ala	Phe	Leu	Asn	Arg	Phe	Met	Cys	Ala	Gln	
<b>15</b>	125					130	٠				135					140	
	ctg	ccc	aac	ccc	gtc	ctg	gac	agc	atc	agc	atc	alc	gac	acc	ccc	ggg	723
50	Leu	Pro	Asn	Pro	Val	Leu	Asp	Ser	lle	Ser	lle	He	Asp	Thr	Pro	Gly .	
					145					150					155		
55	atc	clg	tct	gga	gag	aag	cag	cgg	atc	agc	aga	ggc	tat	gac	ttt	gca	771
	He	Leu	Ser	Gly	Glu	Lys	Gln	Arg	lle	Ser	Arg	Gly	Tyr	Asp	Phe	Ala	

				160					165					170			•
5	gco	gtc	ctg	gag	tgg	ttc	gcg	gag	cgt	gtg	gac	cgc	atc	atc	c t g	ctc	819
	Ala	Val	Leu	Glu	Trp	Phe	Ala	Glu	Arg	Val	Asp	Ārg	He	Ile	Leu	Leu	
10			175					180					185				
	ttc	gac	gcc	cac	aag	ctg	gac	atc	tcc	gat	gag	ttc	tcg	gaa	gtg	atc	867
	Phe	Asp	Ála	His	Lys	Leu	Asp	He	Ser	Asp	Glu	Phe	Ser	Glu	Val	Ile	
15		190					195					200					
	aag	gct	ctg	aag	aac	cat	gag	gac	aag	atc	cgc	gtg	gtg	cig	aac	aag	915
20	Lys	Ala	Leu	Lys	Asn	His	Glu	Āsp	Lys	Ile	Arg	Val	Va l	Leu	Asn	Lys	
	205					210					215					220	
25	gca	gac	cag	atc	gag	acg	cag	cag	ctg	atg	cgg	gtg	tac	ggg	gcc	ctc	963
	Ala	Asp	Ğln	lle		Thr	Gln	Gln	Leu		Arg	Val	Tyr	Gly	Ala	Leu	
					225					230					235		
30	atg	tgg	tcc	ctg	ggc	aag	atc	atc	aaċ	acc	CCC	gag	gig	gtc	agg	gtc	1011
	Met	Trp	Ser	Leu	Gly	Lys	Ile	lle	Asn	Thr	Pro	Glu	Val	Val	Arg	Val	
35				240					245					250			
	tac	atc	ggc	tcc	ttc	tgg	tcc	cac	ccg	ctc	cic	atc	CCC	gac	aac	cgc	1059
	Tyr	Ile	Gly	Ser	P-he	Trp	Ser	His	Pro	Leu	Leu	lle	Pro	Asp	Asn	Arg	٠
40			255					260					265	•	•	,	
	aag	ctc	ttt	gag	gcc	gag	gag	cag	gac	ctc	ttc	àag	gac	atc	cag	tca	1107
45	Lys	Leu	Phe	Glu	Ala	Glu	Glu	Gln	Asp	Leu	Phe	Lys	Asp	He	Gln	Ser	
		270					275	•	•			280					•
50	clg	ccc	cga	aac	gcc	gcc	cic	agg	aag	ctc	aat	gac	cig	atc	aag	cgg	1155
	Leu	Pro	Arg	Asn	Ala	Ala	Leu	Arg	Lys	Leu	Asn	Asp	Leu	He	Lys	Arg	
	285					290					295	-			•	300	
55	gca	cgg	clg	gcc	aag	gtt	cac	gcc	tac	atc	atc	agc	tcc	ctc	aag	aaa	1203

	. A1	a Ar	g Lei	u Ala	a Lys	Val	His	Ala	Туг	He	lle	Ser	Sei	Let	Lys	Lys	
5					305	i				310					315	;	
	ġa	gat	g cc	c aat	gto	ttt	ggt	aaa	gag	ago	aaa	aag	aaa	gag	ctg	gtg	1251
10	GI	u Me	t Pro	Asn	Yal	Phe	Gly	Lys	Glu	Ser	Lys	Lys	Lys	Glu	Leu	Val	
70				320	ļ				325					330			
	aa	c aa	ctg	gga	gag	atc	tac	cag	aag	att	gag	cgc	gag	cac	cag	atc	1299
15	As	n Ası	Leu	Gly	Glu	lle	Tyr	G]n	Lys	Ile	Glu	Arg	Glu	His	Gln	lle	
			335					340					345			•	
20	tc	c cct	ggg	gac	ttc	CCE	agc	ctc	cgc	aag	atg	cag	gaa	ctc	ctg	cag	1347
	Se	r Pro	Gly	Asp	Phe	Pro	Ser	Leu	Arg	Lys	Met	Gln	Glu	Leu	Leu	Gln	
25		350					355					360					
25		cag															1395
		Gln	Asp	Phe	Ser	Lys	Phe	Gln	Ala	Leu	Lys	Pro	Lys	Leu	Leu	Asp	
30	365					370					375					380	
		gtg															1443
35	Thr	Val	Asp	Asp		Leu	Ala	Așn	Asp		Ala	Arg	Leu	Met	Val	Met	
33					385					390					395		
		cgg															1491
40	Yai	Arg	GIn		Glu	Ser	Leu	Met		Ser	Gln	Val			Gly	Gly	•
				400					405					410			
45		ttt															1539
	Ala	Phe		GIY	inr	Mel			110	Phe	Gly			Tyr	Gly	Glu	
			415					420					425				
50		gcc															1587
	Gly	Ala	Gly	Glu	GIY			ASP	Val	Glu			Val	Gly	Lys	Asp	
55		430					435					440					
	aag	ccc	acc	tac	gac	gag	alc	ttc	tac	acg	clg	lcc	cct	gtc	aac	ggc	1635

	Lys Pro Thr Tyr Asp Glu lle Phe Tyr Thr Leu Ser Pro Val Asm Gly	
5	445 450 455 460	
	aag atc acg ggc gcc aac gcc aag aag gag atg gtg aag tcc aag ctc 16	83
10	Lys Ile Thr Gly Ala Asn Ala Lys Lys Glu Met Val Lys Ser Lys Leu	
	465 470 475	
	ccc aac acc gig cta ggg aag aic igg aag cig gcc gac gig gac aag 173	3 1
15	Pro Asn Thr Val Leu Gly Lys Ile Trp Lys Leu Ala Asp Val Asp Lys	
	480 485 490	
20	gac ggg ctg ctg gac gac gag gag ttc gcg ctg gcc aac cac ctc atc 177	19
	Asp Gly Leu Leu Asp Asp Glu Glu Phe Ala Leu Ala Asn His Leu 11e	
25	495 500 505	
25	aag gtc aag ctg gag ggc cac gag ctg ccc gcc gac ctg ccc ccg cac 182	7
	Lys Val Lys Leu Glu Gly His Glu Leu Pro Ala Asp Leu Pro Pro His	
30	510 515 520	
	ctg gtg ccg ccc tcc aag cgc aga cat gag tgatggcgcc cggccccgca 187	7
35	Leu Val Pro Pro Ser Lys Arg Arg His Glu	
	525 530 ·	
40	ccigccatti gcacgcccgg ccgggaggca gagacggggg gaggggaagc cicaccatti 193	?
40	cicaaggicc ataaagacig agcggaigii iccicgccic icgaaaagga aaaccaccat 199	
	ctlicitia aggotgitico tgggootggo gggggaggca ggggtgagag gatggaattg 205	
45	tgtgcacaag aactgtggct attttaatat ataacgttag aggctgcgtt ctttgtcgcc 211	
•	gcctcccctg igigccagcc ctgtgtgcac ggccictgcc ccccggcctt gtgctgtggc 217	
50	tggagctgga cagtgcagtg actgcgaccg tgggggagcc aggtcgccct tttggcagct 2237	
	gctaggctga ggctgcatgg acaggaacac caggcaccct ccgtgtgctt ctgagctgag	
55	gitgcitcac gggaccgigg citccitcci cacciggcic igccicccc gigcicicgg 2357	
	gcgaagiggg ticitgigcc itcccciccc gggcccaggc iccccgigcg cgggcccigc 2417	1

	cctttcctcc	cgcgcccac	cggctccgac	gcgcaacccc	gctcagcagt	cacagaagca	2477
5	gggcccagcc	accttggtct	ttttttggga	gticagggga	gtaggagaat	gicticcaga	2537
	aaaatacata	agctagtttc	tgttctgtaa	agtgatatct	ttcatacttg	accaaagttc	2597
	ccaataactt	cccaaccact	gttcaaaagc	tgtgatttt	gtctccctt	cccaccctcc	2657
o	agccaaggag	cagccctgcc	caggggaatt	taggtgtggg	tacccgggga	gcacccgtt	2717
	cciggacccc	agtgttgcat	ticctggctg	aggaagggtg	glcalcccag	ctcctgccct	2777
5	acceteteae	ttaactggag	ctttgggacg	caccctccac	agtgggaggt	ggtggtgggg	2837
	tggcggtggc	ggggcctcac	gacagctigg	tgctggtaag	aggaagcccg	tggtictggc	2897
0	taggcictca	tgtccagaca	gcggggacca	ggggaaaacc	cagccccttc	tgtaatcccc	2957
	cttcatttcc	taccttcctt	cctcctctgt	ttagcaaagg	agggcagcic	actiggatgt	3017
	ccttacaacg	ccctggccc	caggitgagc	aataagaaac	cagaacctig	cggcccagtg	3077
5	gcccgggcca	gttcaggccg	cctcccctc	ctctgcctgg	ggccattgag	ccccagcctc	3137
•	caggggcccg	ggtgcgtttg	caagccagig	gccactgtcc	gggctgtgat	ggcaccaagg	3197
o	caggiggagc	•					
	cagggagctt					•	
	ccgtcactcc						
5	actgttgaag			ctgtgggaag	agaagtgaag		
·	tgcattaaaa	agicigaaci	gtg				3460
o	<210> 110						
	<211> 534					•	
5	<212> PRT						
	<213> Homo	sapiens	•				
	<400> 110						•
o	Met Phe Ser	Trp Val Se	r Lys Asp A	la Arg Arg	Lys Lys Glu	Pro Glu	
	1	5	-	10	•	15	

Leu Phe Gln Thr Val Ala Glu Gly Leu Arg Gln Leu Tyr Ala Gln Lys

				20					25					30		
5	Lei	ı Leu	Pro	Leu	Glu	Glu	His	Tyr	Arg	Phe	His	Glu	Phe	His	Ser	Pro
			35	•				40					45			••
	Xaa	Leu	Glu	Asp	Ala	Asp	Phe	Asp	Asn	Lys	Pro	Met	Va)	Leu	Leu	Val
10		50			•		55					60				
	Xaa	Gln	Tyr	Ser	Thr	Gly	Lyś	Thr	Thr	Phe	He	Arg	His	Leu	Ile	Glu
15	65					70					75					80
	Gln	Asp	Phe	Pŗro	Gly	Met	Arg	lle	Gly	Pro	Glu	Pro	Thr	Thr	Asp	Ser
20					85				•	90					95	
	Phe	lle	Ala		Met	His	Gly	Pro	Thr	Glu	Gly	Val	Val	Pro	Gly	Asn
				100					105					110		
25	Ala	Leu	•	Val	Asp	Pro	Arg		Pro	Phe	Arg	Lys		Asn	Ala	Phe
	C1		115	DL -	1	4	<b>.</b>	120	W- 4	C	41-	<b>C</b> 1	125			
30	GIY	Asn 130	AIa	rne	Leu	ASII	135	rne	met	Lys	Ala		ren	Pro	ASŊ	Pro
	Val	Leu	Asp	Ser	Ile	Ser		Ile	Asn	Thr	Pro	140 G1v	Ile	len	Ser	Glv
35	145	~~-	,		•••	150			лор	• • • • •	155	01,	.,,	rcu	561	160
	Glu	Lys	Gln	Arg	lle	Ser	Arg	Gly	Tyr	Asp		Ala	Ala	Val	Leu	
40					165					170					175	
40	Trp	Phe	Ala	Glu	Arg	Val	Asp	Arg	He	Ile	Leu	Leu	Phe	Asp	Ala	His
				180					185					190		
45	Lys	Leu	Asp	Ile	Ser	Asp	G l-u	Phe	Ser	Glu	Ya I	Пe	Lys	Ala	Leu	Lys
			195					200					205			
50	Asn	His	Glu	Asp	Lys	lle	Arg	Val	Val	Leu	Asn	Lys	Ala	Asp	Gln	He
		210					215					220				
	Glu	Thr	Gln	Gln	Leu	Me t	Arg	Val	Туг	Gly	Ala	Leu	Met	Trp	Ser	Leu
55	225					230					235					240

	Gly	lys.	lle	Ile	Asn	Thr	Pro	Glu	Yal	Val	Arg	Val	Tyr	He	Gly	Ser	
5					245					250	)				255		
	Phe	Trp	Ser	His	Pro	Leu	Leu	He	Pro	Asp	Asn	Arg	Lys	Leu	Phe	Glu	
10				260					265					270			
	Ala	Glu	Glu	Gln	Asp	Leu	Phe	Lys	Asp	Ile	Gln	Ser	Leu	Pro	Arg	Asn	
			275					280					285				
<b>15</b> .	Ala	Ala	Leu	Arg	Lys	Ļeu	Asn	Asp	Leu	Ile	Lys	Arg	Ala	Arg	Leu	Ala	
		290					295					300				•	
20	Lys	Yal	His	Ala	Tyr	He	Ile	Ser	Ser	Leu	Lys	Lys	Glu	Met	Pro	Asn	
	305					310					315					320	
25	Val	Phe	Gly	Lys	Glu	Ser	Lys	Lys	Lys	Glu	Leu	Val	Asn	Asn	Leu	Gly	
			•		325				٠	330		•		•	335		
	GJu	Ile	Tyr	Gin	Lys	Ile	GIu	Arg	Glu	His	Gln	He	Ser	Pro	Gly	Asp	
30				340					345					350			
	Phe	Pro	Ser	Leu	Arg	Lys	Met	Gln	Glu	Leu	Leu	Gin	Thr	Gln	Asp	Phe	
35			355					360					365				
	Ser	Ĺys	Phe	Gln	Ala	Leu		Pro	Lys	Leu	Leu		Thr	Val	Asp	Asp	
		370					375					380					
40	Met	Leu	Ala	Asn	Asp		Ala	Arg	Leu	Met		Met	Val	Arg	Gln		
	385	•			_	390	٥.				395					400	
45	Glu	Ser	Leu			Ser	GIN	Val	Val		Gly	Gly	Ala			Gly	
	<b>T</b> 1				405	D.	<b>C</b> 1		01	410	٥.				415		
50	ınr	Met			Pro	rne	61 <b>y</b>	HIS		iyr	Gly	Glu	Gly		Gly	Glu	
		• •		420		•	_		425		-			430			
	Gly	lle		Asp	Val	GIU	lrp		Val	Gly	Lys			Pro	Thr	Tyr	
55			435					440					445				

	Asp Glu Ile Phe Tyr Thr Leu Ser Pro Val Asn Gly Lys Ile Thr Gly
5	450 455 460
	Ala Asn Ala Lys Lys Glu Met Val Lys Ser Lys Leu Pro Asn Thr Val
10	465 470 475 480
70	Leu Gly Lys lle Trp Lys Leu Ala Asp Val Asp Lys Asp Gly Leu Leu
	485 490 495
15	Asp Asp Glu Glu Phe Ala Leu Ala Asn His Leu Ile Lys Val Lys Leu
	500 505 510
20	Glu Gly His Glu Leu Pro Ala Asp Leu Pro Pro His Leu Val Pro Pro
	515 520 525
	Ser Lys Arg Arg His Glu
25	530_
	<210> 111
30	<211> 1622
	<212> DNA
35	<213> Homo sapiens
i	⟨220⟩
	<221> CDS
4 <i>0</i>	<222> · (89) (724)
	·<400> 111
45	ggtcggtgtg cttgtgaccc tgcctttgtg tggctgtcac cggtgggact ggcggggact 60
	gigtgattaa cotocattic agotaato aig gga gag att aaa gto tot cot 112
50	Met Gly Glu Ile Lys Val Ser Pro
	1 5
	gat tat aac tgg tit aga ggi aca git ccc cii aaa aag ait aii gig 160
55	Asp Tyr Asn Trp Phe Arg Gly Thr Val Pro Leu Lys Lys lle Ile Val

		1	0	•			18	5	•			20			٠		
5	ga	t ga	t ga	t gad	agt	aag	g ata	ı tgg	tcg	ctc	tat	gac	gcg	ggc	ccc	cga	208
J	. Ás	p As	p Ası	Asp	Ser	Lys	lle	Trp	Ser	Leu	Tyr	Asp	Ala	Gly	Pro	Arg	
	2	5			•	30	)				35		٠			40	
10	ag	t ato	c agg	gtgt	cct	cto	ala	ttc	ctg	ccc	cct	gic	agt	gga	act	gca	256
	Se	r Ile	Arg	Cys	Pro	Leu	Ile	Phe	Leu	Pro	Pro	Val	Ser	Gly	Thr	Ala	•
15					45					50					55		
	ga	t gto	ttt	itc	cgg	cag	att	ttg	gct	ctg	act	gga	tgg	ggt	tac	cgg	304
20	Ası	Val	Phe	Phe	Arg	Gln	Ile	Leu	Ala	Leu	Thr	Gly	Trp	Gly	Tyr	Arg	
				60					65					70	•		
		alc												•			352
25	Val	lle	_	Leu	Gln	Туг	Pro		Tyr	Trp	Asp	His		Glu	Phe	Cys	
			75					80					85				
30		gga	•														400.
	ASP	Gly 90		Arg	rys	reu		ASP	HIS	Leu	Gin		Asp	Lys	Val	His	
35	rett	itt		pri	tet	1 t o	95	aac		ita	ge e	100			an t	<i>a</i> nn	440
		Phe					•										448
,	105	•	.,		•••	110	J.,	0.,	1 110	DCU	115	0111	Lys	1 HC	ліа	120	
40		act	cac	aaa	tct		aga	gtc	cat	tce		atc	ctc	tgc	aat		496
	•	Thr							•								
45	•				125		٠			130					135		
	ttc	agt	gac	acc	tct	alc	llc	aac	caa	acl	tgg	act	gca	aac -	agc	ttt	544
50	Phe	Ser	Asp	Thr	Ser	He	Phe	Asn	Gln	Thr	Trp	Thr	Ala	Asn	Ser	Phe	
				140					145				٠.	150			
	tgg	ctg	atg	cct	gca	ttt	alg	ctc	aaa	aaa	ata	gtt	ctt	gga	aat	ttt	592
55	Trp	Leu	Mel	Pro	Ala	Phe	Me t	Leu	Lys	Lys	lle	Val	Leu	Gly	Asn	Phe	

	1	55	160		165	
5	tca tct g	gc ccg gtg g	ac cct atg at	ig gct gat gcc	att gat tic atg	640
	Ser Ser G	ly Pro Val A	sp Pro Met Me	et Ala Asp Ala	lle Asp Phe Met	
10	170		175	180		
	gta gac a	gg cta gaa a	gt tig ggt ca	ig agt gaa ctg	gct tca aga ctt	688
15	Val Asp A	rg Leu Glu S	er Leu Gly Gl	n Ser Glu Leu	Ala Ser Arg Leu	
.5	· 185	1	90 .	195	200	
	acc ttg aa	aa ttg tca a	aa tto tta tg	t gga acc tca	taaaattegg	734
20	Thr Leu Ly	ys Leu Ser L	ys Phe Leu Cy	s Gly Thr Ser		
	·	205		210		
25	ggacatacci	gtaactatta	tggatgtgtt t	gatcagagt gcgc	tticaa cigaagciaa	794
	agaagaaalg	tacaagcigi	atccctaatg c	cccgaagag gctc	atotga aaacaggagg	854
	caatttccca	tacctgtgca	gaagtgcaga g	gtcaatctt tatg	tacaga tacatitgic	914
30	kgcaattccw	kggrggaccm	aatacgcggc c	tttgaccca tcaa	tggtca gtgccgagga	974
			•		aglagt glglctctcg	
35					gcatc agcacccgtt	•
					ctgtgt ctgggaagta	
40					igigta aciglicoct	
40					nclccc attitaagaa	
					igigaa tgitaatiic	
45			•	•	alict tetttettte	
	•				cagga cattggttat	
50					taccc cactgitige	
					titga gigitageta	
	ctgcctttct	agatattagt	calliggaat aa	aaaattcaa titca	cig	1622
<b>55</b>	<210> 112					

	<211> 2	112	٠.				
5	<212> P	RT				·	
	<213> H	omo sapien	s .				
	<400> 1	12					
10	Met Gly	Glu Ile.L	ys Val Sei	Pro Asp	Tyr Asn	Trp Phe Are	Gly Thr
	. 1		5		10		15
15 [.]	Val Pro	Leu Lys L	ys Ile Ile	Val Asp	Asp Asp.	Asp Ser Lys	lle Trp
		20		25		30	
20	· Ser Leu	Tyr Asp A	la Gly Pro	Arg Ser	lle Arg	Cys Pro Leu	Ile Phe
		35		40		45	
25		-		Ala Asp	Val Phe	Phe Arg Gin	Ile Leu
	50		. 55			60	
		Thr Gly T		Arg Val		Leu Gln Tyr	
_. 30	65 ·	ton Nin I	70 Clu Pho	Cu. 4	75	A 1 1	80
	1 y 1 1 1 p		su Gru File 35	Cys Asp	90	Arg Lys Leu	95
35	His Lev			His Leu		Ala Ser Leu	
		100	., .,	. 105	, .	110	
40	Phe Leu	Ala Gln Ly	s Phe Ala	Glu Tyr	Thr His 1	Lys Ser Pro	
		115		120		125	•
45	His Ser	Leu Ile Le	u Cys Asn	Ser Phe	Ser Asp 7	Thr Ser lle	Phe Asn
	130		· 135		:	140	
	Gln Thr	Trp Thr Al	a Asn Ser	Phe Trp	Lev Met 1	Pro Ala Phe	Met Leu
50	145		150		155		160
				n		D 11 1 4	D 11 .
	Lys Lys	lle Val Le	u Gly Asn	rne Ser	ser Gly i	rro val Asp	Pro Met

	Met A	la Asp	Ala I	e Asp	Phe	Met	Val	Asp	Arg	Leu	Glu	Ser	Leu	Gly
<b>5</b>			180				185					190		٠
	Gln S	er Glu	Leu Al	a Ser	Arg	Leu	Thr	Leu	Lys	Leu	Ser	Lys	Phe	Leu
10		195				200					205		•	
	Cys G	y Thr	Ser											
	. 21	0							٠.					
15 _.	<b>/910</b> \													
	⟨210⟩													
20	(211)													
	<212>													
	<213>	Homo sa	piens											
25	<220>													
	<221> (													
30	<222>	(1) (3	60)											
	<b>&lt;220&gt;</b>													
	<221> u													
35	<222> (													
	<223≯ g	or t										•		
40	<220>													
	<221> ui	sure												
	<222> (5	(1)												
45	<223> a	or t									٠			
	<220>				•									
50	<221> un	sure												
	<222> (5	4)												
	<223> t	or c												
55	<220>													

	(221)	unsure
5	<222>	(55)
	<223>	g or t
	⟨220⟩	
	⟨221⟩	unsure
	<222>	(56)
15	<223>	g or t
	⟨220⟩	
20	<221>	unsure
	⟨222⟩	(91)
	⟨223⟩	g or c
25	⟨220⟩	_
	⟨221⟩	unsure
30	⟨222⟩	(101)
	⟨223⟩	t or c
	⟨220⟩	
35	⟨221⟩	unsure
	⟨222⟩	(103)
40	⟨223⟩	g or t
	⟨220⟩	
<b>1</b> 5	· <221>	unsure
.•	⟨222⟩	(325)
	⟨223⟩	t or c
50	⟨220⟩	
	⟨221⟩	unsure
55	⟨222⟩	(425)
	<223>	g or t

	<22	20>						-								•	
5	<22	21 <b>&gt;</b> (	ושצחנ	re													
	<22	22>	(688)			•											
10	<22	23> g	gor	С											÷		
	<22	20>												/			
15	<22	!i> u	ınsur	e													
	<22	2> (	(1459	)	•	•								•			
	<22	3> g	or	t													
20	<22	0>															
	<22	<b>]&gt;</b> u	nsur	е									•				
25	<22	2> (	1705	)													
	<22	3> g	01	1													
	<40	0> 1	13														
30	gac	ccg	ttc	cat	gca	gtt	gta	tac	ata	gtg	ttc	atg	ctg	ggc	tcc	tgt	48
	Asp	Pro	Phe	His	Ala	Val	Val	Tyr	Ile	Val	Phe	Met	Leu	Gly	Ser	Cys	
35	1				5					10					15		
							tgg										96
40	Xaa	Xaa	Xaa		Lys	Thr	Trp	Ile		Val	Ser	Gly	Ser	Şer	Xaa	Lys	
				20					25					30		•	
							aag										144
45	Asp	Xaa		Lys	Gin	Leu	Lys		GIn	Gln	Met	Val		Arg	Gly	His	
			35					40					45				
50							cat										192
	Arg		Thr	Ser	Met	Val	His	Glu	Leu	Asn	Arg		He	Pro	Thr	Ala	
		50					55					60					•
55	gcg	gcc	ttt	ggt	ggg	ctg	tgc	alc	ggg	gcc	ctc	tcg	glc	ctg	gct	gac	240

Ala Ala Phe Gly Gly Leu Cys lle Gly Ala Leu Ser Val Leu Ala Asp 65 70 75 80 5 itc cta ggc gcc att ggg tct gga acc ggg atc ctg ctc gca gtc aca 288 Phe Leu Gly Ala lle Gly Ser Gly Thr Gly lle Leu Leu Ala Val Thr 10 90 atc atc tac cag tac tit gag atc tic git aag gag yaa agc gag git 336 lle lle Tyr Gln Tyr Phe Glu lle Phe Val Lys Glu Xaa Ser Glu Val 15 100 105 110 ggc agc atg ggg gcc ctg ctc ttc tgagcccgtc tcccggacag gttgaggaag 390 20 Gly Ser Met Gly Ala Leu Leu Phe 115 120 25 clgctccaga agegectegg aaggggaget etcakeatgg egegtgetge tgeggeatat 450 ggactittaa taaigigiii igaatiicgi aticiitcai tocacigigi aaagigciag 510 acallilicca alliaaaatt ligettitla teelggeact ggeaaaaaga actgigaaag 570 30 tgaaatttta ttcagccgac tgccagagaa gtgggaatgg tataggattg tccccaagtg 630 tecatgiaac tittgitta accitigeac citeteagig eigiatgegg eigeagesic 690 35 ctcaccigit iccccacaaa gggaattici cactciggii ggaagcacaa acacciggaa 750 algiciacgi licaltitgg caagtarggt gigaagcctg ggagcagaic atgiatticc 810 cggagacgig ggacciigci ggcaigicic ciicacaaic aggcgiggga ataiciggci 870 40 laggacigit iciciclaag acaccatigi lilcccttat titaaaagig attitittaa 930 ggacagaact teltecaasa gagaggalg gettleceag aagacaetee tggccatetg 990 lggattigle igigeaccia liggeicile tageigacte lietggiigg gettagagte 1050 igocigitic igotagotec gigitiagic cactigggic alcageteig ecaagetgag 1110 cciggccaag claggiggac agaccciigc agigatgicc gittgiccag atictgccag 1170 50 tcalcactgg acacgicice teggeagetg ecctageaag gggagacatt gtggtageta 1230 lcagacatgg acagaaactg acttagtgct cacaagcccc tacacctttc tgggctgaag 1290 alcacccago igigitoaga attilottao tgigottagg actgoacgca agtragcaga 1350

	caccaccgac	ttcctttctg	cgtcaccagt	gtcgtcagca	gagagaggac	agcacaggct	1410
5	caaggitggt	agtgaagtca	ggttcggggt	gcatgggctg	tggtggtgkt	gatcagttgc	1470
	tccagigiti	gaaataagaa	gactcatglt	tatgicigga	ataagttctg	tttgtgctga	1530
10 .	caggtggcct	aggiccigga	gatgagcacc	ctctctctgg	cctttaggga	gtcccctctt	1590
	aggacaggca	ctgcccagca	gcaagggcag	cagagttggg	tgctaagatc	ctgaggagct	1650
15	cgaggittcg	agciggctit	agacattggt	gggaccaagg	atgttttgca	ggatkccctg	1710
	atcctaagaa	gggggcctgg	gggtgcgtgc	agcctgtcgg	ggagacccca	ctctgacagt	1770
	gggcacacgg	cagcctgcaa	agcacagggc	caccgccaca	gcccggcaga	ggggcacact	1830
20	ctggagacct	tgctggcagt	gctagccagg	aaacagagtg	accaagggac	aagaagggac	1890
	ttgcctaaag	ccacccagca	actcagcagc	agaaccaaga	tgggccccag	gctcctccat	1950
25	atggcccagg	gcttaccacc	ctatcacacg	tggcctttgt	cctagaccca	gtcctgagca	2010
	ggggagaggc	tcttgagacc	lgatgccctc	ctacccacat	ggttctccca	ctgccctgtc	2070
	tgctctgctg	ctacagaggg	gcagggcclc	ccccagccca	cgcttaggaa	tgcttggcct	2130
30	ctggcaggca	ggcagctgta	cccaagctgg	tgggcagggg	gctggaaggc	accaggcctc	2 F90
	aggaggagcc	ccatagtccc	gcctgcagcc	tgtaaccatc	ggctgggccc	tgcaaggccc	2250
35	acactcacgc	cctgtgggtg	atggtcacgg	tgggtgggtg	ggggctgacc	ccagcttcca	2310
	ggggactgtc	actgtggacg	ccaaaatggc	ataactgaga	taaggtgaat	aagtgacaaa	2370
40	taaagccagt	tttttacaag	g	•			2391
40	<210> 114						
	<211> 120						

<212> PRT

<213> Homo sapiens

<220>

50

55

<221> unsure

<222> (17)

<223> unknown

	<220>
5	<221> unsure
	⟨222⟩ (18)
10	<223> unknown
	<2220>
15	<221> unsure
	⟨222⟩ (19)
	<223> unknown
20	⟨220⟩
	<221> unsure
25	<222> (31)
	<223> unknown
	⟨220⟩
30	<221> unsure
•	<222> (109) .
35	<223> unknown
	<400> 114
40	Asp Pro Phe His Ala Val Val Tyr lle Val Phe Met Leu Gly Ser Cys
40	1 5 10 15
	Xaa Xaa Xaa Ser Lys Thr Trp Ile Giu Val Ser Gly Ser Ser Xaa Lys
45	20 25 30
	Asp Xaa Xaa Lys Gln Leu Lys Glu Gln Gln Met Val Met Arg Gly His
50	35 40 45
	Arg Glu Thr Ser Met Val His Glu Leu Asn Arg Tyr Ile Pro Thr Ala
	50 55 60
55	Ala Ala Phe Gly Gly Leu Cys Ile Gly Ala Leu Ser Val Leu Ala Asp

65 70 75 Phe Leu Gly Ala Ile Gly Ser Gly Thr Gly Ile Leu Leu Ala Val Thr 90 85 Ile Ile Tyr Gln Tyr Phe Glu Ile Phe Val Lys Glu Xaa Ser Glu Val 10 100 . 105 110 Gly Ser Met Gly Ala Leu Leu Phe 15 115 120 <210> 115 20 <211> 599 <212> DNA <213> Homo sapiens 25 <400> 115 gggtatggaa ttggctgagg atcanacgta tgtaggtgaa aggataccag gatgttgcta 60 30 aaggtgaggg acagtitggg titgggacti accggggtga tgttagatct ggaacccca 120 agigaggoig gagggagita aggicagiai ggaagalagg giigggacag ggigciitgg 180 aatgaaagag tgaccttaga gggctcctlg ggcctcagga atgctcctgc tgctgtgaag 240 35 atgagaaggt gctcttactc agttaatgat gagtgactat atttaccaaa gcccctacct 300 gctgctgggt cccttgtagc acaggagact tgggctaagg gcccctccca gggaagggac 360 accatcagge ciciggetga ggeaglagea tagaggatee attictacet geatticeea 420 gaggactage aggaggeage citgagaaac eggeagitee caaagceage geeiggeigt 480 tototoatty toactgood ofcoccaaco totoctotaa occactagag attgootgig 540 45 tectgeetet tgeetettgt agaatgeage tetggeeete aataaatget teetgeatt 599 <210> 116 (211) 364 <212> DNA 55 <213> Homo sapiens

•	<220>	•		
5	<221> unsure			
	<222> (134)			
10	<223> a, c, g or t			
	⟨220⟩			
45	<221> unsure			
15	<b>&lt;222&gt;</b> (135)			
	<223> a, c, g or t	·		
20				
	⟨220⟩			
25	<221> unsure			
	(222) (179)	·		
30	<223> g or a			
	<400> 116			
	ticgatcaca tagticcica ticccaccga ag	tgcatgaa atggcagtag	aaatcactat 6	0
35				
	acagtgcttc caggggtgca ttggtgggaa tg	agaatagt gatgaagtag	aaatgtctgc 12	.0
40				
	cacagiteca gganngggta ggtageagig ig	igigitat gigccaciga	ccctgaaara 18	·U
45				^
	tgtgccatag cccaagccaa ttgaaattga tc	akkkkkcc akkcaikkik	gctcatgcct 24	υ
50	gtaatcccag caccitggga agcigaggig gg	aggatige itgaaaceag	gagttcaaga 30	'n
	0.00100000 0000116660 0601606618 860	uopuitoi ilbaaavidg	δαδιισαδα 30	v
	ccagcotgig caacatagca aaaccccato to	tanaaaga tlaaaaataa	aaaattagct 36	'n
55	conscitting cancatages and could be	iuvaaaga ilaaaaalda	aaaattagtt 30	U

	gggc	:		•				,									3	64
5	<210	)> 1	17															
	<211	<b> &gt; 8</b>	52							•		•						
	· <212> DNA																	
	<213	S> He	omo	sapi	ens													
	<220	)>											٠				•	
15	<221	> CI	DS															
	<222	> (2	26).	. (21	7)													
20	<220	>										•						
	<221	<b>&gt;</b> ur	nsur	e														
25	<222> (37)																	
	<223	> a,	С,	g o	r t										•			
	<400	> 11	17															
30	gitc	agtt	ttc	aagt	ttac	aa ga	aggc	atg	gat	gga	gtn	gtg	acg	ttc	ttg	aca	52	
								Met	Asp	Gly	Xaa	Val	Thr	Phe	Leu	Thr		
35								1				. 5						
	agc																100	
40	Ser	Trp	Ala	Asn	Leu		Arg	Thr	Cys	Phe		Glu	Ala	Arg	Cys			
	10				-1-	15				-1-	20		4		- 4 -	25	1.40	
	glg																148	
45	Val 1	1111	GIII	VIR	30	բես		Leu	UIY	35	ren		261	AIR	40	оту		
	cat	tac	σtt	tra		aac	caa	. 200	agr		ttσ	cat	agr	220		+++	196	
50	His :		•															
		. , .		45					50	V111	2011		501	55	.,.			
55	cct	gca	ttc		tta	aat	gct	laas		ag (	cagca	atcci	ta ta		ttgti	3	247	
	•	-								-	-				- '		-	

Pro Ala Phe Gln Leu Asn Ala

60

atcataaaca tccatttccc tcagcttttg tgagtgcctt gacttacagc caacatcact 307 gittaactca gictgittaa aaacaaactt tictggtggt tgataacaga gagttgctcc 367 ctgagccatc agggtcctgg gagctggaag tgaaagggtt attaacattc tacctttatg 427 cagcigttgg ctgaccagaa taaactccct gctgagttca agctttgaat ggaatggatg 487 caaatgatgt tgtttccatt agagcaggtg ctcacagcat tctgattggc ctgagcagac 547 cgaggctatg gctgitggga caagcttagc atcctggaca tcttgtcaaa gaacctcact 607 cacccctctg gcctctacag ccctcagagg agagaaaacc aattctccaa caaacaggtc 667 tctccaacat ggtggtgctg gcaggcttag gttlagaaaa tcctgactgt taaaggcgtt 727 tgaatacatc acattcctat gcaaatgttt ttaatctcca gtttaatgta gtttattttt 787 cctatatgia aagtattti atacggcttg tatcatgata gtttagcaat aaaacagttg 847 gaagc

<210> 118

10

15

20

25

30

35

40

45

50

55

<211> 64

<212> PRT

<213 > Homo sapiens

<220>

<221> unsure

<222> (4)

<223> unknown

<400> 118

l

Met Asp Gly Xaa Val Thr Phe Leu Thr Ser Trp Ala Asn Leu Ser Arg

5

10

15

Thr Cys Phe Pro Glu Ala Arg Cys Ser Val Thr Gln Arg Ile Leu Thr

20

25

30

	Leu Gly Leu Leu Gly Ser Arg Leu Gly His Tyr Val Ser Trp Asn Gln
5	35 40 45
	Ser Ser Gln Leu His Ser Lys Tyr Phe Pro Ala Phe Gln Leu Asn Ala
÷	50 55 60
10	
	<210> 119
15	<211> 1156
	<212> DNA
	<213> Homo sapiens
20	⟨220⟩
	<221> CDS
25	<b>&lt;222&gt;</b> (524) (1105)
	⟨220⟩
	<221> unsure
30	<222> (10)
	<223> a or t
35	<400> 119
	cggcaactgw gaggaagcaa agggaaaaaa actccattaa aaagcccagc tttcctccat 60
	gilagatgig actiggaaaa igagaaagat tiagcaaaat tocaccgial cilligcoag 120
40	gctagagaca gggagagcag agtaaaaccc tcaggctgct gaaatttcta ggctgttagg 180
	aagccccicg aaticigiga aaaigagggi itcilaacic acacigagag cggaaagggg 240
45	cagaccettt teataaetee eteaagtgig igitaeetit etitaeeage atggtaagea 300
	acaggacata teccageete ggacatgiet glalgateca agglacecaa agleagacag 360
	agiaaacica agcciggcac iggciilcig ccgciicaig igciilggaa aaagcaggag 420
50	aagcaatagc agcaggagtc cccagcagct ggagccgcaa gaatgaactg caaagaggga 480
	actgacagca gctgcggctg cagggggcaa cgacgagaag aag atg ttg aag tgt 535
55	Met Leu Lys Cys
	•

5	gtg	gtg	ggtg	ggg	gac	ggt	. gcc	gtg 	ggg	aaa	acc	tgc	ctg	clg	atg	agc	583
-	Val	Val	Yal	Gly	Asp	Gly	Ala	Val	Gly	Lys	Tbr	·Cys	Leu	Leu	Ne t	Ser	
10	. 5	i				10					15					20	
10	tac	gcc	aac	gac	gcc	ttc	cca	gag	gaa	tac	gţg	ссс	act	gtg	ttt	gac	631
	Tyr	Ala	Asn	Asp	Ala	Phe	Рго	Glu	Glu	Tyr	Val	Pro	Thr	Val	Phe	Asp	
15					25					30					35		
	cac	tat	gca	gtt	act	glg	act	gtg	gga	ggc	aag	caa	cac	ttg	ctc	gga	679
20	His	Tyr	Ala	Val	Thr	Yal	Thr	Уаі	Gly	Gly	Lys	Gln	His	Leu	Leu	Gly	
				40	•				45					50			
	ctg	tat	gac	acc	gcg	gga	cag	gag	gac	tac	aac	cag	ctg	agg	cca	ctc	727
25	Leu	Tyr	Asp	Thr	Ala	Gly	Gln	Glu	Asp	Tyr	Asn	Gln	Leu	Arg	Pro	Leu	
			55					60					65				
30	tcc	tac	ccc	aac	acg	gat	glg	ttt	ttg	atc	tgc	ttc	tct	gic	gta	aac	775
	Ser	Tyr	Pro	Asn	Thr	Asp	Val	Phe	Leu	He	Cys	Phe	Ser.	Val	Val	Asn	
	•	70					. 75					80	•				•
35	cct	gcc	tct	tac	cac	aat	glc	cag	gag	gaa	tgg	gtc	ccc	gag	cic	aag	823
	Pro	Ala	Ser	Tyr	His	Asn	Val	GIn	Glu	Glu	Trp	Val	Pro	Glu	Leu	Lys	
40	85					90					95					100	
	gac	tgc	atg	cct	cac	gig	cct	tat	gtc	ctc	ata	ggg	acc	cag	att	gat	871
45	Asp	Cys	Met	Pro		Ya }	Pro	Tyr	Va I	Leu	He	Gly	Thr	Gln	He	Asp	
					105		٠			110					115		
	ctc	cgt	gat	gac	cca	aaa	acc	tlg	gcc	cgt	ttg	ctg	tat	atg	aaa	gag	919
50	Leu	Arg	Asp	Asp	Pro	Lys	Thr	Leu	Ala	Arg	Leu	Leu	Tyr	Me t	Lys	Glu	
				120					125					130			
55	aaa	cct	ctc	ac t	tac	gag	cat	ggt	gtg	aag	ctc	gca	aaa	gcg	atc	gga	967
	Lys	Pro	Leu	Thr	Tyr	Glu	His	Gly	Val	Lys	Leu	Ala	Lys	Ala	Ile	Gly	

	135		140	145	
5	gca cag tgc tac	tlg gaa tgt	tca gct ctg act c	ag aaa ggt ctc aaa.	1015
	Ala Gln Cys Tyr	Leu Glu Cys	Ser Ala Leu Thr G	In Lys Gly Leu Lys	
10	150	155	. 1	60	
	gcg git tit gat	gaa gca atc	ctc acc att ttc c	ac ccc aag aaa aag .	1063
	Ala Val Phe Asp	Glu Ala Ile	Leu Thr Ile Phe H	is Pro Lys Lys Lys	
15	165	170	175	180	
•	aag aaa cgc tgt	tct gag ggt	cac ago tgc tgt t	ca att atc	1105
20	Lys Lys Arg Cys	Ser Glu Gly	His Ser Cys Cys S	er lle lle	
	•	185	190		
25	tgaggttgtc tggg	accigo ciccac	ccca tccagggatg a	gaatggcag c	1156
	<210> 120				
	<211> 194				
30	<212> PRT		•		
	<213> Homo sapi	ens .			
35	<400> 120	•			
	Met Leu Lys Cys	Val Val Val	Gly Asp Gly Ala Va	al Gly Lys Thr Cys	
40	1	5	10	15	•
	Leu Leu Met Ser	Tyr Ala Asn	Asp Ala Phe Pro Gl	lu Glu Tyr Val Pro	
4.5	20		25	30	
45	Thr Val Phe Asp	His Tyr Ala Y	Val Thr Val Thr Va	al Gly Gly Lys Gln	
	35		40	45	
50	•		Thr Ala Gly Gln Gl	lu Asp Tyr Asn Gln	
	50	55	6	60	
55	Leu Arg Pro Leu	Ser Tyr Pro A	Asn Thr Asp Val Ph	ne Leu Ile Cys Phe	
	65	70	75	80	

	Ser	Val	Va I	Asn	Pro	Ala	Ser	Tyr	His	Asn	Val	Gln	Glu	Glu	Trp	Val
5					85					90					95	
	Pro	Głu	Leu	Lys	Asp	Cys	Met	Pro	His	Val	Pro	Tyı	Val	Leu	He	Gly
10	•			100					105				•	110		
	Thr	Gln	He	Asp	Leu	Arg	Asp	Asp	Pro	Lys	Thr	Leu	Ala	Arg	Leu	Leu
15			115					120				•	125			•
	. Tyr	Met	Lys	Glu	Lys	Pro	Leu	Thr	Tyr	Glu	His	Gly	Val	Lys	Leu	Ala
		130					135					140				
20	Lys	Ala	Ile	Gly	Ala	Gln	Cys	Tyr	Leu	G1 u	Cys	Ser	Ala	Leu	Thr	Gin
	145					150					155					160
25	Lys	Gly	Leu	Lys	Ala	Va l	Phe	Asp	Glu	Ala	lle	Leu	Thr	He	Phe	His
					165					170					175	
20	Pro	Lys	Lys	Lys	Lys	Lys	Arg	Cys	Ser	Glu	Gly	His	Ser	Cys	Cys	Ser
30			·	180					185					190		
	lle	I I e														
35	<210	> 12	1													
	<2112	> 17	32													
40	<212	> DN	A					-								
	<213	> Ho	mo s	apie	ns								•			
	<220>	>														
45	<221>	CD:	S													
	<222>	(2)	(	259)												
50	<220>	•														
	<221>	uns	sure													
55	<b>&lt;222&gt;</b>	(2)	3)													•
	<223>	a, (	c, g (	or t					•							

	⟨220⟩
5	<221> unsure
	<222> (388)
10	⟨223⟩ g or. a
	⟨220⟩ .
	<221> unsure
15	<222> (631)
	<223> a or t
20	<220>
	<221> unsure
25	<b>&lt;222&gt;</b> (637)
	<223> g or a
	<220>
30	<221> unsure
	⟨222⟩ (638)
<i>35</i>	<223> g or a
	<220>
	<221> unsure
40	<222> (639)
	<223> g or a
45	<400> 121 · · · · · · · · · · · · · · · · · ·
	g gac att gag icc aag gag cag gig cgn acc cic acg ggc cac gig ggc 49
50	Asp Ile Glu Ser Lys Glu Gln Val Xaa Thr Leu Thr Gly His Val Gly
	1 5 10 15
	acc gtg tat gcc ctg gcg gtc atc tcg acg cca gac cag acc aaa gtc 97
55	Thr Val Tyr Ala Leu Ala Val Ile Ser Thr Pro Asp Gln Thr Lys Val

				20					25					30			
5	ttc	agt	gca	tcc	lac	gac	cgg	tcc	ctc	agg	gtc	tgg	agt	at g	gac	aac .	145
	Phe	Ser	Ala	Ser	Туг	Asp	Arg	Ser	Leu	Arg	Val	Trp	Ser	Met	Asp	Asn	
			35					40					45				
10	atg	atç	tgc	acg	cag	acc	ctg	ctg	cgt	cac	cag	ggc	agt	gtc	acc	gcg	193
	Met	He	Cys	Thr	Gln	Thr	Leu	Leu	Arg	·His	Gln	Gly	Ser	Va i	Thŗ.	Ala	•
15		50					55					60					
	ctg	gc t	gtg	tcc	cgg	ggc	cga	ctc	ttc	tca	ggg	gc t	gtg	gat	agc	act	241
20	Leu	Ala	Val	Ser	Arg	Gly	Arg	Leu	Phe	Ser	Gly	Ala	Val	Asp	Ser	Thr	
20	65					70					75		•	•		80	
	gtg	aag	gtt	tgg	act	tgc	taac	agga	tc c	aggc	cagg	sc tg	tggi	tttc	:		289
25	Val 1	Lys j	Ya l	Trp	Thr	Cys		•									
					85												•
30	cctga	acca	ag c	cctg	gacc	t tt	ctga	gcca	ggc	tggc	cac	atgg	ggtg	gto	tcgg	ggttt	349
	ctgco	tgc	cc c	gtgg	gcat	a gg	tgga	cagg	ctc	tggc	arg	ccgg	cagt	gc c	ctcc	ccgtc	409
																ctggg	
<b>35</b>																cctag	
																tttgg	
40																tcctc	
	gggac																
45	tgggg																
	cccct											•					
	cccaa															•	
50	agccg																
	gccct																
	gtgag	acag	c ag	gaag	gggg	: cci	gcad	cgcc	ggg	acgc	cac	clcci	cca	gc c	gcc t	ccacc	1069

cgccccacac cacaatcgct ggttttcggc attitttaaa tittttttt aagaaacgic 1129

aaagttgtgc ccaacactgt ggatcagcaa acacgalaga ggagaccagt cagtacttct 1189 tggaggggc aggaggaga aggaaaaggg agggcgagaa tgaccacaca acacagcctt 1249 ggaccatgag cagaagcgtc cgtgggaact ccactggggt ggatgggctg cctgcacagc 1309 ccctggagag ggggccaggc acaccctcag, agggagctgc aagcccgtgg cctggcctgc 1369 tacatgecet gettecaegt ggetgecaeg etgacaeaec caeatteaec aaaeceaece 1429 gegeeetggg acgeageeae geeaggagga ggacaeggee geegagagea aggeaeaaee 1489 15 tcgagttctt ggggcgcaga gaacttagga gagaagcacg gaggagcccc cggcagagca 1549 cccgccccg ggccccagcc itccacctgt gctagcagcc tggggcctcc actctggccg 1609 gaggaaggac cgcaggcaga cagccigggc cictaacagc tittgiccgg agctagactt 1669 20 cgtglccttt cagttggtaa alggltttcl atagaatcaa taatatttct ttctttaaat 1729 ata 1732 25 <210> 122 <211> 86 30 <212> PRT <213 Homo sapiens <220> 35 <221> unsure (222) (9) <223> unknown (400) 122 45 Asp Ile Glu Ser Lys Glu Gln Val Xaa Thr Leu Thr Gly His Val Gly 10 Thr Val Tyr Ala Leu Ala Val Ile Ser Thr Pro Asp Gln Thr Lys Val 20 25 30 Phe Ser Ala Ser Tyr Asp Arg Ser Leu Arg Val Trp Ser Met Asp Asn 55 35 40 45

	Met ]	lle Cys	Thr	Gln	Thr	Leu	Leu	Arg	His	Gln	Gly	Ser	Val	Thr	Ala
5 ·		50				55				•	60				
	Leu A	Ala Val	Ser	Arg	Gly	Arg	Leu	Phe	Ser	Gly	Ala	Val	Asp	Ser	Thr
10	65				70					75					80
	Val L	ys Val	Trp	Thr	Cys			•							
15				85								•			
,,															•
	<210>	123													
20	<211>	603													
	<212>	DNA					•								
	<213>	Homo s	apie	ns								,			
25	<220>														
	<221>	CDS								•					
30	<222>	(168).	. (35)	0)						•					
	<220>														
	(221)	unsure													
35	<222>	(343)											•		•
	<223>	g or a													
	⟨220⟩														
40	<221>	unsure							•						
		(422)													
45		t or c							•						
	⟨220⟩					•									
								•			•				•
50		unsure													•
		(457)					•								
55		g or c													
	<400>	123													

	gilciticce ceaeceigee acaeceiggg agaaaaaaci agaciiigge ticagaaage 60
<b>5</b>	acagatgiga cocaggotta ciaaagagac aaciccacag cocigggaac acaciciiga 120
	gccaaactig gligaagact aggicticce iggcaagite eggaaga aig gae ita 176
10	Met Asp Leu
	1
	ctg act tit atc aac tot tot cac igo caa ggo caa cag cat ctg agg 224
15	Leu Thr Phe Ile Asn Ser Ser His Cys Gln Gly Gln Gln His Leu Arg
	. 5 10 15
20	tat ago til itg gga gta cot got tic tig cot cot gga gga tat tit 272
	Tyr Ser Phe Leu Gly Val Pro Ala Phe Leu Pro Pro Gly Gly Tyr Phe
25	20 25 30 35
25	ctg tcc lgg ggc ttc atg gcc cct ctc ttc cct gtt aca cat tgc tgt 320
	Leu Ser Trp Gly Phe Met Ala Pro Leu Phe Pro Val Thr His Cys Cys
30	40 45 50
	gct tca gag cct tig cag cig cra cct agt tgaatccaca taggsticct 370
35	Ala Ser Glu Pro Leu Gln Leu Xaa Pro Ser
	55 60
	tccacacggt gggaaggate ttgctgcttt cactcacagg accagggagt tyttcaatca 430
40	ggaggtgggt littgttccc itcaggscit tggcaacatc tagagacagt titgattgcc 490
	acgcctggag tgggatgtgt gtgctactgg catctagtgg ctgctaaaca tcctacactg 550
45	cataggatag (ccccactac ccccagccaa gaatlatetg actccagggg (ca 603
	<210> 124
	<211> 61
50	•
	<212> PRT
55	<213> Homo sapiens
	⟨220⟩

	<221> unsure										
5	<b>&lt;222&gt;</b> (59)										
	<223> unknown										
10	<400> 124										
	Met Asp Leu Leu Thr Phe Ile Asn Ser Ser His Cys Gln Gly Gln Gln										
	1 5 10 15										
15	His Leu Arg Tyr Ser Phe Leu Gly Val Pro Ala Phe Leu Pro Pro Gly										
	20 25 30										
20	Gly Tyr Phe Leu Ser Trp Gly Phe Met Ala Pro Leu Phe Pro Val Thr										
	35 40 45 .										
25	His Cys Cys Ala Ser Glu Pro Leu Gln Leu Xaa Pro Ser										
	50 55 60										
	<210> 125										
30	<211> 1289										
	<212> DNA										
35	<213> Homo sapiens										
	<220>										
40	<221> CDS										
	<222> (775) (1017)										
	<220> .										
45	<221> unsure										
	<222> (200)										
50	<223> g or a										
	<400> 125										
	tatgcgagcc aatatigaga gaggaattit gctgaggitt tctctgaggt tiitttgalg 60										
55	cittalagga aactaittti taaaaaaaagc catlicccac ccaaggacac agiggaigig 120										

	ttttcc	ctga	ctcca	gcagg	gcaag	gaatg	taa	accg	agag	gtt	gtgt	ggg	ctgg	gctctg	180
5	gtgccc	ctt	ccctg	gcccr	gaaca	cctct	cct	tcct	gatt	ссс	ttgg	cac	ctlg	tctttc	240
	tgtctg	itta	cctgt	ctccc	tgcct	gccca	tci	t gc a	tctt	ttg	cago	cca	ctct	gactic	300
10	catcigs	ggg (	cigag	accac	cctlg	cctgc	ccc	ctt	cttt	ctg	cctt	aag	aalg	tccttt	360
	taggote	ggc a	atggt	tgtca	cgcct	gtaac	ccc	cago	actt	tgg	gagge	cgg	agacı	gggcag	420
	ataacci	gag	glcag	gattt	cgaga	ccaac	cts	gacc	taca	tgg	agaa	act	ccgc	ctctag	480
15	taaaaat	aca	aaatt	agccg	ggcat	ggtgg	tgo	cacgo	cctc	taa	tccc	agc	tacto	cgggag	540
	gctgagg	cag (	gagaa	tçact	tgaac	ccġgg	aag	gtgg	aggt	-t gc	agtga	agc	caag	agtaca	600
20	ccactgo	act	ccago	ctggg	caaca	gagcg	aga	ectc	cgtc	t t a	aaaa	aaa	aaaa	aaaaag	660
	aacgccc	itt (	tactg	tcctc	atcate	cccag	tti	gage	gcag	tgc	tgga	gtg	gggaa	aggccg	720
25	tettaga	cca 1	tagag	gttgg	aagac	gctga	gag	gatca	atcc	agc	cago	ccc	cttg	atg	777
		~			•									Met	
											•			i	
<b>30</b>	tta cag												•		825
	Leu Gln	Ser		Arg G	ln Met	Pro		Gln	Glu	Lys	Ala		Ala	His	
35			5				10					15			
	ggt cat														873
40	Gly His	1nr 20	Ala	GIY C	ys HIS	25	ınr	LAS	met	RIA	30	Leu	· Pro	GIN	-
	cgt gcc		cta i		ic cca		cca	<b>7</b> 00	300	***		222	000	202	921
	Arg Ala														J 2 J
45	35		<b>D</b> Cu .		40	0.4		u.,		45	110	Д		****	
	lca tgt		aag a	agt a		ggc	tcc	itg	acc		aat	CEE	ccc.	tgg	969
50	Ser Cys														
	50	204	-,• (		55				60			0		65	
55	gag cca	cca	ggt			gcc	tct	gcc		gtc	car	gcc	ttg		1017
					-	-		-	_						

	Glu Pro Pro Gly Gly Lys S	er Ala Ser Ala Arg Val (	Gln Ala Leu Gly
5	70	75	80
	tgacagacag cttgcccgca cac	togggco coactcaagg atgta	agggcc titiciggcc 1077
	cctgacccct ccctgggcat tgg	gagogig gggaoggggo iggod	ctiggg aggageggea 1137
10	ggggcatcac ctccttctgc tgc	ttelece igeteclace eteas	agggee tgggggetge 1197
	ccagctgcct ctatgcccti ctg	ggggtct cagcccactg ctgac	cactic igcaatccag 1257
15	agaaacacta aataaagcaa tac	gtgtttg cc	1289
	⟨210⟩ 126		
20	<211> 81		
	<212> PRT	•	
	<213> Homo sapiens		
25	. <400> 126		
	Met Leu Gln Ser Arg Arg G	In Met Pro Lys Gln Glu L	.ys Ala Leu Ala
30	 1 5	. 10	15
	His Gly His Thr Ala Gly C	s His Lys Thr Lys Met A	la Ala Leu Pro
<i>35</i>	20	25	30
	GIn Arg Ala Ser Leu Pro Le	eu Pro Glu Pro Gly Ser P	ro Ile Lys Pro
	35	40	45 .
40	Thr Ser Cys Leu Lys Ser II	e Ser Gly Ser Leu Thr S	er Asn Arg Pro
•	50	60	•
45	Trp Glu Pro Pro Gly Gly Ly	's Ser Ala Ser Ala Arg V	al Gin Ala Leu
	65 70	75	. 80
	Gly		
50	<210> 127		
	<211> 1085		
55	<212> DNA	_	

<213> Homo sapiens <220> <221> CDS <222> (734).. (886) 10 · <220> 15 <221> unsure <222> (276) <223> g or t 20 · <400> 127 ttttgagaca gagttttgct ctcattgccc aggctggagt gcggtggtgc tatttcagct 60 25 caccacaacc telgecteet gggttcaage gatteteetg cettageete cegaataget 120 ggaattacag gcacgcacca ccatgcctga ctaattitgt attittagta gacatggggt 180 30 tictccatgt iggicagget ggtctcaaac teccaeette aggtgateeg eccaeetegg 240 cctcctgagg tggctgagat tacaggcgtg caactkgtgc cagcttgcta attttcacag 300 aagtigatgg caattettea catglaaaca gtgccagtge acagaacett tatatattit 360 35 tigaagccag tacigigcic igcatataac aaagcigcii caaggaigag accillitci 420 aaaagcaigi aaigigagaa gccggccigc citattitct tittictiti tiaaigatia 480 aaaatagitt giggcaaggc acggiggcic aggccigtaa tictagcact tigggaggcc 540 gaggcaggag galtactiga gcctacaagt tigatgggcc agcatgcaca gcatagcaag 600 actgcatctc tacagagagt aaaaaaaatt acccgagtgt ggtgatgtgc atctgtaatc 660 45 icagciacii gggaggciga ggigagaga icaciigagc ligggigagg lgaggcigca 720. gigagiccig atc aig cig cig cac tca atc tig gac aac aga gca aga 769 50 Met Leu Leu His Ser Ile Leu Asp Asn Arg Ala Arg

ccc igi cic aaa aaa aaa aaa aat ata lal ata tat ata tat iit 817

55

10

	Pro Cys Leu Lys Lys Lys Asn Ile Tyr lle Tyr lle Tyr Tyr Phe	
. <b>5</b>	15 20 25	
	tat gag gtg aag tgc atc aaa ctt ggg aaa gal itg agg agg cig gga 865	
	Tyr Glu Val Lys Cys Ile Lys Leu Gly Lys Asp Leu Arg Arg Leu Gly	
10	30 35 40	
	acc tee tgg aaa acc act eet tgaagaaaga talgagagae attlagaagt 916	
15 .	Thr Ser Trp Lys Thr Thr Pro	
	45 50	
20	galteetget ticagaagga ggtggattea aatacateaa aagteeette etetgelaag 976	
	tgtttatagt icaatgaata atticaatat tigtatgigt ictigicati tiattititi 1036.	
	ctgaaaaact tccaaaaatt tgaaaataaa attacagcct tttcttctt 1085	
25	<210> 128	•
	<211> 51	
30	<212> PRT	
	<213> Homo sapiens	
<i>35</i>	. <400> 128	
	Met Leu Leu His Ser Ile Leu Asp Asn Arg Ala Arg Pro Cys Leu Lys	
	1 5 10	
40	Lys Lys Lys Asn Ile Tyr Ile Tyr Ile Tyr Tyr Phe Tyr Glu Val Lys	
	20 25 - 30	
45	Cys Ile Lys Leu Gly Lys Asp Leu Arg Arg Leu Gly Thr Ser Trp Lys	
	35 40 45 .	
	Thr Thr Pro	
50	50	
	⟨210⟩ 129	
55	⟨211⟩ 1544	
	••	

	<212> DNA	
5	<213> Homo sapiens	
	<220>	
10	<221> unsure	•
	<222> (1076)	
15	<223> g or a	
	<400> 129	
20	gctitgaact tactcaggaa agccagccc cataatattg tattaccaaa cagtatcgct	60
20		
	tigitaggaa ggatolggaa taaloligaa gggaagicag agiittotoo oigcolatta	120
25	• :	
	acaaaaaccc aattiigiic atattgaagc atgaaalaaa tgagagcaag gtagggccaa	180
30		
	attaactett giggacagte ectaaaagte cagtictaca tiigigaaaa tigiggigee .	240
35	atgaattaag atggatgact ggaaaaaggt gtiggagaaa gagttaaaga tgaggaagag	300
	and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a state and a	300
	atattittag latatgaagt tatccaggga ciigatatic ataaticagt gcigiggaaa	360
40		
	tgaaaaaat gattgaagag giggaacgga aatgacctia gggggaaaaa aaaggaccaa	420
45	·	
	agaagtotga itaaaagttg aaatcagtat ticigaatto aaattgotig aatttocaaa	480
50	•	
	atagicagia aaggatetaa tagaaccaga attalitggg igaalicige aggittatg	540
	•	•
55	ggcitgicac aacgigaagg gciggaaigi alailaccaa aigggaaiti ccaligiagg	600

	tttttgctag	tcccaccccc	attttagcct	aatttggctt	aaacgcagta	tggggagaat.	660
5	tgttcccatt	ccatgtgttc	tgaattcagc	tcatctccca	gcatatagat	atatcctcct	720
10	ttaactccga	ccagaaccct	tcliccigig	gcactcccca	cccatagacc	ttcagatcat	780
15	ctcccacacc	ctggatctca	ctctcctctt	agtaacagag	acactcctga	ggttggactt	840
20	ccttgctttt	ctctacttcc	aaatcacaat	·ttcttacaac	caagctitgt	gctcccgagt	900
25	aagcagggat	gtactagggg	aatgtaaaac	tgcaaactta	aaaacctgca	tcttcttgaa	960
30	gcatcagttt	tacttaccaa	atggttlaga	gtcataagat	gacciatiti	tatataaaag	1020
<i>35</i>	ttatattata	gaataaaatg	ttcatacgca	tagactgita	agataaaaaa	ataggraatc	1080
	tigcaaggla	attcitattt	gcaagtgggt	latgtgttca	cictccicta	cctttalggt	1140
40	attttggtgt	tcacttacga	agcatacaac	tagaaccata	tccaagcaga	ctctgggttg	1200
45	ctgttaaccc	agggcctaga	citctagigc	ctctgaggca	gaaccaaagg	agcctgcact	1260
50	gggggaaatc	ccttttcctg	cctgcctgtc	tgccigigac	cigigiacgi	altacaggci	1320
55	ttaggaccag	ctgattgtta	tgcttgcagg	atggtiltga	aacagaaaca	atacttgttl	1380

5	actgtaggaa	tcctatttat	attattitic 	agtcctgtga	atgctgtgaa .	aagatttatt	1440
	cctttgaggc	caggaagcic	ccaggcatat	atgcttctag	gttaggattg	tcclgactca	1500
o	ctaaagatgc	caggatattg	gggclgaggg	gagtitgagg	Igit		1544
5 .							
	<210> 130						
	<b>&lt;211&gt; 508</b> .		•			٠.	•
	<212> DNA						
	<213> Homo	sapiens			·		
25	<400> 130						
	tgaaatcagg	gctggagctt	tacttaggat	tcacatggcc	tcctaggaac	catgggacaa	60
3 <b>0</b> -	atgggaaaca	ggttatcggg	ggattcatga	agtcagtgag	agtaattgct	tcttttttgc	120
35	gggtgaactg	aalgtatitc	ttcaccaaat	cttgatgtta	acaattaaaa	agaagaaatg	180
40	acatgcaagt	aggicitagc	agaaaaatgc	aggctgggca	tgagtcatgt	tgttacccic	240
45	ccacatgctc	ctacaatcca	cagagalgcc	tglctgcagg	tictigaagt	latigitagi	300
	attiggialc	tcaaattitt	cgtcactgit	cacatgccac	litcicigig	cacagiggta	360
50	tcctcatttg	ctttttaacc	tacactgagg	agictitgic	aggtigcact	gatiticcaa	420
55	ticigcagia	atgaglaagc	tcacggcatg	gggaagaaga	cagtcagtcc	aatgaagttc	480

	tctaaattat tttaacattg cctttgaa	508
5		
	<210> 131 .	·
10	<211> 1204	
,,	<212> DNA	
	<213> Homo sapiens	
15	<220>	
	<221> unsure	
20	<b>&lt;222&gt;</b> (50)	
	<223> g or t	
25	<220> -	
	<221> unsure	
	<222> (54)	
30	<223> g or c	
	<220>	
35	<221> unsure	
	<222> (300)	
40	<223> g or c	
	<220 <b>&gt;</b>	
45	<221> unsure	
10	<222> (407)	
	<223> g or a	
50	<220>	
	<221> unsure	
55	<222> (415)	

	<223> a, c, g or t
5	<220 <b>&gt;</b>
	<221> unsure
	<222> (417)
10	<223> g or c
15	⟨220⟩
	<221> unsure
	<222> (419)
20	<223> t or c
	<220>
25	<221> unsure
	(222) (430)
<i>30</i>	⟨223⟩ a or t
	⟨220⟩
	<221> unsure
35	<222> (448)
•	<223> t or c
40	<220>
	<221> unsure
	<b>&lt;222&gt;</b> (449)
45	<223> g or t
	<220>
50	<221> unsure
	<222> (472)
55	<223> a, c. g or t
	Z400\ 101

⟨400⟩ 131

	ggcccctggc	aatttgcctc	aagatggggg	tttgaaaata	actttacctk	actsaaggag	. 60
5	tgtctggagc	accicctagt	ctaagtctgc	aagctccagt	tcttgcctaa	aaccatgcca	120
10	gtggccaccc	ttgggctcag	acagcicigg	gccttltgac	cacaagccag	eccetegece	180
15	tctctgtggc	atagictict	ctgccccagg	actgcagggc	ggcttcctcc	aagget teea	240
20	aggcicaaaa	gaaalttggc	tccatccaag	aaggctccag	ctcccctact	ggcccctggs	300
25	ttcaggccca ~	caccctggg	ccagggccag	agagtgtgtc	tcaggagaat	tcaatgggct	360
<i>30</i>	ctagagagac	acacagaaag	tttgggcatt	tgggaaattt	tcaaggrtgt	atgtntsgyt	420
35	cacgtatggw	gcaggttgtc	ctggtccykg	ggtgcaggga	aglgggclgc	anggaagtgg	480
40	attggagggg	agcttgagga	atataaggag	cggggglgga	gactcaggct	atggacaagg	540
45	acagececaa	ggttgggaag	acctggcctt	agtcgtcctc	agcctagggg	cagggcagtg	600
45	aagaaagctc	teccegetee	tgctgtaatg	acccagagia	gcctccccag	gccggcatct	660
50	tatglgtgtc	ttccaccatc	ctcatggtgg	cacttttcta	ggcctgtctc	ccagcatigi	720
55	gcaaggctcg	gaagagaacc	agggaagtga	aactgggtga	aaacagaaag	ctcaatggat	780

	gggctaggtt	ccccagatca	ttagggcaga	gttigcacgi	cctctggtca	ctggaatcca	840
5	cccagcccac	gaatcatctc	cctcttgaag	gatittatti	ctactgggtt	t t ggaacaaa .	900
10	ciccigciga (	gaccccacag	ccagaaactg	aaagcagcag	ctcccaaag	cctggaaaat	960
15	ccctaagaga a	aggccigggg	caggaagtgg	agtgacaggg	gacaggtaga	gagaaggggg	1020
20	cccaatggcc a	agggagtgaa	ggaggtggcg	ttgctgagag	cagtctgcac	atgcttctgt	1080
25	cigagigcag g	gaaggtgttc	cagggtcgaa	attacacttc	tcgtacctgg	agacgctgtt	1140
	tgtgggagca c	tgggctcat	gcctggcaca	caataggtct	gcaataaacc	atggttaaat	1200
				•			
30	cctg						1204
35	cctg <210> 132						1204
					·		1204
	<210> 132 <211> 508 <212> DNA <213> Homo s	apiens					1204
35	<210> 132 <211> 508 <212> DNA <213> Homo s <220>						1204
<i>35 40</i>	<210> 132 <211> 508 <212> DNA <213> Homo s						
35 40 45	<210> 132 <211> 508 <212> DNA <213> Homo s <220> <221> unsure						1204
<i>35 40</i>	<210> 132 <211> 508 <212> DNA <213> Homo s <220> <221> unsure <222> (223)		· .				1204
35 40 45	<210> 132 <211> 508 <212> DNA <213> Homo s <220> <221> unsure <222> (223) <223> a, c,	g or t					1204

	<223> a. c. g or t	
5	⟨220⟩	
	<221> unsure	
10	<b>&lt;222&gt;</b> (380)	
	<223> a. c. g or t	
15	<220>	
	<221> unsure	
	<b>&lt;222&gt; (468)</b>	•
20	<223> a, c, g or t	•
	<400> 132	
25	cccgggagaa tcacttcagc ctgggagatc aaggctgcag tgagctctga acgcaccact	60
30	acactccago cigggigaca gagigagato cigicicaaa aaaagagaaa gaaaacciit	120
35	gagattette cattittaga getgagagag caettgigaa acaeacaea atgeacaaac	180
	atataaacat gcatacaggc atgcacatgc acacacaaat acncatacac acacacnagc	0.40
40	araranacar scaracasse arseacarse acacacadar acheatacae acacachage	240
	acacacacac caccaccacc atcatcagag gaacttacag aaaaggggac atttatagat	300
45		500
<b>15</b>	toctaggaat atgocaaago tittoaaago cictaiggao agotoatico itaaciitto	360
50	ctctttaaaa tctttttan ctlcttattt gccccagcca ctatcactgc ctcaggcagc	420
55	tgcaacgita aacaatigcc acigaliaci ticaacaaat aaccicanag aaaaggcigi	480

	gigiaitgaa igggiaicaa gicacgic	อบช
5		
	(210) 133	
	<211> 484	
10	<212> DNA	
	<213> Homo sapiens	
15	<220>	
	<221> unsure	
20	<222> (313)	
	<223> a, c, g or t	
	<220>	
25	<221> unsure	
	<b>&lt;222&gt;</b> (336)	
30	<223> g or c	
	<220>	
	<221> unsure	
35	<222> (401)	•
	<223> g or c	
40	<400> 133	
	gicgacicga gcggccgcgg accglitti ittillict ciccicigcc cciictaata	60
45	·	
	totiggagag ggatggagac igaagagiga giliggicoi coaciigato caggitotia	120
		100
50	tttttgtttt clacttcaaa gcgagaactt gglactgtga cittgalaag aattgacitc	180
		0.40
	aggcccagca agatecetea tgcctgtaat eccagcaett tgggggggcca aggcaggagg	240

	attgcgtgag	cccaggagtt	cgagacccac	ctgggcaaca	tagggacctt	gtctctacaa	300
5			landarian.	antanataat			360
	8888188881	tancigggii	(galggigca	catcastggt	cciggciaci	CARABARACCA	300
10	agglgggagg	aatgcttgag	gatcggaggl	caaggcigca	stgagccaat	attgtgccac	420
15	tgcattccag	cctgggcaac	agagigagac	actgtcttaa	aaaaaaaaaa	aaaaaacggt	480
20	ccgc						484
25	<210> 134				•		-
	<211> 605						
	<212> DNA						
30	<213> Homo	sapiens					
	<400> 134						
35	gctgcatgtc	taaaattaca	tggagttagt	gtctattctt	tttccccttt	tgcagcaact	60
						*******	i.20
40	tacacagcat	IIIIaacacc	tittititt	agililitig	ricggiiiig	ttttccatca	120
	ggaatttgag	ttctctctaa	cccagcttac	tgtgggacat	aggaaaactc	aglagaaala	180
45							
	cctttggtga	tcttgttgag	tttaagtctg	atcttgatct	taaactcagt	aagccactat	240
50				•			
	ctgcaatttt	gtacatlata	tagtatitig	aagatatgga	accitaigaa	aaaaaaatag	300
55	0000115011	011111000	000000000	antiatatta	Igaaaatagt	gigigiette	250
	caaaltagtt	CILLICCCC	CARARRRAGG	agilalgilC	racaaataat	RIRIRICILA	360

	tttta	ctgt	t ga	acag	caat	tgc	tatt	tat	tttt	ttat	tg c	ctag	a act	t ca	acat	gttg		420
5																		
	tatag	gaat	c ct	gtag	tgcc	act	agtt	aaa	tgcc	gaat	tc t	catc	tgga	t gt	tacc	atca		480
10	•					•												
	aacat	cagt	a ca	cttg	tcat	ttc	acat	gtg	ttta	atgt	ga c	agtt	tttc	a gt	actg	talg		540
15								•										
	tgtta	attt	c ta	c <b>t</b> t t	tttt	aat	attt	aaa	attg	cttt	ta a	ataa	acata	a ti	ctca	gttg		600
20																		
	atccc																	605
		_													•			
25	<210>	135																
	<b>&lt;211&gt;</b>	1786	6										٠					
30	<212>	DNA																
	<213>	Homo	sa)	pien	S			•				•						
35	<220>																	
	<b>&lt;221&gt;</b>	CDS																
40	<b>&lt;222&gt;</b>	(2).	. (1	51)					•		·							
40	⟨220⟩																	
	<221>	unsu	re															
45	<222>	(689)	<del>)</del> )				•											
	<223>	g or	a															
50	<b>&lt;400&gt;</b>	135													•			
	g gca																49	
55	Ala	Arg	Gly	Ser	Ser	Ala	Тгр	Gly	Gln	Val	Leu	Leu	Cys	Leu	Leu	Ser		
	1				5					10					15			

tac ctc tct cca cag cag ggc tct caa aac cat ttt gat ccc cca ttg 97 Tyr Leu Ser Pro Gin Gln Gly Ser Gln Asn His Phe Asp Pro Pro Leu 25 20 30 gca gag ggt tcc cct ctt tac aga gtt cag tca tta aaa gca tgg atc 145 10 Ala Glu Gly Ser Pro Leu Tyr Arg Val Gln Ser Leu Lys Ala Trp lle . 35 45 ago tgt taatotoati ggaggaggga actgittooi gcattoatto atoigggaac 201 Ser Cys 50 20 ctictigagi agccactgic igccagccac igcictagag aigggaaaac agcacggaac 261 aaaaccaagg tottictice agcgaattta tatcottcag gaagetggti cetgecacca 321 acttagcagg caacagtict cctccctag tgggcacagg gtaccagiti tgtaggaaaa 381 giggiccage aaaggaagaa agcagaccaa cccagetgee tiacettati eiggggeeat 441 tecceageg atgagagetg cictigitic tactgecace ateteticing getgeactic 501 acctgctgct tgagctictg accttccttc agttccacca aatgaggaca ggaaatagca 561 gtcaagaccc ctgggccctg ctgagcgtga aacaggaagg caatgggatg agttgctggg 621 35 acggaagaat gggcctgggg cagaacaaat agggagcatt tgaaagcttc tggctgataa 681 atotocarge tgcatcocgg tigocacgoo tgcccccatt aacotgotoc tggtaaatac 741-40 tgatccagca gctgctccag gagaggccgi ctttttttc ccagccacgc tgtgtctttg 801 catgagactc cttggggcct gggcacagag agaaaagaat tgagactcag gaggctcagt 861 gggtgagaaa atgcaaagtg gcttcacaga cacagggctg tgggagcaga tcgacgggga 921 45 actigggaga igaacticag ggccticcga cgccligici caggaacatg ctitgagaaa 981 aatggtagca teetticeat aacteagtet etelleecta gttteectga agtgtgaegt 1041 50 titiagiatot ggagotoagi gatococaig aatgagggat aaagittoac totiggiati 1101 ticlaactag tgctagggaa agtcclgaga cacgaicaca gccacigcii ggcatacagg 1161 gcctccaccc aataagcaaa ciggagatic cicagccici cgtggacacc.cacatctcat 1221

tetteteaca geagagaage tetecettea geetgagetg tettettet getgeagtge 1281 agectgetee etectaceet ggeeteaagg aaggtgggaa acatettetg catticaaag 1341 tecteactit gaettattig geeticatet iggealggaa ggiggeagge agaalggaaa 1401 tacctcccc caaacaaaac agatatictt gcgtgtgtaa gggcagaagg gacaagctct 1461 10 ctateceatg agactagggg eeggageeca cetgeettte eecacaactt tieetgetea 1521 aacccactcc tottgacaca otggaatotg tattalatat attittaaga aaatacaatg 1581 atggligici ggiltigiig ittilacagg igilgiggaa taaaaactgi aagaaaatta 1641 15 agtatttaaa atgttccaat aaagtggggt titttgttat tctaatatat tattgigtac 1701 ctattgtaaa latgaaacac teclatttig caagetgagg acacaattig tactgttgtt 1761 20 1786 atatataaat aaagtttact gaatt <210> 136 25 <211> 50 <212> PRT 30 <213> Homo sapiens <400> 136 Ala Arg Gly Ser Ser Ala Trp Gly Gln Val Leu Leu Cys Leu Leu Ser 35 10 1 15 Tyr Leu Ser Pro Gln Gln Gly Ser Gln Asn His Phe Asp Pro Pro Leu 40 20 25 30 Ala Glu Gly Ser Pro Leu Tyr Arg Val Gln Ser Leu Lys Ala Trp Ile 45 Ser Cys 50 50 <210> 137 <211> 835 <212> DNA

	14	13/	nomo	sap	iens			•				•					
5	<2	20>	•												•		
	<2	21>	CDS														
	<2	22>	(535)	) (	729)				•								
10 .	<4	00> :	137		•							•					
•	gaa	aaaal	tctc	atta	ettto	aa	aatga	taga	c at	atac	caaa	aac	aagt	cta	taat	gtgagt	60
15	agi	ttact	aaa	attt	acac	at	cttaa	aagt	g įg	taaa	tgct	taa	attt	cag	aatt	accatc	120
	aga	acct	caa	ttga	catt	cc	tttga	atag	g ct	aata	agtg	aca	aata	aga	ttaa	taagat	180
20	tti	tcaa	aat	cgcc	agga	ct.	ggtga	atat	a aa	lgat	gatt	gaa	clgg	aat	aata	t t gggg	240
	aco	aaat	caa	atga	atga	tt	aaatt	atga	a gc	tcat	atcc	ttt	tgaa	ggt	agtt	gcaaag	300
25																tcatta	
																aaggtc	
														•		atttgg	480
30	lla	lgit	gat	aaac	caaa	aa (	cattt	gatta	a at	aaaa	tatc	tat	ttga	ata	aatt		537
				•												Met .	
35	2 g c	tat	cct	tte	222	C 2 G	z cla	tta	ar. o	aat					212	1	C 0 C
							Leu										585
40		•••		5	2,0	<b></b>	. 202	200	10	501		273	110	15	110	1 9 1	
	aca	cat	agt	ici	gia	ala	a aaa	ctg		gac	ttc	tca	agt		atg	act	633
45				•			Lys										
<b>45</b>			20		•		•	25				•	30				
	tcc	tta	ttt	ctg	aac	agt	act	ggt	t ac	ttt	caa	aat	gaa	itt	tta	llg	681
50	Ser	Leu	Phe	Leu	Asn	Ser	Thr	Gly	Tyr.	Phe	Gln	Asn	Glu	Phe	Leu	Leu	
		- 35					40	•				45					
55	aga	ttt	tcc	att	aac	tat	ttt	ttt	caa	aga	ctc	aaa	ltl	tgt	acc	aag	729

	Aig	Phe	Ser	He	Asn	Tyr	Phe	Phe	Gln	Arg	Leu	Lys	Phe	Cys	Thr	Lys	
5	50			•		55					60			•		65	
	taaa	itcca	agg (	ettta	atgla	ac aa	acat	gtte	ttt	gttt	tat	ttg	gggci	lgg (	gggag	gtata	789
10				actto	tcg	ga ai	Itcal	taata	. aa1	ittto	taa	aago	ect				835
		)> 13															
15	<211	> 69  > PF															
	<213	> H	omo s	sapie	ens									•			
20	<400	> 13	38														
	Me t	Ser	Tyr	Pro	Phe	Lys	Gln	Leu	Leu	Ala	Ser	Phe	Lys	Pro	Lys	Ile	
25	1				5					10					15		
23	Tyr	Thr	His	Ser	Ser	Val	He	Lys	Leu	Phe	Asp	Phe	Ser	Ser	Asn	Met	
				20					25					30			
30	Thr	Ser	Leu	Phe	Leu	Asn	Ser	Thr	Gly	Туг	Phe	Gln	Asn	Glu	Phe	Leu	
			35					40					45				
35	Leu		Phe	Ser	11e	Asn		Phe	Phe	Gln	Arg		Lys	Phe	Cys	Thr	
		50					55					60					
	Lys														•		
40	65																
	<210	> 13	39														
45	<211	> 62	26														
	<212	> DN	٨A														
50	<213	> Hc	omo s	sapie	ens												•
	<220	>			•					•	·						
	<221	> CI	os														
55	<222	> (1	1)	(201)													

	<220>
5	<221> unsure
·	<222> (348) · · ·
	⟨223⟩ t or c
10	⟨220⟩
	<221> unsure .
15	<b>&lt;222&gt;</b> (353)
	<223> a or t
20	<220>
	<221> unsure
	<222> (358)
25	<223> a or t
	⟨220⟩
30	<221> unsure
	<b>&lt;222&gt;</b> (363)
35	<223> a or t
	<220>
40 .	<221> unsure
	<b>&lt;222&gt;</b> (368)
45	<223> g or a
	<400> 139 · · · · · · · · · · · · · · · · · · ·
50	igt itc agi gig aci gic tig ita gag gig aag iit atc cag ggi aac 48
	Cys Phe Ser Val Thr Val Leu Leu Glu Val Lys Phe Ile Gln Gly Asn
	1 5 10 15
55	At at any and the ten til the low act goo off and good age ato. Af

	Leu Leu Thr Asn Tyr Ser Phe Leu Trp Pro Gly Val Lys Gly Ser Met	•
5	20 25 30	
	get cae act ggt gaa aat aag gaa gge etg gte tta tet tgt att aat	144
	Ala His Thr Gly Glu Asn Lys Glu Gly Leu Val Leu Ser Cys lle Asn	
	35 40 45	
	aat act ggc tgc att cca cca gcc aga gat ttc tat ctg cga aga cct	192
15	Asn Thr Gly Cys Ile Pro Pro Ala Arg Asp Phe Tyr Leu Arg Arg Pro	
	50 55 60	
20	aig aaa cac igaagagaaa igiaggcaga aggaaaiggc cacalaicac 2	241
	Met Lys His	
25	65	
	aagiiciati alataticii tiglaaatac alatigiata itaciiggat gitiicitat 3	
	atcatttact gtctttttga gitaatgtca gtttttactc tctcaaytta cwaigtwaca 3	
30	twgtaartaa cataatgtcc titattatti atailtaagc atctaacata tagagiigii 4	
	ticatataag titaagataa atgicaaaaa tataigiici titgiitiic tiigciitaa 4 aattaigiai ciiticciii iciiiilii aagaalaali latigiicag gagaaagaal 5	
35	gtatalgtaa cigaaactat cigaagaatg cacaligaag gccgigaggi acigataaac 6	
		26
10		
	<210> 140	
	<211> 67	
15	<212> PRT	
	<213> Homo sapiens	
0	<400> 140	
	Cys Phe Ser Val Thr Val Leu Leu Glu Val Lys Phe Ile Gln Gly Asn  1 5 10 15	
5	1 5 10 15	

20 25 30 Ala His Thr Gly Glu Asn Lys Glu Gly Leu Val Leu Ser Cys Ile Asn 40 45 Asn Thr Gly Cys Ile Pro Pro Ala Arg Asp Phe Tyr Leu Arg Arg Pro 10 50 55 60 Met Lys His 65 15 <210> 141 <211> 525 20 <212> DNA <213> Homo sapiens 25 <220> <221> CDS <222> (103).. (525) ⟨400⟩ 141 aagaaatgga ggactcagaa ccaaggattt ccaagtgatt tcttccaaag cacaggaatc 60 35 teactetett aaagetggte tgitetaact gagalgacag te'aig tee ett tee 114 Met Ser Leu Ser 40 agg gac cic aag gac gac iti cac agt gac acg gia cic icc atc ita 162 Arg Asp Leu Lys Asp Asp Phe His Ser Asp Thr Val Leu Ser Ile Leu 45 5 10 15 aat gag cag cgc att cgg ggc att tta tgc gat gtc act atc att gtg 210 Asn Glu Gln Arg lle Arg Gly Ile Leu Cys Asp Val Thr lle Ile Val 30 35 gaa gat acc aaa iii aaa gcc cat agc aai gii cig gca gci ica agc 258 55

	Glu Asp Thr	Lys Phe Lys	s Ala His Ser Asn	Val Leu Ala Ala	Ser Ser
5		40	45	50	ı
	ctg tat ttt	aaa aat atc	c iii igg agc cat	aca atc tgt att	tcc agc 306
10	Leu Tyr Phe	Lys Asn Ile	e Phe Trp Ser His	Thr lie Cys Ile	Ser Ser
,,,	55		60	65	
•	cac gtc ctg	gag ctg gac	e gat ete aaa get	gaa gig iii aci	gaa ata 354
15	His Val Leu	Glu Leu Asp	Asp Leu Lys Ala	Glu Val Phe Thr	Glu Ile
	70	•	75	80	
20	ctt aat tat	atc tac agt	t tcc aca gtc gtt	gtc aag aga cag	gaa aca 402
			r Ser Thr Val Val		Glu Thr
25	85	90		95	100
			gca gga aaa aag		
	vai int Asp	105	Ala Gly Lys Lys	ren gly lie Ser	
30	gaa gar cti		aac lic ica aat	tre cea aat cee	115
			: Asn Phe Ser Asn		
35	•	120	125	130	ly: vui
	ttc tgt att				525
40	Phe Cys Ile				
	- 135		140		
	/910\ 140				
45	<210> 142<211> 141	•			
	<2112 PRT				
50	<213> Homo s	anians			
	(213) Homo 3 (400) 142	apiens			
55		Car Ara As-	Ion Ive Ass 4	Dho Hie Can Ann	The Wal
-	mer Sel Ten	SEI WIR WED	Leu Lys Asp Asp	the ure Sel Asb	IUL A91

	. 1				5	,				10				15					
5	Leu	Ser	lle	Leu	Asn	Glu	Gln	Arg	lle	Arg	Gly	Ile	Leu	Cys	Asp	Val			
	•			20					25					30					
10	Thr	Ile	He	Val	Glu	Asp	Thr	Lys	Phe	Lys	Ala	His	Ser	Asn	Va l	Leu			
10		•	35					40					45						
	Ala	Ala	Ser	Ser	Leu	Туг	Phe	Lys	Asn	Ile	Phe	Trp	Ser	His	Thr	lie			
15		50					55					60							
	Cys	He	Ser	Ser	His	Val	Leu	Glu	Leu	Asp	Asp	Leu	Lys	Ala	Glu	Val			
20	65					70					75					80			
	Phe	Thr	Glu	He	Leu	Asn	Tyr	He	Tyr	Ser	Ser	Thr	Val	Val	Val	Lys			
05					85					90					95				
	Arg	Gln	Clu ·	Thr	Val	Thr	Asp	Leu		Ala	Ala	Gly	Lys	Lys	Leu	Gly			
				100				_:	105					110					
30	He	Ser		Leu	Glu	Asp	Leu		Asp	Arg	Asn	Phe		Asn	Ser	Рго			
	Clv	Dro	115	Vo 1	Dh.a	C		120	C1	1	C1	V - 1	125						
35	Uly	130	1 9 1	Val	riie	Cys	135	1111	GIU	LYS	GIY	va: 140	Yaı						
		10,0					100					140							
	<210	> 14	3																
40	<211	> 18	27																
	<212> DNA																		
45	<213		mo s	apie.	ns														
	<220		•											•					
50	<221															•			
	<222> (138) (1307)																		
	<400)																		
55	gaga	clig	gg c	tgga	gccg	с сс	t ggg	tgtc	agc	ggct	cgg	clcc	cgcg	сас	gc t c	cggcc	60		

	gt	cgcgo	cagc	ctcg	gcac	ct	gcagg	tcc	gt go	gtc	Cgc	g gct	ggcg	gccc	ctga	ctccgt	120
5	CC	cggc	cagg	gagg	gcc	atg	att	tcc	ctc	ccg	ggg	ccc.	ctg	gţg	acc _.	aac	170
				•		Met	Ile	Ser	Leu	Pro	Gly	Pro	Leu	Val	Thr	Asn	
10						ı				5					10		
	tts	cte	cgg	ttt	ttg	tto	ctg	ggg	ctg	agt	gco	ctc	gcg	·ccc	ccc	tcg	218
	Leu	Leu	Arg	Phe	Leu	Phe	Leu	Gly	Leu	Ser	Ala	Leu	Ala	Pro	Pro	Ser	
15				15					20					25			
	cgg	gcc	cag	cig	caa	ctg	cac	ttg	ccc	gcc	aac	cgg	ttg	cag	gcg	gtg	266
20	Arg	Ala	Gln	Leu	Gln	Leu	His	Leu	Pro	Ala	Asn	Arg	Leu	Gln	Ala	Val	
			30	•				35					40				
25	gag	gga	ggg	gaa	gtg	gtg	ctt	cca	gcg	tgg	tac	acc	ttg	cac	ggg	gag	314
	Glu	Gly	Lly	Glu	Va J	Val	Leu	Pro	Ala	Trp	Туг	Thr	Leu	His	Gly	Glu	
		45					50					55					
30												gtg					362
		Ser	Ser	Ser	Gln		Trp	Glu	Val	Pro		Val	Met	Trp	Phe	Phe	
35	60					65					70					75	
												tac					410
	Lys	GIB	LYS	Glu		Glu	Asp	Gin	Val		Set	Tyr	He	Asn			
40	222				80			• • •	44	85		• • •	. 1		90		
												lcc Ser					458
45	1111	1111	261	95	110	GIY	. ۷ а 1	261	100	Tai	I y I	261	met	105	261	Arg	
	220	cto	tee		roo	clo	<b>020</b>	g g t		rag	gag	aaa	<b>a</b> 20		.aae	000	506
50												Lys					300
50	11311	LCG	110	Dea	6	Deu	0.0	115	DCu	0111	010	гуз	120	361	013	110	
	tar	200		tee	e i e	aai	ata		<b>820</b>	220		ggc		101	9 6 6	aac	554
55												Gly				-	J J 4
			-, -							-,,		,	- 7 0	561	0	3,7	

		125					130					135					
5	cac	agc	atc	aaa	acc	tta	gaa	ctc	aat.	gla	ctg	gti	cct	cca	gct	cct	602
	His	Ser	He	Lys	Thr	Leu	Glu	Leu	Asn	Val	Leu	Ya]	Pro	Pro	Ala	Pro	
	140					145					150					155	
10	cca	tcc	tgc	cgt	ctc	cag	ggt	gtg	CCC	cat	gtg	ggg	gca	aac	gtg	acc	650
	Pro	Ser	Cys	Arg	Leu	Gln	Gly	Val	Pro	His	Val	Gly	Ala	Asn	Val	Thr	•
15					160					165					170		
	ctg	agc	tgc	cag	tct	cca	agg	agt	aag	cct	gc t	gtc	caa	t ac	cag	t gg ·	698
20	Leu	Ser	Cys	Gln	Ser	Pro	Arg	Ser	Lys	Pro	Ala	Val	Gln	Tyr	Gln	Trp	
				175					180					185			
0.5	gat	cgg	cag ~	ctt	cca	tcc	ttc	cag	act	ttc	ttt	gca	cca	gca	tta	gat	746
25	Asp	Arg	Gln	Leu	Pro	Ser	Phe	Gln	Thr	Phe	Phe	Ala	Pro	Ala	Leu	Asp	
			190					195					200				
30	gtc	atc	cgt	ggg	tct	tta	agc	ctc	acc	aac	ctt.	tcg	tct	tcc	atg	gct	794
	Val	lle	Arg	Gly	Ser	Leu	Ser	Leu	Thr	Asn	Leu	Ser	Ser	Ser	Met	Ala	
35		205		•			210					215					
	gga	gtc	tat	gtc	tgc	aag	gcc	cac	aat	gag	gtg	ggC	act	gcc	caa	tgt	842
	Gly	Va l	Tyr	Val	Cys	Lys	Ala	His	Asn	Glu	Vai	Gly	Thr	Ala	Gln	Cys	•
40	220					225	•				230					235	
	aat	gtg	acg	ctg	gaa	gtg	agc	aca	geg	cct	gga	gct	gca	gtg	gtt	gct	890
45	Asn	Val	Thr	Leu	Glu	Val	Ser	Thr	Gly	Pro	Gly	Ala	Ala	Val	Val	Ala	
		٠			240			٠		245					250		
	gga	gc t	gtt	gtg	ggt	acc	ctg	gtt	gga	ctg	ggg	ttg	ctg	gct	ggg	ctg	938
50	Gly	Ala	Val	Val	Gly	Thr	Leu	Val	Gly	Leu	Gly	Leu	Leu	Ala	Gly	Leu	
				<b>255</b> .			•		260					265			
55	gtc	ctc	itg	tac	cac	cgc	cgg	ggc	ajag	gcc	ctg	gag	gag	cca	gcc	aat	986
											-					_	

	Val	Leu	Leu	Tyr	His	Arg	Arg	Gly	Lys	Ala	Leu	Glu	Glu	Pro	Ala	Asn	
5			270					275					280				
	gat	atc	aag	gag	gat	gcc	att	gc t	ссс	cgg	acc	ctg	ccc	t gg	ссс	aag	1034
	Asp	lle	Lys	Glu	Asp	Ala	Ile	Ala	Pro	Arg	Thr	Leu	Pro	Trp	Pro	Lys	
10		285					290	•	•			295		•			
	agc	tca	gac	aca	atc	tcc	aag	aat	ggg	acc	ctt	tcc	tct	gtc	acc	tcc	1082
15	Ser	Ser	Asp	Thr	lle	Ser	Lys	Asn	Gly	Thr	Leu	Ser	Ser	Val	Thr	Ser	
	300					305					310					315	
20	gca	cga	gcc	ctc	tgg	cca	ccc	cat	ggc	cct	ccc	agg	cct	ggt	gca	ttg	1130
20	Ala	Arg	Ala	Leu	Trp	Рго	Pro	His	Gly	Pro	Pro	Arg	Pro	Gly	Ala	Leu	
					320					325					330		
25	acc c	ccc	<u>a</u> cg	ссс	agt	ctc	tcc	agc	cag	gcc	ctg	ccc	tca	cca	aga	ctg	1178
	Thr P	ro	Thr	Pro	Ser	Leu	Ser	Ser	Gln	Ala	Leu	Pro	Ser	Pro	Arg	Leu	
30				335					340		•			345			
	ccc a																1226
35	Pro T			Asp	Gly	Ala	His		Gln	Pro	lle			I le	Pro	Gly	
03			350					355		-4-	4	•	360				
	ggg g																1274
40	Gly V	65	261 (	361	361		370	261	VIR	met		375	491	rro	vai	мет	
			מכר ו	28 2	agt .			ggr	tet	ctg			g a c c	cc a	ccac	tcatt	1327
45	Val P												8400	cc a	ccac	icati	1021
	380					385.					390	•					
50		aagg	a ti	i i ggi				ccta	(aa			cici	agca	ca g	aggc	ctgag	1387
50																cigig	
																lggat	•
55				-					_		_			_			

	attagctact caccaagagt gaggggcaga gacticcagt cactgagtct cccaggcccc 1627	,
5	- ctigatetgt accecacce tatetaacae caccettgge teccacteca getecetgta 1687	
	tigatataac cigicaggot ggotiggita ggittiacig gggcagagga tagggaatoi 1747	
10	cttattaaaa ctaacatgaa atatgtgttg ttttcatttg caaatttaaa taaagataca 1807	
	taatgitigt atgagataag 1827	
15	⟨210⟩ 144	
,,	<211> 390	
20	<212> PRT	
	<213> Homo sapiens	
	<400> 144	
25	Met Ile Ser Leu Pro Gly Pro Leu Val Thr Asn Leu Leu Arg Phe Leu	
	1 5 10 15	
30	Phe Leu Gly Leu Ser Ala Leu Ala Pro Pro Ser Arg Ala Gln Leu Gln	
	20	
	Leu His Leu Pro Ala Asn Arg Leu Gln Ala Val Glu Gly Glu Val	
35	35 40 45	
	Val Leu Pro Ala Trp Tyr Thr Leu His Gly Glu Val Ser Ser Gln	
40	50 55 60	
	Pro Trp Glu Val Pro Phe Val Met Trp Phe Phe Lys Gln Lys Glu Lys	
	65 70 75 80	
45	Glu Asp Gln Val Leu Ser Tyr lle Asn Gly Val Thr Thr Ser Lys Pro	
	85 90 95	
50	Gly Val Ser Leu Val Tyr Ser Met Pro Ser Arg Asn Leu Ser Leu Arg	
•	100 105 110	
55	Leu Glu Gly Leu Gln Glu Lys Asp Ser Gly Pro Tyr Ser Cys Ser Val	
	115 120 125	

		AS	n Va	al Gl	n As	sp Ly	's Gl	n Gl	y Ly	s Se	r Ar	g Gl	y Hi	s Se	r II	e Ly	s Thr
5			13	30				13	5				1.4	0			
		Le	u G]	u Le	u As	n Va	l Le	u Va	l Pr	о Рг	o Ala	Pr	o Pr	o Se	г Су	s Ar	g Leu
10		145	5	•			15	0				15	5				160
		Gli	n GJ	y Va	l Pr	o Hi	s Va	I GI:	y Ala	izk e	va!	The	r Lei	u Se	r Cy.	s Gl	n Ser
15			•			16	5				170	)				17	5
		Pro	Ar:	g Se	r Ly	s Pr	o Ala	a Val	l G1r	Туг	Gln	Tr	Ası	Arg	g Gli	ı Lei	1 Рго
					18	0				185	;				190	)	
20	;	Ser	Phe	e Gli	Th.	r Phe	e Phe	e Ala	Pro	Ala	Leu	Asp	Val	Ile	Arg	Gly	Ser
			÷	198	5				200	1	·			205			
25	I	.eu	Ser	Leu	Th	r Asn	Leu	Ser	Ser	Ser	Met	Ala	Gly	Val	Tyr	Val	Cys
			210					215					220				
`30			Ala	His	Asn	Glu	Val	Gly	Thr	Ala	Gln	Cys	Asn	Val	Thr	Leu	Glu
	2	25					230					235					240
	Y	a]	Ser	Thr	Gly	Pro	Gly	Ala	Ala	Val	Val	Ala	Gly	Ala	Val	Yal	Gly
. <b>35</b>						245		•			250					255	
	T	hr	Leu	Val			Gly	Leu	Leu	Ala	Gly	Leu	Va]	Leu	Leu	Туг	His
40					260					265					270		
	A:	rg	Arg		Lys	Ala	Leu	Glu		Pro	Ala	Asn	Asp	Ile	Lys	Glu	Asp
				275					280					285			
45	A1			Ala	Pro	Arg	Thr	Leu	Pro	Trp	Pro	Lys	Ser	Ser	Asp	Thr	He
			290					295				•	300	•			
50	· Se	r l	Lys	Asn	Gly	Thr	Leu	Ser	Ser	Val	Thr	Ser	Ala	Arg	Ala	Leu	Trp
	30	5					310					315					320
	Pr	o F	Pro	His	Gly	Pro	Pro	Arg	Pro	Gly	Alal	Leu	Thr	Pro	Thr	Pro	Ser
55						325					330					335	

•	Leu Ser Ser Glm Ala Leu Pro Ser Pro Arg Leu Pro Thr Thr Asp Gly
5	340 345 350
	Ala His Pro Gln Pro Ile Ser Pro Ile Pro Gly Gly Val Ser Ser
10	355 360 365
	Gly Leu Ser Arg Met Gly Ala Val Pro Val Met Val Pro Ala Gln Ser
	370 375 380
15	Gln Ala Gly Ser Leu Val
	385 390
20	<210> 145
	<211> 3466
	<212> DNA
25	<213> Homo sapiens
	⟨220⟩
30	<221> CDS
	<222> (84) (2726)
35	<400> 145
	tgcgggaagc gatgtagtag ctgccaggct gtccccgcc ctgcccggcc cgagcccgc 60
	gggccgccgc cgccaccgcc gcc alg aag aag cag itc aac cgc aig aag cag 113
40	Met Lys Lys Gln Phe Asn Arg Met Lys Gln
	1 5 10
45	ctg gct aac cag acc gtg ggc aga gct gag aaa aca gaa gtc ctt agt 161
	Leu Ala Asn Gln Thr Val Gly Arg Ala Glu Lys Thr Glu Val Leu Ser
50	15 20 25
	gaa gat cta tta cag att gag aga cgc ctg gac acg gtg cgg tca ata 209
	Glu Asp Leu Leu Gln Ile Glu Arg Arg Leu Asp Thr Val Arg Ser Ile
55	30 35 40

				0		
					•	
			•			
					Ċ	,
					16.7	
			2			
	*					e la
						9
		Ţ.				
r <del>į</del> r						

	ts	sc ca	C Ca	t tço	cat	aag	g cg(	tte	gts	g gc	a tg	tto	cag	ggo	cag	g cat	257
5	Cy	's Hi	s His	s Sei	His	Lys	Arg	g Leu	Val	Ala	a Cys	Phe	Gln	Gly	Gli	His	
			45	i	••			50	+				55				•
	gg	c ac	c gat	gcc	gag	agg	a ga	cac	aaa	aaa	cts	cct	ctg	aca	gct	ctt	305
10	Gl	y Th	r Asp	Ala	Glu	Arg	Arg	His	Lys	Lys	Leu	Pro	Leu	Thr	Ala	Leu	
		60	)			٠	65					70					
15	gc	t caa	a aat	atg	caa	gaa	gca	tcg	act	cag	ctg	gaa	gac	tct	ctc	ctg	353
	. A1	a Glī	ı Asn	Met	Gln	Glu	Ala	Ser	Thr	Gln	Leu	Glu	Asp	Ser	Leu	Leu	
20	7:	5				80					85		•			90	
20	gg	g aag	atg	ctg	gag	acg	tgt	gga	gat	gcl	gag	aat	cag	ctg	gct	ctc	401
	Gly	Lys	Met	Leu	Glu	Thr	Cys	Gly	Asp	Ala	Glu	Asn	Gln	Leu	Ala	Leu	
25			~		95					100					105		
	gag	ctc	tcc	cag	cac	gaa	gtc	ttt	gtt	gag	aag	gag	aic	gtg	gac	cc t	449
30	Glu	Leu	Ser	Gln	His	Glu	Val	Phe	Yal	GIu	Lys	Glu	He	Val	Asp	Pro	
				110			•		115					120			
	ctg	tac	ggc.	ata	gc t	gag	gtg	gag	att	ccc	aac	atc	cag	aag	cag	agg	497
<b>35</b>	Leu	Tyr	Gly	lle	Ala	Glu	Val	Głu	lle	Pro	Asn	lle	Gln	Lys	Gln	Arg	
			125					130					135				
40	aag	cag	ctt	gca	aga	ttg	gtg	tta	gac	tgg	gat	tca	gtc	aga	gçc	agg	545
	Lys	Gln	Leu	Ala	Arg	Leu	Val	Leu	Asp	Ţrp	Asp	Ser	Va)	Arg	Ala	Arg	
45		140					145					150					
10		aac										•					593
	Trp	Asn	Gln .	Alai	lis	Lys	Ser	Ser	Gly	Thr	Asn	Phe	Gln	Gly	Leu	Pro	
50	155					160					165					170	
	tca	aaa	ata :	gat	ic t	cta	aag	gaa	gag	atg	gat	gaa	gct	gga	aat	aaa	641
55	Ser	Lys	lle i	Asp 1	[hr	Leu	Lys	Glu	Glu	Me t	Asp	Glu	Ala	Gly	Asn	Lys	
				1	75 [.]				•	180					185		

	51	a go	id Ca	ig ig	C aa	g ga	t ca	1 61	L gC	a gc	a ga(	; alg	la	c aac	: (1)	laig	689
5	٧a	1 G1	u G1	n Cy	s Ly	s Ası	p Gli	ı Lei	ı Ala	a Ala	a Asp	Met	Ty	r Ası	Phe	e Met	
				19	0				198	5				200	ŀ		
10	gc	c aa	a ga	a gg	g ga	g tat	ggo	: aaa	tto	: tti	gti	acg	tta	a tta	gaa	gcc	737
	Al	a Ly	s G1	u Gl	y Gli	ı Tyı	Gly	Lys	Phe	Phe	. Val	Thr	Let	ı Leu	Glu	Ala	
			20	5		•		210	)				215	j			
15	caa	a gc	a ga	t ta	cat	aga	aaa	gca	tta	gca	gtc	tta	gaa	aag	acc	ctc	785
	Gli	n Al	a As	р Ту	r His	Arg	Lys	Ala	Leu	Ala	Val	Leu	Glu	Lys	Thr	Leu	
20		22	0				225					230					
	ccc	ga	aate	g cga	gcc	cat	caa	gat	aag	tgg	gcg	gaa	aaa	cca	gcc	ttt	833
25			Me I	Arg	Ala	His	Gln	Asp	Lys	Trp	Ala	Glu	Lys	Pro	Ala	Phe .	
	235		•			240					245				•	250	
			cco						•								881
30	Gly	Thi	Pro	Leu		Glu	His	Leu	Lys		Ser	Gly	Arg	Glu		Ala	
					255					260					265		
35			att														929
	ren	rio	lle	270	Ala	Cys	Aai	Met		Leu	Leu	Glu	Thr		Met	Lys	
10	Pag	<b>ភ</b> ១ ភ	gge		tto	cas	211	<i>a</i> a a	275	aan	goo	ton	224	280			
			ggc													-	977
			285	DÇü		*** 6	,,,,	290	****	017	1110		295	LCU	r)2	r A 2	
15	ctg	aaa	gct	gct	ttg	gac	tgt		act	tet	cac			220	ttc	tat	1025
			Ala														1000
50		300					305					310				•,•	
			ccc	cat	gct			ggt	gci	tia			lai	t t a	CBB	<b>7</b> 22	1073
55			Pro														1010
	-						- · · •	,			, -		- , .	· u	D	J 1 U	

	31	5				320	)				325	j				330	
5	tt	g cc	t gaa	cct	ttg	ate	act	ttt	aat	ctg	tal	gaa	gaa	tgg	aca	caa	1121
	Lei	u Pro	o G) u	Pro	Leu	Met	Thr	Phe	Asn	Leu	Ту	Glu	Glu	Trp	Thr	Gln	
		,	•		335	,				340	)				345	i	
10	gti	i gc	a agt	gtg	cag	gat	caa	gac	aaa	aaa	ctt	caa	gac	ttg	tgg	aga	1169
. •	Va]	Ala	Ser	Val	Gln	Asp	Gln	Asp	Lys	Lys	Leu	Gln	Asp	Leu	Trp	Arg	•
15				350					355					360			•
	aca	itgt	cag	aag	ttg	cca	cca	caa	aa.t	ttt	gtt	aac	ttt	aga	tat	ttg	1217
20	Thr	Cys	Gin	Lys	Leu	Pro	Pro	Gln	Asn	Phe	Val	Asn	Phe	Arg	Tyr	Leu	
			365					370					375				
	atc	aag	tic	ctt	gca	aag	ctt	gct	cag	acc	agc	gat	gtg	aat	aaa	atg	1265
25	lle	Lys	Phe	Leu	Ala	Lys	Leu	Ala	Gin	Thr	Ser	Asp	Val	Asn	Lys	Met	•
		380					385				•	390		-			
30	act	ccc	agc	aac	att	gcg	alt	glg	tta	ggc	cct	aac	ttg	tta	tgg	gcc	1313
	Thr	Pro	Ser	Asn	He	Ala	lle	Val	Leu	Gly	Pro	Asn	Leu	Leu	Trp	Ala	•
35	395					400					405					410	
				gga													1361
	Arg	Asn	Glu	Gly		Leu	Ala	Glu	Met		Ala	Ala	Thr	Ser		His	
40		-44		_4	415			- 4 -	- 4 4	420					425		
				gtg													1409
45	441	Yaı		Val	116	GIU	PTO	116		GIN	HIS	Ala	ASP		Phe	Phe	
	cct	<b>~</b> ~ ~ ~		430	<b></b>			at a	435	<b>720</b>	<b>700</b>			440			1 45 7
50				gtg Val													1457
30	110		445	101	010	Inc		450	261	010	nia			FIU	reu	101	
	200			tet	2 2 t	C 2 C			<b>C</b> 20	201	~~^		455	4 0 4		1	1005
55				tct													1505
	1111	110	35 I	Ser	u 2 II	กเร	261	rne	n18	1111	GIY	NSN	нѕр	ser	ASP	261	

	:	460	ł				465					470					
5	ggg	aco	ctg	gag	agg	aag	cgg	cct	gct	agc	atg.	gcg	gtg	atg	gaa	gga	1553
	Gly	Thr	Leu	Glu	Arg	Lys	Arg	Pro	Ala	Ser	Met	Ala	Val	Met	Glu	Gly	
10	. 475					480					485					490	
	gac	ttg	gig	aag	aag	gaa	agc	ttt	ggl	gtg	aag	ctt	atg	gac	ttc	cag	1601
15	Asp	Leu	Val	Lys	Lys	Glu	Ser	Phe	Gly	Val	Lys	Leu	Met	Asp	Phe	Gln	
15					495					500					505		
	gcc	cac	cgg	cgg	ggt	ggc	act	cta	aat	aga	aag	cac	ata	tcc	ccc	gct	1649
20	Ala	His	Arg	Arg	Gly	Gly	Thr	Leu	Asn	Arg	Lys	His	He	Ser	Pro	Ala	
				510					515					520			
25	ttc	cag	ccg	cca	ctt	ccg	ccc	aca	gat	ggc	agc	acc	gtg	gtg	ccc	gct	1697
	Phe	Ģln	Pro	Pro	Leu	Pro	Pro	Thr	Asp	Gly	Ser	Thr	Val	Val	Pro	Ala	
			525					530					535				
30	ggc	cca	gag	ccc	cct	ccc	cag	agc	tct	agg	gct	gaa	agc	agc	tct	ggg ·	1745
	Gly		Glu	Pro	Pro	Pro	Gln	Ser	Ser	Arg	Ala	Glu	Ser	Ser	Ser	Gly	
35		540					545			•		550					
	ggt	ggg	act	gtc	ccc	tct	tcc	gcg	ggc	ata	ctg	gag	cag	ggg	ccg	agc	1793
40	Gly	Gly	Thr	Val	Pro	Ser	Ser	Ala	Gly	lle	Leu	Glu	Gln	Gly	Pro	Ser	
	555					560					565					570	
	cca	ggc	gac	ggc	agt	cct	CCC	aaa	CCg	aag	gac	cct	gta	tct	gca	gct	1841
45	Pro	Gly	Asp	Gly	Ser	Pro	Pro	Lys	Pro	Lys	Asp	Pro	Val	Ser	Ala	Ala	
					575					580	•	•			585		
50	gtg	cca	gca	cca ·	ggg	aga	aac	aac	agt	cag	ata	gca	tct	ggc	caa	aat	1889
•	Val	Pro	Ala	Pro	Gly	Arg	Asn	Asn	Ser	Gln	He	Ala	Ser	Gly	Gln	Asn	
				590					595					600			
55	cag	ccc	cag	gca	gc t	gcl	ggc	tcc	cac	cag	ctc	tcc	atg	ggc	caa	cct	1937

	Gl	n Pr	o Gl	n Al	a Al	a Al	a Gl	y Se	r Hi	s Gli	a Lei	Se ₁	Me	t Gl	y G1:	n Pro	
5			60	5				61	0				618	5			
	ca	c aa	t gc	t gc	a gg	g cc	c ag	c cci	g cai	t aca	ctg	Cgo	cga	gci	gt	aaa	1985
10	Hi	s As	n Ala	a Ala	a Gl	у Рг	o Se	r Pro	His	Thr	Leu	Arg	Arg	Ala	Val	Lys	
70		62	0				62	5 .				630					
	aa	a cc	c gct	cca	a gc	a cco	C.Cc	g aaa	ccg	ggc	aac	cca	ċct	cct	ggo	cac	2033
<b>15</b>	Ly.	s Pre	o Ala	Pro	Ala	Pro	Pro	Lys	Pro	Gly	Asn	Pro	Pro	Pro	Gly	His	•
	63	5				640	)				645	•				650	
20	CC	ggs	g ggc	cag	agi	tct	tca	gga	aca	tct	cag	cat	cca	ccc	agt	ctg	2081
	Pro	Gly	Gly	Gln	Ser	Ser	Ser	Gly	Thr	Ser	Gln	His	Pro	Pro	Ser	Leu	
05					655					660					665		•
25			_aag														2129
	Ser	Pro	Lys		Pro	Thr	Arg	Ser	Pro	Ser	Pro	Pro	Thr	Gln	His	Thr	
30				670					675					680			
			cct														2177
35	GIY	GIN	Pro	PTO	GIY	Gin	PTO		Ala	Pro	Ser	Gin		Ser	Ala	Pro	
	raa		685	tee	240	200		690					695				
			tac Tyr														2225
40	*** 6	700	171	001	561	301	705	561	110	116	0111	710	rio	ASII	HIS	Pro	
	CCg		cag	ccc	cct	aca		acc	acg	cca	rte		cac	200	222	000	2273
45			Gln										•				2213
	715					720					725				LJS	730	
50		agc	cag	ggc	cct		aac	ccc	aig			ccc	agt	gag	rat.		2321
			Gln														2001
					735					740		- •			745	J.,	
55	ctt	gag	cag (			cac	acc	cct			act (	cca	ace			201	2369
		•			- •			•	- <del>-</del>	0		- <b>v</b> u				ugt	2003

	Leu Glu Gl	n Pro Ser His	Thr Pro Pro Gin The	Pro Thr Pro Pro Ser	
5		750	755	760	
	act ccg co	c cta gga aaa	cag aac ccc agt ctg	cca gct cct cag acc	2417
10	Thr Pro Pr	o Leu Gly Lys	Gln Asn Pro Ser Leu	Pro Ala Pro Gin Thr	
	76	5	. 770	775	
	ctg gca gg	g ggt aac cct	gaa act gca cag cca	cat gct gga acc tta	2465
15	Leu Ala Gl	y Gly Asn Pro	Glu Thr Ala Gln Pro	His Ala Gly Thr Leu	
	780		785	790	
20	ccg aga cc	g aga cca gla	cca aag cca agg aac	cgg ccc agc gtg ccc	2513
	Pro Arg Pr	o Arg Pro Val	Pro Lys Pro Arg Asn	Arg Pro Ser Val Pro	
25	795	800	805	810	
	cca ccc cc	c caa cct cct	ggt gtc cac tca _. gct	ggg gac agc agc ctc	2561
	Pro Pro Pr	o Gln Pro Pro (	Gly Val His Ser Ala	Gly Asp Ser Ser Leu	
30	•	815	· 820	825	
					2609
<b>35</b>	Thr Asn Th			Thr Asp Ser Asn Ser	
		830	835	840	
40				_	2657
				Glu Met His Ser Asp	
	84		850	855	205
45			•	ctg gat ata gac aat : Leu Asp lle Asp Asn	2705
	860		865	870	
50			ctg igaagaaagc cctt		756
		Ser Thr Ala L		receas ecciclates a	2756
55			SC U		
	875	880			

citccaccct ggcgagtgga gcaggggcag gcgaacctct ttctttgcag accgaacagt 2816 gaaaagctit cagtggagga caaaggaggg cctcactgtg cgggacctgg ccttctgcac 2876 ggcccaagga gaacctggag gccaccacta aagctgaatg acctgtgtct tgaagaagtt 2936 ggcttlcttt acatgggaag gaaatcatgc caaaaaaatc caaaacaaag aagtacctgg 2996 10 agiggagaa gtattccigc igaaacgcgc ataggaagci tiigicccig cigitaaigc 3056 gggcagcacc tacagcaact tggaatgagt aagaagcagt gcgttaacta tctatttaat 3116 15 aaaatgeget cattatgeaa gtegeetaet etetgetaee tggaegttea ttettatgta 3176 ttaggaggga ggctgcgctc cttcagactt gctgcagaat cattttgtat catgtatggt 3236 cigigicice ceasteect cagaaccats eccatsgats strategic settesteac 3296 20 cicatcaaac tggatgtgac ccatgccgcc tcgttggatt gtcggaatgt agacagaaat 3356 giacigitet tittittt titaaacaat giaatigeta etigataagg accgaacatt 3416 25 attctagtit catgittaat tigaattaaa tatatictgi ggittataig 3466 <210> 146 30 <211> 881 <212> PRT <213> Homo sapiens 35 <400> 146 Met Lys Lys Gin Phe Asn Arg Met Lys Gin Leu Ala Asn Gin Thr Val 40 1 10 Gly Arg Ala Glu Lys Thr Glu Val Leu Ser Glu Asp Leu Leu Gln Ile 45 20 25 Glu Arg Arg Leu Asp Thr Val Arg Ser Ile Cys His His Ser His Lys 35 40 45 Arg Leu Val Ala Cys Phe Gln Gly Gln His Gly Thr Asp Ala Glu Arg 50 55 60

50

55

Arg His Lys Lys Leu Pro Leu Thr Ala Leu Ala Gln Asn Met Gln Glu

	68	j				70					75					80
5 . ·	Ala	Ser	Thr	Gln	Leu	Glu	Asp	Ser	Leu	Leu	Gly	Lys	Met	Leu	Glu	Thr
					85					90				•	95	•
	Cys	Gly	Asp	Ala	Glu	Asn	Gln	Leu	Ala	Leu	Glu	Leu	Ser	Gln	His	Glu
10				100					105					110		
	Va l	Phe	Val	Glu	Lys	Glu	He	Val	Asp	Pro	Leu	Tyr	Gly	He	Ala	Glu
15			115					120					125			
	Val	Glu	lle	Pro	Asn	lle	Gln	Lys	Gln	Arg	Lys	Gln	Leu	Ala	Arg	Leu
20		130					135				•	140		٠.		
	Va l	Leu	Asp	Trp	Asp	Ser	Val	Arg	Ala	Arg	Trp	Asn	Gln	Ala	His	Lys
	145					150					155					160
25	Ser	Ser	Gly	Thr	Asn	Phe	Gln	Gly	Leu	Pro	Ser	Lys	He	Asp	Thr	Leu
				·	165					170					175	
30	Lys	Glu	Glu	Met	Asp	Glu	Ala	Gly	Asn	Lys	Val	Glu	Gln	Cys	Lys	Asp
				180					185					190		
	Gln	Leu	Ala	Ala	Asp	Met	Tyr	Asn	Phe	Met	Ala	Lys	Glu	Gly	Glu	Tyr
35			195					200					205			
	Gly	Lys	Phe	Phe	Val	Thr		Lev	Glu	Ala	Gln	Ala	Asp	Tyr	His	Arg
10		210					215					220				
		Ala	Leu	Ala	Val		Glu	Lys	Thr	Leu		Glu	Met	Arg	Ala	His
45	225					230					235					240
	Gln	Asp	Глг	Trp		Glu	Lys	Pro	Ala		Gly	Thr	Pro	Leu	Glu	Glu
					245					250					255	
50	His	Leu	Lys	Arg	Ser	Gly	Arg	Glu	He	Ala	Leu	Pro	He	Glu	Ala	Cys
				260					265					270		
55	Val	Me t	Leu	Leu	Leu	Glu	Thr	Gly	Met	Lys	G] u	Glu	Gly	Leu	Phe	Arg
			275					280					285			

	H	e GI:	y Ala	a Gly	/ Ala	s Se 1	Lys	Leu	Lys	Lys	Leu	Lys	Ala	Ala	Lei	Asp
5		29	)				295	ı				300				
	Cys	s Sei	Thi	Ser	His	Leu	Asp	Glu	Phe	Tyr	Ser	Asp	Pro	His	Ala	Val
10	308	5			•	310	}				315					320
	Ala	Gly	/ Ala	Leu	Lys	Ser	Tyr	Leu	Arg	Glu	Leu	Pro	Glu	Pro	Leu	Met
					325	,				330					335	
15	Thr	Phe	Asn	Leu	Tyr	Glu	Glu	Trp	Thr	Gln	Val	Ala	Ser	Val	Gln	Asp
				340					345					350		
20	Gln	Asp	Lys	Lys	Leu	Gln	Asp	Leu	Trp	Arg	Thr	Cys	Gln	Lys	Leu	Pro
			355					360					365			
25	Pro	Gln	Asn	Phe	Yal	Asn	Phe	Arg	Tyr	Leu	Ile	Lys	Phe	Leu	Ala	Lys
		370	_				375					380				
	Leu	Ala	Gln	Thr	Ser	'Asp	Val	Asn	Lys	Met	Thr	Pro	Ser	Asn	He	Ala
30	385					390					395		•			400
	lle	Val	Leu	Gly	Pro	Asn	Leu	Leu	Trp	Ala	Arg	Asn	Glu	Gly	Thr	Leu
35					405					410					415	
	Ala	Glu	Met	Ala	Ala	Ala	Thr	Ser	Val	His	Val	Val	Ala	Yal	He	Glu
40				420				•	425					430		
	Pro	Ile		Gln	His	Ala	Asp		Phe	Phe	Рго	Glu	G) u	Va1	Glu	Phe
		•	435					440					445			
45	Asn		Ser	Glu	Ala	Phe	•	Pro	Leu	Thr	Thr		Ser	Ser	Asn	His
		450		•			455					460				
50		Phe	His	Thr	Gly		Asp	Ser	Asp			Thr	Leu	Glu	Arg	Lys
	465					470				•	475					480
55	Arg	Pro	Ala	Ser	Met	Ala	Val	Met	Glu	Gly	Asp	Leu	Val	Lys	Lys	Glu
					485					490					495	

	Se	r Phe	G13	/ Val	Lys	Leu	Met	Asp	Phe	Gln	Ala	His	Arg	-Arg	Gly	Gly
_				500	!				505					510		
5	Thi	Leu	Asn	Arg	Lys	His	Ile	Ser	Pro	Ala	Phe	Gln	Pro	Pro	Leu	Pro
			515					520				•	525			
10	Pro	Thr	Asp	Gly	Ser	Thr	Va l	Yal	Pro	Ala	Gly	Pro	Glu	Pro	Pro	Pro
		530					535					540	·			
15	Gin	Ser	Ser	Arg	Ala	Glu	Ser	Ser	Ser	Gly	Gly	Gly	Thr	Val	Pro	Ser
	545					550					555					560
•	Ser	Ala	Gly	lle	Leu	Glu	Gln	Gly	Pro	Ser	Pro	Gly	Asp	Gly	Ser	Pro
20					565					570					575	
	Pro	Lys	Pro	Lys	Asp	Pro	Val	Ser	Ala	Ala	Val	Pro	Ala	Pro	Gly	Arg
25			-	580					585					590		
	Asn	Asn		GIn	He	Ala	Ser	Gly	Gln	Asn	Gln	Pro	Gln	Ala	Ala	Ala
30			595					600					605			
	Gly		His	Gln	Leu	Ser		Gly	Gln	Pro	His		Ala	Ala	Gly	Pro
		610					615					620				
35		Pro	His	Thr	Leu		Arg	Ala	Val	Lys		Pro	Ala	Рго	Ala	Pro
	625		_			630				•••	635					640
40	Pro	Lys	Pro	Gly		Pro	Pro	Pro	Gly		Pro	Gly	Gly	Gin		Ser
	•	01	<b>7</b> 1		645		_	_		650				_	655	
45	Ser	GIY		Ser	Gin	HIS	Pro	P10		Leu	Ser	Pro	Lys		Pro	Thr
45		0 -		660	D.		mı	01	665	m:	01	•		670		
	Arg			Ser	Pro	P 10	lhr		HIS	Int	GIY	GIn		Pro	Gly	Gln
50			675	_		•		680					685			
			Ala	Pro	Ser			Ser	Ala	Pro			Tyr	Ser	Ser	Ser
55		690					695					700				
	Leu	Ser	Рго	Ile	Gln	Ala	Pro	Asn	His	Pro	Pro	Рго	Gln	Pro	Pro	Thr

	705	710	.715	720
5	Gln Ala Thr	Pro Leu Met Hi	s Thr Lys Pro Asn Ser	Gln Gly Pro Pro
		<b>725</b> .	730	735
10	Asn Pro Met	Ala Leu Pro Se	r Glu His Gly Leu Glu (	Gln Pro Ser His
		740	745	750
15	Thr Pro Pro	Gln Thr Pro Th	r Pro Pro Ser Thr Pro 1	Pro Leu Gly Lys
15	.755		760	765
	Gln Asn Pro	Ser Leu Pro Ala	a Pro Gln Thr Leu Ala (	Gly Gly Asm Pro
20	770	77		
			a Gly Thr Leu Pro Arg I	Pro Arg Pro Val
25	785	790 .	795	800
	Pro Lys Pro		Ser Val Pro Pro Pro P	
30	Clv Val Hic	805	810	815
	•	820	Ser Ser Leu Thr Asn T 825	830
			Ser Asn Ser Arg Val S	
35	835			345
	Arg Ser Ile	Phe Pro Glu Met	His Ser Asp Ser Ala S	Ser Lys Asp Val
40	850	855	860	
	Pro Gly Arg	lle Leu Leu Asp	lle Asp Asn Asp Thr G	lu Ser Thr Ala
45	865	870	875	880
	Leu	·	•	
50	<210> 147			
50	(211) 3021			
	<212> DNA			
55	<213> Homo sa	apiens		
		•		

	<2	20>															
5	<2	21>	CDS														
	<2	22>	(140)	(1	105)												
	. <4	00>	147														
10	ga	gctg	ccgc	tgto	gtct	tt g	cttc	agcc	g. ca	gtcg	ccac	t gg	ctgc	ctg	aggt	gctctt	60
	ac	agcci	tgtt	ccaa	gtgt	gg c	ttaa	tccg	t ct	ccac	cacc	aga	tctt	tct	ccgt	ggattc	120
15	ct	ctgc	laag	accg	ctgc	c at	g cc	a gi	g ac	g gt	a ac	c cg	c ac	c ac	c at	c aca	172
		•				Me	t Pr	o Va	l Th	r Va	l Th	r Ar	g Th	r Th	ř II	e Thr	
20							1.				5				. 1	0	
	ac	c acc	acg	acg	tca	tct	tcg	ggc	ctg	ggg	tcc	ccc	atg	atc	gtg	ggg	220
25	Th	r Thi	Thr	Thr	Ser	Ser	Ser	Gly	Leu	Gly	Ser	Pro	Met	He	Val	Gly	
				15				•	20					25			
		cct															268
30	Se	r Pro			Leu	Thr	Gln		Leu	Gly	Leu	Leu		Leu	Leu	Gln	
			30		1.00	~ 4 ~		35			-4-		40	-4			010
35		g gtg 1 Val															316
	DC	45		1111	0,3	101	50	1 110	561	ren	101	55	261	141	GIY	nia	
40	tgs	acg		tcc	atg	ggc		lgg	tcc	atg	ttc		tgg	tgc	ttc	tgc	364
		Thr															
45	60	1				65					70					75	
	tto	tcc	gtg	acc	ctg	atc	atc	ctc	atc	gtg	gag	ctg	tgc	ggg	ctc	cag	412
	Phe	Ser	Val	Thr	Leu	İle	Ile	Leụ	Ile	Val	Glu	Leu	Cys	Gly	Leu	Gln	
50					80					85					90		
	gco	cgc	ttc	ccc	ctg	tct	tgg	cgc	aac	ttc	ссс	atc	acc	ttc	gcc	tgc	460
55	Ala	Arg	Phe	Pro	Leu	Ser	Trp	Arg	Asn	Phe	Pro	lle	Thr	Phe	Ala	Cys	

				9	5				10	0				10	)5		
5	ţ t a	at go	g gg	c ct	c tte	c tg	c ct	c tc	g gc	c tc	c at	c at	c ta	c cc	c ac	c ác	c 508
	Ty	r Al	a Gi	y Le	u Phe	e Cy	s Lei	u Se	r Al	a Se	r II	e Il	е Ту	r Pr	o Th	r Th	г
			11	0				113	5				12	0			
10	t a	t gt	c ca	g tto	cte	tc	cac	c gg(	c cg	t tc	g cg	g gao	c ca	c gc	c at	c gc	c 556
		r Va						•					•				
15		12				٠	1,30					135					
	gc	c acc	c tto	tto	tcc	t go	ato	gce	tgt	gt	g gct	tac	gc	c ac	c ga	a gt	3 604
20		a Thi															
	140	)				145					150	)				155	i
	gce	t gg	aco	cgg	gcc	cgg	ccc	ggc	gag	ato	act	ggc	t a (	atg	g gcc	aco	652
25	Ala	Trp	Thr	Arg	Ala	Arg	Pro	Gly	Glu	Ile	Thr	Gly	Tyr	Met	Ala	Thi	
					160					165					170	)	
30	gta	ccc	ggg	ctg	ctg	aag	gtg	ctg	gag	acc	ttc	gtt	gcc	tgo	ato	ato	700
	Yal	Pro	Gly	Leu	Leu	Lys	Val	Leu	Glu	Thr	Phe	Val	Ala	Cys	Ile	Ile	
				175					180					185			
35	ltc	gcg	ttc	atc	agc	gac	ccc	aac	ctg	tac	cag	cac	cag	ccg	gcc	ctg	748
	Phe	Ala		lle	Ser	Asp	Pro	Asn	Leu	Tyr	Gln	His	Gln	Pro	Ala	Leu	
40			190					195					200				•
		tgg													•		796
45	Głu	Trp	Cys	Val	Ala			Ala	He	Cys	Phe	lle	Leu	Ala	Ala	He	
		205					210					215	•				
		atc															844 .
50		Ile	Leu	Leu .	Asn	Lev	Gly	Glu	Cys	Thr	Asn	Vai	Leu	Pro	Ile	Pro	
	220					225					230					235	
55		ccc															892
	Phe	Рго	Ser	Phe 1	Leu :	Ser	Gly:	Leu .	Ala	Leu	Leu	Ser	Val	Leu	Leu	Tyr·	

			240		24	5		250	
5	gcc acc	gcc ctt	gli cic	tgg ccc	ctc ta	ccag ttc	gat gag	aag tat	940
	Ala Thr	Ala Leu	Val Leu	Trp Pro	Leu Ty	r Gln Phe	Asp Glu	Lys Tyr	
		255			260	٠	265	•	
10	ggc ggc	cag cct	cgg cgc	tcg aga	gat gt	a agc tgc	agc cgc	agc cat	988
	Gly Gly	Gln Pro	Arg Arg	Ser Arg	Asp Va	l Ser Cys	Ser Arg	Ser His	
15		270		275			280		
	gcc tac	tac gtg	tgt gcc	tgg gac	cgc cga	a ctg gct	gtg gcc	atc ctg	1036
20	Ala Tyr	Tyr Val	Cys Ala	Trp Asp	Arg Arg	g Leu Ala	Val Ala	lle Leu	
	285			290		295			•
	acg gcc	atc aac	cta ctg	gcg tat	gtg gc	t gac cig	gtg cac	tct gcc	1084
?5	Thr Ala	ile Asn	Leu Leu	Ala Tyr	Val Ala	a Asp Leu	Val His	Ser Ala	
	300		305			310		315	
30	cac ctg	gtt ttt	gtc aag	gic taag	gactete	ccaagagg	t cccgtt	ccct	1135
	His Leu	Val Phe	Val Lys	Val				•	
35			320		•				
	ctccaaco	ctc tttgt	tette tt	gcccgagi	tttct	ttatg gag	acttet t	tcctccgcc	1195
	tttcctct	igt titcc	tette et	gtctccc	tecete	cccac cit	tticttt c	cttcccaat	1255
10	tccttgca	ict ctaac	cagit ci	tggatgca	icttc	ticct teed	tilect e	ttgctgttt	1315
	ccttcctg	stg tigti	itgtt go	ccacatco	: lgttt!	tcacc ccts	gagcigt t	tctctttt	1375
15	ctttictt	tc tttt	titti ti	titiaaga	cggati	tetea etei	giggcc c	aggctggag	1435
	cgcagtgg	stg cgatc	tegae te	actgcaac	ccccg	cctcc tggs	sticaag c	gattctcct	1495
50	gcccago	ct cccaa	glago le	ggaggaca	ggtgtg	gagot goog	caccca g	ccigitici	1555
	ctttttcc	ac tette	tttt to	tcatctct	ittets	gggtt gcci	gtcggc t	ttcttatct	1615
	gcctgttt	tg caagc	accit ci	cctgtgtc	cttggg	gagee elga	igactic t	ttctctcct	1675
55	tgcctcca	cc cacct	ccaaa gg	tgctgago	tcacat	tecae acco	ctigca g	cogtocate	1735

ccacagcccc	ccaaggggcc	ccattgccaa	agcatgcctg	cccaccctcg	ctgtgcctta	1795
gicagigigi	acgtgtgtgt	gigigigigi	ttggggggtg	gggggtgggt	agctggggat	1855
tgggccctct	ttctcccagt	ggaggaaggt	gtgcagtgta	cttccccttt	aaattaaaaa	1915
acatatatat	atatatatt	ggaggtcagt	aatttccaat	gggcgggagg	cattaagcac	1975
cgaccctggg	tccctaggcc	ccgcctggca	ctcagccttg	ccagagattg	gctccagaat	2035
ttttgccagg	cttacagaac	acccactgcc	tagaggccat	cttaaaggaa	gcaggggctg	2095
gatgcctttc	atcccaacta	ttctctgtgg	tatgaaaaag	aaaaaaaaa	aaaaagaagg	2155
agicggggcc	gggcgtggtg	gctcacgcct	gtaatcccag	cactttggga	gaccaagtca	2215
ggcaatcatc	tgaagtcagg	agticaagac	cagcctggcc	aacatggtga	aagcatgtct	2275
ctattaaaaa	tacaaaaatt	agccgggcgt	ggtggcgggc	gccigtaatc	ccaggiatti	2335
ggggggactg	agacaggaga	atcccttcaa	cccgggaggt	ggaggttgca	gtaagtcaag	2395
atggcaccac	tgtgctccag	cctgggggac	agagcgagac	tccatctcaa	aaaaaaagg	2455
gaatcggacg	aagaaccaca	ggatgttgaa	gacaactgtc	tgaagtatit	gtgagggaca	2515
gcgatgtggc	cctctgtgtt	aagaataacg	tgtcctgctt	iggcagagag	aagaaaatag	2575
ccactgcccg	ctttcaaggc	aagatcgacc	tttctgttt	tgttttgttt	ttctttcttt	2635
ttcctggcca	tgaggacaaa	aaltactgag	tggcccttaa	agagggaagt	ttgttttcag	2695
ctgttctctt	t t gcccgtag	gtgggagggt	ggggattgct	gcgtcctagc	tagaggaatg	2755
gctttgcttg	aatgtgtagt	gcacacgcac	gggtgtttct	gigigciagi	tgcttcttgc	2815
tgctgcttcc	tgcttgtctg	ggactcacat	acataacgtg	atatatat	atatatataa	2875
atgtataaat	atatatttta	tttttttta	aalccitgga	gcttctggtt	cctatcagtt	2935
ccigtigita	atcgtagaac	cgtigtccct	tccccattc	ccgtatccat	catgttcllt	
ttcttttaaa	tatcaatata	aaaggt				3021

<210> 148

<211> 322

<212> PRT

<213> Homo sapiens

	\4	UU2	148						·							
5	Me	t Pro	o Va	Thi	r Yal	Thr	Arg	Thi	Thr	He	Thr	Thr	Thr	Thr	Thi	Sei
		]			 5	•		-		10					15	
	Se	r Sei	G ] y	/ Let	Gly	Ser	Pro	Met	Ile	Val	Gly	Ser	Pro	Arg	Ala	Leu
10				20	)				25					30		
·	Thi	r Glm	Pro	Leu	Gly	Leu	Leu	Arg	Leu	Leu	Gln	Leu	Val	Ser	Thr	Cys
15			35	;				40					45			•
	Vai	l · A l a	Phe	Ser	Leu	Va I	Ala	Ser	Val	Gly	Ala	Trp	Thr	Gly	Ser	Me t
		50	1				55					60				
20	Gly	Asn	Trp	Ser	Me t	Phe	Thr	Trp	Cys	Phe.	Ċys	Phe	Ser	Val	Thr	Leu
	65					70					75					80
25	Ile	He	Leu	Ile	Val	Glu	Leu	Cys	Gly	Leu	Gln	Ala	Arg	Phe	Pro	Leu
			•		85					90					95	
30	Ser	Trp	Arg	Asn	Phe	Pro	He	Thr	Phe	Ala	Cys	Tyr	Ala	Gly	Leu	Phe
				100					105		•			110		
	Cys	Leu	Ser	Ala	Ser	Ile	Ile	Tyr	Pro	Thr	Thr	Tyr	Val	Gin	Phe	Leu
35			115					120					125			
	Ser	His	Gly	Arg	Ser	Arg	Asp	His	Ala	He	Ala [.]	Ala	Thr	Phe	Phe	Ser
40		130					135					140				
	Cys	He	Ala	Cys	Val	Ala	Tyr	Ala	Thr	Glu	Val	Ala	Trp	Thr	Arg	Ala
	145					150					155					160
45	Arg	Pro	Gly	G1 u	Ile	Thr	Gly	Tyr	Me t	Ala	Thr	Val	Pro	Gly	Leu	Leu
					165					170					175	
50	Lys	Val	Leu	G] u	Thr	Phe	Yal	Ala	Cys	Ile	Ile	Phe	Ala	Phe	lle	Ser
,	•			180					185					190		
	Asp	Pro	Asn	Leu	Tyr	Gln	His	Gln	Pro	Ala	Leu	Glu	Trp	Cys	Val	Ala
55			195					200 -					205			

See		Val	Tyr	Ala	He	Cys	Phe	Ile	Leu	Ala	Ala	lle	Ala	He	Leu	Leu	Asn	
225 230 235 240  Ser Gly Leu Ala Leu Leu Ser Val Leu Leu Tyr Ala Thr Ala Leu Val  245 250 255  Leu Trp Pro Leu Tyr Gln Phe Asp Glu Lys Tyr Gly Gly Gln Pro Arg 260 265 270  Arg Ser Arg Asp Val Ser Cys Ser Arg Ser His Ala Tyr Tyr Val Cys 275 280 285  Ala Trp Asp Arg Arg Leu Ala Val Ala Ile Leu Thr Ala Ile Asn Leu 290 ~ 295 300  Leu Ala Tyr Val Ala Asp Leu Val His Ser Ala His Leu Val Phe Val 305 310 315 320  Lys Val  326 (210) 149  (2112) DNA 427 (222) DNA 428 (222) (39) (2027) 439 (200) 149  (2122) EDS (222) (39) (2027) 440 (200) 149  (2123) Homo sapiens (220) 45 (221) CDS (222) (39) (2027) 46 (400) 149  (216) Egigleagga togcagaaag tatglecett cicloace atg age tgg ctc toc agt 56  Met Ser Trp Leu Ser Ser	5		210					215					220					•
Ser Gly Leu Ala Leu Leu Ser Val Leu Leu Tyr Ala Thr Ala Leu Val  245 250 255  Leu Trp Pro Leu Tyr Gln Phe Asp Glu Lys Tyr Gly Gly Gln Pro Arg 260 265 270  Arg Ser Arg Asp Val Ser Cys Ser Arg Ser His Ala Tyr Tyr Val Cys 275 280 285  Ala Trp Asp Arg Arg Leu Ala Val Ala Ile Leu Thr Ala Ile Asn Leu 290 - 295 300  Leu Ala Tyr Val Ala Asp Leu Val His Ser Ala His Leu Val Phe Val 30 305 310 315 320  Lys Val  32 <210> 149  <211> 4409  <212> DNA <213> Homo sapiens <220>  45 <221> CDS <222> (39). (2027)  40  400> 149  ggiglcagga tcgcagaaag tatgtccctt ctctcacc atg agc igg ctc tcc agt 56  Met Ser Trp Leu Ser Ser		Leu	Gly	Glu	Cys	Thr	Asn	Val	Leu	Pro	He	Pro	Phe	Pro	Ser	Phe	Leu	
Ser Gly Leu Ala Leu Leu Ser Val Leu Leu Tyr Ala Thr Ala Leu Val	10	225					230					235					240	
Leu Trp Pro Leu Tyr Gln Phe Asp Glu Lys Tyr Gly Gly Gln Pro Arg  260 265 270  20  Arg Ser Arg Asp Val Ser Cys Ser Arg Ser His Ala Tyr Tyr Val Cys 275 280 285  Ala Trp Asp Arg Arg Leu Ala Val Ala Ile Leu Thr Ala Ile Asn Leu 290 295 300  Leu Ala Tyr Val Ala Asp Leu Val His Ser Ala His Leu Val Phe Val 30 305 310 315 320  Lys Val  40 <a href="#">(211) 4409</a> <a href="#">(211) 4409</a> <a href="#">(212) DNA</a> <a href="#">(213) Homo sapiens</a> <a href="#">(220)</a> 45 <a href="#">(221) CDS</a> <a href="#">(222) (39) (2027)</a> <a href="#">(400) 149</a> <a href="#">ggtglcagga tcgcagaaag tatgtccctt ctclcacc atg agc tgg ctc tcc agt 56"&gt;(212 bec Ser Trp Leu Ser Ser Ser Ser Ser Trp Leu Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser</a>		Ser	Gly	Leu	Ala	Leu	Leu	Ser	Va I	Leu	Leu	Tyr	Ala	Thr	Ala	Leu	Val	
260 265 270  275 280 285  Ala Trp Asp Arg Arg Leu Ala Val Ala Ile Leu Thr Ala Ile Asn Leu 290 295 300  Leu Ala Tyr Val Ala Asp Leu Val His Ser Ala His Leu Val Phe Val 30 305 310 315 320  Lys Val  3210 4409  (211) 4409  (212) DNA (213) Homo sapiens (220)  45 (221) CDS (222) (339) (2027)  (400) 149  ggigtcagga tcgcagaaag tatgtccctt ctctcacc atg agc tgg ctc tcc agt 56  Met Ser Trp Leu Ser Ser						245					250					255		
Arg Ser Arg Asp Val Ser Cys Ser Arg Ser His Ala Tyr Tyr Val Cys  275 280 285  Ala Trp Asp Arg Arg Leu Ala Val Ala Ile Leu Thr Ala Ile Asn Leu  25 290 ~ 295 300  Leu Ala Tyr Val Ala Asp Leu Val His Ser Ala His Leu Val Phe Val  30 305 310 315 320  Lys Val  35 <210> 149  <221> 4409  <212> DNA  <220> 45 <222> (39). (2027)  50 <400> 149  ggtgtcagga tcgcagaaag tatgtccctt ctctcacc atg agc tgg ctc tcc agt 56  Net Ser Trp Leu Ser Ser	15	Leu	Trp	Pro	Leu	Tyr	Gln	Phe	Asp	Glu	Lys	Tyr	Gly	Gly	Gln	Pro	Arg ·	
275 280 285  Alia Trp Asp Arg Arg Leu Ala Val Ala IIle Leu Thr Ala IIle Asn Leu 25 290 ~ 295 300  Leu Ala Tyr Val Ala Asp Leu Val His Ser Ala His Leu Val Phe Val 30 305 310 315 320  Lys Val  35 <210> 149  <211> 4409  <212> DNA  <213> Homo sapiens  <220> 45 <221> CDS  <222> (39) (2027)  50 400> 149  ggtgtcagga tcgcagaaag tatgtccctt ctctcacc atg agc tgg ctc tcc agt 56  Net Ser Trp Leu Ser Ser					260					265					270			
Ala Trp Asp Arg Arg Leu Ala Val Ala Ile Leu Thr Ala Ile Asn Leu  290 ~ 295 300  Leu Ala Tyr Val Ala Asp Leu Val His Ser Ala His Leu Val Phe Val  30 305 310 315 320  Lys Val  35 (210) 149  (211) 4409  (212) DNA  (220)  45 (221) CDS  (222) (39) (2027)  50 (400) 149  ggigtcagga tcgcagaaag tatgtccctt ciclcacc atg agc tgg ctc tcc agt 56  Met Ser Trp Leu Ser Ser	20	Arg	Ser	Arg	Asp	Val	Ser	Cys	Ser	Arg	Ser	His	Ala	Туг	Tyr	Val	Cys	
25																		
Leu Ala Tyr Val Ala Asp Leu Val His Ser Ala His Leu Val Phe Val  305 310 315 320  Lys Val  35 <210> 149  <211> 4409  <212> DNA  <2213> Homo sapiens  <220>  45 <221> CDS  <222> (39) (2027)  50 <400> 149  ggigicagga tcgcagaaag latgiccctt ciclcacc atg agc tgg ctc icc agt 56  Met Ser Trp Leu Ser Ser	25	Ala			Arg	Arg	Leu		Val	Ala	Ile	Leu		Ala	Ile	Asn	Leu	
305 310 315 320  Lys Val  35 (210> 149 (211> 4409 (212> DNA (2213> Homo sapiens (220> 45 (221> CDS (222> (39) (2027) (400> 149 ggtgtcagga tcgcagaaag fatgtccctt ctclcacc atg agc tgg ctc tcc agt 56  Met Ser Trp Leu Ser Ser		l ou			Vol	410	4	•	Val	0: -	° - 2	11-		1	Val	D	V - 1	
Lys Val  35	20		ліа	1 71	va:	міа		ren	741	nıs	361		nıs	ren	vai	rne		
35	30		Val				0.10					0.0					320	
40		•										•				٠.		
40	35								. •							•		
40 <a href="#">(213) Homo sapiens</a> <a href="#">(220)</a> 45 <a href="#">(221) CDS</a> <a href="#">(222) (39) (2027)</a> 50 <a href="#">(400) 149 <a href="#">ggtgtcagga tcgcagaaag tatgtccctt ctctcacc atg agc tgg ctc tcc agt 56"&gt;Met Ser Trp Leu Ser Ser</a> 55</a>																•		
	40				•													
45 (221) CDS (222) (39) (2027)  50 (400) 149 ggtgtcagga tcgcagaaag tatgtccctt ctctcacc atg agc tgg ctc tcc agt 56 Met Ser Trp Leu Ser Ser				mo s	арте	ПS												
<222> (39) (2027) 50 <a href="#">(400&gt; 149</a> ggtgtcagga tcgcagaaag tatgtccctt ctctcacc atg agc tgg ctc tcc agt 56 Met Ser Trp Leu Ser Ser 55	45			ς														
50 <400> 149 ggtgtcagga tcgcagaaag tatgtccctt ctctcacc atg agc tgg ctc tcc agt 56 Met Ser Trp Leu Ser Ser 55					(202	7)		•		•								
ggtgtcagga tcgcagaaag tatgtccctt ctclcacc atg agc tgg ctc tcc agt 56  Met Ser Trp Leu Ser Ser 55					,					•				٠				
Met Ser Trp Leu Ser Ser	50	ggtg	icagi	ga to	egca	gaaa	g ta	tgtc	ccll	ctc	lcac	c at	g ag	c ig	g ct	c tc	c agt	56
55																		
	55								•				1				5 .	

	tco	cag	888	gtg	gta	cta	aca	gcc	tac	cac	ccc	agc	ggo	aag	gac	cag	104
5	Sei	r Gli	Gly	Val	Val	Leu	Thr	Ala	Tyr	His	Pro	Ser	Gly	Lys	Asp	Gln	
				10					15					20			
10	gco	gtc	ggg	aaċ	agc	cat	gca	aag	gca	ggg	gag	gaa	gcc	acc	tcg	agt	152
	Ala	Val	Gly	Asn	Ser	His	Ala	Lys	Ala	Gly	Glu	Glu	Ala	Thr	Ser	Ser	
			25					30				٠	35				•
15	cgc	aga	tat	ggc	cag	tac	act	atg	aac	cag	gaa	agc	acc	acc	atc	aaa	200
	Arg	Arg	Туг	Gly	Gln	Tyr	Thr	Met	Asn	Gln	Glu	Ser	Thr	Thr	lle	Lys	
. 20	,	40					45					50				•	
	gtt	atg	gag	aag	cct	cca	ttt	gat	cga	tca	att	tcc	cag	gať	tct	ttg	248
25	YaJ	Met	Glu	Lys	Pro	Pro	Phe	Asp	Arg	Ser	He	Ser	Gln	Asp	Ser	Leu	
	55		~			60					65					70	
				tct													296
30	Asp	Glu	Leu	Ser		Glu	Asp	Tyr	Trp	He	Glu	Leu	Glu	Asn	Ile	Lys	
		,	•		75					80					85		
35				gaa													344
	Lys	Ser	Ser	Glu	Asn	Ser	Gln	Glu		Gln	GJu	Val	Val	Val	Va)	Lys	
40				90					95					100			
				gag													392
	Glu	Pro		Glu	Gly	Glu	Leu		G I u	Glu	Trp	Leu		Głu	Ala	Gly	
45			105					110					115				
				ctc													440
50			ASD	Leu	Phe	Gly		Ser	Ala	Gly	Asp		Gln	Glu	Ser	Ile	
		120					125					130					
55				tca											_	-	488
	Va )	Phe	Leu	Ser	Thr	Leu	Thr	Arg	Thr	Gln	Ala	Ala	Ala	Val	Gln	Lys	

	13	15				140	0				145	5				150	
5	cg	a g	ta ga	ag ac	g gto	e tee	c cas	g ac	tte	age	aaa	aaa	aad	c aaa	a ca	g tac	536
	Ar	g V	al G	u Th	r Val	Sei	r Glr	ı Thi	Leu	Arg	Lys	Lys	Ası	Ly:	s Gli	n Tyr	
10					155	i				160	1				16	5	
10	ca	g a	ii co	t gad	c gio	aga	gac	ata	ttt	gct	caa	cag	aga	gaa	tca	aaa	584
	G1	n II	e Pr	o Ası	Val	Arg	Asp	lle	Phe	Ala	Gin	·Gln	Arg	Glu	Ser	Lys	
15				170	)				175			٠		180	1		
	ga	a ac	a gc	t cca	ggt	ggc	act	gaa	tcg	cag	tca	ctt	aga	aca	aat	gaa	632
20	Gla	1 Th	r Al	a Pro	Gly	Gly	Thr	Glu	Ser	Gln	Ser	Leu	Arg	Thr	Asn	Glu	
			18	5				190					195				•
05				c caa													680
25	Asn		-	r Gln	Gly	Arg		Asp	Glu	Ala	Ser		Leu	Val	Gly	Glu	
		20					205					210					
30				atc													728
	. 215		s Lei	ı Ile	Pro		61,0	GIU	Inr	Pro		Pro	Glu	Thr	Asp	•	•
35			7 729	gta	ica	220	gr.c	asa		ac s	225	on f				230	770
				Val													776
	•			, •	235			•.•	····	240	Du	11311	0111	LJS	245	361	
40	tcc	aag	gag	aaa		cag	aag	agc	aaa		gat	gat	gcc	aca		cci	824
				Lys													
45				250					255					260			
	agt	tţc	aga	ttg	cca	aaa	gac	aaa	acg	ggt	acc	aca	agg	att	ggt	gac	872
50	Ser	Phe	Arg	Leu	Pro	Lys	Asp	Lys	Thr	Gly	Thr	Thr	Arg	lle	Gly	Asp	
			265				. (	270					275				
	ctc	gca	ссс	cag	gac	alg	aag	aaa	gtt	t gc	cat	tla	gcc	cta	att	gag	920
55	Leu	Ala	Pro	Gln	Asp	Met	Lys	Lys	Va l	Cys 1	His	Leu	Ala	Leu	He	Glu	

	280	285	290
. <b>5</b>	ctg act gcc ctc ta	at gat gia tig ggt att g	gag ctg aaa caa caa aaa 968
	Leu Thr Ala Leu Ty	yr Asp Val Leu Gly Ile G	Glu Leu Lys Gln Gln Lys
	295	300 3	310
10	gct gtg aaa atc aa	aa aca aaa gat tot ggt o	tt ttt tgc gtt cca ttg 1016
	Ala Val Lys Ile Ly	s Thr Lys Asp Ser Gly L	eu Phe Cys Val Pro Leu
15	31	320	325
	aca gcg cta tta ga	ia caa gat cag agg aaa g	sta cca gga atg cga ata 1064
20	Thr Ala Leu Leu Gl	u Gln Asp Gln Arg Lys V	al Pro Gly Met Arg Ile
	330	335	340
25	ccc tig atc til ca	a aaa cig aii ici cga a	tt gaa gag aga ggt ttg 1112
	Pro Leu Ale Phe Gli	n Lys Leu lle Ser Arg l	le Glu Glu Arg Gly Leu
	345	350	355
30		c tta cgg atc cct gga g	
	•	u Leu Arg Ile Pro Gly A	
35	360	365	370
		a cta gaa gca aag tti t	
40	375	u Leu Glu Ala Lys Phe T 380 3	85 390
		a cag cat gat gcc gcc a	
		s Gln His Asp Ala Ala S	
45	399		405
		c cag cca ctg cic agt g	
50		o Gln Pro Leu Leu Ser V	
	410	415	420
55		g aat cit cca acc aag a	
	000 001 510 008		-2 220 222 C.U. COB 801 1000

	Phe	Gla	Ala	Val	Gln	Asn	Leu	Pro	Thr	Lys	Lys	Gln	Gln	Leu	Gln	Ala	
5			425					430					435				
	ttg	aac	ctt	ctt	ggc	atc	ctc	cta	cct	gat	gca	aac	agg	gac	aca	ctg	1400
40	Leu	Asn	Leu	Leu	Gly	He	Leu	Leu	Pro	Asp	Ala	Asn	Arg	Asp	Thr	Leu	
10		440		•			445					450					•
	aag	gcc	ctt	ctt	gaa	ttt	ctc	caa	aga	gta	ata	gat	aat	aaa	gaa	aaa	1448
15	Lys	Ala	Leu	Leu	Glu	Phe	Leu	Gln	Arg	Val	He	Asp	Asn	Lys	Glu	Lys	
	455			•		460					465					470	
20	aat	aaa	atg	aca	gtc	atg	aat	gta	gca	atg	gtc	atg	gcc	ccg	aat	ctc	1496
	Asn	Lys	Met	Thr	Val	Me t	Asn	Va]	Ala	Met	Val	Met	Ala	Pro	Asn	Leu	
					475					480					485		
25	ttt	atg	tgt-	cat	gca	llg	gga	ttg	aag	tcc	agt	gaa	cag	cga	gaa	ttt	1544
	Phe	Met	Cys	His	Ala	Leu	Gly	Leu	Lys	Ser	Ser	Glu	Gln	Arg	Glu	Phe	
· 30				490					495					500			
			gca						•								1592
35	Val	Mel	E [A	Ala	Gly	Thr	Ala		Thr	Met	His	Leu		He	Lys	Туг	
			505	0 + 5	100			510			- • •	<b>-1</b> -	515				1040
			ct t Leu														1640
40	0111	520	DCu	LCu	111	1111	525	110	Lys	1110	110	530	изп	GIII	101	Λίξ	
	aag		aac	acg	gaa	aat		aaa	aag	gal	aaa		ECC	atg	aag	aaa	1688
45			Asn					•									,,,,,
	535					540	•			•	545	•				550	
50		ctg	aag	aaa	alg	gct	tat	gac	cga	gaa	aaa	tat	gaa	aag	caa		1736
			Lys														
					555					560				-	565	·	
55	aag	agt	aca			gct	gac	gtt	cct		gga	gtg	att	cga		caa	1784
	-					-		_		-		- •	•				•

	Lys Ser Th	ır Asn Asp Ala	a Asp Val Pro	Gln Gly Val Ile	Arg Val Gln
5		570	575		580
3	gct ccc ca	t ctt tcg aaa	a gtt tcc atg	gca ata cag cta	act gaa gaa 1832
	Ala Pro Hi	s Leu Ser Lys	s Val Ser Met	Ala Ile Gln Leu	Thr Glu Glu
10	5 8	5	590	595	
	cta aaa go	c agt gat gta	a ctt gcc agg	ttt ctc agc caa	gaa agt ggg 1880
<b>15</b>	Leu Lys Al	a Ser Asp Val	l Leu Ala Arg	Phe Leu Ser Gln	Glu Ser Gly
	600		605	610	
20	gtt gcc ca	g act ctc aag	g aaa gga gaa	gtt ttt ttg tat	gaa att gga 1928
	Vài Ala Gi	n Thi Leu Lys	Lys Gly Glu	Val Phe Leu Tyr	Glu lle Gly
	615	620	)	625 .	630
25	gga aat at	t ggg gaa cgc	tgc ctt gat	gat gac act tac	atg aag gat 1976
	Gly Asn Il		Cys Leu Asp	Asp Asp Thr Tyr	Met Lys Asp
30		635		640	645
				tgg gtt ata aag	
35	Leu Tyr Gl			Trp Val Ile Lys	
	tta tagaag	650	655	Grannettet ater	660
40	Leu lagaag	acti aacaagu	gc agaiaactai	gtggactict gtca	itaatte 2077
	•	aagagtgtaa ä	taaaagaaa te	caggact catatta	tc agtigtaccc 2137
					gc tgctgccaga 2197
45					igt gagagtaaag 2257
					cc agatgtgaca 2317
50					ti icicciaaaa 2377
					itc taccettice 2437
55					sca agtigtgaag 2497

	acagcacati	t aaaacatacc	taatticaca	gtattcctgt	cacgacagaa	igitagiati	2557	
	catctctttg	aatcatttgc	tcaaataata	acattccacc	ttttcctgct	gtatcacagg	2617	
	aagtgattie	cattttttt	cagticatet	gacttatgtt	cacagaaccg	tatcagcgac	.2677	
	caagaaaata	ggactgtcag	aagctgccag	ttattactga	accattaaat	acttatatac	2737	
	taagaataaa	taaaatatac	ccatgtgaaa	taataattgg	attatggata	acaagagagt	2797	
	gaaagccaaa	gcactticig	tctactgtac	tcttctaaat	ggaatttaa	aagtcatagc	2857 .	
	tggctttacg	tgttgtcatt	attagcatta	taaatatgca	tgatagtata	atccagtaat	2917	
	ggttgaagaa	tgtattttac	ttaaagaggg	attttttt	ttaagtcctg	aataagtcta	2977	
•	ctggaagaat	tattcttctg	ggtgaaaagc	ttttgtttgt	gticttattt	taaataatcg	3037	
1	gagtcaattt	attaaaatgt	tcttgaaagt	actattccca	gggatttaa	tgcacaaacc	3097	
į	atattgtgac	aagagatgag	cctctgtact	gtaaataaga	aatgaagtag	agaaatgtta	3157	
į	aatatttat	gagtttagaa	tatagtaaat	aaaaggtgat	gtaaatgaat	gctgcacaaa	3217	
(	eggigiteat	gataciitta	gtagtacttt	aggaaaaact	acacattctc	agaagctctt	3277	
8	gatgicicia	atgaaggggg	ggaatgctgt	taatgagaac	agtcataaat	tttagcata	3337	
1	taat tacaag	aacagcctgt	ggalatgaic	acttaaatga	titigiggig	attcgtgcca	3397	
1	tgcttttt	atttaaaaga	aaattttgta	attaaatgce	tttttctaaa	ttatcttctc	3457	
İ	tggaatcat	tactttlaat	cctatgtgtt	tatgagtatt	tttgcttttt	ttttattaat	3517	
a	ttgagaaat	ggacttttt	gttattaaaa	gtcacctcta	ttttctattt	tctttgtaat	3577	
ŧ	lllaaagta	ggaagatgtc	agagatgtaa	atatgttttc	gicttiagti	tttttccttt	3637	
t	acaaatttt	tattcttcag	gattticaaa	atacagttta	gictgittet	ttgacaatat	3697	
g	tattaattt	cccaattagc	aaaatggtac	ttattagtgg	gttgaaaaca	attaataata .	3757	
t	aaaagaaaa	attaagtgct	taaaacattt	taggagtata	caacticaaa	aaaaaagala	3817	
g	cagtgagga	taatgattta	agtaaaaggt	igicigaagc	atatgccaac	taaatttcgc	3877	
a	acglitgci	acctacctga	aaaggagggt	caggagggag	acacaacata	titittgatca	3937	
t	gaaaaagta	tcltaatttt	aaaaaagtga	aaatgccatt	ttattttgaa	tcccttttag	3997	
a	actcacgac	ccaagttcat	caatgitgaa	taatatcacg	tttaaataac	aaaaaatat	4057	
g	gactttaaa	aaatctcaaa	tttittagag	acagggicti	gclcigittt	ccagattgga	4117	

	gtgcagcagt gcallcgcgg claactgcag cctcaagcac tggggctcaa gcaa	acctcc 4177
<i>5</i> '	tgcctcagcc tcgtgagtag ctaggaccac aggtgcatgc caccatgcct ggct	ctaaag 4237
	agaaaaaaaa ctigatacca tagagccitg aatataaata teetgatgti aacc	lactgc 4297
	ttitgcigig attittitic citagigagi litaaatcic aggciagati tita	liigit 4357
	tttctgtgtg tgtatgagac aaaataaaaa taaatatatt tgccttgagt tt	. 4409
	<210> 150	
15	<211> 663	
	<212> PRT	
20	<213> Homo sapiens	
	<b>&lt;400&gt;</b> 150	
25	Met Ser Trp Leu Ser Ser Gln Gly Val Val Leu Thr Ala Tyr	His
	1 5 10 15	
	Pro Ser Gly Lys Asp Glm Ala Val Gly Asm Ser His Ala Lys Ala	Gly
30	20 25 30	
	Glu Glu Ala Thr Ser Ser Arg Arg Tyr Gly Gln Tyr Thr Met Asn	Gln
35	35 40 45	
	Glu Ser Thr Thr Ile Lys Val Met Glu Lys Pro Pro Phe Asp Arg	Ser
40	50 55 . 60	•
	Ile Ser Gln Asp Ser Leu Asp Glu Leu Ser Met Glu Asp Tyr Trp	He
	65 70 75	80
45 .	Glu Leu Glu Asn Ile Lys Lys Ser Ser Glu Asn Ser Gln Glu Asp	Gln
	85 90 95	•
50	Glu Val Val Val Lys Glu Pro Asp Glu Gly Glu Leu Glu Glu	Glu
	100 105 110	
55	Trp Leu Lys Glu Ala Gly Leu Ser Asn Leu Phe Gly Glu Ser Ala	Gly
	115 120 · 125	

	Ası	Pro	Gli	Glu	Ser	Ile	Va)	Phe	Leu	Ser	Thr	Leu	Thr	Arg	Thr	Gln
5		130	)				135					140				
	Ala	Ala	Ala	Val	Gln	Lys	Arg	Val	Glu	Thr	Val	Ser	Gln	Thr	Leu	Arg
10	149	i				150					155					160
	Lys	Lys	Asn	Lys	Gln	Tyr	Gln	lle	Pro	Asp	Val	Arg	Asp	He	Phe	Ala
15					165					170		•			175	
	Gln	Gln	Arg	Glu	Ser	Lys	G) u	Thr	Ala	Pro	Gly	Gly	Thr	Glu	Ser	Gln
				180					185			•		190		
20	Ser	Leu	Arg	Thr	Asn	Glu	Asn	Lys	Tyr	Gln	Gly	Arg	Asp	Asp	Glu	Ala
			195					2,00					205			
25	Ser	Ásn	Leu	Val	Gjy	Glu	GJ u.	Lys	Leu	He	Pro	Pro	Glu	Glu	Thr	Pro
		210	~				215					220				
	Ala	Pro	Glu	Thr	Asp	Ile	Asn	Leu	Glu	Val	Ser	Phe	Ala	Glu	Gin	Ala
30	225					230					235					240
	Leu	Asn	Gln	Lys	Glu	Ser	Ser	Lys	Glu	Lys	Ile	Gln	Lys	Ser	Lys	Gly
35					245					250					255	
	Asp	Asp	Ala		Leu	Pro	Ser	Phe		Leu	Pro	Lys	Asp		Thr	Gly
40				260					265					270		
	Thr	Thr		lle	Gly	Asp	Leu		Pro	Gln	Asp	Me t		Lys	Val	Cys
			275					280					285			
45	His		Ala	Leu	I l·e	Glu		Thr	Ala	Leu	Tyr		Val	Leu	Gly	He
	0.1	290	-				295			•	•	300		,	_	
50		Leu	Lys	GIn	Gln	Lys	Ala	lsv	Lys	116		Thr	Lys	Asp	Ser	
	305				_	310					315					320
55	Leu	Phe	Cys			Leu	Thr	Ala	Leu		Glu	Gln	Asp	Gln		Lys
55					325					330					335	

	Val	Pro	Gly	Met	Arg	He	Pro	Leu	He	Phe	Gln	Lys	Leu	He	Ser	Arg
5				340					345					350		
	He	Glu	Glu	Arg	Gly	Leu	Glu	Thr	Glu	Gly	Leu	Leu	Arg	He	Pro	Gly
			355					360					365			
10	Ala	Ala	Ile	Arg	He	Lys	Asn	Leu	Cys	Gln	Głu	Leu	Glu	Ala	Lys	Phe
		370					375					380				
15	Tyr	Glu	Gly	Thr	Phe	Asn	Trp	Glu	Ser	Va}	Lys	Gln	His	Asp	Ala	Ala
	385					390					395					400
20	Ser	Leu	Leu	Lys	Leu	Phe	lle	Arg	Glu	Leu	Pro	Gln	Pro	Leu	Leu	Ser
					405					410					415	
	Val	Glu	Tyr	Leu	Lys	Ala	Phe	Gln	Ala	Val	Gln	Asn	Leu	Pro	Thr	Lys
25			_	420					425	•				430		
	Lys	Gln	Gļn	Leu	Gln	Ala	Leu	Asn	Leu	Leu	Gly	Ile	Leu	Leu	Pro	Asp
30			435	•				440					445			
	Al _a	Asn	Arg	Asp	Thr	Leu		Ala	Leu	Leu	Glu	Phe	Leu	Gln	Arg	Val
		450					455					460				
35		Asp	Asn	Lys	Glu		Asn	Lys	Met	Thr		Met	Asn	Val	Ala	
	465			_		470					475	_				480
40	Val	Met	Ala	Pro		Leu	Phe	Met	Cys		Ala	Leu	Gly	Leu		Ser
			٥.		485	••	,, ,			490	01				495	
45	Ser	Glu	Gin		GIU	Pne	vai	мет		Ala	GIA	Inr	Ala		Inr	Met
	11: 4	T	1	500	1	T.,,=	(15	1 110	505	1	T	Th	71.	510	1	Db.
	nıs	Leu		116	LYS	1 9 1	Gill		ren	Leu	110	ınr		PTO	LYS	rne
50	*1.	V - 1	515	O1 -	17 - 1	1	1	520	1	<b>TL</b> _	Ct	4	525	1	7	
	116	Val	ASN	GID	val	ALR		GIR	ASD	1111	<b>G10</b>		nıs	LYS	LYS	ASP
55		530				_	535		,		14 .	540	_	_		
	Lys	Arg	Ala	Met	Lys	Lys	Leu	Leu	Lys	Lys	Met	Ala	Tyr	Asp	Arg	Glu

	545	550	555	560
5	Lys Tyr Glu L	ys Gln Asp Lys	Ser Thr Asn Asp Ala	Asp Val Pro Gln
		565	570	575
. 10	Gly Val Ile A	rg Val Gln Ala	Pro His Leu Ser Lys	Val Ser Met Ala
	5	80	585	590
	lle Gln Leu T	hr Glu Glu Leu	Lys Ala Ser Asp Val	Leu Ala Arg Phe
15	595		600	605
	Leu Ser Gln G	lu Ser Gly Val	Ala Gin Thr Leu Lys	Lys Gly Glu Val
20	610	615	620	•
			Asn Ile Gly Glu Arg	Cys Leu Asp Asp
25	625	63,0	635	640
	Asp Thr Tyr Me	•	Tyr Gln Leu Asn Pro	
	Val Ila Iva Sa	645	650	655
30	Val Ile Lys Se		·	
	0.0	,,,		
35	<210> 151			
	<211> 4490		^	
40	<212> DNA			
	<213> Homo sap	iens		
45	<220>			
45	<221> CDS			
	<222> (3) (25 <400> 151	91)		
50		ate occ tec to	cc tat gig cag ccc ti	ig aac tac cgg 47
			er Tyr Val Gln.Pro Le	
55	l .	5	10	ed Asii iyi Aig
	• .			10

	aac	: tca	aca	ctg	agt	gac	agc	ggt	atg	att	gat	aat	ctt	cca	gac	agc	95
5	Asn	Ser	Thr	Leu	Ser	Asp	Ser	Gly	Met	lle	Asp	Asn	Leu	Pro	Asp	Ser	
					20			٠		25					30		
10	cca	gac	gag	gta	gcc	aag	gag	ctg	gag	ctg	ctc	ggg	gga	tgg	aca	gat	143
	Pro	Asp	Glu	Val	Ala	Lys	Glu	Leu	Glu	Leu	Leu	Gly	Gly	Trp	Thr	Asp	
	•			35				•	40			٠		45			•
15	gac	aaa	aaa	gta	cca	ggc	aga	atg	tac	agt	aat	aac	cct	ttc	tgg	aat	191
	Asp	Lys	Lys	Yal	Pro	Gly	Arg	Me t	Туг	Ser	Asn	Asn	Pro	Phe	Trp	Asn	
20			50					55					60				
	ggg	gtc	cag	acc	aat	cca	ttt	ctg	aat	ggg	aac	gtg	ccc	gtc	atg	ccc	239
25	Gly	Val	Gln	Thr	Asn	Pro	Phe	Leu	Asn	Gly	Asn	Val	Pro	Val	Met	Pro	
.5		65	-			•	70					75					
	agc	ctg	gat	gag	cig	aat	ccc	aaa	agt	aci	gtg	gat	ttg	ctc	ctt	ttt	287
30	Ser	Leu	Asp	G } u	Leu	Asn	Pro	Lys	Ser	Thr	Val	Asp	Leu	Leu	Leu	Phe	
	80	•				85		•			90					95	
35	gac	gca	ggt	aca	tcc	tcc	ttc	acc	gaa	tcc	agc	tca	gcc	acc	acg	aat	335
	Asp	Ala	Gly	Thr	Ser	Ser	Phe	Thr	Glu	Ser	Ser	Ser	Ala	Thr	Thr	Asn	
				•	100					105					110		. •
10																	. 383
	Ser	Thr	Gly		lle	Phe	Asp	Glu		Pro	Val	Thr	Asn	Gly	Leu	His	
<b>1</b> 5				115					120					125			
		gag															431
	Ala	Glu		Pro	Val	Arg	Arg		Asn	Рго	Phe	Phe		Ser	Lys	Arg	•
			130					135					140				
		tac														•	479
55	Ser	Туг	Ser	Leu	Ser	Glu	Leu	Ser	Yal	Leu	Gln	Ala	Lys	Ser	Asp	Ala	

		145			•		150					155	•			•	
5	ccc	aca	tcg	tcg	agt	ttc	ttc	acc	ggc	ttg	aaa	tca	cct	gcc	ccc	gag	527
•	Pro	Thr	Ser	Ser	Ser	Phe	Phe	Thr	Gly	Leu	Lys	Ser	Pro	Ala	Pro	Glu	•
10	160					165					170					175	-
10	caa	ttt	cag	agc	cgg	gag	gat	ttt	cga	act	gcc	tgg	cta	aac	cac	agg	575
	Gln	Phe	Gln	Ser	Arg	Glu	Asp	Phe	Arg	Thr	Ala	Trp	Leu	Asn	His	Arg	
15					180					185					190		
	aag	çtg	gcc	cgg	lct	t gc	cac	gac	ctg	gac	tlg	ctt	ggc	.caa	agc	cct	623
20	Lys	Leu	Ala	Arg	Ser	Cys	His	Asp	Leu	Asp	Leu	Leu	Gly	Gln	Ser	Pro .	
				195				•	200				.•	205	•		
	ggt	tgg	ggc	cag	acc	caa	gcc	gtg	gag	aca	aac	atc	gtg	tgc	aag	ctg	671
25	Gly	Trp	<b>~</b>	Gln	Thr	Gln	Ala	Val	Glu	Thr	Asn	lle	Va l	Cys	Lys	Leu	
•			210					215					220				
30		agc															719
	Asp	Ser	Ser	Gly	Gly	Ala		GID	Leu	Pro	Asp		Ser	He	Ser	lle	
35	202	225		~n.~	<b>770</b>	000	230		ant	~~~	~ · · ·	235				•••	257
		gtg Val															767
	240	141	110	014	017	245	, ,	niu.		01,	250	1111	011	0111	116	255	
40		aaa	gcc	ctg	cig		ccc	CCG	ctg	gag		aac	agt	gac	agg		815
	Met						•										
45					260					265					270		
	lgç	agc	atc	agc	cċt	gtg	ctg	gag	gtc	aag	ctg	agc	aac	ctg	gag	gtg.	863
50	Cys	Ser	He	Ser	Pro	Val	Leu	Glu	Val	Lys	Leu	Ser	Asn	Leu	Glu	Val	
35				275					280					285			
	aaa	acc	tct	atc	alc	ttg	gag	atg	aaa	glg	tca	gcc	gag	ata	aaa	aat	911
55	Lys	Thr	Ser	lle	lle	Leu	Glu	Met	Lys	Val	Ser	Ala	Glu	He	Lys	Asn	

			29	)				295					300				
5	gao	c c t	t tt	t ago	aaa	ago	aca	gtg	ggc	ctc	cag	t gc	ctg	agg	agc	gac	959
	Ası	Lei	ı Phe	Ser	Lys	Ser	Thr	· Val	Gly	Leu	Gln	Cys	Leu	Arg	Ser	Asp	
10		308	5				310	)				315					
	tcg	aag	gaa	ggg	cca	tat	gto	tcc	gtc	ccg	ctc	aac	tgc	agc	tgt	ggg	1007
	Ser	Lys	Glu	Gly	Pro	Tyr	Val	Ser	Va 1	Pro	Leu	Asn	Cys	Ser	Cys	Gly	
15	320					325					330					335	
	gac	acg	gtc	cag	gca	cag	ctg	cac	aac	ctg	gag	ccc	tgt	atg	tac	gtg	1055
20	Asp	Thr	Val	Gln	Ala	Gln	Leu	His.	Asn	Leu	Glu	Pro	Cys	Met	Tyr	Val	
					340					345					350		
25	•			gcc											•		1103
	Ala	Val	-Va1	Ala	His	Gly	Pro	Ser		Leu	Tyr	Pro	Ser		Val	Trp	
		•••		355			_4_		360					365			
30				aat													1151
	лор	1116	370	Asn	L)3	Ly5	741	375	441	GIY	ren	ijУľ	380 -		Lys	HIS	
35	atc	cac		tcc	ttc	aag	acg		ete	acc	att	111			asc.	tat	1199
				Ser		·											1133
40		385					390					395			,	•,•	•
	gcc	cca	aag	acg	clc	ctg	gtc.	agc	gag	glc	aca	cgc	cag	gca	ccc	aac	1247 -
45	Ala	Pro	Lys	Thr	Leu	Leu	Va l	Ser	Glu	Val	Thr	Arg	Gln	Ala	Pro	Asn	
43	400					405					410					415	
	cct	gcc	ccg	gtg	gcc	clg	cag	ctg	tgg	ggg	aag	cac	cag	ttc	git	tlg	1295
50	Pro	Ala	Pro	Va-l	A.I.a.	Leu-	G-l-n-	Leu-	T-r-p-	Gly	Lys-	His-	Gl-n-	Phe-	Val.	Leu	
	•				420					425					430		
55	tcc	agg	ссс	cag	gat	clc	aag	glc	tgt	atg	ttt	tcc	aat	atg	acg	aat	1343

	Se	r Arg	у Рг	o Glr	ı Ası	Lei	Ly.	s Va	l Cys	s Me	Phe	Sei	r As	n Me	t Th	r Asn	
5				435	i				440	)				. 44	5		
	tac	gag	gto	aaa	gco	ago	gag	g cas	g gc (	aaa	gtg	gtg	cg	a 'gg	a tto	cag	1391
10	Туг	Glu	Val	Lys	Ala	Ser	Glu	ı Glı	Ala	Lys	Val	· Va}	Arg	g Gl	y Phe	Gln	
70			450	)				455	i				460	)			
	cts	aag	ctg	ggc	aag	glg	ago	cgc	ctg	ato	ttċ	ccc	ato	aco	tco	cag	1439
15	Leu	Lys	Leu	Gly	Lys	Val	Ser	Arg	Lèu	Ile	Phe	Pro	He	Thi	Ser	Gln	
		465					470	١				475		•			
20	aac	ccc	aac	gag	ctc	tct	gac	ttc	acg	ctg	cgg	gtt	cag	gtg	aag	gac	1487
	Asn	Pro	Asn	Glu	Leu	Ser	Ásp	Phe	Thr	Leu	Arg	Val	Gln	Val	Lys	-Asp	
	480					485					490					495	
25.	gac	cag	gag	gcc	atc	ctc	acc	cag	ttt	tgt	gtc	cag	act	cct	cag	cca	1535
	Asp	Gln	Glu	Ala	Ile	Leu	Thr	Gln	Phe	Cys	Val	Gln	Thr	Pro	Gln	Pro	
30					500					505					510		
		cct															1583
25	Pro	Pro	Lys		Ala	lle	Lys	Pro		Gly	Gln	Arg	Arg	Phe	Leu	Lys	
35				515					520					525			
		aac															1631
40	Lys	Asn		Ya]	Gly	Lys	He		Leu	Ser	Pro	Phe		Thr	Thr	Thr	•
			530					535				•	540				
45		tac															1679
		Tyr   545		1111	rne			Arg	PTO	Pai			Leu	Lys	Phe	Gly	
			n t o				550					555					
50		tig (														•	1727
	Lys	ren 1	Leu .	LYS			Yaı	MIR	GIII			АЅЛ	HIS	Tyr	Leu		
55	560	100				565		n • -			570					575	
	gag	. ac	aag	aag	ggc	gac	ggg	acc	gcc	CIG	CIC	agc	gag	gag	cgg	gtc	1.775

	Gl	u Ty	r Lys	Lys	Gly	Asp	Gly	Ile	Ala	Leu	Leu	Ser	Glu	Glu	Arg	( Val	
5					580					585					5 <u>.</u> 90		
	ag	g cto	cgg	ggc	cag	ctg	t gg	acc	aag	gag	tgg	tac	atc	ggc	tac	tac	1823
10	Arg	z Lei	ı Arg	Gly	Gln	Leu	Trp	Thr	Lys	Głu	Trp	Tyr	He	Gly	Туг	Tyr	
				595					600					605			
	cag	ggo	agg	gtg	ggc	ctc	gtg	cac	acc	aag	aac	gtg	ctg	glg	gtc	ggc	1871
15	Gln	Gly	Arg	Val	Gly	Leu	Val	His	Thr	Lys	Asn	Val	Leu	Va 1	Val	Gly	
			610					615					620				
20			cgg														1919
	Arg		Arg	Pro	Ser	Leu		Ser	Gly	Pro	Glu		Ser	Thr	Ser	Val	
25		625					630					635					
			gag		•												1967
		Leu	Glu	Gln	He		Arg	Pro	Cys	Lys	Phe	Leu	Thr	Tyr	He	Tyr	
30	640					645					650					655	
	gcc	tcc	gtg	agg	acc	ctg	ctc	atg	gag	aac	atc	agc	agc	tgg	CgC	tcc	2015
35	Ala	Ser	Val	Arg	Thr	Leu	Leu	Met	Glu	Asn	He	Ser	Ser	Trp	Arg	Ser	
					660					665					670		
	ttc	gct	gac	gcc	ctg	ggc	tac	gtg	aac	ctg	CCE	ctc	acc	ttt	ttc	t gc	2063
40	Phe	Ala	Asp	Ala	Leu	Gly	Туг	Val	Asn	Lev	Pro	Leu	Thr	Phe	Phe	Cys	
				675					680					685			
45	cgg	gca	gag	ctg	gat	agt	gag	ccc	gag	cgg	gtg	gcg	tcc	glc	ctg	gaa	2111
	Arg	Ala	Glu	Leu	Asp	Ser	Gĺu	Рго	Glu	Arg	Val	Ala	Şer	Val	Leu	Glu	
			690	•		•		695			•		700				
50	aag	ctg	aag	gag	gac	igt	aac	aac	act	gag	aac	aaa	gaa	cgg	aag	tcc	2159
	Lys	Leu	Lys	Glu.	Asp	Cys .	Asn	Asn	Thr	Glu	Asn	Lys	Glu	Arg	Lys	Ser	
55		705					710					715					

	110	cag	aag	gag	cii	gtg	ate	g gco	cla	cts	g aag	atg	gad	t go	ca	g ggc	2207
5	Phe	Gln	Lys	Glu	Leu	Val	Me t	Ala	Lei	Lev	Lys	Met	Asp	Cys	Gli	ı Gly	
	720	١				725					730	•				735	
10	ctg	glg	gtc	aga	ctc	atc	cag	gac	itt	gtg	çtc	ctg	acc	ace	gct	gta	2255
10	Leu	Val	Val	Arg	Leu	He	Gin	Asp	Phe	Vai	Leu	Leu	Thr	Thr	Ala	Val	
					740					745		•			750	١	
15	gag	gtg	gcc	cag	cgc	tgg	cgg	gag	cig	gct	gag	aag	ctg	gcc	aag	gtc	2303
	Glu	Va]	Ala	Gln	Arg	Trp	Arg	Glu	Leu	Ala	Glu	Lys	Leu	Ala	Lys	Val	
20				755					760	•				765			•
	tcc	aag	cag	cag	atg	gac	gcc	tac	gag	tct	ccc	cac	cgg	gac	agg	aac	2351
	Ser	Lys	Gln	Gln	Me t	Asp	Ala	Tyr	Glu	Ser	Pro	His	Arg	Asp	Arg	Asn	
25	•		770					775					780				
	888	git	gtg	gac	agc	gag	gcc	alg	tgg	aag	cct	gcg	tat	gac	ttc	tta	2399
30	Gly	Val '	Val /	Asp S	Ser	Glu	Ala	Met	Trp	Lys	Pro	Ala	Tyr	Asp	Phe	Leu	
	•	785					790					795					
		acc 1															2447
35	Leu	Thr 1	Trp S	Ser H			He	Gly	Asp	Ser	Tyr	Arg	Asp	Val	He	Gln	
	800					805					810					815	
40	gag													•			2495
	Glu I	Leu H	lis L		•	Leu	Asp	Lys			Asn	Pro	Ile			Arg	
45	<b>.</b>				20			•		825					830		
	tgg a																2543
	Trp L	ys n			nr (	ıly l	IAF .			Leu	Val.	Asn			Asp	Yal .	
50				35					840					845			
	cig a																2591
55	Leu A			la A	ıa P	ne S			ala .	Asp (	Gln /			Phe '	Va]	lle	
		8	50				- 8	355				- 1	360				

	(gaa(ggg)	c ccclccccl	cigoigotot	ggagtgcaag	ccctcttctg	ccctgcgtgc	265
	cctgctgtca	ccgcggagci	gaagagggag	. gaaggggcgg	clgctcagac	agatttaggg	2711
	cccgccagct	aggctacaco	catcatgcgc	cgccctcctc	catcgaggga	gaggcctgaa	2771
	gggactgcct	actgcagcto	gttgccaatc	acatagettt	ctatitgita	agtataaatt	2831
	taaatttaaa	atcacttitt	taacgaatgg	ggggaaggga	tctatgagaa	aggtggtatc	2891
	taatttttt	atggaccata	aaggitlaaa	agaaaatagg	ggcacagggt	gttgaggttt	2951
	ttatgitgit	atagaccttt	ttaaattatg	ttagagatgt	atataggtat	ttaaaggtca	3011
	ctgggagcat	itcigatico	cggccacact	ligcalitca	acactcagcc	cggaaagatg	3071
	ctcgttcggt	tgttggacct	ctttcactcc	ctgcgtgtaa	gaaggtgaat	cacgigggaa	3131
	aaagtggctt	ttcagtaaac	gggtacagct	caltcitici	gagaaggccc	caggiccigc	3191
	teceteeteg	gattigatig	tcttccgtgc	ttigccicac	tcgtagtaaa	tgaccatcca	3251
	tagaatatgt	gaatcittgg	tgagcttcag	tgggcagagt	gaagtcccgc	attagcattt	3311
	aggtgccctg	agcigitici	gccaatagat	tagaaagcag	ccatgagttg	acagtettta	3371
	gggccccigc	cagtgtgcaa	ttagtcattg	acaagaacaa	tgccatttga	gagtgaggtg	3431
	gtccctgctg	ctacgaggcc	atigiacigi	tttttccttg	aggtcaaagc	agtgcttccc	3491
	atagagtttg	cigccicitc	tgtggacagg	aagaaaactt	catgaccgaa	tcagagcctt	3551
	ggtggccact	gactctcgtg	cttattgcag	atgctgtggt	tggcctcaca	agcaacgcct	3611
	tatgctgatg	tgcagaggtg	ccagctgcca	ttigccaaac	tetgeattte	atticateta	3671
	aggcttaacc	ccicticcti	cctggtgtac	ctgtgtctcc	tcggaaggaa	gtcatagttt	3731
	agatgaaacc	atttttgta	caatgtaaag	atcatctgag	caagatgagc	attttgtaaa	3791
	aatgaaaatg	tgactcacat	aaaatcagga	acliggcaca	gigiigcati	aataacttta	3851
	gggtgcagac	algctgtgtg	aatctcacaa	tgcgtcgtag	atgtcgcgtg	ttggaaggga	3911
•	gcaggaggaa	ggacigatac	tggcaaatca	gtagagtgag	gigateetta	gcaacgtgcc	3971
	aggacactic	ctgtgtgcct	gcagtigica	gggaccattt	gggatcccga	atctcattct	4031
	ctaaaactgc	tticttgaaa	catgitacit	ccitagtata	atcaatgtat	actecettae	4091
	tggccigaaa	cgttgtatag	ctactlatic	agatacigaa	gaccaacgga	ctgaaaaaaa	4151

														•			
	gaad	caaac	at	tagc	tatt	tt a	tgct	gcaag	aad	cag	gaca	caca	aatto	cgc	caato	atccc	4211
5	acca	atata	ac (	cttc	gatt	gt g	cttc	tcaad	tco	acco	cat	aati	tct	ccc	agaga	tcatc	4271
	tato	cacct	tt	tccc	caaa	ga a	gaaa	caaaa	cca	gtts	gcac	ctta	aaac	cat	ggata	tttt	4331
	tcci	tcagg	gg (	cttt	aat	ag t	ttcc	tatgo	aac	gtgt	ctt	gtag	gcaca	aaa	taaaa	ittcta	4391
10	caaa	agtt	gc	agta	aatt	tt a	titgi	gatal	tti	aaco	tgt	laag	gigis	gtg	tgtgt	tttct	4451
	gtac	ccaa	icc a	agaci	Lita	aa ta	aaaa	caaac	ate	gaaac	ct					•	4490
15																	
	<210	)> 15	2														
	<211	> 86	3														
20	<212	2> PR	T														
	<213	3> Ho	то з	sapie	ens												
25	<400	)> 15	2														
	Met	Gly-	Чуг	He	Pro	Ser	Ser	Tyr	Va l	Gln	Pro	Leu	Asn	Tyr	Arg	Asn	
	i				5					10					15		
30	Ser	Thr	Leu	Ser	Asp	Ser	G1 y	Met	He	Asp	Asn	Leu	Pro	Asp	Ser	Pro ·	
				20					25					30			
35	Asp	Glu	Yal	Ala	Lys	Glu	Leu	Glu	Leu	Leu	Gly	Gly	Trp	Thr	Asp	Asp	
			35					40					45				
	Lys	Lys	Ya I	Pro	Gly	Arg	Met	Tyr	Ser	Asn	Asn	Pro	Phe	Trp	Asn	Gly	
40		50					55					60					•
	Val	Gln	Thr	Asn	Pro	Phe	Leu	Asa	Gly	Asn	Va i	Pro	Val	Met	Pro	Ser	
	65					70					75					80	
45	Leu	Asp	Glu	Leu	Asn	Pro	Lys	Ser	Thr	Val	Asp	Leu	Leu	Leu	Phe	Asp	
					85					90					95		
50	Ala	Gly:	Thr	Ser	Ser	Phe	Thr	Glu	Ser	Ser	Ser	Ala	Thr	Thr	Asn	Ser	
		•		100					105					110			
	Th-	Gly	4 c n		Pho	Aen	Glu	l en		Val	Thr	n e A	Glv		Hie	Ala	
55	1111	GIÀ	V211	116	1 116	woh	010	PCI		101	1111	11011	017	νcu	1113	1110	

			115	,	•			120					125			
5	Glu	Pro	Pro	Val	Arg	Arg	Asp	Asn	Pro	Phe	Phe	Arg	Ser	Lys	Arg	Ser
		130					135					-140				
40	Tyr	Ser	Leu	Ser	Glu	Leu	Ser	Yal	Leu	Gln	Ala	Lys	Ser	Asp	Ala	Pro
10	145					150					155					160
	Thr	Ser	Ser	Ser	Phe	Phe	Thr	Gly	Leu	Lys	Ser	Pro	Ala	.Pro	Glu	Gln
15					165					170					175	
	Phe	Gln	Ser	Arg	Glu	Asp	Phe	Arg	Thr	Ala	Trp	Leu	Asn	His	Arg	Lys
20				180					185					190		
	Leu	Ala	Arg	Ser	Cys	His	Asp	Leu	Asp	Leu	Leu	Gly	Gln	Ser	Pro	Gly.
			195					200					205			
25 ·	Trp	Gly	Gln -	Thr	Gln	Ala		Glu	Thr	Asn	lle		Cys	Lys	Leu	Asp
		210					215					220				
30	•	Ser	Gly	Gly	Ala		Gln	Leu	Pro	Asp		Ser	Ile	Ser	He	_
	225	D	C1	C1	11: -	230	41-	D	C1	C1	235	C1	C1-		<b>C</b>	240
35	, vai	Pro	GIU	OIY	245	·va1	ніа	PTO	GIY	250	Inr	GIN	GIN	118	255	met
	1.vs	Ala	Len	Len		Pro	Pro	Len	Glu		Acn	Ser	Aen	Δrσ		Cve
	2,0	,,,,	,,,,	260	лор			DCG	265	LCU	11311	QC1	nop	270	361	0,3
40	Ser	Ile	Ser		Va]	Leu	Glu	Val		Leu	Ser	Asn	Leu		Val	Lys
			275					280					285			
45	Thr	Ser	He	Ile	Leu	Glu	Me t	Lys	Val	Ser	Ala	Glu	Ile	Lys	Asn	Asp
		290					295			•		300				
50	Leu	Phe	Ser	Lys	Ser	Thr	Val	Gly	Leu	Gln	Cys	Leu	grA	Ser	Asp	Ser
50	305					310					315.					320
	Lys	Glu	Gly	Pro	Tyr	Ya]	Ser	۷al	Pro	Leu	Asn	Cys	Ser	Cys	Gly	Asp
<b>55</b>					325					330		•			335	

	Thr	Val	Gln	Ala	Gln	Leu	His	Asn	Leu	Glu	Pro	Cys	Met	Туг	Val	Ala
5		•		340		٠			345					350		•
	Val	Val	Ala	His	Gly	Pro	Ser	lle	Leu	Tyr	Pro	Ser	Thr	Val	Trp	Asp
10	•		355					360					365			
	Phe	Ile	Asn	Lys	Lys	Val	Thr	٧a١	Gly	Leu	Tyr	Gly	Pro	Lys	His	Ile
		370					375					380				•
15	His	Pro	Ser	Phe	Lys	Thr	Val	Val	Thr	lle	Phe	Gly	His	Asp	Cys	Ala
	385					390					395					400
20	Pro	Lys	Thr	Leu	Leu	Vai	Ser	Glu	Val	Thr	Arg	Gln	Ala	Pro	Asn	Pro
					405					410					415	
25	Ala	Pro	Val	Ala	Leu	Gln	Leu	Trp	Gly	Lys	His	Gln	Phe	Val	Leu	Ser
			-	420					425					430		
	Arg	Pro	Gln	Asp	Leu	Lys	Val	Cys	Met	Phe	Ser	Asn	Met	Thr	Asn	Tyr
30			435					440		٠			445			
•	Glu	Val	Lys	Ala	Ser	Glu	Gln	Ala	Lys	Val	Val	Arg	Gly	Phe	Gln	Leu
35		450					455					460		•		
	Lys	Leu	Gly	Lys	Val	Ser	Arg	Leu	He	Phe	Рго	Ile	Thr	Ser	Gln	Asn
40	465					470					475					480
40	Pro	Asn	Glu	Leu		Asp	Phe	Thr	Leu		Vai	Gln	Val	Lys		Asp
					485					490					495	
45	Gln	Glu	Ala	Ile	Leu	Thr	Gln	Phe		Val	Gln	Thr	Pro		Pro	Pro
				500		_	•	_	505				_	510	•	
50	Pro			Ala	He	Lys	Pro		Gly	Gln	Arg	Arg		Leu	Lys	Lys
			515					520					525			
			Val	Gly	Lys	Ile		Leu	Ser	Pro	Phe		Thr	Thr	Thr	Lys
55		530					535					540				

	Ty	r Pr	o Th	r Phe	e Glr	1 Asi	Arg	Pro	Val	Ser	Sei	Lei	Ly	s Ph	e Gl	y Ly	S
5	54	5				550	1				555	j				56	0
	Lei	u Lei	ı Lys	s Thi	Va)	Yal	Arg	Gln	Ası	Lys	Ası	His	Ту	Lei	Lei	u Gli	ü
10					565	•				570	١				575	5	
,,	Ţyı	r Lys	Lys	Gly	' Asp	Gly	He	Ala	Leu	Leu	Ser	Glu	Glu	Arg	y Val	Arg	3
				580					585	i	•			590	)		
15	Lei	ı Arg	Gly	Gln	Leu	Trp	Thr	Lys	Glu	Trp	Tyr	He	Gly	Tyr	Tyr	Glr	)
			595	i				600					605				
20	Gly	' Arg	Va l	Gly	Leu	Va l	His	Thr	Lys	Asn	Val	Leu	Val	Val	Gly	Arg	Ş
		610					615					620					
	Ala	Arg	Pro	Ser	Leu	Cys	Ser	Gly	Pro	Głu	Leu	Ser	Thr	Ser	Val	Leu	!
25	625		_			630					635					640	ļ
	Leu	Glu	Gln	lle	Leu	Arg	Pro	Cys	Lys	Phe	Leu	Thr	Tyr	He	Tyr	Ala	
30					645					650					655		
	Ser	Val	Arg	Thr	Leu	Leu	Met	Glu		He	Ser	Ser	Trp	Arg	Ser	Phe	
35				660		_			665					670		•	
	Ala	ASP		Leu	Gly	Tyr	Val		Leu	Pro	Leu	Thr		Phe	Cys	Arg	
	.la	C1	675	4	Ca-	C1	D	680	• -	12. 1		•	685		٥.		
40	Ala	690	Leu	Asp	Ser	GIU	695	610	Arg	ASI	Ala		Val	Leu	Glu	Lys	
	انم (		Glu	Asp	Cue	1 cn		The	Cl.	lan	1 40	700	1-0	Luc	C	Db.	
45	705	LJS	0.4	лор		710	non	1111	010	non	715	OIU	WIR	LYS	361	720	
		l.vs	Glu	Leu			Ala	l.eu	Len	l.ve		Aen	Cve	Cln	Clv		
	· · · ·	2,3	0.4		725		,,,,	Deu	200	730	ш. с	лэр	UYS	Gill	735		
50	Va I	Val	Arg			Gln	Asp	Phe	Val		ĭ.en	Thr	Thr	Δla		Clu	
				740					745	J-04				750		ain	
55	Va l	Ala			Tro	Arg	Glu			Glu	Lvs	Len			۷al	Ser	
											_,,			~, ,		J C 1	

Lys Gln Gln Met Asp Ala Tyr Glu Ser Pro His Arg Asp Arg Asn Gly Val Val Asp Ser Glu Ala Net Trp Lys Pro Ala Tyr Asp Phe Leu Leu Thr Trp Ser His Gln Ile Gly Asp Ser Tyr Arg Asp Val Ile Gln Glu Leu His Leu Gly Leu Asp Lys Met Lys Asn Pro Ile Thr Lys Arg Trp Lys His Leu Thr Gly Thr Leu lle Leu Val Asn Ser Leu Asp Val Leu Arg Ala-Ala Ala Phe Ser Pro Ala Asp Gln Asp Asp Phe Val Ile <210> 153 <211> 2194 <212> DNA <213> Homo sapiens <220> <221> CDS <222> (133).. (1125) <400> 153 ggtgcggcgc tggtccctc agagggttcc tgctgctgcc ggtgccttgg accetecece 60 togottotog ttotactgcc ccaggagccc ggcgggtccg ggactcccgt ccgtgccggt 120 gegggegeeg ge aig tgg etg lgg gag gae cag gge gge etc etg gge eet 171 Met Trp Leu Trp Glu Asp Gln Gly Gly Leu Leu Gly Pro 

		ttc	tcc	ttc	ctg	ctg	cta	gtg	ctg	clg	ctg	gtg	acg	cgg	agc	ccg	gtc	219
5		Phe	Ser	Phe	Leu	Leu	Leu	Yal	Leu	Leu	Leu	Val	Thr	Arg	Ser	Pro	Val	
			15					20					25					
10		aat	gcc	t gc	ctc	ctc	acc	ggc	agc	ctc	ttc	gtt	cta	ctg	cgc	gtc	ttc	267
,,		Asn	Ala	Cys	Leu	Leu	Thr	Gly	Ser	Leu	Phe	Val	Leu	Leu	Arg	Val	Phe	
		30					35				•	40					45	
15		agc	ttt	gag	ccg	glg	ссс	tct	t gc	agg	gcc	ctg	cag	gtg	ctc	aag	ссс	315
		Ser	Phe	Glu	Pro	Val	Pro	Ser	Cys	Arg	Ala	Leu	Gln	Val	Leu	Lys	Pro	
20						50					55				•	60		
		cgg	gac	cgc	att	tct	gcc	atc	gcc	cac	cgt	ggc	ggc	agc	cac	gac	gcg	363
		Arg	Asp	Arg	Ile	Ser	Ala	He	Ala	His	Arg	Gly	Gly	Ser	His	Asp	Ala	
25		•		-	65	•				70			,		75			
		ccc	gag	aac	acg	ctg	gcg	gcc	att	cgg	cag	gca	gc t	aag	a a t	gga	gca	411
30	•	Pro	Glu	Asn	Thr	Leu	Ala	Ala	lle	Arg	Gln	Ala	Ala	Lys	Asn	Gly	Ala	
				80					85					90				
35		aca	ggc	gtg	gag	tig	gac	aťt	gag	itt	ac t	tct	gac	ggg	att	cct	gtc	459
		Thr	Gly	Va i	Glu	Leu	Asp	He	Glu	Phe	Thr	Ser	Asp	Gly	Ile	Pro	Val	
			95					100			·		105					
40		tta	atg	cac	gat	aac	aca	gta	gat	agg	acg	act	gat	ggg	act	ggg	cga	507
		Leu	Met	His	Asp	Asn	Thr	Val	Asp	Arg	Thr	Thr	Asp	Gly	Thr	Gly	Arg	
45		110					115					120					125	
		tlg	tgt	gat	ttg	aca	ttt	gàa	caa	all	agg	aag	cig	aat	cct	gca	gca	555
50		Leu	Cys	qzA	Leu	Thr	Phe	Glu	Gln	He	Arg	Lys	Leu	Asn	Pro	Ala	Ala	
50						130					135					140		
		aac	cac	aga	ctc	agg	aat	gat	ttc	cci	gat	gaa	aag	atc	cct	acc	cta	603
55		Asn	His	Arg	Leu	Arg	Asn	Asp	Phe	Pro	Asp	Glu	Lys	He	Pro	Thr	Leu	

				145					150					155			
5	agg	gaa	gct	gtt	gca	gag	tgc	cta	aac	cat	aac	clc	aca	atc	ttc	ttt	651
	Arg	 Glu	Ala	Val	Ala	Glu	Cys	Leu	Asn	His	Asn	Leu	Thr	He	Phe	Phe	
			160					165					170				•
10	gat	gtc	aaa	ggc	cat	gca	cac	aag	gct	act	gag	gct	cta	aag	aaa	atg	699
	Asp	Val	Lys	Gly	His	Ala	His	Lys	Ala	Thr	Glu	Ala	Leu	Lys	Lys	Met	
15		175					180					185					
	tat	atg	gaa	ttt	cct	caa	ctg	tat	aat	aat	agt	gtg	gtc	tgt	tct	ttc	747
20	Tyr	Met	Glu	Phe	Pro	Gln	Leu	Tyr	Asn	Asn	Ser	Val	Val	Cys	Ser	Phe	
	190					195	•	Ť			200					205	•
	ttg	cca	gaa	gtt	atc	tac	aag	atg	aga	caa	aca	gat	cgg	gat	gta	ata	795
25	Leu	Pro	Glu	Val	He	Tyr	Lys	Met	Arg	Gln	Thr	Asp	Arg	Asp	Val	Ile	
					210					215					220		
30	aca	gca	tta	act	cac	aga	cct	tgg	agc	cla	agc	cat	aca	gga	gat	ggg	843
	Thr	Ala	Leu	Thr	His	Arg	Ььó	Trp	Ser	Leu	Ser	His	Thr	Gly	Asp	Gly	
				225					230					235			
35	aaa	cca	cgc	tat	gat	act	ttc	t gg	aaa	cat	ttt	ata	ttt	gtt	atg	atg	891
	Lys	Рго	Arg	Tyr	Asp	Thr	Phe	Trp	Ĺys	His	Phe	He	Phe	Val	Met	Met	
40			240		•			245					250				•
			ttg														939
	Asp		Leu	Leu	Asp	Trp		Met	His	Asn	He			Туг	Leu	Cys	
45		255					260					265					
			tca														987
50		He	Ser	Ala	Phe		Met	Gin	Lys	Asp		Val	Ser	Pro	Ala		
	270					275					280					285	
55	lig	aag	aag	tgg	tca	gct	<b>aaa</b>	gga.	atc	cag	gtt	gii	ggt	tgg	act	gtt	1035
	Leu	Lys	Lys	Trp	Ser	Ala	Lys	Gly	He	Gln	Val	Val	Gly	Trp	Thr	Val	

295 290 300 aat acc tit gat gaa aag agt tac tac gaa too cat cit ggt too agc 1083 Asn Thr Phe Asp Glu Lys Ser Tyr Tyr Glu Ser His Leu Gly Ser Ser 305 310 315 10 tat atc act gac agc atg gta gaa gac tgc gaa cct cac ttc 1125 Tyr Ile Thr Asp Ser Met Val Glu Asp Cys Glu Pro His Phe 15 320 325 330 tagactitca cggtgggacg aaacgggiic agaaacigcc aggggccica tacagggata 1185 tcaaaatacc ctttgtgcta gcccaggccc tggggaatca ggtgactcac acaaatgcaa 1245 tagttggtca ctgcattttt acctgaacca aagctaaacc cggtgttgcc accatgcacc 1305 alggcalgcc agagticaac acigligcic tigaaaatci gggtcigaaa aaacgcacaa 1365 25 gagcccctgc cctgccctag ctgaggcaca cagggagacc cagtgaggat aagcacagat 1425 tgaattgtac agtttgcaga tgcagatgta aatgcatggg acatgcatga taactcagag 1485 30 tigacattit aaaactigcc acactiatti caaatattig tactcagcta tgitaacatg 1545 tactgtagac atcaaactig tggccatact aataaaatta ttaaaaggag cactaaagga 1605 aaactgigig ccaagcaica taicctaagg calacggaat tiggggaagc caccaigcaa 1665 35 tccagigagg citcagigia cagcaaccaa aatggtaggg aggictigaa gccaaigagg 1725 gatttatage atettgaata gagagetgea aaceaceagg gggeagagtt geattitiee 1785 40 aggetitita ggaageteig caacagaigi galelgalea taggeaalta gaaciggaag 1845 aaacttccaa aaatatctag gttigtccic altilacaaa tgaggaaact aaactctgig 1905 gaagggaagg ggiigccica aaagicacag cilagciggg cacagiggci caigccgala 1965 45 atcccagcaa ttcagaaagc tgaggcagga ggattacttg aggccagact gggcaatata 2025 gcaagacccc atctctaaaa aattaggcat gglggfgcat gcclgtattc ccagctactc 2085 50 aggaggitga ggtgggagga tcacttgagc ccagaagttc aaggctgcaa tgagccatga 2145 ttacaccacg gcactacaac ctiggiggca cagigagaac cigacteti 2194

<210> 154

	⟨211⟩	331						•	
5	<212>	PRT						٠	
	. <213>	Homo sap	iens						
40	<400>	154			·				•
10	Net Tr	p Leu Tr	p Glu A	Asp Gln	Gly Gly	Leu Leu	Gly Pr	o Phe	Ser Phe
	1		5			10			15
15	Leu Leu	ı Leu Val	Leu I	Leu Leu	Val Thr	Arg Ser	Pro Va	l Asn	Ala Cys
		. 20	)		25			30	
20	Leu Lei	Thr Gly	Ser I	Leu Phe	Val Leu	Leu Arg	Val Pho	e Ser 1	Phe Glu
		35			40		4	i	
25		Pro Ser	Cys A	Arg Ala	Leu Gln	Val Leu	Lys Pro	Arg A	Asp Arg
20	50	) ~		55			60		
	lle Ser	Ala Ile	Ala H	lis Arg	Gly Gly	Ser His	Asp Ala	Pro 0	Glu Asn
30	65			70	•	75			80
	Thr Leu	Ala Ala	lle A	rg Gln	Ala Ala	Lys Asn	Gly Ala	Thr G	ly Val
35			85			90			95
	Glu Leu	Asp Ile	Glu P	he Thr	Ser Asp	Gly Ile	Pro Val	Leu M	let His
		100			105			110	
40	Asp Asn	Thr Val	Asp A			Gly Thr			ys Asp
		115			120		125		•
45		Phe Glu	Gln I		Lys Leu	Asn Pro		Asn H	is Arg
	130			135			140		
50	Leu Arg	Asn Asp	Phe P	ro Asp	Glu Lys	lle Pro	Thr Leu	Arg G	lu Ala
50	145			50		155			160
	Val Ala	Glu Cys	Leu As	sn His	Asn Leu	Thr Ile	Phe Phe	Asp V	al Lys
55			165			170		1	75

	GI	y #15	Ala	HIS	Lys	Ala	101	UIU	Ala	rea	Lys	Lys	Met	Tyr	Met	Glu	
5				180					185					190			
	Phe	Pro	Gln	Leu	Tyr	Asn	Asn	Ser	Val	Vai	Cys	Ser	Phe	Leu	Pro	Glu	
			195					200	•				205				
10	Val	Ile	Tyr	Lys	Me t	Arg	Gin	Thr	Asp	Arg	Asp	Val	Ile	Thr	Ala	Leu	
		210	•				.215					220					
15	Thr	His	Arg	Pro	Trp	Ser	Leu	Ser	His	Thr	Gly	Asp	Gly	Lys	Pro	Arg	
	225	٠				230					235					240	
20	Tyr	Asp	Thr	Phe	Trp	Lys	His	Phe	He	Phe	Val	Met	Met	Asp	Ile	Leu	
					245					250			•		255		
	Leu	Asp	Trp	Ser	Met	His	Asn	He	Leu	Trp	Tyr	Leu	Cys	Gly	He	Ser	
25			_	260					265					270			
	Ala	Phe	Leu	Me t	Gln	Lys	Asp	Phe	Val	Ser	Pro	Ala	Tyr	Leu	Lys	Lys	
30			275					280					285				
	Trp	Ser	Ala	Lys	Gly	lle		Yal	Val	Gly	Trp	Thr	Val	Asn	Thr	Phe	
		290					295					300					
35		Glu	Lys	Ser	Tyr		Glu	Ser	His	Leu		Ser	Ser	Tyr	He		
	305			., .	٥.	310	•	••			315					320	
40	Asp	261	Met	vai		ASP	Cys	Glu	P10		rhe						
					325					330							
45	<210	)> 15	5						•								
	<211	> 33	77														
	<212	> DN	A														
50	<213	> Ho	mo s	apie	ns												
	<220	>															
55	<221	> CD	S														

	(22	12>	(44) .	. (18	66)												
5	<40	10> 1	55				•			•							
•	gcc	tcte	cac	ccct	actg	ct t	ctgc	ittg	a ag	gcgg	aggc	tcc	atg	ttg	tcc	cct	55
													Met	Leu	Ser	Pro	
10													ı				
	cag	cga	gtg	gga	gca	gct	gcc	tca	aga	gga	gca	gat	gat	gcc	atg	gag	103
15	Gln	Arg	Val	Gly	Ala	Ala	Ala	Ser	Arg	Gly	Ala	Asp	Asp	Ala	Met	Glu	
	5					10					15					20	
20	agc	agc	aag	cct	ggt	cca	gtg	cag	gti	gtt	ttg	gtt	cag	aaa	gat	caa	151
	Ser	Ser	Lys	Pro	Gly	Pro	Yal	Gln	Val	Val	Leu	Val	Gln	Lys	Asp	Gln	
					25					30					35	•	
25	cat	tcc	_t t t _	gag	cta	gat	gag	aaa	gcc	itg	gcc	agc	atc	ctc	ttg	cag	199
	His	Ser	Phe	Glu	Leu	Asp	Glu	Lys	Ala	Leu	Ala	Ser	He	Leu	Leu	Gln	
30				40					45					50			
•				cga													247
	Asp	His		Arg	Asp	Leu	Asp		Val	Val	Val	Ser		Ala	Gly	Ala	
35			55					60					65				
				ggc													295
40	rne		Lys	Gly	Lys	261		116	Leu	ASD	rne		ren	Arg	ıyr	Leu	
		70	0.04	22.5	ane	991	75	001	ton	991	taa	80	aat	<b>500</b>		~~~	242
45				aag Lys													343
	85	261	וווט	LYS	GIU	90	aix	п13	261	V2II	95		GIY	wsh	rio	100	
		000	***	aca	ana		tee	taa	202	aaa		Lat	an i	000	<b>G</b> an	•	391
50				Thr													191
	410		LCU	1111	105	1 110	261	ııμ	мв	110	017	261	поу	110	115	1111	
55	art	<b>a</b> aa	211	caa		taa	20t	<b>0722</b>	σi t		act	ala	020	220		aa t	420
	act	KKK	all	Lad	alc	1 55	agi	gad	gıl	ııı	all	KIK	BOK	dak	cca	KKL	439

-	Thir	Gly	lle	Gln	İle	Trp	Ser	Glu	Val	Phe	Thr	Val	Glu	Lys	Pro	Gly	·
5				120					125					130	1		
	ggg	aag	aag	gtt	gca	gtt	gtt	ctg	atg	gat	acc	cag	ggg	gca	ttt	gac	487
10	Gly	Lys	Lys	Val	Ala	Val	Val	Leu	Met	Asp	Thr	Gln	Gly	Ala	Phe	Asp	
			135					140					145				
15	agc	cag	tca	act	gtg	aaa	gac	tgt	gct	acc	atc	ttt	gct	cla	agc	act	535
	Ser	Gln	Ser	Thr	Val	Lys	Asp	Cys	Ala	Thr	lle	Phe	Ala	Leu	Ser	Thr	
.0	. •	150			•		155					160					
20	atg	act	agt	tct	gtt	cag	att	tat	aat	tta	tct	cag	aac	att	caa	gaa	583
	Met	Thr	Ser	Ser	Val	Gln	Ile	Tyr	Asn	Leu	Ser	Gln	Asn	lle	Gln	Glu	
25	165					170					175					180	
				caa													631
30	Asp	Asp	Leu	Gln		Leu	Gln	Leu	Phe	Thr	Glu	Tyr	Gly	Arg	Leu	Ala	
			•		185					190					195		
				att													679
35	Met	Asp	Glu	lle	Phe	Gln	Lys	Pro		Gln	Thr	Leu	Met		Leu	Val	
•				200					205					210	•		
40				agt													727
	Arg			Ser	rne	PTO	IУГ		ıyr	ser	171	GIY		GIN	Gly	Gly	
	o t a		215	ttg	ant	200	eat	220	000	~! ~			225		4		225
45 ·				Leu .													775
		230	1 IIC	LCu .	лэр		235	LCu	O I II	141	LYS	240	012	9111	U12	GIU	
50	gaa		raø	2 2 f	o t t			cac	211	rar	tra		tic	too	an i	a10	011
	Glu																823
55	245		0111	,,,,,,,,		250	.1011	.,,,	116	.113	255	<b>0</b> 73	1 116	261	vəh		
	270					200					200					260	

	acc	tgo	ttt	ctc	tta	ccā	cat	cca	gga	ctc	cag	gtg	gcc	aca	agc	cct	871
5	Thr	Cys	Phe	Leu	Leu	Pro	His	Pro	Gly	Leu	Gln	Val	Ala	Thr	Ser	Pro	
					265					270					275		•
	gac	ttt	gat	ggg	aaa	tta	aaa	gat	att	gc t	ggt	gaa	ttc	aaa	gag	cag	919
10	Asp	Phe	'Æsp	Gly	Lys	Leu	Lys	Asp	lle	Ala	Gly	Glu	Phe	Lys	Glu	GIn	
				280					285					290		·	
15	tta	cag	gca	ctg	ata	ccg	tat	gta	tta	aac	cca	tct	aag	tta	atg	gaa	967
	Leu	Gln	Ala	Leu	lle	Pro	Tyr	Val	Leu	Asn	Pro	Ser	Lys	Leu	Met	Glu	
20			295					300					305				
	aag	gag	atc	aat	ggc	tca	aag	gtc	acc	tgt	cgg	gga	cta	ctg	gag	tat	1015
	Lys		He	Asn	Gly	Ser	Lys	Val	Thr	Cys	Arg	Gly	Leu	Leu	Glu	Tyr	
25		310	_				315					320					
	ttt	aag	gca	ťat	att	aaa	att	tát	caa	gga	gaa	gat	ctg	cct	cac	ccc	1063
30	Phe	Lys	Ala	Tyr	He	Lys	He	Tyr	Gln	Gly	Glu	Asp	Leu	Pro	His	Pro	
	325					330					335					340	
	aag	tcc	atg	ctt	cag	gcc	act	gct	gaa	gcc	aac	aac	tta	gca	gct	gca	1111
35	Lys	Ser	Met	Leu	Gln	Ala	Thr	Ala	Glu	Ala	Asn	Asn	Leu	Ala	Ala	Ala	
					345					350					355		
40				aag													1159
	Ala	Ser	Ala	Lys	Asp	lle	Туг	Tyr		Asn	Met	Glu	Glu		Cys	Gly	
45				360					365					370			-
45				cct													1207
	Gly	•		Pro	Туг	Leu	Ser		Asp	Ile	Leu	Glu		Lys	His	Cys	
50			375					380					385				
	gaa	ttc	aaa	caa	ctt	gci	ctg	gac	cat	ttt	aag	aag	acc	aag	aag	atg	1255
55	Glu	Phe	Lys	Gln	Leu	Ala	Leu	Asp	His	Phe	Lys	Lys	Thr	Lys	Lys	Met	
		390					395					400					

5	ggt	ggg	888	gai	tto	ago	ttt	cgt	tac	cag	cag	gag	ctg	gag	gag	gaa	1303
	Gly	Gly	Lys	Asp	Phe	Ser	Phe	Arg	Туг	Gln	Gln	Glu	Leu	Glu	Glu	Glu	
	405					410					415					420	
10	ato	aag	gaa	tta	tat	gag	aac	ttc	tgc	aag	cac	aat	ggt	agc	aag	aac	1351
	Ile	Lys	Glu	Leu	Туг	Glu	Asn	Phe	Cys	Lys	His	Asn	Gly	Ser	Lys	Asn	
15					425				٠	430				•	435		
	gtc	ttc	agc	acc	ttc	cga	acc	cct	gca	gtg	cig	ttc	acg	ggc	att	gta	1399
	Val	Phe	Ser	Thr	Phe	Arg	Thr	Pro	Ala	Val	Leu	Phe	Thr	Gly	Ile	Val	
20				440					445		*			450			
	gc t	ttg	tac	ata	gcc	tca	ggc	ctc	act	ggc	ttc	ata	ggt	cit	gag	gtt	1447
25	Ala	Leu	Tyr	Ile	Ala	Ser	Gly	Leu	Thr	Gly	Phe	Ile	Gly	Leu	Glu	Val	
			455					460					465				
	gta	gcc	cag	itg	ttc	aac	tgt	atg	gtt	gga.	cta	ctg	t t a	ata	gca	ctc	1495
· ·	Val	Ala	Gln	Leu	Phe	Asn	Cys	Me t	Val	Gly	Leu	Leu	Leu	lle	Ala	Leu	
		470					475					480					
35	ctc	acc	tgg	ggc	tac	atc	agg	tat	tct	ggt	caa	tat	cgt	gag	ctg	ggc	1543
	Leu	Thr	Trp	Gly	Туг	He	Arg	Tyr	Ser	Gly	Gln	Tyr	Arg	Glu	Leu	Gly	
	485					490					495					500	
40	gga	gc t	att	gat	ttt	ggt	gcc	gca	tat	gtg	ttg	gag	cag	gct	tct	tct	1591
	Gly	Ala	He	Asp	Phe	Gly	Ala	Ala	Tyr	Val	Leu	Glu	Gln	Ala	Ser	Ser	
45					505					510					515		
	cat	atc	ggt	aat	tcc	act	càg	gcc	act	glg	agg	gat	gca	git	gtt	gga	1639
50	His	He	Gly	Asn	Ser	Thr	Gln	Ala	Thr	Ya l·	Arg	Asp	Ala	Val	Val	Gly	٠
				520		•			525					530			
	aga	cca	tcc	atg	gat	aaa	aaa	gcl	caa	tagc	atct	ta a	cglg	aaga	t		1686
55	Arg	Pro	Ser	Met	Asp	Lys	Lys	Ala	Gln						•	•	

535 540

10

20

25

30

35

40

45

50

55

caaacaagaa cacaacaagc ccctactgat ttctgggttt ctgccacggc cacaggttca 1746 tatccagagg aatggcagat ctgagacgat ccaggaagag ctaaaacatg gccctgtaat 1806 aaatgagcag accteteetg tggtticaaa tlattaaaca caetteeatt tetettggaa 1866 gcatticiti tectigetgi tatagatgea agectgigie tattiteata tiactetget 1926 tigigcacii taiggaggag gaagciagag gaaaaaigga aaigcagcii ilaagiicii 1986 tatgtgccac itagtgccit itaagatiga ticcatggti tigcacacac gatggggagg 2046 ggatggagga taaccicatg aaaggtgcca tittcgggtg aaacttgaca titctitat 2106 actitactit tgagaaggat tottittit tigagitgga giologotot gioaccaggo 2166 tigagigcag iggigigaic tiggcicaci gcaaccicig ccigccgggi icaagcagii 2226 ctcctgcctc agcctccaa gtagctggga ctacaggtgt acgccaccat acccagctaa 2286 ttittttgta tttttagtag agaiggggti tcaccaigit ggccaggaig gictiggict 2346 cttgacctig tgatccgcct gcccgccttg gcctcccaaa gtgctgggat tacaggcgtg 2406 agccaccgtg cccggccaag aaggatteet titttaaaag titacagaac tiggagaaac 2466 ticagaacta aagactaact gaaaaigaig icaltacact caaaaaaaat itacaatagg 2526 gaatccigii gccacatagi giggaaaaat catgicatat itaaatatac cataciciga 2586 aatgtgaggt tittacccag taggctgaca gittigtigc aactigctct attititit 2646 tititiggic cciatagcii ciiiclagaa aaagaggcaa acgigcciig aaaagccaga 2706 giggotoata ataaaaggaa igogotagat acticaagaa aaaagciaag titaaatgaa 2766 ccatgigacc icigataagt caciigaaci igigccitag icaggiicac igiaggiita 2826 cataigtaig taigititac acaacicity taatigicat itgaggggti cacticcicc 2886 ttigctctca aggigttiga ggcttlaaig caacccitta gcccttggtt ctttitggtg 3006 caagaatict ggctgillac cicagacica gacccigaa atgitgccaa aticticaaa 3066 taacigitig gggggigggg ggagaigaaa gagagicgcg itiigiilac agitaaagac 3126 atccaatate ttaaaaagga gittleetit agaaacacae acaecettee tetigeteaa 3186 aagateteae teealgalae igiglaaaai attiligeae igiigigaag lattitigae 3246

_	ttt	ttto	tgt	acat	aact	gte	ttct	caga	g ct	gaat	gttt	ata	tctt	ttg	ctgt	gcaaaa	3306
5	gaa	acat	gta	aaaįt	gtig	it c	agtt	gtat	a ta	caga	aatg	tgt	ataa	aac	attt	tgttat	3366
	ttt	ttaa	aag	t													3377
10	/21	<b>0</b> \ 1	E E							•							
		0> 1							-		•						
15		1> 5	•														
		2> P															
				sapi	ens												
20		0> 1	•														
	Me t	Leu	Ser	Pro	Gln	Arg	Val	Gly	Ala	Ala	Ala	Ser	Arg	Gly	Ala	Asp	
25	1				5					10					. 15		
25	Asp	Ala	Me t	Glu	Ser	Ser	Lys	Pro	Gly	Pro	Va 1	Gln	Va l	Val	Leu	Val	
				20					25	٠				30	•		
30	Gln	Lys	Asp	Gln	His	Ser	Phe	Glu	Leu	Asp	G] u	Lys	Ála	Leu	Ala	Ser	
			35					40					45				
	He	Leu	Leu	Gin	Asp	His	lle	Arg	Asp	Leu	Asp	Val	Val	Val	Vai	Ser	
35		50					55					60					
	Val	Ala	Gly	Ala	Phe	Arg	Lys	Gly	Lys	Ser	Phe	Ile	Leu	Asp	Phe	Met	
40	65					70					75	•				80	
	Leu	Arg	Tyr	Leu	Tyr	Ser	Gln	Lys	Glu	Ser	Gly	His	Ser	Asn	Trp	Leu	
					85					90	•				95		
45	Gly.	Asp	Pro	Glu	Glu	Pro	Leu	Thr	Gly	Phe	Ser	Trp	Arg	Gly	Gly	Ser	
				100		•			105			•		110			
50	Asp	Pro	Giu	Thr	Thr	Gly	Ile	Gln	He	Trp	Ser	Glu	Val	Phe	Thr	Va l	
			115		•			120					125				
	Glu l	Lys	Pro	Gly	Gly	Lys	Lys	Val	Ala	Vai	Val	Leu	Met	Asp	Thr	Gln	
55		130					135					140					

	Gly	Ala	Phe	Asp	Şer	Glp	Ser	Thr	Ya)	Lys	Asp	Cys	Ala	Thr	He	Phe
<b>5</b>	145	1				150		<b></b> .			155		•			160
	Ala	Leu	Ser	Thr	Met	Thr	Ser	Ser	Val	Gln	Ile	Tyr	Asn	Leu	Ser	Gln
10					165					170					175	
	Asn	Ile	Gln	Glu	Asp	Asp	Leu	Gln	Gln	Leu	Gln	Leu	Phe	Thr	Glu	Tyr
				180					185		-			190		
15	Gly	Arg	Leu	Ala	Met	Asp	Glu	lle	Phe	Gln	Lys	Pro	Phe	Gln	Thr	Leu
			195					200					205			
20	Met	Phe	Leu	Va 1	Arg	Asp	Trp	Ser	Phe	Pro	Tyr	Glu	Tyr	Ser	Tyr	Gly
		210					215					220				
	Leu	Gln	Gly	Gly	Met	Ala	Phe	Leu	Asp	Lys	Arg	Leu	Gln	Val	Lys	Glu
25	225		•			230					235					240
	His	Gln	His	Glu	Glu	He	Gln	Asn	Val	Arg	Asn	His	Ile	His	Ser	Cys
30		•			245					250					255	
	Phe	Ser	Asp	Val	Thr	Cys	Phe	Leu	Leu	Pro	His	Pro	Gly	Leu	Gln	Val
35				260					265					270		
	Ala	Thr	Ser	Pro	Asp	Phe	Asp	Gly	Lys	Leu	Lys	Asp	He	Ala	Gly	Glu
			275					280					285			
40	Phe	Lys	Gl⊍	Gln	Leu	Gln	Ala	Leu	Ile	Pro	Tyr	Va l	Leu	Asn	Pro	Ser
		290					295					300				
45	Lys	Leu	Met	Glu	Lys	Glu	He	Asn	Gly	Ser	Lys	Ya]	Thr	Cys	Arg	Gly
	305					310	·				315					320
	Lev	Leu	Glu	Туг	Phe	Lys	Ala	Tyr	lle	Lys	lle	Туг	Gln	Gly	Glu	Asp
50					325					330					335	
	Leu	Pro	His	Pro	Lys	Ser	Met	Leu	Gln	Ala	Thr	Ala	Glu	Ala	Asn	Asn
55				340					345					350	٠	

	Leu	Ala	Ala	Ala	Ala	Ser	Ala	Lys	Asp	He	Tyr	Tyr	Asn	Asn	Met	Glu
5	•	•	355					360					365			
	Glu	Val	Cys	Gly	Gly	Glu	Lys	Pro	Tyr	Leu	Ser	Pro	Asp	He	Leu	Glu
10		370					375	•				380		•		
	Glu	Lys	His	Cys	Gļu	Phe	Lys	Gln	Leu	Ala	Leu	Asp	His	Phe	Lys	Lys
	385					390		·			395					400
15	Thr	Lys	Lys	Met	Gly	Gly	Lys	Asp	Phe	Ser	Pĥe	Arg	Туг	Gln	Gln	Glu
				•	405					410					415	
20	Leu	Glu	Glju	Glu	He	Lys	Glu	Leu	Tyr	Glu	Asn	Phe	Cys	Lys	His	Asn
				420					425					430		
	Gly	Ser	Lys	Asn	Val	Phe	Ser	Thr	Phe	Arg	Thr	Pro	Ala	Val	Leu	Phe
25			435					440			,		445			
	Thr	Gly	He	Val	Ala	Leu	Tyr	Ile	Ala	Ser	Gly	Leu	Thr	Gly	Phe	lle
30		450					455					460				
		Leu	Glu	Val	Val		Gln	Leu	Phe	Asn		Met	Val	Gly	Leu	
35	465					470	_		_		475	_				480
	Lev	ile	Ala	Lev		Thr	Trp	Gly	Tyr		Arg	Tyr	Sei	Gly		Tyr
	4	C1	1	C1	485	41-	11-	<b>1</b>	DL -	490	41-	41-	*	17 - 1	495	01
40	Arg	GIÜ	Leu		GIY	Ala	116	ASP		GIY	AIZ	AIA	ıyr		reu	GIU
	Gln	<b>41</b> a	°	500	ยเล	110	Clv	A en	505	ፐአተ	Cin	41.	Th -	510	4	4.5
45	0111		515	261	1112	116	υгу.	520	261	1111	וונט	nıa	525	Val	VIR	изр
	Ala			Glv	Aro	Pro	Ser		Asn	lve	lve	41a				
	•	530	701	013	VI P	110.	535	146.6	пор	L, S	LJS	540	0111			
<i>50</i>		500									•	010				
	<210	> 15	7						٠.							
55	<211	> 21	72													

	(515) DNV			
5	<213> Homo sap	ieņs		÷.
	<220>			
	<221> CDS			
10	<222> (45) (5	63)		
	<400> 157			
15	ggaacacggc acc	egcactg egegteat	gg tgcaggcctg gta	t alg gac gac gcc 56
				Met Asp Asp Ala
20				1
	ccg ggc gac cci	g cgg caa ccc ca	c cgc ccc gac ccc	ggc cgc cca gtg 104
			s Arg Pro Asp Pro	
25	5 ~	10	15	20
	ggc ctg gag cag	cig cgg cgg ct	c ggg gtg ctc tac	tgg aag ctg gat 152
30	Gly Leu Glu Gli	Leu Arg Arg Le	u Gly Val Leu Tyr	Trp Lys Leu Asp
		25	30	35
	gct gac aaa tat	gag aat gat cc	a gaa tta gaa aag	atc cga aga gag 200
35	Ala Asp Lys Tyr	Glu Asn Asp Pr	o Glu Leu Glu Lys	Ile Arg Arg Glu
	40		45	50
40	agg agc tac tcc	tgg atg gac at	c ata acc ata tgc	aaa gat aaa cta 248
	Arg Asn Tyr Ser	Trp Met Asp Il	e lle Thr lle Cys	Lys Asp Lys Leu
	55	6	0 .	65
45		•	g alg itc lac gag	
	Pro Asn Tyr-Glu	Glu Lys lle Ly	s Met Phe Tyr Glu	Glu His Leu His
50	70	75	80	
	tig gac gat gag	atc cgc tac at	c cig gai ggc agi	ggg tac ttc gat 344
55	Leu Asp Asp Glu	Ile Arg Tyr II	e Leu Asp Gly Ser	Gly Tyr Phe Asp
JJ	85	90	. 95	100

	gtg	agg	gac	aag	gag	gac	cag	tgg	atc	cgg	atc	ttc	atg	gag	aag	gga	392
5	Val	Arg	Asp	Lys	Glu	Asp	Gln	Trp	He	Arg	lle	Phe	Met	Glu	Lys	Gly	
					105					110					115		•
10	gac	atg	gtg	acg	ctc	ccc	gcg	ggg	atc	tat	cac	cgc	ttc	acg	glg	gac	440
	Asp	Met	Val	Thr	Leu	Pro	Ala	Gly	lle	Tyr.	His	Arg	Phe	Thr	Val	Asp	
45				120					125	•				130		•	
15	gag	aag	aac	tac	acg	aag	gcc	atg	cgg	ctg	ttt	glg	gga	gaa	ccg	gtg	488
	Glu	Lys	Asn	Туг	Thr	Lys	Ala	Met	Arg	Leu	Phe	Val	Gly	Glu	Pro	Val -	
20			135					140					145				
	tgg	aca	gcg	tac	aac	cgg	ccc	.gct	gac	cat	ttt	gaa	gcc	cgc	ggg	cag	536
25	Trp	Thr	Ala	Туг	Asn	Arg	Pro	Ala	Asp	Ĥis	Phe	Glu	Ala	Arg	Gly	Gln	
		150	-				155					160			_		
	tac	glg	aaa	ttt	ctg	gca	cag	acc	gcc	tago	cagt	gct	gccli	ggga	ac		583
30	Tyr	Val	Lys	Phe	Leu	Ala	Gln	Thr	Ala								
	165					170					•					-	
35	taac	acgl	gc (	tcgi	aaag	gg t	cccc	aatg	t aa	tgac	tgag	cag	aaaa	lca	atca	cttici	643
	cttt	gctt	itt	gagg	gatag	gc c	ttga	ggct	a ga	ttate	cttt	cct	ttgt	aag	atta	tttgat	703
40	caga	atat	itt 1	gtaa	tga	aa g	gatc	taga	a ag	caac	ttgg	aag	tgta	aag	agtc	accttc	763
40	attt	tcls	gta a	actca	atca	aa g	actg	glgg	g (c	catg	gccc	lgt	gtta	gti	calg	cattca	823
	gttg	gagto	cc a	aat	gaaa	gtt	tcat	ctcc	c ga	aaig	cagt	tcc	ttag	atg	ccca	tctgga	883
45	cgtg	gatgo	cg	gcc	gcci	gi g	taag	aagg	t gc	aatc	ctag	ata	acac	agc	iagc	cagata	943
	gaag	gacao	ett :	lttt	ctcc	aa a	alga	t gcc	t tg	gggt	gggg	agt	ggta	ggg	ggaa	gagctc	1003
50	ccac	eccta	aag 1	gggc	acac	ac l	gagt	t gc t	t at	gcca	ctlc	cţi	gttc	aaa	ataa	aglaac	1063
	tgcc	ttaa	atc	ttati	actc	at g	gctt	ggag	t ta	cctt	atat	tca	ggta	tat	glga	tattt	1123
	gcct	iggti	ttg	ttaa	aatt	gc c	ccat	ttag	a tt	cctt	ctat	aat	tgtt	ctt	atag	ataagt	1183
55	aatt	tata	ata	tgage	cigi	gt t	agta	tttt	t tc	agig	tgag	atc	tctg	gat	tclt	tcacaa	1243

	taa	agctgit	gaattttaac	aggagtatta	gtacataaat	tttctactca	acaattccga	1303
5	gat	aggatta	tgcctagttt	gtcatatcac	agaaaaactc	caagitaaci	tcatgttttg	1363
	gaa	gggcagg	tcgtttttaa	agtattictt	tttttaactg	gatgaaaaat	cttcatgtta	.1423
10	gga	ttaattt	tcttaatcac	ctccacactg	tacagaggaa	actcaagcct	taaalgttta	1483
-	agta	aaactct	gtctcagttt	taggatlaaa	atacccaccg	gtggtgtgat	gatgccatat	1543
•	acce	gcagggc	ttgcttctgt	caagtgtgac	tctatctcag	taattaaaat	aagtgctgat	1603
15	ctac	ctgattt	tttttaatgg	attcatttct	aaatgggcat	tataaataga	gcttgttcaț	1663
	. ttt	taagaac	gaaacattca	talgalaaac	tatcgcttta	aattgccttt	citgcticat	1723
20	ataa	actitic	cctgtcagga	tccttagtgt	ttgaaactcc	tcgtgcgggg	ciggccicci	1783
	gcgg	gacicia	gtttcgcctc	citgatgtgg	cgcctgggat	ttcttcactt	cagagcigia	1843
	tttt	ttacagg	caagagtaag	ttcclgggca	cagtggctca	tgcctgtaat	ctcagc.tact	1903
25	cage	gaggeta	aggigggagg	attcttagag	cctgggaggt	cgaggctgca	gtgagctgtg	1963
	atte	gtggcca	ctgcactcca	gcctgggtga	cagagcgaga	ctctgtctca	aaaaagaaga	2023
30	aaga	egtaaga	gctgaggcat	ataatagaat	tctgctaaag	cacttaaggt	gaaatcacat	2083
	ttto	ettttcc	caggatgttg	ctcacatctt	tcgtttttat	tgaggtgtca	ttlatgtaca	2143
35	ataa	aatgta	ctcattttca	gigititig				2172
55	<210	)> 158	٠					
	<211	> 173						
40	<212	> PRT			•			
	<213	> Homo	sapiens .					
45	<400	> 158	-					
	Met	Asp Asp	Ala Pro Gi	y Asp Pro A	Arg Gln Pro	His Arg Pro	Asp Pro	
50	1		5	•	. 10.	•	15	
	Gly	Arg Pro	Val Gly Le	u Glu Gln I	eu Arg Arg	Leu Gly Val	Leu Tyr	
			20		25	30	)	

Trp Lys Leu Asp Ala Asp Lys Tyr Glu Asn Asp Pro Glu Leu Glu Lys

55

			35	•				40					45							
5	Ile	Arg	Arg	Glu	Arg	Asn	Tyr	Ser	Trp	Met	Asp	He.	Ile	Thr	He	Cys				٠
		50					55					60			•					
10	Lys	Asp	Lys	Leu	Pro	Asn	Tyr	Glu	Glu	Lys	lle	Lys	Met	Phe	Туг	Glu				
	65					70					75		•			80				
	Glu	His	Leu	His	Leu	Asp	Asp	Glu	He	Arg	Tyr	Ile	Leu	Asp	Gly	Ser				
15					85					90					95					•
	Gly	Tyr	Phe	Asp	Val	Arg	Asp	Lys	Glu	Asp	Gln	Trp	Ile	Arg	Ile	Phe				
20				100				•	105				•	110						
	Met	Glu	Lys	Gly	Asp	Met	Val	Thr	Leu	Pro	Ala	Gly	He	Tyr	His	Arg				
25			115					120				•	125							
	Phe	Thr	Val -	Asp	Glu	Lys		Туг	Thr	Lys	Ala			Leu	Phe	Val				
		130					135					140								
30	Gly	Glu	Pro	Val	Trp	Thr	Ala	Tyr	Asn	Arg		Ala	Asp	His	Phe					
	145				ı	150					155					160				
35	Ala	Arg	Gly	Gln	Туг	Val	Lys	Phe	Leu			Thr	Ala	ļ						
					165				•	170										
40	<210	)> 1	59																	
	<21	1> 2	0																	
	<21	2> D	NA													•				
45	<22	0>																		
		3> D uenc		ipti	on c	of th	ne a	rtiſ	icia	l se	quen	ce:a	n ai	tifi	cial	ly syn	rthesi	zed	prin	ne i
50	<40	0> 1	59																	
	gga	agtg	tta	ctto	t gc t	ct										20				

```
<210> 160
         (211) 50
         <212> DNA
         <220>
10
       · <223> Description of the artificial sequence:an artificially synthesized primer
         sequence
       <400> 160
        gagagagaga gagagagaga actagicicg agittititt tittititt 50
20
        <210> 161
        <211> 41
25
        <212> DNA
        (220)
        <223> Description of the artificial sequence:an artificially synthesized primer
30
        sequence
        <400> 161
                                                                      41
        gagagagaga gagagagegg cegeactagt ecceecece e
35
        (210) 162
        <211> 30
        <212> RNA
        (213) Artificial Sequence
40
        (220)
        <223> Description of the artificial sequence: an artificially synthesized oligo-
        cap linker sequence
        (400) 162
                                                                         30
        agcaucgagu cggccuuguu ggccuacugg
45
        (210) 163
        <211> 42
        <212> DNA
        (213) Artificial Sequence
50
        (220)
        <223> Description of the artificial sequence: an artificially synthesized
        oligo (dT) primer sequence
        ⟨400⟩ 163
55
        gcggctgaag acggcctatg iggccttttt itttittt it
                                                                         42
```

```
<210> 164
          (211) 21
          <212> DNA
         <213> Artificial Sequence
         <223> Description of the artificial sequence: an artificially synthesized primer
         sequence
10
         <400> 164
         agcatcgagt cggccttgtt g
                                                                             21
         <210> 165
         <211> 21
15
         <212> DNA
         <213> Artificial Sequence
         <223> Description of the artificial sequence: an artificially synthesized primer
         sequence
20
         <400> 165
         gcggctgaag acggcctatg t
                                                                            21
         <210> 166
         <211> 30
25
         <212> DNA
         <213> Artificial Sequence
         <220>
         (223) Description of the artificial sequence: an artificially synthesized primer
         sequence
         <400> 166
         actitatigi catagittag atctattitg
                                                                            30
         <210> 167
<211> 30
35
         <212> DNA
         <213> Artificial Sequence
         <220>
         <223> Description of the artificial sequence: an artificially synthesized primer
         sequence
40
         <400> 167
        ataatectia aaaactecat ttecaccect
                                                                             30
        <210> 168
        <211> 1536
45
        <212> DNA
        <213> Homo sapiens
        <220>
        <221> CDS
        <222>(139).. (1062)
50
        <400> 168
         GTGCTCCGCC GCCCGCCCG ACCCGGGCCC AGCCGCCTCC ACGGCCCGCG CTCGTACTGG
                                                                                    60
         AGCGAAGAGC GGCCTCCTGA GGGAGGGGAA GGGACGTGGG GGCGGCCACG GCAGGATTAA
                                                                                   120
         CCTCCATTTC AGCTAATC ATG GGA GAG ATT AAA GTC TCT CCT GAT TAT AAC
                                                                                   171
55
                              Met Gly Glu lle Lys Val Ser Pro Asp Tyr Asn
                                1
                                                5
```

5					Thr							ATT					219
												CCC Pro					267
												ACT Thr 55					315
15	TTC Phe 60	Arg										TAC Tyr					363
20	TTG Leu											TTC Phe					411
25	AGA Arg																459
30	GCT Ala																507
35	AAA Lys																555
	ACC Thr 140									Ala							603
40	CCT Pro		Phe	Met	Leu	Lys	Lys	He	Val	Leu	Gly		Phe	Ser	Ser	Gly	651.
45	CCG Pro																699
<b>50</b>	CTA Leu																747
55	TGT C Cys G 2					lal V					lle.						795

5	ACT ATT ATG GAT GTG TTT GAT CAG AGT GCG CTT TCA ACT GAA GCT AAA Thr lle Met Asp Val Phe Asp Gin Ser Ala Leu Ser Thr Glu Ala Lys 220 225 230 235	843
10	GAA GAA ATG TAC AAG CTG TAT CCT AAT GCC CGA AGA GCT CAT CTG AAA Glu Glu Met Tyr Lys Leu Tyr Pro Asn Ala Arg Arg Ala His Leu Lys 240 245 250	891
,,	ACA GGA GGC AAT TTC CCA TAG CTG TGC AGA AGT GCA GAG GTC AAT CTT Thr Gly Gly Asn Phe Pro Tyr Leu Cys Arg Ser Ala Glu Val Asn Leu 255 260 265	939
15	TAT GTA CAG ATA CAT TTG CTG CAA TTC CAT GGA ACC AAA TAC GCG GCC Tyr Val Gln Ile His Leu Leu Gln Phe His Gly Thr Lys Tyr Ala Ala 270 275 280	987
20	ATT GAC CCA TCA ATG GTC AGT GCC GAG GAG CTT GAG GTG CAG AAA GGC lle Asp Pro Ser Met Val Ser Ala Glu Glu Leu Glu Val Gln Lys Gly 285 290 295	1035
25	AGC CTT GGC ATC AGC CAG GAG GAG CAG TAGTGTGTCT CTCGCTGTCA ATGATGA Ser Leu Gly Ile Ser Gln Glu Glp 300 305	1089
30 .	GTTGACCCGG TGTGTTCTTG TATAGTCAGT GGCATCAGCA CCCGTCAGCC GGCCTTTTCC TTCAGGTTCG TCAGGCTCAC CGGTTCTCAC TGTGTCTGGG AAGTAGGACT GATGGTCATC TTCATGACAG GCGGCATCTC CACTAAGCCT GTGTAACTGT TCCCTCTTTG GTTTTCTTAG CTTTTGAATT TGAAGAAGTA CTTTTGAAGA CTCCCATTTT AAGAACCGTG CAGATTTTGC TACCAAAAGT CTTCACCACT GTGTTCTTAA GTGAATGTTA ATTTCTGAGG TTTGGGACTT TGTGGTGGTT TTTTTCTTCT TTTCTTTTCC ATTCTTCTTT CTTTCTTT	1149 1209 1269 1329 1389 1449 1509
40 ·	<pre>&lt;210&gt; 169 &lt;211&gt; 308 &lt;212&gt; PRT &lt;213&gt; Homo sapiens</pre>	
	<400> 169 Met Gly Glu IIe Lys Val Ser Pro Asp Tyr Asn Trp Phe Arg Gly Thr 1 5 10 15 Val Pro Leu Lys Lys IIe IIe Val Asp Asp Asp Ser Lys IIe Trp 20 25 30	
45	Ser Leu Tyr Asp Ala Gly Pro Arg Ser Ile Arg Cys Pro Leu Ile Phe 35 40 45 Leu Pro Pro Val Ser Gly Thr Ala Asp Val Phe Phe Arg Gln Ile Leu	
50	50 55 60  Ala Leu Thr Gly Trp Gly Tyr Arg Val Ile Ala Leu Gln Tyr Pro Val 65 70 75 80  Tyr Trp Asp His Leu Glu Phe Cys Asp Gly Phe Arg Lys Leu Leu Asp	
55	85 90 95  His Leu Gln Leu Asp Lys Val His Leu Phe Gly Ala Ser Leu Gly Gly 100 105 110  Phe Leu Ala Gln Lys Phe Ala Glu Tyr Thr His Lys Ser Pro Arg Val	

			115		•			120					125					
	His	Ser			Leu	Cys	Asn			Ser	Asp	Thr			Phe	Asn		
_		130					135					140						
5		Thr	Trp	Thr	Ala		Ser	Phe	Trp	Leu		Pro	Ala	Phe	Met			
	145		71.	17_ 1		150	4	nh.	c	C	155		17. 1			160	•	
	Lys	Lys	116	vai	165	GIA	ASII	rne	3er	3er 170	613	Pro	Va!	ASP		Met		
10	Met	Ala	Asp	Ala		Asp	Phe	Met	Val		Arg	Len	Glu	Ser	175 Len	Glv		
10				180					185		0	200		190		·.,		
	Gln	Ser	Glu	Leu	Ala	Ser	Arg		Thr	Leu	Asn	Cys	Gln	.Asn	·Ser	Tyr		
			195					200			., .	~.	205					
15	Val	Val 210	Pro	HIS	Lys	116	Arg 215	ASP	116	Pro	Val		He	Met	Asp	Yal		
15	Phe	Asp	Gln	Ser	Ala	Len		Thr	Glu	Ala	Lvc	220 GIn	Glu	Met	Tur	lve		
	225		0,	501	,,,,	230		• • • • •	•••		235	<b>V.</b> u	410	me t	1 7 1	240		
		∙Туг	Pro	Asn	Ala		Arg	Ala	His			Thr	Gly	Gly	Asn			
00					245	_		٠.		250		_			255			
20	L10	Tyr	Leu	Cys 260	Arg	Ser	Ala	Glu	Val 265	Asn	Leu	Tyr	Val	Gln 270	He	His		
	Leu	Leu	Gln		His	Glv	Thr	Lvs		Ala	Ala	He	Asp		Ser	Met		
	200	000	275			u.,		280	•,•			•••	285		501	14.6.1		
25	Va l	Ser	Ala	Glu	Glu	Leu		Val	Gln	Lys	Gly		Leu	Gly	He	Ser		•
23	Cla	290 Glu	~·.	C1			295					300						
	305	GIU	UIU	9111														
30		> 17																
30		> 25																
		> DN > Ho		anie	ne													
	₹220		u o	apic	110													
35		> CD																
55		)(		)														
	<400			იიიი	TCCA	G 00	стст	CCTO	AGG	AGCT	CCA	0400		ነ ተል'	ירררו	CGGGC		60
																CCCGG		120
40	AGTG	GTCG	GA G	CCCG	CCAG	T GG	GCAG	GCAG	CTC	TTGC	TCA	CAGG	CCGC	GG 1	rgcco	AGGCC	•	180
•••	GCTG	GCTC	TC C	GCAG	GGCG	G A	ATG	GCG	CTG	CAA	GTG	GAG	CTG	GTA	CCC	ACC		231
							Met	Ala	ren	Gin		Glu	Leu	Val	Pro			
							,				5				•	10		
45	GGG	GAG .	ATC	ATC	CGC	GTG	GTT	CAT	CCC	CAC	AGG	CCC	TGC	AAG	CTT	GCC		279
	Gly	Glu	lle	lle		Val	Vạl	His	Pro		Arg	Pro	Cys	Lys		Ala		
					15					20		:			25			
	CTG	GGC	AGT 4	GAC	GGG	CTT	იცი	GTG	ACC	ATG	GAG	ACT	նրը	ርተቦ	ስባል	CCC		327
50	Leu (																	341
		• ·		30	- •	'		- •	35		- <del>-</del>			40				
								<b>.</b>					_					
	CGT																	375
55	Arg A	RSP /	Arg ' 45	٧äJ	ΠΙΆ	V & I	. מנט	ASP 50	rne	ISY	ren	Leu	61 u 55	ASD	rne	IUL		
			70					UU					JJ					

5		GAG Glu 60	Ala															423
10		ATC															•	471
		GAC Asp																519
15		AGC Ser																567
20		TAC Tyr																615
25		GGG Gly 140															٠	663
30		TTC Phe																711
		GAC Asp																759
35		AAG Lys																807
40		GTG Val																855
45		TAC Tyr 220																903
50		AAC Asn																951
		TTC Phe																999
	TGG	TGAA	GGCC	CAG 1	GTGC	CAAA	G TO	TTCT	TCAT	CAA	CGÁC	CAAG	AGTO	GACTO	GA A	GGTCG		1058

Trp

```
TCAGGAAGGC TCTGACAGTC ATTGATTTCA CCGAGGATGA AGTGGAGGAC CTGCTGAGCA
                                                                               1118
          TCGTGGCCAG CGTCCTTCAT TTGGGCAACA TCCACTTTGC TGCCAACGAG GAGAGCAATG
                                                                               1178
          CCCAGGTCAC CACCGAGAAC CAGCTCAAGT ATCTGAGCCC ATTCAGTATG CGGTGCCTGT
                                                                               1238
          TGTGAAATAC GACCGCAAGG GCTACAAGCC TCGCTCCCGG CAGCTGCTGC TCACGCCCAA
                                                                               1298
          CGCCGTCGTC ATCGTGGAGG ACGCCAAAGT CAAGCAGAGG ATTGATTACG CCAACCTGAC
                                                                               1358
          CGGAATCTCT GTCAGCAGCC TGAGCGACAG TCTTTTTGTG CTTCATGTAC AGCGTGCGGA
                                                                               1418
10
          CAATAAGCAA AAGGGAGATG TGGTGCTGCA GAGTGACCAC GTGATTGAGA CGCTGACCAA
                                                                               1478
          GACAGCCCTC AGTGCCAACC GCGTGAACAG CATCAACATC AACCAGGGCA GCATCACGTT
                                                                               1538
          TGCAGGGGGC CCCGGCAGGG ATGGCACCAT TGACTTCACA CCCGGCTCGG AGCTGCTCAT
                                                                               1598
          CACCAAGGCC AAGAACGGGC ACCTGGCTGT GGTCGCCCCA CGGCTGAATT CTCGGTGATA
                                                                              1658
          AAGGCGCCCA CTGGACCCTC CCAACGCCCA ATGCTTTGCT TITCTCCTCC TCCCCTTCCC
                                                                              1718
          AGTTACCAAA GACTCGAACT TCCAGACAGG GACCCAGGGA CACCCCGAAG CCCACCTGCA
                                                                              1778
         ATCTCCCACC TCCTGCCCAT CCCTCTCTTG AGGGAGCAGC AGGGGCCAGG AGCTACCCCA
                                                                              1838
         GGAGTGGGCC AGGCCGGGCC ACAGCAATAG GAAAGCCAGG GCCAGAGCGA GCCATGCCAG
                                                                              1898
          CCCTACTGCC GATGCCAAAT ATTTGAGAGA AGGGAACTTT TGCTGAGGTT TTCTCTGAGG
                                                                              1958
20
         TITTITITGA TGCTTTATAG GAAACTATTT TTTAAAAAAA GCCATTTCCC ACCCAAGGAC
                                                                              2018
         ACAGTGGATG TGTTTTCCCT GACTCCAGCA GGGCAAGGAA ATGTAGCCGA GAGGTTGTGT
                                                                              2078
         GGGCTGGGCT CTGGTGCCCT CTTCCCTGGC CAGGACACCT CTCCTCCTGA TTCCCTTGGC
                                                                              2138
         ACCITGICIT TCTGTCTGTT TACCIGTCTC CCTGCCTGCC CATCTGCATC ITTTGCAGCC
                                                                              2198
         CACTCTGACT TCCATCTGGG GGCTGAGACC ACCCTTGCCT GCCCCCTTCT TTCTGCCTTA
                                                                              2258
25
         AGAATGTCCT TITAGGCTGG GCATGGTGGC TCACGCCTGT AACCCCAGCA CTTTGGGAGG
                                                                              2318
         CGGAGACGGG CAGATAACCT GAGGTCAGGA TTTCGAGACC AACCTGACCT ACATGGAGAA
                                                                              2378
         ACTCCGCCTC TGGTAAGGAT ACAAAATTAG CCGGGCATGG TGGTGCACGC CTCTAATCCC
                                                                              2438
         AGCTGCTCGG GAGGCTGAGG CAGGAGAATC ACTTGAACCC GGGAAGTGGA GGTTGCAGTG
                                                                              2498
         AGCCAAGAGT ACACCACTGC ACTCCAGCCT GGGCAACAGA GCGAGACTCC GTCTTAAAAA
                                                                              2558
30
                                                                              2560
         <210> 171
         <211> 267
         <212> PRT
35
         <213> Homo sapiens
         <400> 171
         Met Ala Leu Gln Val Glu Leu Val Pro Thr Gly Glu Ile Ile Arg Val
                      5 10
         Val His Pro His Arg Pro Cys Lys Leu Ala Leu Gly Ser-Asp Gly Val
                                     25
         Arg Val Thr Met Glu Ser Ala Leu Thr Ala Arg Asp Arg Val Gly Val
                                 40⋅
         Gln Asp Phe Val Leu Leu Glu Asn Phe Thr Ser Glu Ala Ala Phe Ile
                             55
         Gly Asn Leu Arg Arg Arg Phe Arg Glu Asn Leu lle Tyr Thr Tyr lle
         65 70 75
         Gly Pro Val Leu Val Ser Val Asn Pro Tyr Arg Asp Leu Gln Ile Tyr .
                                            90
         Ser Arg Gln His Met Glu Arg Tyr Arg Gly Val Ser Phe Tyr Glu Val
                                      105
         Pro Pro His Leu Phe Ala Val Ala Asp Thr Val Tyr Arg Ala Leu Arg
                                  120
                                                      125
         Thr Glu Arg Arg Asp Gln Ala Val Met Ile Ser Gly Glu Ser Gly Ala
            130 135
                                                 140
```

Gly Lys Thr Glu Ala Thr Lys Arg Leu Leu Gln Phe Tyr Ala Glu Thr

	145					150					155			•		160	
5	Cys	Pro	o Ala	a Pro	o Glu 165		Gly	/ Gly	Ala	Val 170		Asp	Arg	Leu	Leu 175	Gln	
	Ser	Ası	n Pro	o Val 180	Leu	<b>Gl</b> u	Ala	Phe	Gly 185	Asn		Lys	Thr	Leu 190	Arg		
	Asp	Ası	1 Sei 198		Arg	Phe	Gly	Lys 200		Met	Asp	Yal	Gln 205	Phe	Asp	Phe	
10	Lys	G13 210	/ Ala		Val	Gly	Gly 215	His		Leu	Ser	Tyr 220	Pro	Leu	Glu	Lys	
	225					G1n 230					235	Asn		•		240	•
15	Thr	Ser	Cys	Trp	Arg 245	Gly	Ala	Arg	Arg	Arg 250		Phe	Ala	Gly	Trp 255	Ala	
	Trp	Asn	Gly	7hr 260		Arg	Ala	He	Cys 265	Thr	Trp						
20	<210 <211																
	<212	2> D	NA	sapi	ene												
	<220 <221	)>		Sahi	CHS												
25		!>(1	16)	. (12	16)												
	CTTT	'TGC	TGC	TGCG	CCCG( GAGG(	GG CA	AGGG(	GCTG	CGG	CGGC	ADDO	GGTO	0000	OTT (	CGAGA	CGCGG ATG	60 118
								• • • • • • •		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	0000	0000	, a a a r	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	ισονι	טותו	110
30																Me t	
30	AGG Arg	CCG Pro	CGC Arg	GGA Gly	AGG Arg	AAG Lys	GCG Ala	GCG Ala	AGC Ser	CCC	GGG	GCC	CCG	AGG	сст	Me t 1	166
30	AGG Arg	CCG Pro	CGC Arg	GGA Gly 5	AGG Arg	AAG Lys	GCG Ala	GCG Ala	AGC Ser 10	CCC	GGG Gly	GCC Ala	CCG Pro	AGG Arg 15	сст	Me t 1	
	Arg	Pro CGT	Arg	Gly 5 AGC	ACC	Lys	Ala	Ala	Ser 10 TCT	CCC Pro	Gly GTG	Ala	Pro GCG	Arg 15 GCC	CCT Pro	Met 1 TGG Trp	
35	Arg	Pro CGT	Arg	Gly 5 AGC	ACC	Lys	Ala	Ala	Ser 10 TCT	CCC Pro	Gly GTG	Ala	Pro GCG	Arg 15 GCC	CCT Pro	Met 1 TGG Trp	166
	CCG Pro	Pro CGT Arg CTG Leu	CAC His 20 CCT Pro	Gly 5 AGC Ser CAC His	ACC Thr GAC Asp	CAC His	ATG Met ACG Thr	GCC Ala 25 TGT Cys	Ser 10 TCT Ser GAC Asp	CCC Pro GGA Gly GAG Glu	GTG Val	GGC Gly GAG Glu	Pro GCG Ala 30 CCC Pro	Arg 15 GCC Ala GAC	CCT Pro TTC Phe	Met 1 TGG Trp GAG Glu GCT	166
<i>35</i>	CCG Pro	CGT Arg CTG Leu 35	CAC His 20 CCT Pro	Gly 5 AGC Ser CAC His	ACC Thr GAC Asp	CAC His	ATG Met ACG Thr 40	GCC Ala 25 TGT Cys	Ser 10 TCT Ser GAC Asp	CCC Pro GGA Gly GAG Glu	GTG Val TGC Cys	GGC Gly GAG Glu 45	GCG Ala 30 CCC Pro	Arg 15 GCC Ala GAC Asp	CCT Pro TTC Phe GAG Glu	Met 1 TGG Trp GAG Glu GCT Ala	166 214
35	CCG Pro	CGT Arg CTG Leu 35	CAC His 20 CCT Pro	Gly 5 AGC Ser CAC His	ACC Thr GAC Asp	CAC His GGC Gly	Ala ATG Met ACG Thr 40 TGC	GCC Ala 25 TGT Cys	Ser 10 TCT Ser GAC ASP	CCC Pro GGA Gly GAG Glu	GTG Val TGC Cys	GGC Gly GAG Glu 45	GCG Ala 30 CCC Pro	Arg 15 GCC Ala GAC Asp	CCT Pro TTC Phe GAG GIU	Met 1 TGG Trp GAG Glu GCT Ala	166 214
<i>35 40</i>	CCG (Pro CCG (CCG (CCG (CCG (CCG (CCG (CCG (CCG	Pro CGT Arg CTG Leu 35 GGG Gly	CAC His 20 CCT Pro	Gly Ser CAC His GAG Glu	ACC Thr GAC Asp GAA Glu	CAC His GGC GIY GTG Val 55	ATG Met ACG Thr 40 TGC Cys	Ala GCC Ala 25 TGT Cys CGA Arg	Ser 10 TCT Ser GAC Asp	CCC Pro GGA Gly GAG Glu TGC Cys	GTG Val TGC Cys GGC GTy 60 CTC	GGC Gly GAG Glu 45 TTC Phe	GCG Ala 30 CCC Pro	Arg 15 GCC Ala GAC Asp TAC Tyr	CCT Pro TTC Phe GAG Glu	Met 1 TGG Trp GAG Glu GCT Ala CGC Arg 65	166 214
<i>35</i>	CCG (CCG (Pro (50)	Pro CGT Arg CTG Leu 35 GGG Gly	CAC His 20 CCT Pro	Gly Ser CAC His GAG Glu	ACC Thr GAC Asp GAA Glu	CAC His GGC GIY GTG Val 55	ATG Met ACG Thr 40 TGC Cys	Ala GCC Ala 25 TGT Cys CGA Arg	Ser 10 TCT Ser GAC Asp	CCC Pro GGA Gly GAG Glu TGC Cys	GTG Val TGC Cys GGC GTy 60 CTC	GGC Gly GAG Glu 45 TTC Phe	GCG Ala 30 CCC Pro	Arg 15 GCC Ala GAC Asp TAC Tyr	CCT Pro TTC Phe GAG Glu	Met 1 TGG Trp GAG Glu GCT Ala CGC Arg 65	166 214 
<i>35 40</i>	CCG (Pro CCG (CCG (CCG (CCG (CCG (CCG (CCG (CCG	Pro CGT Arg CTG Leu 35 GGG Gly	Arg CAC His 20 CCT Pro GCC Ala GCC Ala	GAG GAG GAU CAC	ACC Thr GAC Asp GAA Glu GCG Ala 70 GGC	CAC His GGC GIY GTG Val 55	ATG Met  ACG Thr 40  TGC Cys	Ala GCC Ala 25 TGT Cys CGA Arg CAG GIn	Ser 10 TCT Ser GAC Asp GAA Glu AAG Lys	CCC Pro GGA Gly GAG Glu TGC Cys	GIY GTG Val TGC Cys GGC GIY 60 CTC Leu	GGC GGLy GAG GLU 45 TTC Phe	Pro GCG Ala 30 CCC Pro TGC Cys CAC His	Arg 15 GCC Ala GAC Asp TAC Tyr CAT His	CCT Pro TTC Phe GAG GIU TGC Cys CTG Leu 80	Met 1 TGG Trp GAG Glu GCT Ala CGC Arg 65 GCC Ala	166 214 

5			G GGG	Lys					Val									454
			AGC Ser					Glu										502
10		Glu	GAA Glu				Thr										•	550.
15			AGT Ser															598
20			GCC Ala															646
<b>25</b>			Thr 180															694
30			AGA															742
			TAT Tyr															790
35			GGG Gly															838
40.			GAA Glu														•	886
<b>45</b>			TTG Leu 260															934
50			GAC Asp															982
			GTG Val														1	1030
55	ATC	CAA	GAG	GCA	ATG	GCC	ACA	GCT	CAT	GTG	AC <b>T</b>	GAG	ATA	CTG	GCA	GAC	i	1078

5	lle Gln Glu Ala Met Ala Thr Ala His Val Thr Glu Ile Leu Ala Asp 310 315 320
J	ATC CAA TCC CAC ATG GAT AGG TTG ATG ACT CAG ATG GCC CAA GCC AAG  Ile Gln Ser His Met Asp Arg Leu Met Thr Gln Met Ala Gln Ala Lys  325  330  335
10	GAA CAA CTT GAT ACC TCT AAT GAA TCA GCT GAG CCA AAG GCA GAG GGC  1174 Glu Gln Leu Asp Thr Ser Asn Glu Ser Ala Glu Pro Lys Ala Glu Gly 340 345 350
15	GAT GAG GAA GGA CCC AGT GGT GCC AGT GAA GAA GAG GAC ACA TGAAGGCTT  ASP Glu Glu Gly Pro Ser Gly Ala Ser Glu Glu Glu Asp Thr  355  360  365
20	GCTACCCCCA GTGGAAAATC ATCCCCTCCC CTTGTGTGTA TGTGACAGCG TGTATGTAAC  GGCTTCTGAT TTCTGTGAAA GCTGCTCAGC AACAAACGTA CTTCCACCAG ATGTGTCCCC  AGATCCACAG CAGGCACATA TCTCTCCAAG GGATGACCAG TTTTATGCTT ACTGTGTGCT  TCTCATCCCC TGGTTGTGGT AGGTCAAGGA AAAGAGCCCC TTTGATCCAC CAGGAGCAAT  TAAGAAAGGT CCTTCAGGTA ATCCCTCAAT GGCTGCTTTG AACTTACTCA GGAAAGCCAG  1525
25	CCCCCATAAT ATTGTATTAC CAAACAGTAT CGCTTTGTTA GGAAGGATCT GGAATAATCT TGAAGGGAAG TCAGAGTTTT CTCCCTGCCT ATTAACAAAA ACCCAATTTT GTTCATATTG AAGCATGAAA TAAATGAGAG CAAGGTAGGG CCAAATTAAC TCTTGTGGAC AGTCCCTAAA 1705 AGTCCAGTTC TACATTTGTG AAAATTGTGG TGCCATGAAT TAAGATGGAT GACTGGAAAA 1765 AGGTGTTGGA GAAAGAGTTA AAGATGAGGA AGAGATATTT TTAGTATATG AAGTTATCCA 1825
30	GGACTTGATA TTCATAATTC AGTGCTGTGG AAATGAAAAA AATGATTGAA GAGGTGGAAC  GGAAATGACC TTAGGGGGAA AAAAAAGGAC CAAAGAAGTC TGATTAAAAG TTGAAATCAG  TATTTCTGAA TTCAAATTGC TTGAATTTCC AAAATAGTCA GTAAAGGATC TAATAGAACC  AGAATTATTT GGGTGAATTC TGCAGGTTTT ATGGGCTTGT CACAACGTGA AGGGCTGGAA  TGTATATTAC CAAATGGGAA TTTCCATTGT AGGTTTTTGC TAGTCCCACC CCCATTTTAG  2125
35	CCTAATTTGG CTTAAACGCA GTATGGGGAG AATTGTTCCC ATTCCATGTG TTCTGAATTC  AGCTCATCTC CCAGCATATA GATATATCCT CCTTTAACTC CGACCAGAAC CCTTCTTCCT  GTGGCACTCC CCACCCATAG ACCTTCAGAT CATCTCCCAC ACCCTGGATC TCACTCTCCT  CTTAGTAACA GAGACACTCC TGAGGTTGGA CTTCCTTGCT TTTCTCTACT TCCAAATCAC  AATTTCTTAC AACCAAGCTT TGTGCTCCCG AGTAAGCAGG GATGTACTAG GGGAATGTAA  2425
40	AACTGCAAAC TTAAAAACCT GCATCTTCTT GAAGCATCAG TTTTACTTAC CAAATGGTTT 2485 AGAGTCATAA GATGACCTAT TTTTATATAA AAGTTATATT ATAGAATAAA ATGTTCATAC 2545 GCATAGACTG TTAAG 2560
45	<210> 173 <211> 367 <212> PRT <213> Homo sapiens 173
50	Met Arg Pro Arg Gly Arg Lys Ala Ala Ser Pro Gly Ala Pro Arg Pro 1 5 10 15 Trp Pro Arg His Ser Thr His Met Ala Ser Gly Val Gly Ala Ala Phe
	20 25 30 Glu Glu Leu Pro His Asp Gly Thr Cys Asp Glu Cys Glu Pro Asp Glu 35 40 45
55	Ala Pro Gly Ala Glu Glu Val Cys Arg Glu Cys Gly Phe Cys Tyr Cys 50 55 60 Arg Arg His Ala Glu Ala His Arg Gln Lys Phe Leu Ser His His Leu

```
70
                                                            75
                   Ala Glu Tyr Val His Gly Ser Gln Ala Trp Thr Pro Pro Ala Asp Gly
                                    85
                                                        90
                   Glu Gly Ala Gly Lys Glu Glu Ala Glu Val Lys Val Glu Gln Glu Arg
                                                   105
                   Glu Ile Glu Ser Glu Ala Gly Glu Glu Ser Glu Ser Glu Glu Glu Ser
                                               120
                   Glu Ser Glu Glu Glu Ser Glu Thr Glu Glu Glu Ser Glu Asp Glu Ser
10
                                           135
                                                               140
                   Asp Glu Glu Ser Glu Glu Asp Ser Glu Glu Glu Met Glu Asp Glu Gln
                                       150
                                                           155
                   Glu Ser Glu Ala Glu Glu Asp Asn Gln Glu Glu Gly Glu Ser Glu Ala
                                                       170
                   Glu Gly Glu Thr Glu Ala Glu Ser Glu Phe Asp Pro Glu Ile Glu Met
                                                   185
                   Glu Ala Glu Arg Val Ala Lys Arg Lys Cys Pro Asp His Gly Leu Asp
                                               200
20
                   Leu Ser Thr Tyr Cys Glm Glu Asp Arg Glm Leu Ile Cys Val Leu Cys
                                           215
                                                               220
                   Pro Val Ile Gly Ala His Gln Gly His Gln Leu Ser Thr Leu Asp Glu
                                      230
                                                         235
                   Ala Phe Glu Glu Leu Arg Ser Lys Asp Ser Gly Gly Leu Lys Ala Ala
25
                                                      250
                                   245
                  Met Ile Glu Leu Val Glu Arg Leu Lys Phe Lys Ser Ser Asp Pro Lys
                              260
                                                   265
                  Val Thr Arg Asp Gln Met Lys Met Phe Ile Gln Gln Glu Phe Lys Lys
                                               280
                                                                   285
30
                  Val Glm Lys Val lle Ala Asp Glu Glu Glm Lys Ala Leu His Leu Val
                                          295
                                                              300
                  Asp Ile Gln Glu Ala Met Ala Thr Ala His Val Thr Glu Ile Leu Ala
                                       310
                  Asp lle Gln Ser His Met Asp Arg Leu Met Thr Gln Met Ala Gln Ala
35
                                       325
                                                          330
                  Lys Glu Gln Leu Asp Thr Ser Asn Glu Ser Ala Glu Pro Lys Ala Glu
                                                       345
                  Gly Asp Glu Glu Gly Pro Ser Gly Ala Ser Glu Glu Glu Asp Thr
                          355
                                               360
                                                                   365
40
                  <210> 174
                  <211> 41
                  <212> DNA
                  <213> Artificial Sequence
45
                 <223> Description of the artificial sequence: a synthetic DNA
                 . <400> 174
                  ttaagcitgc caccatgagc aaccccagcg ccccaccacc a
                                                                              41
50
                  (210) 175
                  <211> 29
                  <212> DNA
                  <213> Artificial Sequence
55
                  (220)
```

	(223) Description of the artificial sequence:a synthetic DNA	i
5	<400> 175	
	gtatcgattt aattgcgatc ccccatcag	29
	176	
	⟨211⟩ 24	
10	<212> DNA	
	<213> Artificial Sequence	
	⟨220⟩	
	<223> Description of the artificial sequence: a synthetic DNA	
15	<400> 176	
	cacctactglatgacaccacattc 2	4
	<210> 177	
	(211) 24	
20	<212> DNA	
	<213> Artificial Sequence	
	⟨220⟩	
	<223> Description of the artificial sequence: a synthetic DNA	
25	<400> 177	
	gagatgctgticcatgctggcctg	24
	⟨210⟩ 178	
30	<b>(211) 24</b>	
,,,	(212) DNA	
	<213> Artificial Sequence	
	(220)	
	<223> Description of the artificial sequence: a synthetic DNA	
35	<400> 178	
	ggaaagcictccgtggclaacaag	24
	684448010100818801440448	44
	⟨210⟩ 179	
40	⟨211⟩ 24	
10	<212> DNA	
	<213> Artificial Sequence	
	⟨220⟩	
	<223> Description of the artificial sequence:a synthetic DNA	
15	4400	
	<400> 179	
	catagtccttgacaagggtcacag ·	24
	<210> 180	
50	⟨211⟩ 22	
	<212> DNA	
	<pre>&lt;213&gt; Artificial Sequence</pre>	
	(220)	
	(223) Description of the artificial sequence: a synthetic DNA	
55	Z400N 100	
	CAUAN IVO	

	cccatcaccatcttccaggagc	23
5	<210> 181 <211> 26	
	(212) DNA	
0	<213> Artificial Sequence <220>	•
U	<pre>&lt;223&gt; Description of the artificial sequence:a synthetic</pre>	DNA
	<400> 181	
	ttcaccaccttcttgatgtcatcata	26
5		-

#### Claims

25

35

40

- 1. A DNA having a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO:143, 145, 147, 149, 151, 153, 155, 157, 168, 170 and 172.
  - 2. A shear stress-responsive DNA capable of hybridizing with a DNA having the nucleotide sequences represented by SEQ ID NO:143, 145, 149, 151, 153, 155, 157, 168, 170 or 172 under stringent conditions.
  - 3. A shear stress-responsive DNA capable of hybridizing with a DNA having the nucleotide sequence represented by SEQ ID NO:147 under stringent conditions, and having not less than 90% homology with the DNA.
- 4. A DNA having the same sequence as 5 to 60 consecutive bases in a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO:143, 145, 149, 153, 155, 157, 168, 170 and 172, or a DNA having a sequence complementary to the DNA.
  - A method for detecting an mRNA for a shear stress-responsive gene using a DNA according to any one of claims 1 to 4.
  - 6. A diagnostic agent for vascular diseases caused by arteriosclerosis which contains a DNA according to any one of claims 1 to 4.
  - 7. A method for detecting a gene causative of arteriosclerosis using a DNA according to any one of claims 1 to 4.
  - 8. A method for screening an agent for regulating the transcription or translation of a shear stress-responsive gene using a DNA according to any one of claims 1 to 4.
- A method for screening a therapeutic agent for vascular diseases caused by arteriosclerosis using a DNA according to any one of claims 1 to 4.
  - 10. A therapeutic agent for vascular diseases caused by arteriosclerosis which contains a DNA according to any one of claims 1 to 4.
- 11. A recombinant virus vector containing a DNA according to any one of claims I to 4.
  - 12. A recombinant virus vector containing an RNA comprising a sequence homologous with the sense strand of a DNA according to any one of claims 1 to 4.
- 13. A DNA having a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO: 111, 113, 115, 116, 117, 119, 121, 123, 125, 127, 129, 130, 131, 132, 133, 134, 135, 137, 139 and 141.
  - 14. A shear stress-responsive DNA capable of hybridizing with the DNA according to claim 13 under stringent condi-

tions.

5

20

25

30

45

50

- 15. A DNA having the same sequence as 5 to 60 consecutive bases in a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO:111, 113, 115, 116, 117, 119, 121, 123, 125, 127, 129, 130, 131, 132, 133, 134, 135, 137, 139 and 141, or a DNA having a sequence complementary to the DNA.
- 16. A diagnostic agent for vascular diseases caused by arteriosclerosis which contains a DNA according to any one of claims 13 to 15.
- 17. A method for detecting a gene causative of arteriosclerosis using a DNA according to any one of claims 13 to 15.
  - 18. A method for screening an agent for regulating the transcription or translation of a shear stress-responsive gene using a DNA according to any one of claims 13 to 15.
- A method for screening a therapeutic agent for vascular diseases caused by arteriosclerosis using a DNA according to any one of claims 13 to 15.
  - 20. A method for detecting an mRNA for a shear stress-responsive gene using a DNA having a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103,105, 107 and 109.
  - 21. A method for identifying the apoptosis sensitivity of cells by detecting the endogenous transcription level of a DNA having the nucleotide sequence represented by SEQ ID NO:7 using a DNA having the nucleotide sequence represented by SEQ ID NO:7 or a DNA having the same sequence as 5 to 60 consecutive bases in the nucleotide sequence represented by SEQ ID NO:7:
  - 22. A method for suppressing or promoting the apoptosis of cells by regulating the endogenous transcription or translation of a DNA having the nucleotide sequence represented by SEQ ID NO:7 using a DNA having the nucleotide sequence represented by SEQ ID NO:7 or a DNA having the same sequence as 5 to 60 consecutive bases in the nucleotide sequence represented by SEQ ID NO:7, or an antisense DNA having a nucleotide sequence complementary to the nucleotide sequence of each of these DNAs.
- 23. A diagnostic agent for vascular diseases caused by arteriosclerosis which contains a DNA having a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107 and 109.
- 24. An agent for identifying the apoptosis sensitivity of cells which contains a DNA having the nucleotide sequence represented by SEQ ID NO:7, or a DNA having the same sequence as 5 to 60 consecutive bases in the nucleotide sequence represented by SEQ ID NO:7.
  - 25. A method for screening an agent for regulating the transcription or translation of a shear stress-responsive gene using a DNA having a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107 and 109.
  - 26. A method for screening a therapeutic agent for vascular diseases caused by arteriosclerosis using a DNA having a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107 and 109.
  - 27. A method for screening an agent for suppressing or promoting the apoptosis of cells by regulating the endogenous transcription or translation of a DNA having the nucleotide sequence represented by SEQ ID NO:7 using a DNA having the nucleotide sequence represented by SEQ ID NO:7 or a DNA having the same sequence as 5 to 60 consecutive bases in the nucleotide sequence represented by SEQ ID NO:7.
  - 28. A therapeutic agent for vascular diseases caused by arteriosclerosis which contains a DNA having a nucleotide

### EP 1 225 224 A1

sequence selected from the nucleotide sequences represented by SEQ ID NO:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107 and 109.

- 29. An agent for suppressing or promoting the apoptosis of cells which contains a DNA having the nucleotide sequence represented by SEQ ID NO:7 or a DNA having the same sequence as 5 to 60 consecutive bases in the nucleotide sequence represented by SEQ ID NO:7, or an antisense DNA having a nucleotide sequence complementary to the nucleotide sequence of each of these DNAs.
- 30. A recombinant virus vector containing a DNA having a nucleotide sequence selected from the nucleotide sequence es represented by SEQ ID NO:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107 and 109.
- 31. A recombinant virus vector containing an RNA comprising a sequence homologous with the sense strand of a DNA having a nucleotide sequence selected from the nucleotide sequences represented by SEQ ID NO:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107 and 109.
- 32. A therapeutic agent for vascular diseases caused by arteriosclerosis which contains a recombinant virus vector according to claim 30 or 31.
  - 33. A method for suppressing the apoptosis of cells using a recombinant virus vector containing a DNA having the nucleotide sequence represented by SEQ ID NO:7, or a recombinant virus vector containing an RNA comprising a sequence homologous with the sense strand of a DNA having the nucleotide sequence represented by SEQ ID NO:7.
  - 34. A method for screening an agent for suppressing or promoting the apoptosis of cells using a recombinant virus vector containing a DNA having the nucleotide sequence represented by SEQ ID NO:7, or a recombinant virus vector containing an RNA comprising a sequence homologous with the sense strand of a DNA having the nucleotide sequence represented by SEQ ID NO:7.
  - 35. A protein having an amino acid sequence selected from the amino acid sequences represented by SEQ ID NO: 144, 146, 148, 150, 152, 154, 156, 158, 169, 171 and 173.
  - 36. A protein comprising an amino acid sequence in which one or more amino acids are deleted, replaced or added as compared with the amino acid sequence possessed by the protein according to claim 35, and having an activity participating in the formation of an arteriosclerotic lesion.
- 40 37. A DNA encoding a protein according to claim 35 or 36.

25

30

35

- 38. A recombinant DNA obtained by inserting a DNA according to any one of claims 1-4 and 37 into a vector.
- 39. A transformant obtained by introducing the recombinant DNA according to claim 38 into a host cell.
- 40. A process for the preparation of a protein which comprises culturing the transformant according to claim 39 in a culture medium, causing a protein according to claim 35 or 36 to be produced and accumulated in the culture medium, and harvesting the protein from the resulting culture.
- 41. A method for screening a therapeutic agent for vascular diseases caused by arteriosclerosis which comprises culturing the transformant according to claim 39 in a culture medium and using the resulting culture for the screening.
- **42.** A method for screening a therapeutic agent for vascular diseases caused by arteriosclerosis using a protein according to claim 35 or 36.
  - 43. A recombinant virus vector capable of producing a protein according to claim 35 or 36.

#### EP 1 225 224 A1

- 44. A therapeutic agent for vascular diseases caused by arteriosclerosis which contains the recombinant virus vector of claim 43.
- 45. An antibody capable of recognizing a protein according to claim 35 or 36.

5

20

35

45

50

- 46. A method for detecting a protein according to claim 35 or 36 immunologically, using the antibody according to claim 45.
- 47. A method for screening a therapeutic agent for vascular diseases caused by arteriosclerosis using the antibody according to claim 45.
  - **48.** A method for screening an agent for regulating the transcription or translation of a shear stress-responsive gene using the antibody according to claim 45.
- 49. A diagnostic agent for vascular diseases caused by arteriosclerosis which contains the antibody according to claim 45.
  - **50.** A therapeutic agent for vascular diseases caused by arteriosclerosis which contains the antibody according to claim 45.
  - 51. A drug delivery method which comprises combining the antibody of claim 45 with a radioactive isotope, a protein or a low-molecular-weight agent, and delivering the resulting conjugated antibody to an arteriosclerotic lesion.
- 52. An antibody capable of recognizing a protein having an amino acid sequence represented by SEQ ID NO: 112, 114, 118, 120, 122, 124, 126, 128, 136, 138, 140 and 142.
  - 53. A method for screening a therapeutic agent for vascular diseases caused by arteriosclerosis using the antibody according to claim 52.
- 54. A method for screening an agent for suppressing the transcription or translation of a shear stress-responsive gene using the antibody according to claim 52.
  - 55. A diagnostic agent for vascular diseases caused by arteriosclerosis which contains the antibody according to claim 52.
  - **56.** A therapeutic agent for vascular diseases caused by arteriosclerosis which contains the antibody according to claim 52.
- 57. A drug delivery method which comprises combining the antibody of claim 52 with a radioactive isotope, a protein or a low-molecular-weight agent, and delivering the resulting conjugated antibody to an arteriosclerotic lesion.
  - 58. A method for screening an agent capable of binding specifically to a protein having the amino acid sequence represented by SEQ ID NO:8 and effective for suppressing or promoting the apoptosis of cells, using a protein having the amino acid sequence represented by SEQ ID NO:8.
  - 59. A method for screening an agent for suppressing or promoting the apoptosis of cells which comprises inserting a DNA having the nucleotide sequence represented by SEQ ID NO:7 or a DNA encoding a protein having the amino acid sequence represented by SEQ ID NO:8, into a vector; introducing the resulting recombinant DNA into a host cell; culturing the resulting transformant in a culture medium; and using the resulting culture for the screening.
  - **60.** A recombinant virus vector capable of producing a protein having an amino acid sequence selected from the amino acid sequences represented by SEQ ID NO:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108 and 110.
  - 61. A therapeutic agent for vascular diseases caused by arteriosclerosis which contains the recombinant virus vector according to claim 60.

#### EP 1 225 224 A1

- 62. A method for suppressing the apoptosis of cells using a recombinant virus vector capable of producing a protein having the amino acid sequence represented by SEQ ID NO:8.
- 63. An agent for suppressing the apoptosis of cells which contains a recombinant virus vector capable of producing a protein having the amino acid sequence represented by SEQ ID NO:8.
  - 64. A method for screening a therapeutic agent for vascular diseases caused by arteriosclerosis using an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108 or 110.

10

15


25


45


50


- 65. A method for screening an agent for suppressing or promoting the transcription or translation of a shear stress-responsive gene using an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108 or 110.
- 66. A method for regulating the apoptosis of cells using an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:8.
- 67. A method for screening an agent for regulating the apoptosis of cells using an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:8.
  - 68. A method for identifying the apoptosis sensitivity of cells by detecting the expression level of a protein having the amino acid sequence represented by SEQ ID NO:8 using an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:8.
  - 69. A method according to any one of claims 21, 22, 27, 33, 34, 58, 59, 62, 66, 67 and 68 wherein the cells are vascular endothelial cells.
- 70. A diagnostic agent for vascular diseases caused by arteriosclerosis which contains an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108 or 110.
- 71. An agent for identifying the apoptosis sensitivity of cells which contains an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:8.
- 72. A therapeutic agent for vascular diseases caused by arteriosclerosis which contains an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108 or 110.
  - 73. An agent for regulating the apoptosis of cells which comprises an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:8.
  - 74. An agent for suppressing or promoting the apoptosis of cells which is obtained by a method according to any one of claims 27, 34, 58, 59 and 67.
  - 75. An agent according to any one of claims 24, 29, 63, 71, 73 and 74 wherein the cells are vascular endothelial cells.
  - 76. A drug delivery method which comprises combining an antibody capable of recognizing a protein having the amino acid sequence represented by SEQ ID NO:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108 or 110, with a radioactive isotope, a protein or a low-molecular-weight agent, and delivering the resulting conjugated antibody to an arteriosclerotic lesion.

F












FIG.6A




FIG.6B




FIG.7A




FIG.7B



RS-041	7	1 MSNPSAPPPYEDRNPLYPGPLPPGGYGQPSVLPGGYPAYPGVPO	4
5	-		4 4
	45	. PGYGHPAGYPQPMPPTHPMPMNYGPGHGYDGEERAVSDSFGP.	86
•	41	ATSGEGMKAGAFPPAPTAVPLHPSWAYVDPSSSSSYDNGFPPETMSSSPL	6
	87	GEWDDRKVRHTFIRKVYSIISVQLLITVAIIAIFTFVEPVSAFVRRNVAV	H
	91	SAGMTKKVRRVFVRKVYTILLIQLLVTLAVVALFTFCDPCQGLCSGQPGW 14	7,
	137	YYVSYAVFVVTYLILACCQGPRRRFPWNIILLTLFTFAMGFMTGTISSMY 1	18
•	141	141 YWASYAVFFATYLTLACCSGPRRHFPWNLILLTVFTLSMAYLTGMLSSYY 19	13
. ,	187	OTKAVIIAMIITAVVSISVTIFCFOTKVDFTSCTGLFCVLGIVLLVTGIV 23	23
•	191		24
	237	TSIVLYFQYVYWLHMLYAALGAICFTLFLAYDTQLVLGNRKHTISPEDYI	28
•	241	241 LAILLPFQYVPWLHAVYAALGAGVFTLFLALDTQLLMGNRRHSLSPEEYI 2	29
	287	287 TGALQIYTDIIYIFTFVLQLMGDRN. 311	
	291		

International application No.

PCT/JP00/06840

A. CLA	SSIFICATION OF SUBJECT MATTER				
	Cl' C12N15/12, C07K14/435, 1	16/18. C12P21/02			
	C12Q1/68, A61K38/00, 39/	395, 48/00, A61P9/10			
	GO1N33/50, 33/53,				
According	to International Patent Classification (IPC) or to both	national classification and IPC			
	OS SEARCHED				
Minimum	documentation searched (classification system follow	red by classification symbols)			
Int	.Cl7 C12N15/11-15/62, C07K14/	00-14/825			
1					
Dogument					
Document	tion searched other than minimum documentation to	the extent that such documents are included	in the fields searched		
		,			
Pleatensia	date Leave and the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the date of the				
Gen	data base consulted during the international search (n Bank/EMBL/DDBJ/GeneSeq, SwissPro	ame of data base and, where practicable, see	arch terms used)		
вю	SIS (DIALOG), WPI (DIALOG)	oc/Pik/Geneseq,			
ļ					
C. DOCU	MENTS CONSIDERED TO BE RELEVANT				
Category*	Citation of document, with indication, where	appropriate, of the relevant nessages	Delement of the 21		
			Relevant to claim No.		
х	WO, 99/14327, A2 (GENENTECH,	INC.),	2,4,11,12,		
	25 March, 1999 (25.03.99),		36-40,43,		
	especially, PRO246, FIG.26 FIG.27 (Accession No.Y05286)	(Accession No.X28436),	45,46		
	& AU, 9893121, A & ZA, 980	8293 A			
X	WO, 99/14328, A2 (GENENTECH,	INC.),	2,4,11,12,		
	25 March, 1999 (25.03.99),		36-40,43,		
	especially, FIGURE 16 (Access: FIGURE 17 (Accession No.Y1335)	lion No.X52221),	45,46		
	& ZA, 9808460, A & AU, 989				
	& EP, 1027434, A2	51,0, A			
Х	US, 5942606, A (INCYTE PHARMAC	CEUTICALS, INC.),	2,4,11,12,		
	24 August, 1999 (24.08.99), especially, SEQ ID NO:2 (Acces	ogian Na Vogasa)	36-40,43,		
	SEQ ID NO:1 (Accession No.Y270	196)	45,46		
	(Family: none)	}			
[			1		
P,X	WO, 99/58660, A1 (HUMAN GENOME	SCIENCES, INC.),	2,4,11,12,		
	18 November, 1999 (18.11.99),		36-40,43,		
Further	documents are listed in the continuation of Box C.	See patent family annex.			
Special  A document	categories of cited documents:	"I" later document published after the inters	national filing date or		
consider	nt defining the general state of the art which is not ed to be of particular relevance	prignry date and not in conflict with the	producation but sited to		
E earlier d	ocument but published on or after the international filing	understand the principle or theory under document of particular relevance; the cli	aimed invention assess b-		
date "L" docume:	nt which may throw doubts on priority claim(s) or which is	comidered novel of cannot be considered	d to involve an inventive		
cited to	establish the publication date of another citation or other	"Y" document of particular relevance; the cla	simed invention cannot be		
O" documer	eason (as specified)  It referring to an oral disclosure, use, exhibition or other	considered to involve an inventive step when the document is combined with one or more other such documents, such			
means		combination being obvious to a person s	killed in the arr		
P" document published prior to the international filing date but later than the priority date claimed "&" document member of the same patent family					
Date of the actual completion of the international search 19 December, 2000 (19.12.00)  Date of mailing of the international search report 26 December, 2000 (26.12.00)					
Vame and ma	iling address of the ISA/	Authorized officer			
	ese Patent Office		i		
			j		
acsimile No.		Telephone No.			
rm PCT/IS	A/210 (second sheet) (July 1992)				

International application No.
PCT/JP00/06840

		FC1/0	P00/06840
	ation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category	Citation of document, with indication, where appropriate, of the relevan	t passages	Relevant to claim N
	especially, SEQ ID NO:39 (Accession No.Z65278 SEQ ID NO:291 (Accession No.Y76303) & AU, 9938831, A	3),	45,46
P,X	WO, 00/11015, A1 (ALPHAGENE, INC.), 02 March, 2000 (02.03.00), especially, SEQ ID NO:37 (Accession No.A23441 SEQ ID NO:38 (Accession No.Y94999) & AU, 9957847, A	.),	2,4,11,12, 36-40,43, 45,46
P,X	WO, 00/15666, A2 (GENENTECH, INC.), 23 March, 2000 (23.03.00), especially, FIGURE 15 (Accession No.A30052), FIGURE 16 (Accession No.Y88574) & AU, 9958167, A		2,4,11,12, 36-40,43, 45,46
A	TOPPER, James N. et al., "Blood flow and vascuexpression: fluid shear stress as a modulendothelial phenotype", Molecular Medicine January, 1999, Volume 5, Number 1, pages 40-40	lator of	1,2,4-12, 35-50
	ANDO, Joji et al., "Flow-dependent Regulation Expression in Vascular Endothelial Cells", Japane Journal, January, 1996, Volume 37, Number 1, 2		1,2,4-12, 35-50
1			
1			
		-	
		].	
	•		
	·		
- 1			

International application No.

PCT/JP00/06840

Port Ot at	
Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)	
This international search report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:	:
1. Claims Nos.: 22,33,51,57,66,69,76 because they relate to subject matter not required to be searched by this Authority, namely:	
The inventions as ser forth in claims as as as	
these methods are performed for therapy in the human body. Therefore, these inventions pertain to methods for treatment of the human body by therapy. Th for inducing as set forth in claims 51, 57 and 76 relate to "drug delivery method arteriosclerotic focus" which are to be performed in the human body in therapy by therapy.	es
2. Claims Nos.:	
because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:	
	į
	ı
· 🗖	ı
3. Claims Nos.:	
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).	
Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)  This International Searching Authority County International Searching Authority County International Searching Authority County International Searching Authority County International Search	7
This International Searching Authority found multiple inventions in this international application, as follows:  See extra sheet.	1
oce extra sheet.	ı
	ı
	I
	l
	l
As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.	
2. As all searchable claims could be searched without offer instit.	
2. As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.	l
As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:	
·	
No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:	
The inventions as set forth in claims which relate to the base sequence	
represented by SEQ ID NO:143 or the amino acid sequence represented by SEQ ID NO:144	
emark on Protest The additional search fees were accompanied by the applicant's protest.	
No protest accompanied the payment of additional search fees.	
PCT/ISA DIO (auxiliaria)	

Form PCT/ISA/210 (continuation of first sheet (1)) (July 1992)

International application No.

PCT/JP00/06840

## Continuation of Box No.II of continuation of first sheet (1)

The requirement of unity of invention in international application (PCT Rule 13.1) is not satisfied unless there is a technical relationship between a group of inventions as set forth in claims involving one or more of the same or corresponding special technical feature. The term "special technical feature" means a technical feature clearly showing the contribution achieved by the inventions as set forth in the claims as a whole (PCT Rule 13.2). The requirement of unity of invention is judged without considering whether the group of inventions are described in separate claims or in a single claim in the alternative form (PCT Rule 13.3).

or in a single claim in the alternative form (PCT Rule 13.3).

In the present case, the inventions relating to the base sequences represented by SEQ ID NOS: 143, 145, 147, 149, 151, 153, 155, 157, 168, 170, 172, 111, 113, 117, 119, 121, 123, 125, 127, 135, 137, 139, 141, 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, and 109 (or the amino acid sequences represented by SEQ ID NOS:144, 146, 148, 150, 152, 154, 156, 158, 169, 171, 173, 112, 114, 118, 120, 122, 124, 126, 128, 136, 138, 140, 142, 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108 and 110) or the base sequences represented by SEQ ID NO:115,116, 129, 130, 131, 132, 133 and 134 have a matter in hemoendothelial cells". However, there had been publicly known endothelin-1, monocyte chemotactic protein-1, etc. as "DNA the expression of which is induced by a shear stress stimulus in hemoendothelial cells", as the applicant recognizes. Therefore, it can be concluded that there is no "special technical feature" common to the inventions relating to the above-described base sequences (or amino acid sequences) as set forth in the claims.

Such being the case, the claims involve 86 separate inventions respectively relating to the base sequences represented by SEQ ID NOS: 143, 145, 147, 149, 151, 153, 155, 157, 168, 170, 172, 111, 113, 117, 119, 121, 123, 125, 127, 135, 137, 139, 141, 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107 and 109 (or the amino acid sequences represented by SEQ ID NOS:144, 146, 148, 150, 152, 154, 156, 158, 169, 171, 173, 112, 114, 118, 120, 122, 124, 126, 128, 136, 138, 140, 142, 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108 and 110) or the base sequences represented by SEQ ID NO:115,116, 129, 130, 131, 132, 133 and 134.

Form PCT/ISA/210 (extra sheet) (July 1992)